QL
506
B86
v.1
ENT

SHOUT
SHARE
IT

| | | |
|---|---|---|
| CALL NO. | AUTHOR OF BOOK (or Periodical Title, Vol. and Year)<br>Kirby, W.F. | CHARGED<br>DUE |
| TITLE, PLACE AND DATE OF BOOK (or Author, Title, & Pages of Period. Article)<br>Synonymic Cat of Orthoptera. V. 1<br>Euplexoptera Cursoria | | |
| REQUESTED BY (Name and Section)<br>1904 acc. 192718 | | |
| RECEIVED BY (Name and Date) | | |

SMITHSONIAN INSTITUTION LIBRARIES
ENTOMOLOGY BRANCH
WASHINGTON, D.C. 20560

SI-LIB-862b (Rev. 3-67)

Insects

Aug. 8,

95632

QL
506
B89
v.1
ENT

# A SYNONYMIC CATALOGUE

OF

# ORTHOPTERA.

BY

W. F. KIRBY.

---

## VOL. I.

## ORTHOPTERA EUPLEXOPTERA, CURSORIA, ET GRESSORIA.

(FORFICULIDÆ, HEMIMERIDÆ, BLATTIDÆ, MANTIDÆ, PHASMIDÆ.)

---

LONDON:
PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.
SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1904.

*All rights reserved.*


ALERE FLAMMAM.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

Smithsonian Institution,
AUG 8 1905
192718
National Museum.

# PREFACE.

During the last few years the Orthoptera of the British Museum have been rearranged throughout by Mr. W. F. Kirby, and now fill 38 cabinets, exclusive of the British collection. In order to carry out this work, Mr. Kirby found it necessary to prepare a complete Catalogue of the Order, which the Trustees have decided to publish in its entirety, believing that it will be found extremely useful to students of Entomology, especially as no recent or complete catalogues of most of the families exist.

In 1892 the number of described species of Orthoptera was estimated at 8000, but this number has since been largely increased; and Mr. Kirby has himself described numerous new species, chiefly in the 'Annals and Magazine of Natural History' and in the 'Transactions' of the Zoological and Entomological Societies, during the progress of his work. The types of these species are all in the British Museum, with the exception of a few (chiefly African) in the collection of Mr. W. L. Distant.

The most important special collections of Orthoptera in the British Museum are those formed for the preparation of the 'Biologia Centrali-Americana,' of which the families *Forficulidæ*, *Blattidæ*, *Mantidæ*, *Gryllidæ*, and *Phasgonuridæ* have already been received; the De Bormans collection of

*Forficulidæ*; and the collections formed by the collectors attached to scientific expeditions to Christmas Island, the Hawaiian Islands, Socotra, and the West Indies (especially St. Vincent and Grenada), and described in the Reports published relative to those expeditions.

The present volume includes five families of Orthoptera, and it is expected that the remaining three will be completed in one (or at most two) more volumes.

The pattern adopted for this Catalogue has been that of Mr. Kirby's unofficial 'Catalogue of Neuroptera Odonata,' published in 1890.

Special thanks are due to Prof. E. B. Poulton for allowing the types of *Blattidæ* described by Walker from the collection of the late W. W. Saunders, and now in the Hope Museum at Oxford, to be compared with the British Museum Collection, which has made it possible to determine at least the generic position of nearly the whole of Walker's Blattidæ.

Mr. Kirby also wishes to thank Messrs. Bolivar, Bruner, Burr, Caudell, and Rehn for early copies of their papers, some of which might otherwise not have reached him in time to be quoted in this volume.

E. RAY LANKESTER,
*Director.*

British Museum (Natural History),
London, S.W.
November 7th, 1904.

# INTRODUCTION.

In submitting the first volume of a general Catalogue of Orthoptera to the Entomological public, it appears desirable to make some remarks on the most important recent works on the families included in it, and on the general arrangement of the Collection.

Eight principal families of Orthoptera are recognized in the present work, of which the first five—*Forficulidæ*, *Hemimeridæ*, *Blattidæ*, *Mantidæ*, and *Phasmidæ* (or Earwigs, Cockroaches, Praying Insects or Soothsayers, and Stick Insects or Spectre Insects, including the so-called Walking Leaves)—are catalogued in this volume. Of these the *Forficulidæ*, *Blattidæ*, and *Mantidæ* of Mexico and Central America have been monographed by De Bormans, De Saussure, and Zehntner in the 'Biologia Centrali-Americana.'

The whole of the Orthoptera in the British Museum were arranged, in the first instance, by Adam White.

The *Forficulidæ* were subsequently rearranged by J. O. Westwood, who, however, published little of importance on the family. They are frequently regarded as a distinct order, to which the names Dermaptera and Euplexoptera have been applied. The former name, however, has sometimes been used for the Orthoptera in general. Till recently the *Forficulidæ* have been somewhat neglected by Entomologists; but in 1900 a monograph on the *Forficulidæ* and *Hemimeridæ*, by H. de Bormans and H. Krauss, was published as a volume of the series of publications edited by F. E. Schulze, under the general title of 'Das Tierreich.' A revised system of classification, by K. W. Verhoeff, was partly sketched out in 1902, in papers in the 'Zoologische Anzeiger,' vol. xxv., and in the 'Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin'; but it has been too incompletely developed to be taken into consideration in the present work.

The Collembola and Thysanura have been included by some authors with the Orthoptera, but are now usually regarded either as small independent orders, or as aberrant families of Neuroptera. I have therefore excluded them from the present Catalogue, with the exception of the genus *Iapyx* (or *Japyx*), belonging to the Thysanura, the species of which are all so deceptively similar to *Forficulidæ* that I considered it almost necessary to add them as an Appendix to that family.

The small West-African genus *Hemimerus* was originally described by Walker as belonging to the *Gryllidæ* (*Achetidæ*), but is now considered to form a distinct family allied to the *Forficulidæ*.

The *Blattidæ* form a distinct section of the Orthoptera, sometimes called Cursoria; but are not usually regarded as entitled to the rank of a distinct order.

Previous to the publication of the 'Biologia Centrali-Americana,' De Saussure issued a series of important works on the Orthoptera of Central America, especially 'Orthoptères de l'Amérique Moyenne: Blattides' (1864); 'Synopsis des Mantides Américaines' (1871); and 'Recherches Zoologiques pour servir à l'histoire de la Faune de l'Amérique Centrale et du Mexique,' 6$^{me}$ partie (1870–1879). The latter work includes *Blattidæ*, *Mantidæ*, *Phasmidæ*, and *Gryllidæ*. He has also published a valuable series of synopses and descriptive papers on various families of Orthoptera, especially on the four families already mentioned, in various periodicals; but chiefly under the title of "Mélanges Orthoptérologiques," in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' vol. xviii. (1863–4), and in subsequent volumes.

In 1865 Brunner von Wattenwyl published his 'Nouveau Système des Blattaires,' and in 1868 F. Walker, having rearranged the British Museum Collection, published his 'Catalogue of the Specimens of Blattariæ in the British Museum' (1868), Supplements to which appeared at intervals from 1869 to 1871. Unfortunately, he was unable to consult Brunner's work while preparing his own.

The *Mantidæ* and *Phasmidæ* are sometimes treated as a separate section of Orthoptera, called Gressoria.

The *Mantidæ* were rearranged by H. W. Bates, and a series of plates were prepared to illustrate them; but these were not published till 1889, when they were issued accompanied by a complete Catalogue of the Family, and descriptions of new species, by J. O. Westwood, under the title of 'Revisio Insectorum Familiæ Mantidarum.'

Westwood had previously rearranged the *Phasmidæ* in the British Museum; and in 1859 the Trustees published a monograph on the family, by Westwood, under the title of 'Catalogue of Orthopterous Insects in the Collection of the British Museum: Part I. Phasmidæ.'

In 1893 Brunner von Wattenwyl published a "Révision des Système des Orthoptères" in the 'Annali del Museo Civico di Storia Naturale di Genova,' ser. 2, vol. xiii. The *Forficulidæ* and *Hemimeridæ* were omitted; but otherwise the work is the most comprehensive yet published on the Orthoptera as a whole, and includes synopses of the families and genera of the greater part of the order, with the exception of the *Gryllidæ* and some families of the *Phasgonuridæ*, which had already been monographed by Brunner, De Saussure, and others.

The remaining portion of the present Catalogue will be devoted to the Orthoptera Saltatoria, comprising the families *Achetidæ* (or *Gryllidæ*), *Phasgonuridæ*, and *Locustidæ*, or Crickets, Grasshoppers, and Locusts.

These have been previously catalogued by F. Walker in his

'Catalogue of the Specimens of Dermaptera Saltatoria [and Supplement to the Blattariæ] in the Collection of the British Museum' (5 parts, 1869–1871).

At the conclusion of the work it is proposed to add a Supplement including new genera and species published too late for insertion in their proper places in the Catalogue.

W. F. KIRBY.

Natural History Museum.
South Kensington.
November, 1904.

N.B.—Species marked with an asterisk in the Catalogue are represented in the Natural History Museum by one or more specimens, and those of which the Museum possesses the types with a double asterisk; ‖, as usual, denotes a preoccupied name.

# CATALOGUE

OF

# ORTHOPTERA.

## FAM. I.

## FORFICULIDÆ.

### Genus 1. **Diplatys.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 33 (1831); Ins. Orth. p. 50 (1839); Borm. Biol. Centr.-Amer., Orth. i. p. 1 (1893); Tierreich, Forf. pp. 5, 8 (1900); Burr, J. Bombay Soc. xiv. p. 73 (1902).

*Dyscritina*, Westw. Trans. Ent. Soc. Lond. 1881, p. 601 (larva). (*Type* no. 8.)

*Nannopygia*, *Dohrn*, Stettin. Ent. Zeit. xxiv. p. 60 (1863); Borm. Tierreich, Forf. p. 10 (1900). (*Type* no. 9.).

| | |
|---|---|
| *1. **D. Macrocephala, Beauv.** (*Forficula M.*) Ins. Afr. Amér. p. 36, Orth. pl. 1. f. 3 (1805); Serv. Ins. Orth. p. 51 (1839).<br>*Diplatys M.*, *Serv.* Ann. Sci. Nat. xxii. p. 33 (1831); Borm. Tierreich, Forf. p. 9, f. 5 (1900), *nec text.*<br>*D. Raffrayi*, *Dubr.* An. Soc. Españ. viii. p. 91 (1879); Borm. Tierreich, Forf. p. 9. n. 2 (1900). | E. & W. Africa. |
| **2. **D. Coriacea, Kirb.** (*Forficula C.*) J. Linn. Soc. xxiii. p. 525 (1891); Borm. l. c. p. 127 (1900). | S. Leone. |
| 3. **D. Bormansi, Kirb.** (n. n.).<br>‖*D. Macrocephala*, *Borm.* Ann. Mus. Genov. xxvi. p. 433 (1888); Tierreich, Forf. p. 9. n. 1 (*text*) (1900). | Burma. |

| | |
|---|---|
| **4. **D. Ridleyi, Kirb.** Ann. Nat. Hist. (7) xi. p. 61 (1903). | Singapore. |
| **5. **D. Rufescens, Kirb.** (*Cylindrogaster R.*) J. Linn. Soc. xxv. p. 524, pl. 20. f. 2 (1895). | N. India. |
| **6. **D. Nigriceps, Kirb.** (*Cyl. N.*) l. c. xxiii. p. 507 (1891). | Hong Kong, India. |
| *7. **D. Greeni, Burr,** n. n. | Ceylon. |
| ‖*Diplatys Nigriceps, Burr*, Tr. Ent. Soc. London, 1898, p. 389, pl. 18. ff. 1–3, pl. 19. ff. 6–15, 18; J. Bombay Soc. xiv. p. 75, pl. A. ff. 1–3 (1902). | |
| ‖*Dyscritina Longisetosa, Green*, Tr. Ent. Soc. London, 1896, p. 229, figs. | |
| *Dyscritina, sp. n., Green*, op. cit. 1898, p. 383. | |
| *8. **D. Longisetosa, Westw.** (*Dyscritina L.*) Tr. Ent. Soc. London, 1881, p. 601, pl. 22. ff. 1, 1 *a–i*; Green, op. cit. 1898, pp. 383, 384. | id. |
| *Diplatys Longisetosa, Burr*, Trans. Ent. Soc. London, 1898, p. 388, pl. 18. ff. 4, 5, 16, pl. 19. ff. 9–14; Borm. Tierreich, Forf. p. 10, f. 6 (1900). | |
| *Diplatys Gerstaeckeri*, pt., *Burr*, J. Bombay Soc. xiv. p. 74, pl. A. ff. 4, 5 (1902). | |
| 9. **D. Gerstaeckeri, Dohrn,** (*Nannopygia G.*) l. c. xxiv. p. 60 (1863); Borm. l. c. p. 11. n. 1, f. 7 (1900). | id. |
| **10. **D. Jansoni, Kirb.** (*Cylindrogaster J.*) l. c. xxiii. p. 507 (1891). | Chontales. |
| *Diplatys J., Borm.* Biol. Centr.-Amer., Orth. p. 2, pl. 1. ff. 1, 2 (1893); Tierreich, Forf. p. 9. no. 3 (1900). | |
| **11. **D. Severa, Borm.** ll. cc. p. 2, pl. 1. f. 3 (1893); p. 9. n. 4 (1900). | Chiriqui. |

## Genus 2. **Cylindrogaster.** (*Type* no. 1.)

Stål, Œfv. Vet.-Ak. Förh. xii. p. 350 (1855); Borm. Tierreich, Forf. p. 11 (1900).

| | |
|---|---|
| *1. **C. Gracilis, Stål,** l. c. p. 350 (1855); Dohrn, Stettin. Ent. Zeit. xxiv. p. 58 (1863); Borm. l. c. p. 11. n. 1, f. 8 (1900). | Brazil. |
| *Diplatys Gracilis, Stål*, Eugenie's Resa, Ins. p. 306 (1858). | |

| | |
|---|---|
| *2. **C. Thoracica, Dohrn,** l. c. p. 59 (1863); Borm. l. c. p. 12. n. 2 (1900). | Brazil. |
| 3. **C. Sahlbergi, Dohrn,** l. c. p. 59 (1863); Borm. l. c. p. 12. n. 3 (1900). | id. |

### Genus 3. **Apachyus.** (*Type* no. 6.)

Serv. Ann. Sci. Nat. xxii. p. 35 (1831); Borm. Tierreich, Forf. p. 12 (1900); Verh. Zool. Anz. xxv. p. 200 (1902).

*Apachya, Serv.* Ins. Orth. p. 54 (1839); Dohrn, Stettin. Ent. Zeit. xxiv. p. 42 (1863); Borm. Ann. Mus. Genova, xxxiv. p. 372 (1894).

*Apachys, Agass.* Nomencl. Zool., Ind. p. 27 (1846).

| | |
|---|---|
| **1. **A. Pascoei, Kirb.** (*Apachys P.*) J. Linn. Soc. xxv. p. 521, pl. 20. f. 1 (1895). | Sylhet. |
| **2. **A. Feæ, Borm.** (*Apachya F.*) Ann. Mus. Genova, xxxiv. p. 373 (1894).<br>*Apachyus F., Borm.* Tierreich, p. 13. n. 1, f. 9 *a*, *b* (1900). | Burma. |
| *3. **A. Chartaceus, Haan,** (*Forficula* (*Apachya*) *Chartacea*) Temminck, Verhandel. Nat. Gesch., Orth. p. 239, pl. 23. f. 7 (1842).<br>*Apachya Chartacea, Dohrn,* Stettin. Ent. Zeit. xxiv. p. 43 (1863).<br>*Apachys Chartacea, Dubr.* Ann. Mus. Genova, xiv. p. 349, fig. (1879).<br>*Apachyus Chartaceus, Borm.* Tierreich, p. 13. n. 3 (1900). | Malay Peninsula, Borneo, Sumatra. |
| 4. **A. Javanus, Verh.** Zool. Anz. xxv. p. 200 (1902). | Java. |
| 5. **A. Beccarii, Dubr.** (*Apachys B.*) l. c. p. 349, fig. (1879).<br>*Apachyus B., Borm.* Tierreich, p. 13. n. 2 (1900). | New Guinea. |
| *6. **A. Depressus, Beauv.** (*Forficula Depressa*) Ins. Afr. Amér. p. 36, Orth. pl. 1. ff. 5, 5 *a* (1805).<br>*Apachya Depressa, Serv.* Ins. Orth. p. 55 (1839); Dohrn, l. c. p. 43. n. 1 (1863); Gerst. Mt. Ver. Vorpomm. xiv. p. 39 (1883).<br>*Apachyus Depressus, Borm.* Tierreich. Forf. p. 1. n. 4 (1900). | W. Africa. |

| | |
|---|---|
| 7. **A. Reichardi, Karsch,** (*Apachya R.*) Berlin. Ent. Zeitschr. xxx. p. 85, pl. 3. f. 3 (1886).<br>*Apachyus Reichardi, Borm.* Tierreich. p. 13. n. 5 (1900). | E. Africa. |
| 8. **A. Murrayi, Dohrn,** (*Apachya M.*) Stettin. Ent. Zeit. xxiv. p. 44 (1863).<br>*Apachyus Murrayi, Borm.* l. c. p. 14. n. 6 (1900). | W. Africa. |

### Genus 4. **Tagalina.** (*Type* no. 1.)

Dohrn, Stettin. Ent. Zeit. xxiv. p. 44 (1863); Borm. Tierreich, Forf. p. 14 (1900).

| | |
|---|---|
| 1. **T. Semperi, Dohrn,** l. c. p. 45 (1863); Borm. l. c. p. 14. n. 1 (1900). | Luzon. |
| 2. **T. Grandiventris, Blanch.** (*Forficula G.*) Voy. Pôle Sud, Zool. iv. p. 349, Orth. pl. 1. f. 1 (1853).<br>*Tag. G., Dohrn.* l. c. p. 46 (1863); Borm. l. c. p. 14. n. 2 (1900); Burr. Termés. Füzetek, xxv. p. 477, pl. 20. f. 1 (1902). | Salomon Islands, N. Guinea. |

### Genus 5. **Pygidicrana.** (*Type* no. 30.)

Serv. Ann. Sci. Nat. xxii. p. 30 (1831); Dohrn, Stettin. Ent. Zeit. xxiv. p. 46 (1863); Borm. Tierreich, Forf. p. 15 (1900); Burr, J. Bombay Soc. xiv. p. 68 (1902).

*Dicranopygia, Burm.* Germ. Zeitschr. Ent. ii. p. 79 (1840). (*Type* no. 30.)

| | |
|---|---|
| 1. **P. Caffra, Dohrn,** Stettin. Ent. Zeit. xxviii. p. 343 (1867); (?) Karsch, Berlin. Ent. Zeitschr. xxx. p. 86, pl. 3. f. 5 (1886); Borm. l. c. p. 19. n. 10 (1900). | E. & W. Africa. |
| **2. **P. Frontalis, Kirb.** Ann. Nat. Hist. (7) xi. p. 61 (1903). | Cameroons. |
| **3. **P. Bettoni, Kirb.** l. c. p. 62 (1903). | B. E. Africa. |
| *4. **P. Liturata, Stål,** (*Forficesila L.*) Œfv. Vet.-Akad. Förh. xii. p. 347 (1855).<br>*Pygidicrana Liturata, Dohrn,* l. c. xxiv. p. 57 (1863); Borm. l. c. p. 23. n. 24 (1900). | S. Africa. |
| *5. **P. Vitticollis, Stål,** (*Forficula V.*) l. c. xii. p. 350 (1855).<br>*Pydicrana V., Stål,* Eugenie's Resa, Ins. p. 299 (1858). | China. |

| | |
|---|---|
| *Pygidicrana V.*, *Dohrn*, l. c. p. 55 (1863) ; Borm. l. c. p. 22. n. 22 (1900). | |
| *6. **P. Siamensis, Dohrn,** l. c. p. 51 (1863) ; Borm. l. c. p. 19. n. 9 (1900). | Siam, &c., China. |
| *7. **P. Modesta, Borm.** Ann. Mus. Genov. xxxiv. p. 375 (1894) ; Tierreich, Forf. p. 21. n. 15 (1900). | Burma. |
| 8. **P. Valida, Dohrn,** l. c. xxviii. p. 344 (1867) ; Borm. Tierreich, Forf. p. 22. n. 19 (1900). | id. |
| *9. **P. Callipyga, Dohrn,** (*P. Kallipygos*) l. c. xxiv. p. 53 (1863).<br>*P. Callipyga*, *Borm.* l. c. p. 21. n. 16, f. 13 (1900). | India. |
| *10. **P. Picta, Guér.** Mag. Zool. viii. p. 70, pl. 236. f. 1 (1838) ; Dohrn, l. c. xxiv. p. 50 (1863) ; Borm. l. c. p. 18. n. 6 (1900) ; Burr, l. c. xiv. p. 69 (1902). | id., Ceylon. |
| *11. **P. Eximia, Dohrn,** l. c. xxiv. p. 49 (1863) ; Borm. l. c. p. 18. n. 5, f. 11 (1900). | N. India. |
| 12. **P. Nietneri, Dohrn,** l. c. xxiv. p. 53 (1863) ; Borm. l. c. p. 21. n. 17 (1900) ; Burr, l. c. p. 70 (1902). | Ceylon. |
| *13. **P. Angustata, Dohrn,** l. c. xxiv. p. 56 (1863) ; Borm. l. c. p. 23. n. 23 (1900) ; Burr, l. c. p. 71 (1902). | id. |
| *14. **P. Cumingi, Dohrn,** l. c. xxiv. p. 54 (1863) ; Borm. l. c. p. 21. n. 18 (1900) ; Burr, l. c. p. 71, pl. B. f. 2 (1902). | id. |
| *15. **P. Pallidipennis, Haan,** (*Forficula (Pygid.) P.*) Temminck, Verhandel., Orth. p. 240, pl. 23. f. 8 (1842).<br>*P. Pallidipennis*, *Dohrn*, l. c. xxiv. p. 50 (1863) ; Borm. l. c. p. 18. n. 7 (1900). | Borneo, Sumatra, Burma. |
| 16. **P. Imperatrix, Burr,** Ann. Nat. Hist. (7) iii. p. 163 (1899). | Java. |
| *17. **P. Marmoricrura, Serv.** Ins. Orth. p. 20 (1839) ; Dohrn, l. c. xxiv. p. 51 (1863) ; Borm. l. c. p. 19. n. 8 (1900) ; Burr, l. c. p. 69 (1902).<br>*Forficula (Pygid.) M.*, *Haan*, l. c. p. 239 (1842). | id., Ceylon ? |
| *18. **P. Hugeli, Sharp,** Cambridge Nat. Hist., Ins. i. p. 202. t. 102 ; p. 215 (1895). | Java. |
| 19. **P. Abnormis, Borm.** (*Cylindrogaster A.*) Ann. Soc. Ent. Belgique, xxvii. p. 52, pl. 2. f. 1 (1883). | id. |

| | |
|---|---|
| *Pygid. A., Borm.* Tierreich, Forf. p. 23. n. 25 (1900). | |
| **20. **P. Horsfieldii, Kirb.** J. Linn. Soc. xxiii. p. 506, pl. 12. figs. 11, 11 *a* (1891); Borm. l. c. p. 20. n. 12 (1900). | Java. |
| **21. **P. Guttata, Kirb.** Ann. Nat. Hist. (7) xi. p. 62 (1903). | Celebes. |
| 22. **P. Finschi, Karsch,** Ent. Nachr. xi. p. 322 (1885). | N. Australia,<br>N. Guinea? |
| (?) *P. Marmoricrura, Dubr.* Ann. Mus. Genova, xiv. p. 351 (1871). | |
| *23. **P. Ophthalmica, Dohrn,** l. c. xxiv. p. 55 (1863); xxviii. p. 344 (1867); Borm. l. c. p. 22. n. 21 (1900). | Australia,<br>Burma. |
| *24. **P. Daemeli, Dohrn,** l. c. xxx. p. 233 (1869); Borm. l. c. p. 20. n. 11, f. 12 (1900). | N. Australia. |
| *25. **P. Atriceps, Kirb.** l. c. p. 63 (1903). | Queensland. |
| *26. **P. Bivittata, Erichs.** Schomb. Reise Brit. Guiana, iii. p. 579 (1848); Borm. l. c. p. 18. n. 4 (1900). | Guiana. |
| **27. **P. Staphylinoides, Walk.** (*Olyntha S.*) List Neuropt. Ins. B. M. iii. p. 532. n. 3 (1853). | Santarem. |
| *Pygid. S., Kirb.* J. Linn. Soc. xxiii. p. 506 (1891); Borm. l. c. p. 24 (1900). | |
| *28. **P. Notigera, Stål,** (*Pydicrana N.*) Eugenie's Resa, Ins. p. 299 (1858). | Brazil. |
| *Pygidicrana N., Dohrn,* l. c. xxiv. p. 52 (1863); Borm. l. c. p. 20. n. 14 (1900). | |
| **29. **P. Egregia, Kirb.** l. c. xxv. p. 523, pl. 20. f. 3 (1895); Borm. l. c. p. 17. n. 3 (1900). | Santa Catharina. |
| *30. **P. V-nigrum, Serv.** Ann. Sci. Nat. xxii. p. 31 (1831); Ins. Orth. p. 19, pl. 1. ff. 1, 1 *a, b* (1839); Dohrn, l. c. xxiv. p. 47 (1863); Borm. l. c. p. 17. n. 2 (1900). | Brazil. |
| *Forficula V-nigrum, Burm.* Handb. Ent. ii. p. 751 (1838). | |
| **31. **P. Forcipata, Kirb.** l. c. xxv. p. 522 (1895); Borm. l. c. p. 16 (1900). | Para. |
| 32. **P. (?) Dilaticauda, Motsch.** (*Forfiscelia D.*) Bull. Soc. Moscou, xxxvi. (3) p. 3 (1863). | Ceylon. |
| *Platylabia Dilaticauda, Borm.* l. c. p. 75 (1900). | |
| *Pygidicrana* (?) *Dilaticauda, Burr,* l. c. p. 72 (1902). | |

### Genus 6. **Anatælia.** (*Type* no. 1.)

Bol. Act. Soc. Españ. 1899, p. 97.

| | |
|---|---|
| 1. **A. Canariensis, Bol.** l. c. p. 99; p. 98, figs. (1899). | Teneriffe. |

### Genus 7. **Pyragra.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831); Ins. Orth. p. 32 (1839); Borm. Tierreich, Forf. p. 24 (1900).

*Thermastris*, Dohrn, Stettin. Ent. Zeit. xxiv. p. 61 (1861); Scudd. Bull. U.S. Geol. Surv. ii. p. 249 (1876). (*Type* no. 3.)

| | |
|---|---|
| *1. **P. Dohrni, Scudd.** (*Therm. D.*) P. Boston Soc. xvii. p. 280 (1875).<br>*Pyragra D., Borm.* l. c. p. 25 (1900). | Peru. |
| *2. **P. Chontalia, Scudd.** (*Therm. C.*) l. c. xviii. p. 258 (1876); Bull. U.S. Geol. Surv. ii. p. 249 (1876).<br>*Pyragra C., Borm.* l. c. p. 25 (1900). | Nicaragua, Peru. |
| *3. **P. Brasiliensis, Gray** (*Forficula B.*). Griffith, Animal Kingd. xv. p. 184, pl. 78. f. 2 (1832).<br>*Pyragra B., Borm.* l. c. p. 24 (1900).<br>*Thermastris B., Dohrn*, l. c. xxiv. p. 62 (1863).<br>*Forf. Opaca, Burm.* Handb. Ent. ii. p. 751. n. 2 (1838).<br>*Forf. Aspera, Stål*, Eugenie's Resa, Ins. p. 300 (1858). | Brazil. |
| *4. **P. Fuscata, Serv.** Ann. Sci. Nat. xxii. p. 34 (1831); Ins. Orth. p. 32, pl. 1. ff. 4, 4 *a–c* (1839).<br>*Pygidicrana Saussurei, Dohrn*, l. c. xxiii. p. 225, pl. 1. f. 2 (1862).<br>*Therm. S., Dohrn*, l. c. xxiv. p. 63 (1863); Scudd. Bull. U.S. Geol. Surv. ii. p. 249 (1876).<br>*Pyragra S., Borm.* l. c. p. 24 (1900). | Mexico to Brazil. |

### Genus 8. **Echinopsalis.** (*Type* no. 1.)

Borm. Biol. Centr.-Amer., Orth. i. p. 2 (1893); Tierreich, Forf. p. 25 (1900).

| | |
|---|---|
| **1. **E. Guttata, Borm.** ll. cc. p. 3, pl. 1. f. 4 (1893); p. 25 (1900). | Chontales. |

### Genus 9. **Echinosoma.** (*Type* no. 1.)

Serv. Ins. Orth. p. 34 (1839); Dohrn, Stettin. Ent. Zeit. xxiv. p. 63 (1863); Borm. Tierreich. Forf. p. 26 (1900); Burr, J. Bombay Soc. xiv. p. 77 (1902).

| | |
|---|---|
| *1. **E. Afrum, Beauv.** (*Forficula Afra*) Ins. Afr. Amér. p. 35, Orth. pl. 1. f. 1 (1805).<br>*Echin. A., Serv.* l. c. p. 34 (1839); Dohrn, l. c. p. 63 (1863); Borm. l. c. p. 26, f. 14 (1900). | W. Africa. |
| 2. **E. Occidentale, Borm.** Ann. Soc. Ent. France, 1893, p. 170; Tierreich, Forf. p. 27 (1900). | id.<br>(Assini). |
| *3. **E. Wahlbergi, Dohrn,** l. c. p. 64 (1863); Borm. Tierreich, Forf. p. 27 (1900). | S. Africa. |
| 4. **E.** (?) **Obscurum, Kirb.** Distant, Ins. Transvaal. p. 12, pl. 1. f. 2 (1900). | Pretoria. |
| *5. **E. Insulanum, Karsch,** Ent. Nachr. xi. p. 323 (1885); Borm. l. c. p. 27 (1900). | Madagasc'r. |
| *6. **E. Bolivari, Rodz.** Wien. Ent. Zeit. xvi. p. 154 (1897); Borm. l. c. p. 27 (1900). | id. |
| *7. **E. Sekalavum, Borm.** Ann. Mus. Genov. xl. p. 441 (1900). | Nossi Bé. |
| *8. **E. Sumatranum, Haan,** (*Forficula* (*Echin.*) *Sumatrana*) Haan, Verhandel. Nat. Gesch., Orth. p. 241 (1842).<br>*E. Sumatranum, Dohrn,* l. c. p. 65 (1863); Borm. l. c. p. 28 (1900). | Burma,<br>Java,<br>Sumatra,<br>Papua, Australia, &c. |
| **9. **E. Forbesi, Kirb.** J. Linn. Soc. xxiii. p. 509, pl. 12. f. 9 (1891); Borm. l. c. p. 28 (1900). | Dinner I. |
| *10. **E. Westermanni, Dohrn,** l. c. p. 65 (1863); Borm. l. c. p. 28 (1900). | P'lo Penang,<br>Philippines. |
| *11. **E. Parvulum, Dohrn,** l. c. p. 66 (1863); Borm. l. c. p. 29 (1900); Burr, l. c. p. 77 (1902). | Ceylon. |
| *12. **E. Horridum, Dohrn,** l. c. p. 66 (1863); Borm. l. c. p. 29 (1900); Burr, Termés. Füzetek, xxv. p. 478 (1902). | Java. |
| 13. **E. Yorkense, Dohrn,** l. c. xxx. p. 234 (1869); Borm. l. c. p. 28 (1900). | N. Australia. |

### Genus 10. **Forcipula.** (*Type* no. 8.)

Bol. Ann. Soc. Ent. France, 1897, p. 283; Borm. Tierreich, Forf. p. 29 (1900); Ann. Mus. Genova, xl. p. 442 (1900); Burr, J. Bombay Soc. xiv. p. 323 (1902).

| | |
|---|---|
| 1. **F. Congo, Burr,** Ann. Soc. Ent. Belgique, xliv. p. 49 (1900). | Congo. |

| | |
|---|---|
| 2. **F. Gariazzi, Borelli,** Boll. Mus. Torino. xv. (381) p. 1, fig. (Dec. 1900). | Congo. |
| **3. **F. Walkeri, Kirb.** (*Labidura W.*) J. Linn. Soc. xxv. p. 524, pl. 20. f. 6 (1895).<br>*Forcipula W.*, *Borm.* Tierreich, Forf. p. 31 (1900). | Hong Kong. |
| 4. **F. Trispinosa, Dohrn,** Stettin. Ent. Zeit. xxiv. p. 310 (1863).<br>*Forcipula T.*, *Borm.* l. c. p. 30. f. 15 (1900). | India, Abyssinia. |
| 5. **F. Tarsata, Westw.** (*Forficula T.*) P. Zool. Soc. London, v. p. 139 (1837).<br>*Labidura T.*, *Dohrn.* l. c. p. 311 (1863).<br>*Forcipula T.*, *Borm.* l. c. p. 30 (1900). | Manila. |
| **6. **F. Pugnax, Kirb.** (*Labidura P.*) J. Linn. Soc. xxiii. p. 510, pl. 12. f. 1 (1891).<br>*Forcipula P.*, *Borm.* l. c. p. 30 (1900). | N. India, Rangoon. |
| **7. **F. Morosa, Kirb.** (*Labidura M.*) J. Linn. Soc. xxiii. p. 513 (1891). | Hab. —— ? |
| *8. **F. Quadrispinosa, Dohrn,** l. c. p. 311 (1863).<br>*Forcipula Q.*, *Borm.* l. c. p. 30 (1900); Burr. J. Bombay Soc. xiv. p. 323 (1902). | India, Burma, Ceylon. |
| 9. **F. Lurida, Bol.** (*Forcipula Quadrispinosa*, var. *Lurida*) Ann. Soc. Ent. France, 1897. p. 283.<br>*F. Quadrispinosa Lurida*, *Borm.* l. c. p. 31 (1900). | Trichinopoly. |
| 10. **F. Decolyi, Borm.** Ann. Mus. Genova, xl. p. 444 (1900). | India, N. Guinea (eadem ?). |
| 11. **F. Americana, Borm.** l. c. p. 443 (1900). | Bolivia. |

### Genus 11. **Labidura.** (*Type* no. 2.)

Leach, Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 8 (1835); Dohrn, Stettin. Ent. Zeit. xxiv. p. 309 (1863); Scudd. Bull. U.S. Geol. Surv. ii. p. 250 (1876); Bol. Sin. Ort. Esp. p. 21 (1876); Brunn. Prodr. Eur. Orth. p. 4 (1882); Fin. Faune France, Orth. p. 62 (1890); Tümp. Geradflügler Mitteleuropas, pp. 209, 230 (1900); Borm. Tierreich, Forf. p. 31 (1900); Burr, J. Bombay Soc. xiv. p. 316 (1902); Kirb. Ann. Nat. Hist. (7) xi. p. 63 (1903).

*Forficesila*, Serv. Ann. Sci. Nat. xxii. p. 32 (1831); Ins. Orth. p. 21 (1839). (*Type* no. 2.)

| | |
|---|---|
| *1. **L. Bengalensis, Dohrn,** l. c. p. 312 (1863); Borm. l. c. p. 53, f. 16, *a*, *b* (1900); Burr, l. c. p. 317 (1902). | India, Ceylon. |

| | |
|---|---|
| *2. **L. Riparia, Pall.** (*Forficula R.*) Reise Russ. Reichs, ii. Anh. p. 727. n. 75 (1773). | W. Asia,<br>S. Europe,<br>Africa. |
| *Labidura Riparia, Dohrn,* l. c. p. 313. n. 5 (1863); Bol. Sin. Ort. Esp. p. 21, pl. 1. f. 8 *a–d* (1876); Scudd. l. c. p. 250 (1876); (?) Dubr. Ann. Mus. Genova, xiv. p. 353 (1879); Brunn. l. c. p. 5, pl. 1. f. 1 (1882); Fin. l. c. p. 62, pl. 2. ff. 28, 29 (1890); Sharp, Cambr. Nat. Hist., Ins. i. p. 210, f. 110 (1895); Burr, Brit. Orth. p. 12, pl. 1. f. 1 (1897); J. Bombay Soc. xiv. p. 316, pl. B. f. 4 (1902); Borm. l. c. p. 33. n. 5 (1900); Tümp. l. c. p. 230, pl. 15 (1900). | |
| *Forficesila Riparia, Fisch. Waldh.* Orth. Ross. p. 46 (1846). | |
| *Forficula Gigantea, Fabr.* Mant. Ins. ii. p. 224. n. 2 (1787); Dufour, Ann. Sci. Nat. xiii. p. 345, pl. 19. ff. 1–3 (1828). | |
| *Forficula (Labidura) Gigantea, Fisch.* Orth. Eur. p. 65, pl. 6. ff. 1, 1 *a–f* (1853). | |
| *Forficesila Gigantea, Serv.* Ins. Orth. p. 23, pl. 1. f. 2 (1839); Fisch. Waldh. l. c. p. 44, ff. 1*, 1** (1846). | |
| *Forficula Bilineata, Herbst,* Fuessly, Arch. Ins. p. 183, pl. 49. f. 1 (1786). | |
| *Forficula Maxima, Vill.* Linn. Ent. i. p. 427, pl. 2. f. 53 (1789). | |
| *Psalis Morbida, Serv.* Ann. Sci. Nat. xxii. p. 35 (1831). | |
| *Var. *a*. *Labidura Riparia,* var. *Mixta, Bol.* Ann. Sci. Nat. Porto, iv. p. 117 (1898). | Cadiz. |
| 2 *a*. **L. Marginella, Costa,** (*Forficula M.*) Atti Accad. Borb. iv. Zool. p. 50, pl. 1. ff. 1, 2 (1839); Krauss, Verh. Ges. Wien, xxxvi. p. 137, pl. 8. f. 1 (1886). | S. Europe. |
| *Forficula (Labidura) Marginella, Fisch.* l. c. p. 66, pl. 6. ff. 2, 2 *a* (1853). | |
| *Labidura Riparia,* var. *Inermis, Brunn.* l. c. p. 5 (1882). | |
| 2 *b*. **L. Bicolor, Fisch. Waldh.** (*Forficula B.*) Orth. Imp. Ross. p. 42 (1846). | S. Russia (Taurida). |
| 2 *c*. **L. Distincta, Rodz.** Wien. Ent. Zeit. xvi. p. 153 (1897). | Transcaucasia. |
| 2 *d*. **L. Pallipes, Fabr.** (*Forficula P.*) Syst. Ent. p. 270. n. 7 (1775). | Cape Verde Isl. |

| | |
|---|---|
| 2 *c*. **L. Herculeana, Fabr.** (*Forficula H.*) Ent. Syst., Suppl. p. 185 (1798). | St. Helena. |
| *3. **L. Terminalis, Serv.** (*Forficesila T.*) Ins. Orth. p. 25 (1839). | Mauritius. |
| 4. **L. Auditor, Scudd.** P. Boston Soc. xviii. p. 252 (1876). | Natal. |
| *5. **L. Crenata, Oliv.** (*Forficula C.*) Enc. Méth., Ins. vi. p. 467. n. 4 (1791). | S. Africa. |
| *5 *a*. **L. Icterica, Serv.** (*Forficesila I.*) Ins. Orth. p. 25 (1839). | India, Ceylon, China. |
| *Var. *a*. *L. Servillei, Dohrn*, l. c. p. 316 (1863); Borm. Tierreich, Forf. p. 35 (1900). | India, Ceylon. |
| *Var. *b*. *Forficula* (*Forficesila*) *Gigantea*, var. *b*. *Japonica*, *Haan*, Temminck, Verhandel. Nat. Gesch., Orth. p. 240 (1842). | China, Japan. |
| **6. **L. Granulosa, Kirb.** J. Linn. Soc. xxiii. p. 511 (1891). | Philippines. |
| **7. **L. Pluvialis, Kirb.** l. c. p. 512 (1891). | Raine I. |
| **8. **L. Truncata, Kirb.** Ann. Nat. Hist. (7) xi. p. 67 (1903). | Australia. |
| 9. **L. Bidens, Oliv.** (*Forficula B.*) l. c. p. 466. n. 3 (1791). | Jamaica. |
| *9 *a*. **L. Erythrocephala, Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 12 (1793). | W. Indies, S. America. |
| *Forficula Bivittata, Burm.* Handb. Ent. ii. p. 751. n. 5 (1838). | |
| *Forficula* (*Forficesila*) *Affinis, Guér.* Sagra, Hist. Cuba, Ins. p. 330, pl. 12. f. 2 (1857). | |
| 9 *b*. **L. Suturalis, Burm.** (*Forficula S.*) l. c. p. 752. n. 6 (1838). | Colombia. |
| *10. **L. Lividipes, Duf.** (*Forficula L.*) Ann. Sci. Nat. xiii. p. 340 (1828). | S. Europe, Africa, Asia. |
| *Labidura Lividipes, Borm.* l. c. p. 36. n. 7 (1900); Burr, J. Bombay Soc. xiv. p. 318, pl. B. f. 5 (1902). | |
| *Forficesila Meridionalis, Serv.* l. c. p. 26 (1839). | |
| *Forficula* (*Labidura*) *Meridionalis, Fisch.* l. c. p. 67, pl. 6. ff. 3, 3 *a–c* (1853). | |
| ‖ *Forficula Pallipes, Duf.* Ann. Gén. Sc. Phys. vi. p. 116, pl. 96. f. 7 *a, b* (1820). | |
| *Forficule de Dufour, Desm.* Faune Franç., Orth. pl. 1. f. 7 (1820). | |
| *Labidura Pallipes, Dohrn*, l. c. p. 317 (1863); Bol. Sin. Ort. Esp. p. 22, pl. 1. f. 9 *a, b* (1876). | |

| | |
|---|---|
| *Labidura Dufourii, Scudd.* P. Boston Soc. xviii. p. 322 (1877); Brunn. l. c. p. 7 (1882); Fin. l. c. p. 63 (1899). | |
| 10 *a*. **L. Inconspicua, Kirb.** Distant. Ins. Transvaal. p. 13, pl. 1. f. 1 (1900). | Pretoria. |
| 11. **L. Castanea, Serv.** (*Forficesila C.*) Ins. Orth. p. 26 (1839). | Hab. —— ? |
| *11 *a*. **L. Vicina, Luc.** (*Forficesila V.*) Expl. de l'Algérie, iii. p. 5, iv. pl. 1. ff. 2. 2 *a–e* (1846). | Algeria.<br>S. Europe. |
| *Labidura Vicina, Dohrn,* l. c. p. 318 (1863). | |
| **12. **L. Tenuicornis, Borm.** Ann. Mus. Genova, xl. p. 446 (1900). | Sumatra.<br>Brit. N. Guinea. |
| 13. **L. (?) Fischeri, Fisch. Waldh.** (*Forficesila F.*) l. c. p. 354, pl. 33. f. 1 (1846). | S. Russia (Taurida). |
| **14. **L. (?) Clarki, Kirb.** J. Linn. Soc. xxiii. p. 512 (1891). | Rio de Janeiro. |
| 15. **L. (?) Huseinæ, Rehn,** (*Apterygida H.*) P. Acad. Philadelphia, liii. p. 273 (1901). | Galla Land. |

## Genus 12. **Demogorgon.** (*Type* no. 2.)

Kirb. J. Linn. Soc. xxiii. p. 513 (1891); Ann. Nat. Hist. (7) xi. p. 68 (1903).

| | |
|---|---|
| *1. **D. Lividus, Dubr.** (*Labidura Livida*) An. Soc. Esp. viii. p. 93 (1879); Bol. Viaje al Pacifico, Ins. p. 9, pl. 1. f. 1 (1884). | Santa Catarina, Ceara. |
| **2. **D. Batesii, Kirb.** J. Linn. Soc. xxiii. p. 514, pl. 12. ff. 3, 3 *a* (1891). | Santarem. |
| *Labidura Batesi, Borm.* Tierreich, Forf. p. 32 (1900). | |
| **3. **D. Bicolor, Kirb.** l. c. p. 514 (1890). | S. America. |
| *Labidura Bicolor,* Borm. l. c. p. 32 (1900). | |
| *4. **D. Xanthopus, Stål** (*Forficesila X.*) Œfv. Vet.-Ak. Förh. xii. p. 348 (1855). | Brazil,<br>B. Aires. |
| *Forficula Xanthopus, Stal,* Eugenie's Resa, Ins. p. 300 (1860). | |
| *Demogorgon Adelphus, Kirb.* l. c. p. 515 (1891). | |
| *Labidura Adelpha, Borm.* l. c. p. 33 (1900). | |
| **5. **D. Patagonicus, Kirb.** l. c. p. 515 (1891). | Patagonia. |

### Genus 13. **Karschiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 183 (1902).

| | |
|---|---|
| 1. **K. Buettneri, Karsch,** (*Pygidicrana B.*) Berlin. Ent. Zeitschr. xxx. p. 86, pl. 3. f. 4 (1886) ; Borm. Tierreich, Forf. p. 22. n. 20 (1900).<br>*Karschiella B., Verh.* l. c. p. 184 (1902). | W. Africa. |
| 2. **K. Camerunensis, Verh.** l. c. (1902). | Cameroons. |

### Genus 14. **Bormansia.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 184 (1902).

| | |
|---|---|
| 1. **B. Africana, Verh.** l. c. (1902). | E. Africa. |
| 2. **B. Impressicollis, Verh.** l. c. (1902). | id. |

### Genus 15. **Psalis.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 34 (1831) : Burm. Handb. Ent. ii. p. 753 (1838) : Scudd. P. Boston Soc. xviii. p. 297 (1876) ; Bull. U.S. Geol. Surv. ii. p. 250 (1876) ; Borm. Tierreich. Forf. p. 36 (1900) ; Burr, J. Bombay Soc. xiv. p. 77 (1902).

| | |
|---|---|
| *1. **P. Indica, Burm.** (*Forficula I.*) l. c. p. 751. n. 3 (1838).<br>*Labidura Indica, Dohrn*, Stettin. Ent. Zeit. xxiv. p. 320. n. 11 (1863).<br>*Psalis Indica, Borm.* l. c. p. 38. n. 3, f. 17 (1900) ; Ann. Mus. Genova, xl. p. 447 (1900).<br>*Forficula Geniculata, Stål*, Œfv. Vet.-Ak. Förh. xii. p. 349 (1855).<br>*Forficula Indica, Stål*, Eugenie's Resa, Ins. p. 300 (1858). | Java, Borneo, Penang. |
| **2. **P. Borneensis, Kirb.** J. Linn. Soc. xxv. p. 525 (1896). | N.W. Borneo. |
| *3. **P. Femoralis, Dohrn,** (*Labidura F.*) l. c. p. 321 (1863) ; Dubr. Ann. Mus. Genova, xiv. p. 353, figs. (1879).<br>*Psalis Femoralis, Borm.* Tierreich, Forf. p. 38 (1900) ; Burr, l. c. p. 78, pl. B. f. 3 (1902). | Ceylon, Burma (eadem ?). |
| **4. **P. Guttata, Borm.** Ann. Mus. Genova, xl. p. 448 (1900).<br>*Psalis Indica, var. Minor. Borm.* l. c. (1900). | Mentavei I. |

| | |
|---|---|
| *5. **P. Plebeja, Dohrn,** (*Labidura P.*) l. c. p. 322 (1863).<br>*Psalis Plebeja, Borm*, Tierreich, Forf. p. 38 (1900). | Java,<br>Borneo,<br>Sumatra. |
| 6. **P. Rufescens, Beauv.** (*Forficula R.*) Ins. Afr. Amér. p. 35, Orth. pl. 1. f. 2 (1805). | W. Africa (Oware). |
| **7. **P. Picina, Kirb.** l. c. xxiii. p. 516 (1891). | Gambia,<br>Congo. |
| *8. **P. Americana, Beauv.** (*Forficula A.*) l. c. p. 165, Orth. pl. 14. f. 1 (1817).<br>*Psalis Americana, Serv.* Ann. Sci. Nat. xxii. p. 34 (1831); Scudd. Bull. U.S. Geol. Surv. ii. p. 251 (1876); Borm. Tierreich, Forf. p. 37. n. 1 (1900).<br>*Forficesila Americana, Serv.* Ins. Orth. p. 22 (1839); Wood, Ins. Abroad, p. 280, f. 140 (1874).<br>*Labidura Americana, Dohrn,* l. c. p. 319 (1863).<br>*Forficula Procera, Burm.* l. c. p. 753 (1838).<br>*Psalis Procera, Scudd.* l. c. p. 251 (1876).<br>*Forficesila Elegans, Stål,* Œfv. Vet.-Akad. Förh. xii. p. 348 (1855).<br>*Forficula (Forficesila) Distincta, Guér.* Sagra, Hist. Cuba, Ins. p. 329, pl. 12. ff. 1, 1 *a*, *b* (1857). | W. Indies,<br>S. & Central America. |
| *9. **P. Gagathina, Burm.** (*Forficula G.*) l. c. p. 753. n. 13 (1838).<br>*Labidura Gagatina, Dohrn,* l. c. p. 320 (1863).<br>*Psalis Gagatina, Scudd.* l. c. p. 250 (1876); φ – 56. Borm. Biol. Centr.-Amer., Orth. i. p. 4, pl. 1. ff. 5, 6 (1893); Tierreich, Forf. p. 37. n. 2 (1900). | Portorico. |
| *10. **P. Rosenbergi, Burr,** Ann. Nat. Hist. (7) iv. p. 253 (1899). | Ecuador. |
| *11. **P. Thoracica, Serv.** (*Forficesila T.*) Ins. Orth. p. 22 (1839).<br>*Psalis Thoracica, Borm.* Biol. Centr.-Amer., Orth. i. p. 4. n. 3, pl. 1. f. 7 (1893); Tierreich, Forf. p. 39. n. 7 (1900). | Cayenne,<br>Panama. |
| *12. **P. Scudderi, Borm.** Ann. Mus. Genova, xl. p. 449 (1900). | Amazons,<br>Paraguay. |

### Genus 16. **Carcinophora.** (*Type* no. 1.)

Scudd. P. Boston Soc. xviii. p. 291 (1876); Borm. Tierreich, Forf. p. 40 (1900); Burr, J. Bombay Soc. xiv. p. 328 (1902).

| | |
|---|---|
| *1. **C. Robusta, Scudd.** (*Chelidura R.*) l. c. xii. p. 344 (1869).<br>*Carcinophora Robusta, Borm.* l. c. p. 40. n. 1 (1900).<br>*Psalis Colombiana, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 61, pl. 2. f. 2 (1882). | Ecuador,<br>Colombia,<br>Costa Rica. |
| **2. **C. Dohrni, Kirb.** (*Nannopygia D.*) J. Linn. Soc. xxiii. p. 508 (1891); Borm. Tierreich, Forf. p. 11. n. 2 (1900).<br>*Carcinophora Dohrni, Burr,* l. c. p. 328, pl. B. f. 8 (1902).<br>[*Labidura Femoralis, Dubr.* Ann. Mus. Genova, xiv. p. 353 (1879).<br>*Carcinophora Cæruleipennis, Borm.* l. c. p. 40. n. 2 (1900). | Ceylon. |
| 3. **C. Castetsi, Bol.** Ann. Soc. Ent. France, 1897, p. 284; Borm. l. c. p. 41. n. 3 (1900). | S. India. |

### Genus 17. **Strongylopsalis.** (*Type* no. 1.)

Burr, Ann. Nat. Hist. (7) vi. p. 80 (1900).

| | |
|---|---|
| 1. **S. Inca, Burr,** l. c. p. 81 (1900). | Peru. |

### Genus 18. **Labidurodes.** (*Type* no. 1.)

Dubr. Ann. Mus. Genova, xiv. p. 355 (1879); Borm. Tierreich, Forf. p. 39 (1900).

| | |
|---|---|
| 1. **L. Robustus, Dubr.** l. c. p. 356, fig. (1879); Borm. l. c. p. 39 (1900). | N. Guinea<br>(Fly R.). |
| **2. **L. Decipiens, Kirb.** (*Labidura* (?) *D.*) J. Linn. Soc. xxiii. p. 51 (1891); Borm. l. c. p. 39. n. 2 (1900). | Assam. |

### Genus 19. **Gonolabis.** (*Type* no. 4.)

Burr, Ann. Soc. Ent. Belgique, xliv. pp. 48, 53 (1900); Borm. Ann. Mus. Genova, xl. p. 451 (1900).

| | |
|---|---|
| 1. **G. Lativentris, Phil.** (*Forficula L.*) Zeitschr. ges. Naturw. xxi. p. 217 (1863). | Chile,<br>Peru. |

| | |
|---|---|
| *Anisolabis Lativentris, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 62, pl. 2. f. 3 (1883); Tierreich, Forf. p. 51. n. 26 (1900).<br>*Gonolabis Lativentris, Bor.* Boll. Mus. Torino, xiv. (418) p. 4 (1902). | Magellan, Argentina. |
| 2. **G. Sylvestrii, Bor.** l. c. p. 4, fig. (1902). | Patagonia. |
| **3. **G. Peringueyi, Borm.** Ann. Mus. Genov. xl. p. 451 (1900). | Cape Town. |
| **4. **G. Javana, Borm.** (*Anisolabis J.*) Ann. Soc. Ent. Belgique, xxvii. p. 63, pl. 2. f. 4 (1883); Tierreich, Forf. p. 51. n. 27 (1900). & 1910.<br>*Gonolabis Javana, Burr,* Termés. Füzetek, xxv. p. 479 (1902). | Java, Papua (eadem ?). |
| 5. **G. Kirbyi, Burr,** (*Anisolabis* (?) *K.*) Ann. Nat. Hist. xx. p. 311 (1897); Borm. Tierreich, Forf. p. 52. n. 28 (1900). | Java. |
| **6. **G. Sumatrana, Borm.** Ann. Mus. Genov. xl. p. 452 (1900); Burr, Termés. Füzetek, xxv. p. 480, pl. 20. f. 2 (1902). | Sumatra. |

### Genus 20. **Gonolabina.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 8.

| | |
|---|---|
| 1. **G. Kuhlgatzi, Verh.** l. c. (1902). | Chile. |

### Genus 21. **Brachylabis.** (*Type* no. 5.)

Dohrn, Stettin. Ent. Zeit. xxv. p. 292 (1864); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 64 (1883); Tierreich, Forf. p. 52 (1900).

| | |
|---|---|
| *1. **B. Bifoveolata, Bol.** Ann. Soc. Ent. France, 1897, p. 285, pl. 10. f. 1; Borm. Tierreich, Forf. p. 53. n. 2 (1900). | India. |
| 2. **B. Philetas, Burr,** J. Bombay Soc. xiv. p. 322, pl. B. f. 7 (1902). | Ceylon. |
| *3. **B. Punctata, Dubr.** (*Brachylabis P.*) Ann. Mus. Genova, xiv. p. 357, fig. (1879); Borm. l. c. p. 53. n. 3 (1900). | Java. |
| 4. **B. Geniculata, Montr.** (*Chelidura G.*) Ann. Soc. L. Lyon, (2) xi. p. 222 (1864).<br>*Brachylabis Geniculata,* Borm. l. c. p. 54. n. 6 (1900). | New Caledonia. |

5. **B. Chilensis, Blanch.** (*Forficula C.*) Gay, Hist. Chile, Zool. vi. p. 10; Orth. pl. 1. f. 1 (1852). Chile. Brazil.
   *Brachylabis Chilensis, Dohrn*, Stettin. Ent. Zeit. xxv. p. 295 (1864); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 5 (1883); Tierreich, Forf. p. 53. n. 1 (1900).
   *Anisolabis Chilensis, Bol.* Viaje al Pacifico, Ins. p. 10 (1884).
   *Forficula Testaceicornis, Blanch.* l. c. p. 11 (1852).

6. **B. Nigra, Scudd.** (*Cylindrogaster N.*) P. Boston Soc. xviii. p. 251 (1876). Brazil.
   *Brachylabis Nigra, Borm.* Tierreich, Forf. p. 54. n. 5 (1900).

Genus 22. **Anisolabis.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 257 (1853); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Brunn. Prodr. Eur. Orth. p. 7 (1882); Fin. Faune France, Orth. p. 63 (1890); Burr, Brit. Orth. p. 13 (1897); J. Bombay Soc. xiv. p. 319 (1902); Borm. Tierreich, Forf. p. 41 (1900); Tümp. Geradfl. Mitteleuropas, p. 230 (1900).

*Forcinella*, Dohrn, Stettin. Ent. Zeit. xxiii. p. 226 (1862), xxv. p. 285 (1864), *Type* no. 1; Bol. Ortópt. Españ. p. 23 (1876), *Type* no. 2, *haud recte*.

*Brachylabis*, pt., *Dohrn*, l. c. xxv. p. 292 (1864); Bol. l. c. p. 25 (1876).

*1. **A. Maritima, Géné,** (*Forficula M.*) Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 224 (1832). Europe, &c. (Cosmopolitan.)
   *Forficula* (*Labidura*) *Maritima, Fisch.* Orth. Eur. p. 68, pl. 6. ff. 4, 4 *a–d* (1853).
   *Forficesila Maritima, Serv.* Ins. Orth. p. 27 (1853).
   *Anisolabis Maritima, Fieb.* l. c. p. 257 (1853); Scudd. l. c. p. 251 (1876); P. Boston Soc. xviii. p. 304 (1877); Brunn. l. c. p. 9, pl. 1. f. 2 (1882); Fin. l. c. p. 64 (1890); Burr, Brit. Orth. p. 13, pl. 1. ff. 2, 2 *a* (1897); Borm. l. c. p. 45. n. 7 (1900); Tümp. l. c. p. 230 (1900).
   *Brachylabis Maritima, Dohrn,* l. c. xxv. p. 293 (1864).

| | |
|---|---|
| *2. **A. Annulipes, Luc.** (*Forficula A.*) Bull. Soc. Ent. France. (2) v. p. lxxxiv (1847).<br>*Forficula (Labidura) Annulipes*, Fisch. l. c. p. 69, pl. 6. f. 6 *a–c* (1853).<br>*Forcinella Annulipes*, *Dohrn*, l. c. xxv. p. 290 (1864); Bol. l. c. p. 24, pl. 6. f. 10 *a*, *b* (1876).<br>*Anisolabis Annulipes*, *Brunn.* l. c. p. 8 (1882); Fin. l. c. p. 64 (1890); Borm. l. c. p. 48. n. 18 (1900); Burr, l. c. p. 14 (1897); J. Bombay Soc. xiv. p. 321 (1902). | Europe, &c. (Cosmopolitan.) |
| *2 *a*. **A. Hottentotta, Dohrn,** (*Forcinella H.*) l. c. xxviii. p. 344 (1867). | S. Africa. |
| *3. **A. Mœsta, Serv.** (*Forficesila M.*) l. c. p. 28 (1839).<br>*Forficula (Labidura) Mœsta*, *Fisch.* l. c. p. 68, pl. 6. ff. 5, 5 *a–d* (1853).<br>*Brachylabis Mœsta*, *Dohrn*, l. c. xxv. p. 296. n. 5 (1864); Bol. l. c. p. 25, pl. 6. f. 11 *a*, *b* (1876).<br>*Anisolabis Mœsta*, *Fieb.* Lotos, iii. p. 257 (1853); Brunn. l. c. p. 9 (1882); Fin. l. c. p. 63, pl. 2. f. 30 (1890); Borm. l. c. p. 44. n. 5 (1900).<br>*Forficula Hispanica*, *Herr.-Schäff.* Nomencl. Ent. Orth. p. 29 (1840).<br>*Forficula Maritima*, *Ramb.* Faune de l'Andalusie, Orth. p. 6 (1839). | S. Europe, N. & E. Africa. |
| 3 *a*. **A. Taurica, Fisch. Waldh.** (*Forficesila T.*) Orth. Ross. p. 47 (1846); Fisch. Orth. Eur. p. 70 (1853). | S. Russia (Taurida). |
| *4. **A. Mauritanica, Luc.** (*Forficesila M.*) Expl. Alg. iii. p. 4, iv. pl. 1. ff. 1, 1 *a–d* (1846).<br>*Brachylabis Mauritanica*, *Dohrn*, l. c. xxv. p. 292 (1864).<br>*Anisolabis Mauritanica*, *Borm.* l. c. p. 45. n. 8 (1900). | Algeria, Tunis. |
| *5. **A. (?) Maxima, Brullé,** (*Forficula (Forficesila) M.*) Webb & Berthelot, Hist. Nat. Canaries, Ins. p. 74 (1838).<br>*Forcinella Maxima*, *Dohrn*, l. c. xxv. p. 288. n. 5 (1864).<br>*Anisolabis Maxima*, *Bol.* An. Soc. Españ. xxii. p. 46 (1893); Borm. l. c. p. 46. n. 9 (1900). | Canaries. |
| 5 *a*. **A. Major, Brullé,** (*Forficula (Forficesila) M.*) l. c. p. 74 (1838). | id. |

| | |
|---|---|
| *Anisolabis Major, Borm.* l. c. p. 46. n. 10 (1900). | |
| *6. **A. Angulifera, Dohrn,** (*Brachylabis A.*) l. c. xxv. p. 294 (1864).<br>*Anisolabis Angulifera, Borm.* l. c. p. 51. n. 25, f. 21 (1900). | W. Africa. |
| 7. **A. Cincticollis, Gerst.** (*Brachylabis C.*) Mitth. Ver. Vorpomm. xiv. p. 44 (1883).<br>*Anisolabis Cincticollis, Borm.* l. c. p. 43. n. 1 (1900). | Cameroons. |
| **8. **A. Rufescens, Kirb.** J. Linn. Soc. xxiii. p. 517, pl. 12. f. 10 (1891); Borm. l. c. p. 46. n. 12 (1900). | id. |
| 9. **A. Læta, Gerst.** (*Brachylabis L.*) Arch. Naturg. xxxv. (1) p. 221 (1869); Von der Decken, Reisen, iii. (2) p. 49, pl. 3. f. 8 (1873). | Kilimanjaro. |
| **10. **A. Varicornis, Smith,** Ann. Nat. Hist. (4) xvii. p. 450 (1876). | Rodriguez. |
| 11. **A. Pectoralis, Esch.** (*Forficula P.*) Entomograph. p. 82 (1822).<br>*Anisolabis P., Borm.* l. c. p. 50. n. 24 (1900). | Kamtchatka. |
| *12. **A. Marginalis, Dohrn,** (*Forcinella M.*) l. c. xxv. p. 288 (1864).<br>(?) *Anisolabis Marginalis, Borm.* l. c. p. 50. n. 23, f. 20 (1900). | Japan; Java (eadem ?) |
| *13. **A. Greeni, Burr,** Ann. Nat. Hist. (7) iv. p. 257 (1899); J. Bombay Soc. xiv. p. 319 (1902). | Ceylon. |
| 14. **A. Kudagæ, Burr,** J. Bombay Soc. xiv. p. 320, pl. B. f. 6 (1902). | id. |
| **15. **A. Dubronii, Kirb.** Ann. Nat. Hist. (7) xi. p. 68 (1903).<br>‖ *Anisolabis Læta, Borm.* l. c. p. 46. n. 11 (1900). | Tenasserim. |
| *16. **A. Stæli, Dohrn,** (*ForcinellaStåli*) l. c. xxv. p. 286 (1864).<br>*Anisolabis Ståli, Borm.* l. c. p. 55. n. 6 (1900). | Java, Christmas I. |
| **17. **A. Piligera, Borm.** Ann. Mus. Genova, xl. p 453 (1900). | Sumatra. |
| **18. **A. Subarmata, Kirb.** (*Labia* (?) *S.*) Mon. Christmas I. p. 144, pl. 12. f. 7 (1900). | Christmas I. |
| 19. **A. (?) Blanchardi, Le Guill.** (*Forficula B.*) Rev. Zool. 1841, p. 292. n. 3. | Oceania (?). |
| *20. **A. Colossea, Dohrn,** (*Forcinella C.*) l. c. xxv. p. 286 (1864); Dubr. Ann. Mus. Genov. xiv. p. 357 (1879). | Australia, New Caledonia. |

| | |
|---|---|
| *Anisolabis Colossea, Borm.* Tierreich, Forf. p. 47. n. 15, f. 19 (1900). | |
| Var. *a.* *Anisolabis Colossea*, var. *Minor*, *Burr*, Termés. Füzetek, xxv. p. 479 (1902). | N.S. Wales. |
| **21. **A. Occidentalis, Kirb.** J. Linn. Soc. xxv. p. 525, pl. 20. f. 5 (1896). | W. Australia. |
| *22. **A. Brunneri, Dohrn,** (*Forcinella B.*) l. c. xxv. p. 291 (1864).<br>*Anisolabis Brunneri, Borm.* l. c. p. 48. n. 17 (1900); (?) Burr, J. Bombay Soc. xiv. p. 322 (1902). | Australia; Ceylon (eadem?) |
| 23. **A. (?) Pacifica, Erichs.** (*Forficula P.*) Arch. Naturg. viii. p. 247 (1802). | Tasmania. |
| **24. **A. Tasmanica, Borm.** C. R. Soc. Ent. Belgique, xxiii. pp. lxviii–lxx, fig. (1880); Tierreich. Forf. p. 43. n. 2, p. 44. f. 18 (1900); Sharp, Cambridge Nat. Hist., Ins. i. pp. 215, 216, f. 113 (1895). | id. |
| **25. **A. Littorea, White,** (*Forficula L.*) Zool. 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. ff. 4, 5 (1846).<br>*Forcinella Littorea, Dohrn,* l. c. xxv. p. 287 (1864).<br>*Anisolabis Littorea, Borm.* Tierreich, Forf. p. 47. n. 13 (1900). | New Zealand. |
| **26. **A. Xenia, Kirb.** l. c. xxiii. p. 517 (1891); Borm. l. c. p. 47. n. 14 (1900). o• 377 | Norfolk I. |
| *27. **A. Azteca, Dohrn,** (*Forcinella A.*) l. c. xxv. p. 291 (1864).<br>*Anisolabis Azteca, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. l. c. p. 49. n. 19 (1900). | Mexico. |
| **28. **A. Antennata, Kirb.** l. c. xxiii. p. 517 (1891). | Bermuda. |
| *29. **A. Advena, Mein.** (*Labidura A.*) Nat. Tidskr. (3) v. p. 279, pl. 12. ff. 5–8 (1863). | Jamaica. |
| *30. **A. Antoni, Dohrn,** (*Forcinella A.*) l. c. xxv. p. 289 (1864).<br>*Anisolabis Antoni, Borm.* Biol. Centr.-Amer., Orth. i. p. 5, pl. 1. f. 10 (1893); Tierreich, Forf. p. 49. n. 21 (1900). | Venezuela, Cent. Amer., Mexico. |
| *31. **A. Janeirensis, Dohrn,** (*Forcinella J.*) l. c. xxv. p. 285 (1864).<br>*Anisolabis Janeirensis, Borm.* ll. cc. p. 5, pl. 1. ff. 8, 9 (1893); p. 44. n. 4 (1900); Borelli, Boll. Mus. Torino, xvii. (418) p. 2 (1902). | Brazil, Nicaragua. |

| | |
|---|---|
| 32. **A. Bormansi, Scudd.** Bull. Mus. Harvard. xxv. p. 5, pl. 1. f. 1 (1897); Borm. Tierreich, Forf. p. 49. n. 20 (1900). | Galapagos. |
| 33. **A. Peruviana, Borm.** An. Soc. Españ. ix. p. 505 (1880); Tierreich, Forf. p. 44. n. 3 (1900). | Peru. |
| 34. **A. Annulicornis, Blanch.** Gay, Hist. Chile, Zool. vi. p. 10 (1852); Phil. Zeitschr. Naturw. xxi. p. 217 (1863).<br>*Forcinella Annulicornis, Dohrn,* Stett. Ent. Zeit. xxv. p. 290 (1864).<br>*Anisolabis Annulicornis, Borm.* Tierreich, Forf. p. 50. n. 22 (1900). | Chile, Brazil. |
| 35. **A. Spectabilis, Phil.** (*Forficula S.*) l. c. p. 218 (1863).<br>*Anisolabis Spectabilis, Dohrn,* l. c. p. 47. n. 16 (1900). | Chile. |
| 36. **A. Cæca, Borelli,** l. c. pp. 2, 3, fig. (1902). | Argentina. |

### Genus 23. **Isolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

| | |
|---|---|
| 1. **I. Braueri, Verh.** l. c. p. 14 (1902). | Guinea (?). |

### Genus 24. **Ctenisolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 11.

| | |
|---|---|
| 1. **C. Togoensis, Verh.** l. c. p. 14 (1902). | Togo. |

### Genus 25. **Leptisolabis.** (*Type* no. 1.)

Verh. SB. Ges. naturf. Berlin, 1902, p. 12.

| | |
|---|---|
| 1. **L. Usambarana, Verh.** l. c. p. 12 (1902). | Usambara. |
| 2. **L. Theoriæ, Verh.** l. c. p. 13 (1902). | E. Africa. |

### Genus 26. **Platylabia.** (*Type* no. 8.)

Dohrn, Stettin. Ent. Zeit. xxviii. p. 347 (1867); Borm. Tierreich, Forf. p. 73 (1900); Burr, J. Bombay Soc. xiv. p. 75 (1902).

*Labidophora, Scudd.* P. Boston Soc. xviii. p. 297 (1876).

| | |
|---|---|
| 1. **P. Pygmæa, Fabr.** (*Forficula P.*) Ent. Syst. ii. p. 3. n. 8 (1793). | Guinea. |

| | |
|---|---|
| 2. **P. Guineensis, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. l. c. p. 75. n. 7 (1900). | Guinea. |
| **3. **P. Fallax, Borm.** Ann. Mus. Genova, xxxiv. p. 380 (1894). | Tenasserim. |
| *4. **P. Thoracica, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 73. n. 1, fig. 30 (1900); Burr, l. c. p. 76 (1902). | Penang,<br>Ceylon,<br>Burma, Aru,<br>Java, &c. |
| 5. **P. Javana, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 65, pl. 2. f. 6 (1883); Tierreich, Forf. p. 74. n. 5 (1900). | Java. |
| **6. **P. Sparattoides, Borm.** Ann. Mus. Genov. xl. p. 459 (1900). | Penang,<br>Sumatra. |
| *7. **P. Dimidiata, Dohrn,** l. c. xxviii. p. 348 (1867); Borm. Tierreich, Forf. p. 74. n. 5 (1900). | Luzon,<br>Salwatty. |
| *8. **P. Major, Dohrn,** l. c. xxviii. p. 347 (1867); Dubr. Ann. Mus. Genov. xiv. p. 371 (1879); Borm. l. c. p. 74. n. 4 (1900). | Celebes,<br>Java,<br>Burma. |
| **9. **P. Nigriceps, Kirb.** J. Linn. Soc. xxiii. p. 518 (1891); Borm. l. c. p. 74. n. 2 (1900). | N. Guinea<br>(Dorey). |
| **10. **P. Gestroi, Dubr.** l. c. p. 372, figs. (1879): Borm. l. c. p. 74. n. 3 (1900). | N. Guinea<br>(Fly River). |
| 11. **P. Quadrata, Burr,** Termés. Füzetek, xxv. p. 482, pl. 20. f. 5 (1901). | N. Guinea<br>(Deslacs I.). |

### Genus 27. **Chætospania.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxx. p. 87 (1886); Borm. Tierreich, Forf. p. 75 (1900).

| | |
|---|---|
| *1. **C. Inornata, Karsch,** l. c. p. 88, pl. 3. f. 6 (1886); Borm. l. c. p. 76. n. 3 (1900). | Madagasc'r. |
| **2. **C. Feæ, Borm.** Ann. Mus. Genov. xxxiv. p. 390 (1894); Tierreich, Forf. p. 76. n. 2 (1900). | Tenasserim. |
| 3. **C. Stella, Burr,** Termés. Füzetek, xxv. p. 483, pl. 20. f. 6 (1902). | Malacca,<br>Papua. |
| **4. **C. Semifulva, Borm.** (*Sparatta S.*) Notes Leyden Mus. vi. p. 183 (1884).<br>*Chætospania Semifulva, Borm.* Tierreich, Forf. p. 75. n. 1 (1900). | Sumatra. |
| 5. **C. Parvula, Burr,** Ann. Nat. Hist. (7) vi. p. 93 (1900). | Sarawak. |
| 6. **C. Jupiter, Burr,** l. c. p. 94 (1900). | id. |

### Genus 28. **Mecomera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 53 (1839); Borm. Tierreich, Forf. p. 81 (1900).

| | |
|---|---|
| 1. **M. Brunnea, Serv.** l. c. p. 54 (1839); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 71, pl. 2. f. 10 (1883); Tierreich, Forf. p. 81. n. 1 (1900). | Cayenne, Colombia, Montevideo (eadem ?). |
| **2. **M. Modigliani, Borm.** Ann. Mus. Genova. xl. p. 460 (1900). | Mentavei I., Sumatra, &c. |

### Genus 29. **Sparatta.** (*Type* no. 12.)

Serv. Ins. Orth. p. 51 (1839); Dohrn, Stettin. Ent. Zeit. xxvi. p. 68 (1868); Borm. Tierreich, Forf. p. 76 (1900).

| | |
|---|---|
| **1. **S. Horsfieldii, Kirb.** J. Linn. Soc. xxiii. p. 519 (1891); Borm. l. c. p. 80. n. 12 (1900). | Java. |
| 2. **S. Angusticollis, Dubr.** (*Psalidophora A.*) Ann. Mus. Genova, xiv. p. 359, figs. (1879).<br>*Sparatta Angusticollis, Borm.* l. c. p. 80. n. 10 (1900). | Sarawak. |
| **3. **S. Brunneri, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 69, pl. 2. f. 9 (1883); Tierreich, Forf. p. 78. n. 5 (1900). | Queensland. |
| 4. **S. Australica, Borm.** ll. cc. p. 68, pl. 2. f. 8 (1883); p. 78. n. 3 (1900). | id. |
| 5. **S. Dentifera, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 218 (1901). | Orizaba. |
| *6. **S. Nigrina, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa. Ins. p. 307 (1858); Dohrn, l. c. xxvi. p. 70 (1865); Borm. C. R. Soc. Ent. Belg. xxxiii. p. lxxii (1880); Biol. Centr.-Amer., Orth. i. p. 5, pl. 1. ff. 11, 12 (1893); Tierreich, Forf. p. 78. n. 2 (1900). | Rio Janeiro, Guatemala, Nicaragua. |
| 7. **S. Plana, Burm.** (*Forficula* (*Apachys*) *P.*) Handb. Ent. ii. p. 752. n. 7 (1838).<br>*Sparatta Plana, Burm.* Germ. Zeitschr. Ent. ii. p 81 (1840). | Para. |
| **7 *a*. **S. Apicalis, Kirb.** l. c. xxv. p. 526, pl. 20. ff. 7, 7 *a* (1896). | Rio Janeiro, Theres'p'lis. |
| **8. **S. Colombiana, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 66, pl. 2. f. 7 (1883); Tierreich, Forf. p. 79. n. 6 (1900). | Colombia. |

| | |
|---|---|
| **9. **S. Bormansi, Kirb.** l. c. xxv. p. 528 (1896); Borm. Tierreich, Forf. p. 81 (1900).<br>‖*Sparatta Schotti, Borm.* Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 14 (1893); Tierreich, Forf. p. 80. n. 11 (1900). | Mexico. |
| **10. **S. Pygidiata, Kirb.** l. c. xxv. p. 527, pl. 20. ff. 10, 10 *a* (1896); Borm. Tierreich, Forf. p. 80. n. 9 (1900). | Rio Janeiro. |
| **11. **S. Bolivari, Borm.** An. Soc. Españ. ix. p. 510 (1880); Tierreich, Forf. p. 77. n. 1 (1900). | Peru. |
| *12. **S. Pelvimetra, Serv.** l. c. p. 52 (1839); Dohrn, l. c. xxvi. p. 68 (1865); Borm. Tierreich, Forf. p. 79. n. 8 (1900). | Brazil. |
| *13. **S. Rufina, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa, Ins. p. 307 (1858); Dohrn, l. c. xxvi. p. 69 (1865); Bol. Viaje al Pacifico, Orth. p. 11 (1884).<br>*Sparatta Pelvimetra*, var. *Rufina*, *Borm.* Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 13 (1893). | Brazil, Guatemala. |
| *14. **S. Schotti, Dohrn,** l. c. xxvi. p. 69 (1865). | Brazil. |
| **15. **S. Clarkii, Kirb.** l. c. p. 526, pl. 20. ff. 8, 8 *a* (1896). | id. |
| *16. **S. Dohrni, Kirb.** Ann. Nat. Hist. (7) xi. p. 68 (1903).<br>‖*Sparatta Plana, Dohrn*, l. c. xxvi. p. 69 (1865); Borm. Tierreich, Forf. p. 79. n. 7 (1900). | S. & Central America. |
| *17. **S. Gracilis, Blanch.** (*Forficula G.*) D'Orbigny, Voy. Amér. mér. vi. (2) p. 214, pl. 26. f. 2 (1842). | Bolivia. |
| **18. **S. Semirufa, Kirb.** J. Linn. Soc. xxv. p. 528, pl. 20. ff. 4, 4 *a* (1896); Borm. l. c. p. 78. n. 4 (1900). | Igaurassu. |

### Genus 30. **Sparattina.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 198 (1902).

| | |
|---|---|
| 1. **S. Flavicollis, Verh.** l. c. (1902). | E. Java. |
| *2. **S. (?) Armata, Burr,** (*Sparatta A.*) Ann. Nat. Hist. (7) iv. p. 252 (1899). | Ecuador. |
| 3. **S. (?) Setulosa, Burr,** l. c. (7) vi. p. 92 (1900). | Sarawak. |

### Genus 31. **Labia.** (*Type* no. 1.)

Leach. Edinb. Encycl. ix. p. 118 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 7 (1835); Dohrn, Stettin. Ent. Zeit. xxv. p. 423 (1864); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876); Brunner, Prodr. Eur. Orth. p. 10 (1882); Borm. Ann. Mus. Genova. xxxiv. p. 382 (1894); Tierreich, Forf. p. 62 (1900); Burr, Brit. Orth. p. 14 (1897); J. Bombay Soc. xiv. p. 324 (1902); Tümpel, Geradflügler Mitteleuropas, p. 231 (1900).

*Copiscelis*, *Fieb.* Lotos, iii. p. 257 (1853).

*1. **L. Minor, Linn.** (*Forficula M.*) Syst. Nat. (ed. x.) i. p. 423. n. 2 (1758); De Geer, Mém. Ins. iii. p. 553, pl. 25. ff. 26, 27 (1773); Fisch. Orth. Eur. p. 70, pl. 6. f. 7 *a–d* (1853). — Europe, &c.

*Labia Minor*, *Steph.* l. c. vi. p. 8 (1835); Dohrn, l. c. xxv. p. 426. n. 4 (1864); Scudd. l. c. ii. p. 258 (1876); Brunn. l. c. p. 10, pl. 1. f. 3 (1882); Burr, Brit. Orth. p. 15, pl. 1. f. 4 (1897); Fin. Faune France, Orth. p. 65 (1900); Borm. Tierreich, Forf. p. 66. n. 9 (1900); Tümp. l. c. p. 231, pl. 15 (1900).

*Forficula Livida*, *Gmel.* Syst. Nat. i. (4) p. 2040 (1788).

*Labia Minuta*, *Scudd.* Boston Journ. Nat. Hist. vii. p. 415 (1862).

♂. *Forficula Media*, *Marsh.* Col. Brit. p. 530. n. 3 (1802).

**2. **L. Bicolor, Dubr.** An. Soc. Españ. viii. p. 95 (1879); Borm. Tierreich, Forf. p. 72. n. 34 (1900). — Abyssinia.

3. **L. Quadrilobata, Dohrn,** l. c. xxviii. p. 346 (1867); Borm. Tierreich, Forf. p. 66. n. 7 (1900). — Guinea.

*4. **L. Marginalis, Thunb.** (*Forficula M.*) Act. Soc. Upsal. ix. p. 52 (1827). — S. Africa.

*Forficula Ochropus*, *Stål*, Œfv. Vet.-Akad. Förh. xii. p. 348 (1855).

*Labia Ochropus*, *Dohrn*, l. c. xxviii. p. 345 (1867); Borm. l. c. p. 70. n. 21 (1900).

**5. **L. Fasciata, Borm.** Ann. Mus. Genova, xxxiv. p. 387 (1894); Tierreich, Forf. p. 71. n. 27 (1900). — Tenasserim.

| | |
|---|---|
| **6. **L. Ridens, Borm.** ll. cc. xxxiv. p. 388 (1894); p. 66. n. 8 (1900).<br>Var. *a. L. Ridens*, var. *Cyclolabia, Borm.* ll. cc. p. 389 (1894); p. 66 (1900). | Tenasserim. |
| *7. **L. Amœna, Stål,** (*Forficula A.*) l. c. xii. p. 350 (1855).<br>*Labia Amœna, Dohrn*, l. c. xxv. p. 425 (1864); Borm. Tierreich, Forf. p. 67. n. 11, f. 29 *a*, *b* (1900). | Java, &c., Singapore, Celebes, Philippines, Papua, &c. |
| *8. **L. Mucronata, Stål,** Eugenie's Resa, Ins. p. 303 (1858).<br>*Labia Mucronata, Dohrn*, l. c. xxv. p. 423 (1864): Borm. l. c. p. 68. n. 13 (1900); Burr. J. Bombay Soc. xiv. p. 324 (1902). | Java, Burma, Ceylon, Philippines, N. Guinea. |
| *9. **L. Luzonica, Dohrn,** l. c. p. 427 (1864); Dubr, Ann. Mus. Genov. xiv. p. 363 (1879); Borm. l. c. p. 70. n. 24 (1900). | Luzon, Aru, Papua, N. Australia. |
| *10. **L. Pilicornis, Motsch.** (*Forficula P.*) Bull. Mosc. xxxvi. (3) p. 2 (1863).<br>*Labia Pilicornis, Dohrn*, l. c. xxv. p. 427 (1864); Borm. l. c. p. 72. n. 32 (1900); Burr, l. c. xiv. p. 326 (1902). | Ceylon, Borneo. |
| *11. **L. Curvicauda, Motsch.** (*Forfiscelia C.*) l. c. xxxvi. (3) p. 2, pl. 2. f. 1 (1863).<br>*Labia Curvicauda, Dohrn*, l. c. xxv. p. 428 (1864); Borm. l. c. p. 70. n. 22 (1900); Burr, l. c. xiv. p. 325 (1902). | Ceylon, Penang, Burma, Seychelles. |
| **12. **L. Pygidiata, Dubr.** Ann. Mus. Genova. xiv. p. 364, figs. (1879); Borm. l. c. p. 65. n. 9 (1900). | Java, Burma, Hawaii. |
| **13. **L. Nigrella, Dubr.** l. c. xiv. p. 370 (1879); Borm. Tierreich, Forf. p. 68. n. 16 (1900). | Java. |
| **14. **L. Murrayi, Kirb.** Monogr. Christmas I. p. 143, pl. 12. f. 6 (♀ nec ♂), pl. 13. f. 5. ☿ (1900). | Christmas I. |
| **15. **L. Incerta, Kirb.** l. c. p. 144, pl. 12. f. 5 (1900). | id. |
| **16. **L. Indistincta, Kirb.** l. c. p. 144, pl. 12. f. 4 (1900). | id. |
| **17. **L. Subserrata, Kirb.** l. c. p. 144, pl. 12. f. 7 (1900). | id. |
| *18. **L. Dolicha, Burr,** Ann. Nat. Hist. (6) xx. p. 311 (1897); Borm. l. c. p. 71. n. 29 (1900). | Celebes. |
| *19. **L. Fruhstorferi, Burr,** l. c. (6) xx. p. 312 (1897); Borm. l. c. p. 69. n. 18 (1900). | Lombok. |

| | |
|---|---|
| *20. **L. Wallacei, Dohrn,** l. c. xxv. p. 427 (1864); Dubr. l. c. xiv. p. 364 (1879); Borm. l. c. p. 72. n. 33 (1900). | N. Guinea. |
| 21. **L. Feæ, Dubr.** l. c. xiv. p. 368. figs. (1879); Borm. l. c. p. 69. n. 20 (1900). | N. Guinea.<br>Kei I. |
| **22. **L. Aculeata, Borm.** Ann. Mus. Genova. xl. p. 456 (1900). | N. Guinea. |
| 23. **L. Hilaris, Borm.** l. c. p. 457 (1900). | id. |
| 23 *bis*. **L. Papua, Borm.** l. c. p. 458 (1900). | Brit. N. Guinea. |
| 24. **L. Sicaria, Burr,** Termés. Füzetek, xxv. p. 482, pl. 20. f. 4 (1902). | N. Guinea. |
| **25. **L. Grandis, Dubr.** l. c. xiv. p. 366. figs. (1879): Borm. l. c. p. 65. n. 5 (1900). | Australia,<br>N. Guinea,<br>Aru. |
| *26. **L. Pulchella, Serv.** (*Forficula P.*) Ins. Orth. p. 42 (1839). | Niagara. |
| *27. **L. Guttata, Scudd.** P. Boston Soc. xviii. p. 265 (1876): Bull. U.S. Geol. Surv. Territ. ii. p. 258 (1876). | Texas. |
| ‖*Labia Pulchella, Borm.* l. c. p. 65. n. 3 (1900). | |
| **28. **L. Burgessi, Scudd.** ll. cc. xviii. p. 266 (1876); ii. p. 258 (1876); Borm. l. c. p. 64. n. 2 (1900). | Florida. |
| 29. **L. Melancholica, Scudd.** ll. cc. xviii. p. 267 (1876); ii. p. 258 (1876); Borm. l. c. p. 65. n. 4 (1900). | Texas. |
| 30. **L. Mexicana, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 73, pl. 2. f. 11 (1883); Tierreich, Forf. p. 67. n. 12 (1900). | Mexico. |
| *31. **L. Rotundata, Scudd.** ll. cc. xviii. p. 263 (1876); ii. p. 259 (1876); Borm. Ann. Mus. Genova. xiv. p. 75. pl. 3. f. 13 (1883); Tierreich, Forf. p. 71. n. 28 (1900). | id. |
| **32. **L. Cheliduroides, Borm.** An. Soc. Españ. ix. p. 509 (1880); Ann. Soc. Ent. Belgique, xxvii. p. 74, pl. 2. f. 12 (1883); Tierreich, Forf. p. 72. n. 30 (1900). | Peru,<br>Mexico. |
| **33. **L. Championi, Borm.** Biol. Centr.-Amer., Orth. i. p. 7, pl. 1. f. 21 (1893); Tierreich, Forf. p. 67. n. 10 (1900). | Panama. |
| *34. **L. Annulata, Fabr.** (*Forficula A.*) Ent. Syst. ii. p. 4. n. 11 (1793). | W. Indies. |
| *Labia Annulata, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876). | |

| | | |
|---|---|---|
| *35. | **L. Brunnea, Scudd.** l. c. p. 258 (1876); P. Boston Soc. xviii. p. 264 (1876); Borm. l. c. p. 70. n. 23 (1900). | Cuba,<br>St. Vincent,<br>Grenada. |
| *36. | **L. Unidentata, Beauv.** (*Forficula U.*) Ins. Afr. Amér. p. 165, Orth. pl. 14. f. 3 (1817).<br>*Labia Unidentata, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 259 (1876); Borm. Tierreich, Forf. p. 72. n. 31 (1900). | Haiti. |
| *37. | **L. Ghilianii, Dohrn,** l. c. xxv. p. 424 (1864); Borm. l. c. p. 68. n. 15 (1900). | Para,<br>Cayenne,<br>Venezuela. |
| *38. | **L. Chalybea, Dohrn,** l. c. p. 429 (1864); Borm. Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. f. 17 (1893); Tierreich, Forf. p. 70. n. 25 (1900). | Venezuela. |
| **39. | **L. Buprestoides, Kirb.** J. Linn. Soc. xxiii. p. 520, pl. 12. f. 8 (1891); Borm. Tierreich, Forf. p. 64. n. 1 (1900). | Ega. |
| *40. | **L. Dorsalis, Burm.** (*Forficula D.*) Handb. Ent. ii. p. 754. n. 18 (1838). | Colombia. |
| 41. | **L. Severini, Burr,** Ann. Soc. Ent. Belg. xliv. p. 50 (1900). | id. |
| 42. | **L. Equatoria, Burr,** Ann. Nat. Hist. (7) iv. p. 254 (1899). | Ecuador. |
| *43. | **L. Bilineata, Scudd.** P. Boston Soc. xii. p. 345 (1869); Borm. Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. ff. 15, 16 (1893); Tierreich, Forf. p. 68. n. 14 (1900). | Ecuador,<br>Brazil,<br>Panama. |
| *44. | **L. Maeklini, Dohrn,** l. c. xxv. p. 428 (1864); Borm. Tierreich, Forf. p. 71. n. 26 (1900). | Brazil. |
| *45. | **L. Arcuata, Scudd.** P. Boston Soc. xviii. p. 257 (1876); Borm. An. Soc. Españ. ix. p. 509 (1880); Biol. Centr.-Amer., Orth. i. p. 6, pl. 1. ff. 18–20 (1893); Tierreich, Forf. p. 69. n. 19 (1900). | Brazil,<br>S. & Central<br>America,<br>W. Indies. |
| **46. | **L. Glabricula, Kirb.** l. c. xxiii. p. 520 (1891). | Santarem. |
| **47. | **L. Tricolor, Kirb.** l. c. xxiii. p. 520 (1891); Borm. Tierreich, Forf. p. 69. n. 17 (1900). | id. |

### Genus 32. **Auchenomus.** (*Type* no. 1.)

Karsch, Berl. Ent. Zeitschr. xxx. p. 89 (1886); Borm. Tierreich, Forf. p. 82 (1900).

| | |
|---|---|
| *1. **A. Longiforceps, Karsch,** l. c. pl. 3. f. 7 (1886); Borm. Tierreich, Forf. p. 82. n. 1 (1900). | Madagasc'r. |

### Genus 33. **Neolobophora.** (*Type* no. 5.)

Scudd. P. Boston Soc. xvii. p. 781 (1875); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876); Borm. Tierreich, Forf. p. 99 (1900); Burr, J. Bombay Soc. xiv. p. 67 (1902).

| | |
|---|---|
| 1. **N. Asiatica, Bol.** Ann. Soc. Ent. France, 1897, p. 285, pl. 10. f. 2; Borm. Tierreich, Forf. p. 100. n. 3. | S. India. |
| 2. **N. Tamul, Burr,** l. c. p. 67, pl. B. f. 1 (1902). | Ceylon. |
| *3. **N. Ruficeps, Burm.** (*Forficula R.*) Handb. Ent. ii. p. 755. n. 19 (1838); Dohrn, Stettin. Ent. Zeit. xxvi. p. 88 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876).<br>*Apterygida Ruficeps, Dohrn,* l. c. xxiii. p. 231 (1862).<br>*Neolobophora Ruficeps, Borm.* Biol. Centr.-Amer., Orth i. p. 8. pl. 2. ff. 7, 8 (1893); Tierreich, Forf. p. 99. n. 1 (1900). | Mexico. |
| *4. **N. Volsella, Scudd.** l. c. ii. p. 253 (1876); P. Boston Soc. xviii. p. 237 (1876). | id. |
| *5. **N. Bogotensis, Scudd.** P. Boston Soc. xvii. p. 282 (1875); Borm. ll. cc. p. 8, pl. 2. f. 9 (1893); p. 100. n. 2 (1900). | Bogota. |

### Genus 34. **Spongiphora.** (*Type* no. 23.)

*Spongiphora, Serr.* Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 54 (1900).

*Spongophora, Agass.* Nomencl. Zool. p. 349 (1846); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 251 (1876); Borm. Ann. Mus. Genova, xxxiv. p. 381 (1896).

*Psalidophora, Serr.* Ins. Orth. p. 29 (1839). (*Type* no. 23.)

| | |
|---|---|
| 1. **S. Assiniensis, Borm.** Ann. Soc. Ent. France, 1893, p. 170; Tierreich, Forf. p. 61 (1900). | W. Africa. |
| *2. **S. Quadrimaculata, Stål,** (*Forficula Q.*) Œfv. Vet.-Akad. Förh. xii. p. 348 (1855). | S. Africa. |
| *Psalidophora Quadrimaculata, Dohrn,* l. c. xxv. p. 420 (1864). | |
| *Spongiphora Quadrimaculata, Borm.* Tierreich, Forf. p. 58. n. 8 (1900). | |
| **3. **S. Nitidipennis, Borm.** Ann. Mus. Genova, xxxiv. p. 382 (1894), xl. p. 455 (1900); Tierreich, Forf. p. 58. n. 7 (1900). | Tenasserim. |
| **4. **S. Lutea, Borm.** ll. cc. xxxiv. p. 383 (1894); p. 60. n. 13 (1900). | id. |
| **5. **S. Semiflava, Borm.** ll. cc. xxxiv. p. 385 (1894); p. 59. n. 9 (1900). | id. |
| 6. **S. Rubriceps, Burr,** Ann. Nat. Hist. (7) vi. p. 89 (1900). | Borneo. |
| 7. **S. Sphinx, Burr,** l. c. p. 91 (1900). | id. |
| **8. **S. Stella, Borm.** Ann. Mus. Genova, xl. p. 454 (1900). | Mentavei I. |
| **9. **S. Guttulata, Burr,** l. c. (6) xx. p. 314 (1897); Borm. Tierreich, Forf. p. 60. n. 14 (1900). | Lombok. |
| 10. **S. Nigrorufa, Burr,** Termés. Füzetek, xxv. p. 480, pl. 20. f. 3 (1902). | Papua. |
| 11. **S. Australica, Dubr.** Ann. Mus. Genova, xiv. p. 361, fig. (1879). | Australia. |
| 12. **S. Brunneipennis, Serv.** (*Psalidophora B.*) Ins. Orth. p. 30 (1839); Dohrn, l. c. xxv. p. 418 (1864). | |
| *Spongophora Brunneipennis, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876); Canad. Ent. xix. p. 67 (1887); Borm. Biol. Centr.-Amer., Orth. i. p. 7, pl. 2. ff. 1–3 (1893); Tierreich, Forf. p. 57. n. 4, f. 25 (1900). | N. & Central America. |
| *13. **S. Prolixa, Scudd.** P. Boston Soc. xviii. p. 331 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876); Borm. Tierreich, Forf. p. 56. n. 2 (1900). | Mexico. |
| ‖*Psalidophora Parallela, Dohrn,* l. c. xxiii. p. 227, pl. 1. ff. 3, 3 *b* (1862); xxv. p. 418 (1864). | |
| *14. **S. Parallela, Westw.** (*Forficula P.*) Guér. Mag. Zool. 1838, pl. 178. | |

| | |
|---|---|
| *Spongophora Parallela, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876). | |
| *Forficesila Longissima, Wood,* Insects Abroad, p. 280, fig. 139 (1874). | |
| *Forficula Longiforcipata, Blanch.* D'Orbigny. Voy. Amér. mér. vi. (2) p. 214, pl. 26. f. 1 (1846). | S. & Central America. |
| *15. **S. Lherminieri, Serv.** (*Psalidophora L.*) Ins. Orth. p. 29 (1839). | S. & Central America, Guadal'upe. |
| *Spongiphora Croceipennis Lherminieri, Borm.* Tierreich, Forf. p. 56. n. 1 *c*, f. 23 (1900). | |
| 16. **S. Forfex, Scudd.** P. Boston Soc. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 252 (1876). | Central America(?). |
| **17. **S. Dysoni, Kirb.** J. Linn. Soc. xxiii. p. 531, pl. 12. f. 3 (1891). | Venezuela. |
| 18. **S. Insignis, Stål,** (*Psalidophora I.*) Œfv. Vet.-Akad. Förh. xii. p. 349 (1855). | N. Granada. |
| *Spongiphora Insignis, Borm.* l. c. p. 59. n. 10 (1900). | |
| 19. **S. Stigma, Dohrn,** (*Psalidophora S.*) l. c. xxviii. p. 345 (1867); Borm. l. c. p. 60. n. 12 (1900). | Venezuela. |
| 20. **S. Frontalis, Dohrn,** (*Psalidophora F.*) l. c. xxv. p. 422 (1864). | id. |
| *Spongiphora Frontalis, Borm.* l. c. p. 60. n. 15 (1900). | |
| **21. **S. Similis, Borm.** Ann. Soc. Ent. Belg. xxvii. p. 76, pl. 2. f. 14 (1883); Tierreich, Forf. p. 61. n. 17 (1900). | Colombia. |
| *22. **S. Punctipennis, Stål,** Eugenie's Resa. Ins. p. 304 (1858). | Brazil. |
| *Psalidophora Punctipennis, Dohrn,* l. c. xxv. p. 421 (1864). | |
| *23. **S. Croceipennis, Serv.** Ann. Sci. Nat. xxii. p. 31 (1831); Borm. Tierreich, Forf. p. 55 (1900). | id. |
| *Forficula Croceipennis, Wils.* Treat. Ins. pl. 228. f. 6 (1835); Burm. Handb. Ent. ii. p. 752. n. 8 (1838); Pack. Standard Nat. Hist. ii. p. 139, f. 203 (1884). | |
| *Forficula (Spongiphora) Croceipennis, Guér.* Icon. R. Anim., Ins. pl. 52. f. 1 (1829), p. 326 (1844); Gray, Griffith, Anim. Kingd. xv. p. 787, pl. 104. ff. 1, 1 *b* (1832). | |

| | | |
|---|---|---|
| | *Psalidophora Croceipennis, Serv.* Ins. Orth. p. 30, pl. 1. ff. 3, 3 *a, b* (1839); Dohrn, l. c. xxv. p. 418 (1864).<br>*Forficula Flavipennis, Burm.* l. c. ii. p. 752. n. 9 (1838). | |
| *24. | **S. Bormansi, Burr,** Ann. Nat. Hist. (6) xx. p. 313 (1897); Borm. l. c. p. 57. n. 3 (1900). | Bahia. |
| *25. | **S. Pygmæa, Dohrn,** (*Psalidophora P.*) l. c. xxv. p. 421 (1864).<br>*Spongiphora Pygmæa, Borm.* Biol. Centr.-Amer., Orth. i. p. 7, pl. 2. ff. 4, 5 (1893); Tierreich, Forf. p. 59. n. 11 (1900). | Brazil. |
| 26. | **S. (?) Remota, Burr,** (*Forficula (?) R.*) l. c. (7) iii. p. 165 (1899). | Ecuador. |
| *27. | **S. (?) Divergens, Burr,** (*Forficula D.*) l. c. p. 166 (1899). | id. |
| *28. | **S. Nigripennis, Scudd.** (*Psalidophora N.*) P. Boston Soc. xii. p. 344 (1869).<br>*Spongiphora Nigripennis, Borm.* l. c. p. 58. n. 6 (1900). | id. |
| **29. | **S. Rogersi, Borm.** Biol. Centr.-Amer., Orth. i. p. 8, pl. 2. f. 6 (1893); Tierreich, Forf. p. 57. n. 5 (1900). | Costa Rica. |
| 30. | **S. (?) Elongata, Fabr.** (*Forficula E.*) Ent. Syst. ii. p. 4. n. 13 (1793); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876). | W. Indies. |

### Genus 35. **Chelisoches.** (*Type* no. 12.)

Scudd. P. Boston Soc. xviii. p. 292 (1876); Borm. Tierreich, Forf. p. 82 (1900); Burr, J. Bombay Soc. xiv. p. 326 (1902).

‖*Lobophora*, Serv. Ins. Orth. p. 32 (1839); Dohrn, Stettin. Ent. Zeit. xxvi. p. 70 (1865).

| | | |
|---|---|---|
| 1. | **C. Comprimens, Scudd.** l. c. xviii. p. 252 (1876). | Africa. |
| 2. | **C. Pulchellus, Gerst.** (*C. Pulchella*) Mt. Ver. Vorpomm. xiv. p. 42 (1883).<br>*Chelisoches Pulchellus, Borm.* Tierreich, Forf. p. 88. n. 17 (1900); ? Burr, l. c. xiv. p. 327 (1902). | Cameroons, Ogowé; Ceylon (eadem ?). |
| *3. | **C. Plagiatus, Fairm.** (*Forficula Plagiata*) Thoms. Arch. Ent. ii. p. 257, pl. 9. f. 3 (1858). | Gaboon, Guinea. |

| | |
|---|---|
| *Chelisoches Plagiatus, Borm.* l. c. p. 88. n. 15 (1900).<br>*Chelisoches Plagiata, Gerst.* l. c. xiv. p. 40 (1883). | |
| 4. **C. Modestus, Stål,** (*Forficula Modesta*) Eugenie's Resa, Ins. p. 302 (1858).<br>*Lobophora Modesta, Dohrn,* l. c. xxvi. p. 74 (1865). | China. |
| *5. **C. Melanocephalus, Dohrn,** (*Lobophora Melanocephala*) l. c. xxvi. p. 75 (1865).<br>*Chelisoches Melanocephalus, Borm.* l. c. p. 89. n. 18 (1900). | India,<br>Burma,<br>Macassar. |
| **6. **C. Tenebrator, Kirb.** J. Linn. Soc. xxiii. p. 521, pl. 12. f. 5 (1890); Borm. l. c. p. 85. n. 6 (1900). | India. |
| 7. **C. Beelzebub, Burr,** Ann. Soc. Ent. Belgique, xliv. p. 51 (1900). | N. India. |
| **8. **C. Pulchripennis, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 78, pl. 3. f. 15 (1883); Tierreich, Forf. p. 84. n. 2 (1900). | Tenasserim. |
| 9. **C. Glaucopterus, Borm.** Ann. Mus. Genova, xxvi. p. 441 (1888); xxxiv. p. 392 (1894); Tierreich, Forf. p. 84. n. 3 (1900). | id. |
| 10. **C. Birmanus, Borm.** (*Auchenomus B.*) Ann. Mus. Genova, xxvi. p. 466 (1888).<br>*Chelisoches Birmanus, Borm.* Tierreich, Forf. p. 85. n. 7 (1900). | Bhamo. |
| **11. **C. Feæ, Borm.** ll. cc. xxxiv. p. 393 (1894); p. 86. n. 10 (1900). | Tenasserim. |
| **12. **C. Morio, Fabr.** (*Forficula M.*) Syst. Ent. p. 270. n. 6 (1775).<br>*Lobophora Morio, Dohrn,* l. c. xxvi. p. 71 (1865); Dubr. Ann. Mus. Genov. xiv. p. 374 (1879).<br>*Chelisoches Morio, Borm.* Tierreich, Forf. p. 85. n. 4 (1900); Burr, J. Bombay Soc. xiv. p. 327 (1902).<br>*Forficesila Oceanica, Le Guill.* Rev. Zool. 1841, p. 292. O-3474<br>*Lobophora Tartarea, Stål,* Eugenie's Resa, Ins. p. 305 (1858). | Otaheite;<br>India to<br>Papua. |
| 12 *a*. **C. Cincticornis, Stål,** (*Lobophora C.*) l. c. p. 305 (1858). | Mauritius. |
| *13. **C. Rufitarsis, Serv.** (*Lobophora R.*) Ins. Orth. p. 33 (1839).<br>*Forficula (Psalidophora) Rufitarsis, Haan,* | Java,<br>Singapore,<br>Waigiou. |

| | |
|---|---|
| Temminck, Verhandel. Nat. Gesch., Orth. p. 241 (1842).<br>*Lobophora Nigronitens, Stål,* l. c. p. 305 (1858). | |
| *14. **C. Simulans, Stål,** (*Forficula S.*) l. c. p. 302 (1858).<br>*Lobophora Simulans, Dohrn,* l. c. xxvi. p. 74 (1865).<br>*Chelisoches Simulans, Borm.* Tierreich, Forf. p. 87. n. 14, f. 34 *a, b* (1900). | Java,<br>Tenasserim,<br>Penang,<br>Sumatra,<br>Borneo. |
| 15. **C. Semiluteus, Borm. & Burr,** Ann. Nat. Hist. (7) iv. pp. 259, 260 (1899).<br>*Chelisoches Melanocephalus,* var., *Burr,* l. c. (6) xx. p. 315 (1897). | Java. |
| **16. **C. Nigricornis, Kirb.** (*Labidura N.*) P. Zool. Soc. London, 1888, p. 546 ; Mon. Christmas I. p. 142, pl. 12. ff. 2, 3 (1900). | Christmas I. |
| *17. **C. Fuscipennis, Haan,** (*Forficula (Psalidophora F.*) Temminck, Verhandel. Nat. Gesch., Orth. p. 241 (1842).<br>*Lobophora Fuscipennis, Dohrn,* l. c. xxvi. p. 75 (1875).<br>*Chelisoches Fuscipennis, Borm.* l. c. p. 86. n. 9 (1900). | Sumatra,<br>Java,<br>Moluccas,<br>Papua. |
| 18. **C. Ludekingi, Dohrn,** (*Lobophora L.*) l. c. xxvi. p. 73 (1863).<br>*Chelisoches Ludekingi, Borm.* l. c. p. 88. n. 16 (1900). | Sumatra. |
| *19. **C. Elegans, Borm.** Ann. Mus. Genova, xl. p. 464 (1900). | id. |
| 20. **C. Albomarginatus, Haan,** (*Forficula A.*) l. c. p. 241 (1842).<br>*Lobophora Albomarginata, Dohrn,* l. c. xxvi. p. 75 (1865). | |
| 21. **C. Ritsemæ, Borm.** Notes Leyden Mus. vi. p. 185 (1884) ; Tierreich, Forf. p. 86. n. 11 (1900) ; Burr, Termés. Füzetek. xxv. p. 484 (1902). | id. |
| 22. **C. (?) Sobrius, Borm.** Notes Leyden Mus. vi. p. 188 (1884). | id. |
| **23. **C. Variopictus, Borm.** Ann. Mus. Genov. xl. p. 462 (1900). | Mentavei I. |
| 24. **C. Punctulatus, Burr,** Ann. Nat. Hist. (6) xx. p. 315 (1897) ; Borm. Tierreich, Forf. p. 86. n. 8 (1900). | Celebes. |

| | |
|---|---|
| 25. **C. Dohertyi, Burr,** l. c. (7) iv. p. 258 (1899). | Macassar. |
| 26. **C. Lætior, Dohrn,** (*Lobophora L.*) l. c. xxvi. p. 73 (1865); Dubr. Ann. Mus. Genova, xiv. p. 374, figs. (1879).<br>*Chelisoches Lætior, Borm.* l. c. p. 87. n. 13 (1900). | Batchian,<br>Ternate. |
| *27. **C. Australica, Le Guill.** (*Forficesila A.*) Rev. Zool. 1841, p. 292.<br>*Forficula Australica, Blanch.* Voy. Pôle Sud. Zool. iv. p. 351, Orth. pl. 1. f. 3 (1853).<br>*Lobophora Australica. Dohrn,* l. c. xxvi. p. 72 (1865).<br>*Chelisoches Australicus, Borm.* Tierreich, Forf. p. 87. n. 12 (1900). | Australia. |
| *28. **C. Ater, Borm.** l. c. p. 85. n. 5 (1900).<br>‖*Lobophora Australica, Dubr.* l. c. xiv. p. 574 (1879). | N. Australia. |
| 29. **C. Tasmanica, Blanch.** (*Forficula T.*) l. c. p. 350, Orth. pl. 1. f. 2 (1853). | Tasmania. |

## Genus 36. **Chelisochella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 196 (1902).

| | |
|---|---|
| *1. **C. Superba, Dohrn,** (*Lobophora S.*) Stettin. Ent. Zeit. xxvi. p. 71 (1865).<br>*Chelisoches Superbus, Borm.* Tierreich, Forf. p. 83. n. 1, f. 32 (1900). | Malacca,<br>Penang,<br>Borneo,<br>Sumatra. |
| *2. **C. Doriæ, Borm.** Ann. Mus. Genova, xl. p. 463 (1900). | Sarawak,<br>Mentavei I. |
| *3. **C. Shelfordi, Burr,** Ann. Nat. Hist. (7) vi. p. 96, pl. 4. f. 4 (1900).<br>♀. *C. Hercules, Burr,* l. c. p. 97, pl. 4. f. 2 (1900). | Sarawak. |

## Genus 37. **Nesogaster.**

Verh. Zool. Anz. xxv. p. 191 (1902).

| | |
|---|---|
| 1. **N. Fruhstorferi, Verh.** l. c. (1902). | S. Celebes. |

## Genus 38. **Nesogastrella.**

Verh. Zool. Anz. xxv. p. 192 (1902).

| | |
|---|---|
| 1. **N. Ruficeps, Verh.** l. c. (1902). | Borneo. |

## Genus 39. **Ancistrogaster.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xii. p. 349 (1855) ; Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876) ; P. Boston Soc. xviii. p. 288 (1876) ; Borm. Tierreich, Forf. p. 89 (1900).

| | |
|---|---|
| 1. **A. Arthritica, Scudd.** P. Boston Soc. xviii. p. 253 (1876) ; Borm. An. Soc. Españ. ix. p. 508 (1880) ; Tierreich, Forf. p. 91. n. 4, f. 35 *a*, *b* (1900). | Brazil. |
| 2. **A. Luctuosus, Stål,** l. c. xii. p. 349 (1855); Eugenie's Resa, Ins. p. 306, pl. 5. f. 1 (1858).<br>*Opisthocosmia Luctuosa, Dohrn,* Stettin. Ent. Zeit. xxvi. p. 78 (1865). | Brazil ;<br>Ecuador (?). |
| **2 *a*. **A. Petropolis, Wood,** (*Forficula P.*) Ins. Abroad, p. 279, f. 138 (1874). | Brazil. |
| **3. **A. Burri, Kirb.** Ann. Nat. Hist. (7) xi. p. 68 (1903).<br>‖ *Ancistrogaster Luctuosus, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 83 (1883).<br>*A. Luctuosa, Borm.* Tierreich, Forf. p. 90. n. 3 (1800). | Mexico to Panama. |
| *4. **A. Maculifera, Dohrn,** (*Opisthocosmia M.*) l. c. xxvi. p. 77 (1865).<br>*Ancistrogaster Maculifera, Borm.* Tierreich, Forf. p. 90. n. 1 (1900). | Venezuela. |
| *5. **A. Gulosa, Scudd.** l. c. xviii. p. 259 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 253 (1876) ; Borm. l. c. p. 91. n. 7 (1900). | Mexico. |
| *6. **A. Spinax, Dohrn,** l. c. xxiii. p. 229, pl. 1. ff. 1, 1 *b* (1862) ; Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Borm. l. c. p. 90. n. 2 (1900). | Mexico,<br>Guatemala. |
| *7. **A. Variegata, Dohrn,** (*Opisthocosmia V.*) l. c. xxvi. p. 78 (1865).<br>*Ancistrogaster Variegatus, Borm.* Biol. Centr.-Amer., Orth. p. 9, pl. 1. f. 10 (1893) ; Tierreich, Forf. p. 91. n. 5 (1900). | Venezuela,<br>Nicaragua,<br>Panama. |

| | |
|---|---|
| 8. **A. Aterrimus, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 83, pl. 3. f. 18 (1883); Tierreich, Forf. p. 92. n. 9 (1900). | Ecuador. |
| 9. **A. Inopinata, Burr,** Ann. Nat. Hist. (7) vi. p. 85 (1900). | Costa Rica. |
| **10. **A. Championi, Borm.** Biol. Centr.-Amer., Orth. p. 10, pl. 2. f. 13 (1893); Tierreich, Forf. p. 92. n. 10 (1900). | Chiriqui. |
| 11. **A. Intermedia, Burr,** l. c. (7) vi. p. 87 (1900). | Peru. |
| *12. **A. Devians, Dohrn,** (*Opisthocosmia D.*) l. c. xxvi. p. 79 (1865).<br>*Ancistrogaster Devians, Borm.* Tierreich, Forf. p. 93. n. 11 (1900). | Brazil. |
| *13. **A. Parvicollis, Stål,** (*Forficula P.*) Eugenie's Resa, Ins. p. 304 (1858).<br>*Psalidophora Parvicollis, Dohrn,* l. c. xxviii. p. 345 (1867).<br>*Spongiphora Parvicollis, Borm.* Tierreich, Forf. p. 61. n. 16 (1900).<br>*Forficula Variicornis, Scudd.* P. Boston Soc. xviii. p. 255 (1876).<br>*Sphingolabis Meridionalis,* ♂, *Kirb.* J. Linn. Soc. xxiii. p. 529 (1891).<br>*Apterygida Meridionalis,* ♂, *Borm.* l. c. p. 116 (1900). | id. |
| **14. **A. Perplexa, Kirb.** (*Sphingolabis* (?) *P.*) l. c. xxiii. p. 529 (1891).<br>*Ancistrogaster Perplexa, Borm.* l. c. p. 93. n. 12 (1900). | Rio de Janeiro. |
| 15. **A. Hirsuta, Scudd.** (*Forficula H.*) l. c. xviii. p. 256 (1876).<br>*Ancistrogaster Hirsuta, Borm.* l. c. p. 93 (1900). | Brazil. |
| *16. **A. Tolteca, Scudd.** (*Forficula T.*) l. c. xviii. p. 261 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876).<br>*Ancistrogaster Toltecus, Borm.* Biol. Centr.-Amer., Orth. p. 10, pl. 2. ff. 11, 12 (1893).<br>*Ancistrogaster Tolteca, Borm.* Tierreich, Forf. p. 91. n. 6 (1900). | Mexico. |
| 17. **A. Panamensis, Borm.** Ann. Soc. Ent. Belgique, xxvii. p. 81, pl. 3. f. 17 (1883); Tierreich, Forf. p. 93 (1900). | Panama. |
| **18. **A. Impennis, Borm.** Biol. Centr.-Amer., Orth. i. p. 10, pl. 2. ff. 14, 15 (1893); Tierreich, Forf. p. 92. n. 8 (1900). | Mexico. |

### Genus 40. **Cosmiella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 195 (1902).

| | |
|---|---|
| 1. **C. Rebus, Burr,** (*Opisthocosmia R.*) Ann. Soc. Ent. Belgique, xliv. p. 53. n. 3 (1900). | E. Java. |
| 2. **C. Neolobophoroides, Burr,** (*Opisthocosmia N.*) J. Bombay Soc. xiv. p. 335 (1902). | Ceylon. |
| 3. **C. Dubia, Borm.** (*Opisthocosmia* (?) *D.*) Ann. Mus. Genova, xxxiv. p. 399 (1894); Tierreich, Forf. p. 98. n. 15 (1900). | Tenasserim. |
| 4. **C. Aptera, Verh.** l. c. xxv. p. 195 (1902). | E. Java. |

### Genus 41. **Opisthocosmia.** (*Type* no. 12.)

Dohrn, Stett. Ent. Zeit. xxvi. p. 76 (1865); Borm. Tierreich, Forf. p. 93 (1900); Burr, J. Bombay Soc. xiv. p. 333 (1902).

| | |
|---|---|
| **1. **O. Hova, Borm.** (*Neolobophora Ova*) Ann. Soc. Ent. Belgique, xxvii. p. 80, pl. 3. f. 16 (1883).<br>*Opisthocosmia Hova, Borm.* Tierreich, Forf. p. 95. n. 4 (1900). | Madagasc'r. |
| 2. **O. Komarowi, Sem.** Rev. Russe d'Entom. i. pp. 98, 99 fig., 259 (1901). | Corea. |
| 3. **O. Oannes, Burr,** Ann. Nat. Hist. (7) vi. p. 85 (1900). | Assam. |
| **4. **O. Humeralis, Kirb.** J. Linn. Soc. xxiii. p. 523 (1891); Borm. Ann. Mus. Genova, xxxiv. p. 400 (1894); Tierreich, Forf. p. 95. n. 3 (1900); Burr, J. Bombay Soc. xiv. p. 333, pl. B. f. 9 (1902). 0-67 | Ceylon. |
| *5. **O. Ceylonica, Motsch.** (*Labia C.*) Bull. Mosc. xxxvi. (3) p. 4 (1863).<br>*Opisthocosmia Ceylonica, Dohrn.* Stettin. Ent. Zeit. xxvi. p. 83 (1865); Borm. Tierreich, Forf. p. 96. n. 7 (1900); Burr, l. c. xiv. p. 335 (1902). | id. |
| **6. **O. Lugens, Borm.** Ann. Mus. Genova, xxxiv. p. 398 (1894); Tierreich, Forf. p. 98. n. 12 (1900). | Tenasserim. |

| | |
|---|---|
| **7. **O. Dux, Borm.** ll. cc. xxxiv. p. 395 (1894); p. 98. n. 13 (1900). | Tenasserim. |
| **8. **O. Simplex, Borm.** ll. cc. xxxiv. p. 396 (1894); p. 98. n. 14 (1900); Burr. l. c. xiv. p. 334 (1902). | id. |
| *9. **O. Insignis, Haan,** (*Forficula I.*) Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 14 (1842).<br>*Opisthocosmia Insignis, Dohrn*, Stett. Ent. Zeit. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 96. n. 6 (1900). | Java. |
| 10. **O. Vigilans, Stål,** (*Forficula V.*) Œfv. Vet.-Akad. Förh. xii. p. 350 (1855); Eugenie's Resa, Ins. p. 302 (1858).<br>*Opisthocosmia Vigilans, Dohrn*, l. c. xxvi. p. 82 (1865). | id. |
| *11. **O. Tenella, Haan,** (*Forficula T.*) l. c. p. 243 (1842).<br>*Opisthocosmia Tenella, Dohrn*, l. c. p. 82 (1865); Borm. l. c. p. 97. n. 11 (1900). | id. |
| *12. **O. Centurio, Dohrn,** l. c. xxvi. p. 79 (1865); Borm. l. c. p. 95. n. 1, f. 36 (1900). | Sumatra,<br>Sarawak,<br>Luzon. |
| *13. **O. Armata, Haan,** (*Forficula A.*) l. c. p. 243, pl. 23. f. 12 (1842).<br>*Opisthocosmia Armata, Dohrn*, l. c. xxvi. p. 80 (1865); Borm. l. c. p. 96. n. 5 (1900). | Sumatra. |
| 14. **O. Beccarii, Borm.** Ann. Mus. Genova, xl. p. 465 (1900). | id. |
| *15. **O. Forcipata, Haan,** (*Forficula F.*) l. c. p. 242, pl. 23. f. 11 (1842).<br>*Opisthocosmia Forcipata, Dohrn*, l. c. xxvi. p. 81 (1865); Burr. Ann. Nat. Hist. (6) xx. p. 316 (1897); Borm. Tierreich, Forf. p. 95. n. 2 (1900). | id. |
| 16. **O. Minuscula, Borm.** Notes Leyden Mus. vi. p. 190 (1884); Tierreich, Forf. p. 99. n. 16 (1900). | id. |
| 17. **O. Longipes, Haan,** (*Forficula L.*) l. c. p. 242, pl. 23. f. 13 (1842).<br>*Opisthocosmia Longipes, Dohrn*, l. c. xxvi. p. 81 (1865); Borm. Tierreich, Forf. p. 97. n. 9 (1900). | Sumatra,<br>Papua. |
| 18. **O. Cervipyga, Kirb.** J. Linn. Soc. xxiii. p. 523, pl. 12. ff. 12. 12 *a* (1891); Borm. l. c. p. 96. n. 8 (1900). | Sarawak. |

| | |
|---|---|
| 19. **O. Biroi, Burr,** Termés. Füzetek, xxv. p. 485, pl. 20. f. 7 (1902). | Papua. |
| **20. **O. Americana, Borm.** Biol. Centr.-Amer., Orth. i. p. 8, pl. 1. ff. 22, 23 (1893): Tierreich, Forf. p. 97. n. 10 (1900). | Mexico. |
| 21. **O. Amazonensis, Borm. & Burr,** Ann. Nat. Hist. (7) iii. p. 164 (1899). | U. Amazons, Ecuador. |

## Genus 42. **Anechura.**

Scudd. P. Boston Soc. xviii. p. 289 (1876); Brunn. Prodr. Eur. Orth. p. 18 (1882); Borm. Tierreich, Forf. p. 100 (1900); Tümp. Geradfl. Mitteleuropas, p. 230 (1900).

| | |
|---|---|
| *1. **A. Bipunctata, Fabr.** (*Forficula B.*) Spec. Ins. i. p. 340. n. 2 (1781); Petagna, Inst. Ent. i. p. 304. n. 3 (1792), *nec fig.*; Panz. Deutschl. Ins. lxxxvii. pl. 10 (1802?); Kitt. Bull. Soc. Moscou, 1849, (4) p. 441, pl. 7. ff. 5, 6.<br>*Anechura Bipunctata, Brunn.* l. c. p. 19, pl. 1. f. 5 (1882); Fin. Faune France, Orth. p. 69, pl. 2. f. 36 (1890); Borm. l. c. p. 101. n. 1 (1900); Tümp. l. c. p. 232, pl. 15 (1900).<br>*Forficula Biguttata, Fabr.* Ent. Syst. ii. p. 2. n. 4 (1793); Serv. Ins. Orth. p. 43 (1839); Fisch. Waldh. Orth. Russ. p. 40 (♂ only) (1846); Fisch. Orth. Eur. p. 72, pl. 6. ff. 9, 9 *a*, *b* (1853).<br>*Chelidura Anthracina, Kol.* Mel. Ent. v. p. 73, pl. 17. f. 5 (1846).<br>*Forficula Fabricii, Fieb.* Lotos, iii. p. 253 (1853). | Central Europe, W. and Central Asia. |
| *2. **A. Orientalis, Krauss,** (*A. Bipunctata O.*) Tierreich, Forf. p. 102. n. 1, *b* (1900).<br>*A. Orientalis, Sem.* Hor. Soc. Ent. Ross. xxxv. p. 187 (1902).<br>*Forficula Biguttata*, var., *Serv.* l. c. p. 43 note (1839).<br>‖*Forficula Biguttata, Kitt.* l. c. 1848, (4) p. 439, pl. 7. ff. 3, 4. | S. Russia, W. Asia, Thibet. |
| *3. **A. Zubovskii, Sem.** l. c. p. 188, note (1902). | Ladak, Cashmir. |
| 4. **A. Eoa, Sem.** Rev. Russe d'Ent. ii. pp. 100, 101, f. 2 (1902). | Askold, Corea. |

| | |
|---|---|
| 5. **A. Fedtschenkoi, Sauss.,** Fedchenko, Reise in Turkestan, Orth. p. 6, pl. 1. f. 2 (1874).<br>*Anechura F., Borm.* l. c. p. 103. n. 5 (1900); Sem. Hor. Soc. Ent. Ross. xxxv. p. 191 (1902). | Turkestan. |
| *6. **A. Metallica, Dohrn,** (*Forficula M.*) Stettin. Ent. Zeit. xxvi. p. 90 (1865); Borm. l. c. p. 104. n. 8, f. 39 (1900). | Assam,<br>Burma. |
| *7. **A. Ancylura, Dohrn,** (*Forficula A.*) l. c. xxvi. p. 91 (1865).<br>*Anechura Ancylura, Borm.* Ann. Soc. Ent. Belgique, xxvii. p. 88, pl. 3. f. 22 (1883); Ann. Mus. Genov. xxvi. p. 445 (1888); Tierreich, Forf. p. 102. n. 2 (1900). | |
| *8. **A. Macropyga, Westw.** (*Forficula M.*) Royle, Ill. Bot. Himal. Mountains, Intr. p. 53 (1839); Dohrn, l. c. p. 93 (1865).<br>*Forficula Micropyga, Westw.* l. c. pl. 9. f. 12 (1839).<br>*Anechura Macropyga, Borm.* Tierreich, Forf. p. 103. n. 6 (1900). | Himalaya. |
| 8 *a*. **A. Huegeli, Dohrn,** (*Forficula H.*) l. c. xxvi. p. 92 (1865). | N. India (?). |
| 8 *b*. **A. Coriacea, Borm.** Ann. Mus. Genova, xxxiv. p. 403 (1894); Tierreich, Forf. p. 102. n. 3, f. 37 (1900). | Burma,<br>Borneo. |
| 9. **A. Feæ, Borm.** Ann. Mus. Genova, xxvi. p. 445 (1888); Tierreich, Forf. p. 104. n. 9 (1900). | Burma. |
| 10. **A. Ahrimanes, Burr,** Ann. Nat. Hist. (7) vi. p. 79, pl. 4. f. 5 (1900). | Sikkim. |
| 11. **A. Hermes, Burr,** l. c. p. 99, pl. 4. ff. 1, 1 *a* (1900). | Sarawak. |
| 12. **A. Elongata, Borm.** Mém. Soc. Zool. France, i. p. 120 (1888); Tierreich, Forf. p. 103. n. 7, f. 38 (1900). | Cuba. |

## Genus 43. **Allodahlia.**

Verh. Zool. Anz. xxv. p. 194 (1902).

| | |
|---|---|
| *1. **A. Scabriuscula, Serv.** (*Forficula S.*) Ins. Orth. p. 38 (1839).<br>*Anechura Scabriuscula, Borm.* Ann. Mus. Genova, xxvi. p. 444 (1888); Tierreich, | "S. Amer."<br>(*err.* Serv.).<br>India,<br>Burma, |

| | |
|---|---|
| Forf. p. 103. n. 4 (1900); Sharp, Cambridge Nat. Hist., Ins. i. pp. 207, 208, f. 108 (1895).<br>*Forficula Brachynota*, *Haan*, Temminck, Verhandel. Nat. Gesch., Orth. p. 243, pl. 23. f. 10 (1842); Dohrn, Stettin. Ent. Zeit. xxvi. p. 94. n. 15 (1865). | Java, Sumatra, Borneo. |

### Genus 44. **Chelidura.** (*Type* no. 1.)

*Chelidoura*, Serv. Ann. Sci. Nat. xxii. p. 36 (1831); Ins. Orth. p. 47 (1839).

*Chelidura*, Burm. Handb. Ent. ii. p. 755 (1838); Dohrn, Stettin. Ent. Zeit. xxviii. p. 341 (1867); Bol. Sin. Ort. Esp. p. 31 (1876); Dubr. Ann. Mus. Genov. xii. p. 434 (1878); Brunn. Prodr. Eur. Orth. p. 20 (1882); Fin. Faune France, Orth. p. 70 (1890); Borm. Tierreich, Forf. p. 105 (1900); Tümp. Geradfl. Mitteleurop. p. 231 (1900); Verh. Zool. Anz. xxv. p. 187 (1902).

| | |
|---|---|
| *1. **C. Aptera, Charp.** (*Forficula A.*) Hor. Ent. p. 69 (1825); Serv. Ins. Orth. p. 47 (1839).<br>*Chelidura Aptera*, *Dohrn*, l. c. xxviii. p. 342 (1867); Bol. l. c. p. 31, pl. 1. f. 17 *a*, *b* (1876); Dubr. l. c. p. 446 (1878); Brunn. l. c. p. 25, pl. 1. f. 6 *b* (1882); Fin. l. c. p. 72, pl. 2. f. 40 (1890); Borm. l. c. p. 108. n. 8 (1900); Tümp. l. c. p. 231 (1900).<br>Var. *a. Forficula Alpina*, *Géné*, Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 230 (1832); Fisch. Orth. Eur. p. 81, pl. 6. f. 16 *c*, *e* (1853).<br>*Chelidura Aptera*, var. *Alpina*, *Dubr.* l. c. p. 447, *fig. med.* (1878).<br>Var. *b. Forficula* (*Chelidura*) *Simplex*, *Germ.* Fauna Ins. Europ. xi. pl. 17. ff. *a–c* (1828?).<br>*Forficula Simplex*, *Burm.* l. c. ii. p. 755. n. 23 (1838); Serv. Ins. Orth. p. 48 (1839); Fisch. l. c. p. 82, pl. 6. ff. 19, 19 *a*, *b* (1853).<br>*Chelidura Aptera*, var. *Simplex*, *Dubr.* l. c. p. 447, *figg. rect.* (1878).<br>*Forficula Montana*, *Géné*, l. c. p. 229 (1832). | Southern Alps (Valais, Piedmont). |
| *2. **C. Pyrenaica, Géné,** (*Forficula P.*) l. c. p. 230 (1832).<br>*Chelidura Pyrenaica*, *Borm.* l. c. p. 108. n. 9 (1900). | Pyrenees. |

‖*Forficula Aptera, Brullé,* Hist. Ins. ix. p. 29, pl. 1. f. 2 (1835).
*Forficula Dilatata, Burm.* l. c. ii. p. 755. n. 22 (1839); Fisch. l. c. p. 80, pl. 6. ff. 16, 16 *a, b* (1853).
*Chelidura Dilatata, Brunn.* l. c. p. 25 (1882); Fin. l. c. p. 73, pl. 2. f. 41 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 205, f. 105 (1895).
‖*Chelidura Aptera, Dubr.* l. c. p. 447, *figg. sinistr.* (1878).
3. **C. Thoracica, Fisch. Waldh.** Orth. Russ. p. 50 (1846); Borm. l. c. p. 109 (1900). | Finland.

## Genus 45. **Mesochelidura.**

Verh. Zool. Anz. xxv. p. 187 (1902).

**1. **M. Bolivari, Dubr.** (*Chelidura B.*) Ann. Mus. Genova, xii. p. 44, figg. (1878); Brunn. Prodr. Eur. Orth. p. 26 (1882); Borm. Tierreich, Forf. p. 108. n. 10 (1900). | Spain.

## Genus 46. **Chelidurella.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 187 (1902).

*1. **C. Acanthopygia, Géné,** (*Forficula A.*) Ann. Sci. Nat. Lomb. Venet. ii. p. 228 (1832); Fisch. Orth. Eur. p. 83. n. 24, pl. 6. ff. 20, 20 *a–d* (1853). | Europe.
*Chelidura Acanthopygia, Dubr.* Ann. Mus. Genova, xii. p. 441 (1878); Fin. Faune France, Orth. p. 72, pl. 2. f. 39 (1890); Borm. Tierreich, Forf. p. 107. n. 6 (1900); Burr, Entom. xxxi. p. 125, pl. 2. ff. 1, 2 (1898); Tümp. Geradfl. Mitteleur. p. 232 (1900).
*2. **C. Mutica, Krauss,** (*Chelidura M.*) Verh. Ges. Wien, xxxvi. p. 140, pl. 5. f. 2 (1886); Borm. l. c. p. 107. n. 7 (1900). | Tyrol.

## Genus 47. **Isolabella.**

Verh. SB. Ges. naturf. Berlin, 1902, p. 15.

1. **I. Græca, Verh.** l. c. p. 16 (1902). | Greece.

### Genus 48. **Pterygida.** (*Type* no. 1.)

Verh. Zool. Anz. xxv. p. 197 (1902).

| | |
|---|---|
| 1. **P. Jagori, Dohrn,** (*Forficula J.*) Stettin. Ent. Zeit. xxvi. p. 94 (1865).<br>*Apterygida Jagori, Borm.* Tierreich, Forf. p. 116. n. 19 (1900). | Luzon. |
| *2. **P. Circulata, Dohrn,** (*Forficula C.*) l. c. p. 95 (1865).<br>*Apterygida Circulata, Borm.* l. c. p. 116. n. 20, f. 42 (1900). | India. |

### Genus 49. **Apterygida.** (*Type* no. 1.)

Westw. Mod. Classif. Ins. ii. Gen. Synopsis, p. 44 (1840); Burr, Brit. Orth. p. 17 (1897); J. Bombay Soc. xiv. p. 329 (1902); Borm. Tierreich, Forf. p. 109 (1900).
‖ *Chelidura, Steph.* Ill. Brit. Ent., Mand. vi. p. 6 (1835).

| | |
|---|---|
| *1. **A. Albipennis, Charp.** (*Forficula A.*) Hor. Ent. p. 68 (1825); Fisch. Orth. Eur. p. 77. n. 15, pl. 6. f. 15 *a–f* (1853); Dohrn, Stettin. Ent. Zeit. xxvi. p. 99 (1865).<br>*Forficula (Apterygida) Albipennis, Fisch.* Orth. Eur. p. 77, pl. 6. ff. 14, 14 *a*, *b* (1853).<br>*Chelidura Albipennis, Steph.* l. c. p. 7, pl. 28. fig. 5 (1835); Brunn. Prodr. Eur. Orth. p. 21 (1882); Fin. Faune France, Orth. p. 70, pl. 2. f. 37 (1890); Tümp. Geradfl. Mitteleurop. p. 231, pl. 15 (1900).<br>*Apterygida Albipennis, Burr,* Brit. Orth. p. 17, pl. 1. f. 7 (1897).<br>‖ *Forficula Media, Hagenb.* Symb. Faun. Ins. Helv. p. 16, ff. 6, 7 (1822).<br>*Apterygida Media, Borm.* l. c. p. 117. n. 21 (1900).<br>*Forficula Pedestris, Géné,* Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 228 (1832).<br>*Chelidura Curta, Fisch. Waldh.* Orth. Ross. p. 49 (1846).<br>*Forficula Freyi, Dohrn,* l. c. xx. n. 106 (1859). | Europe. |
| *2. **A. Arachidis, Yers.** (*Forficula A.*) Ann. Soc. Ent. France, (3) viii. p. 509, pl. x. ff. 33–35 (1860).<br>*Chelidura Arachidis, Brunn.* Prodr. Eur. Orth. p. 21 (1882). | S. Europe,<br>S. Asia,<br>Australia,<br>Africa,<br>America, &c. |

| | |
|---|---|
| *Apterygida Arachidis, Burr,* l. c. p. 17, pl. 1. f. 8 (1897); J. Bombay Soc. xiv. p. 330 (1902); Borm. l. c. p. 117. n. 22 (1900). | |
| *Forfiscelia Nigripennis, Motsch.* Bull. Soc. Moscou. xxxvi. (3) p. 1 (1863); Dohrn, l. c. xxvi. p. 89 (1865). | |
| *Forficula Wallacei, Dohrn,* l. c. xxvi. p. 88 (1865); Dubr. Ann. Mus. Genova, xiv. p. 377, figg. (1879). | |
| *2 *a.* **A. Gravidula, Gerst.** (*Forficula* (*Apt.*) *G.*) Arch. f. Nat. xxxv. (1) p. 221 (1869); Decken, Reisen, iii. (2) p. 50, pl. 3. f. 9 (1873). | Africa,<br>Asia. |
| *Labia Gravidula, Borm.* Notes Leyden Mus. vi. p. 197 (1884). | |
| *Apterygida Gravidula, Borm.* l. c. p. 117. n. 23 (1900). | |
| 2 *b.* **A. Minuscula, Latr.** (*Forficula M.*) Humb. & Bonpl. Obs. Zool. ii. p. 119, pl. 40. ff. 8, 9 (1832?). | S. America. |

## Genus 50. **Sphingolabis.** (*Type* no. 7.)

Borm. Ann. Soc. Ent. Belgique, xxvii. p. 59 (tab.) (1883); Biol. Centr.-Amer., Orth. p. 11 (1893); Ann. Mus. Genov. xxxiv. p. 405 (1896).

| | |
|---|---|
| § 1. | |
| 1. **S. Lingua, Burr,** (*Apterygida L.*) Termés. Füzetek, xxv. p. 486, pl. 20. f. 8 (1902). | Java. |
| *2. **S. Erichsoni, Dohrn,** (*Apterygida E.*) Stettin. Ent. Zeit. xxiii. p. 231 (1862). | Tasmania,<br>Australia,<br>Vavau. |
| *Sphingolabis Erichsoni, Kirb.* J. Linn. Soc. xxv. p. 529, pl. 20. ff. 11, 11 *a* (1896). | |
| ‖ *Forficula Oceanica, Blanch.* Voy. Pôle Sud, Zool. iv. p. 352, Orth. pl. 1. f. 4 (1853). | |
| ‖ *Forficula Ruficeps, Erichs.* Arch. f. Nat. viii. (1) p. 246 (1842). | |
| *Apterygida Ruficeps, Borm.* Tierreich, Forf. p. 118. n. 25 (1900). | |
| **3. **S. Subaptera, Kirb.** l. c. xxiii. p. 527 (1891); xxv. p. 529, pl. 20. ff. 12, 12 *a* (1894). | Queensland. |
| *Apterygida Subaptera, Borm.* l. c. p. 118. n. 24 (1900). | |

§ 2.

| | |
|---|---|
| **4. **S. Hawaiensis, Borm.** (*Forficula H.*) Ann. Mus. Genov. xviii. p. 341, figg. (1883).<br>*Apterygida Hawaiensis, Borm.* Tierreich, Forf. p. 114. n. 15 (1900). | Hawaiian Islands. |

§ 3.

| | |
|---|---|
| *5. **S. Flavipennis, Fabr.** (*Forficula F.*) Ent. Syst. ii. p. 5. n. 17 (1793).<br>*Sphingolabis Variegata, Kirb.* l. c. xxiii. p. 326 (1891); xxv. p. 529, pl. 20. f. 9 (1896).<br>*Forficula Variegata, Borm.* l. c. p. 127 (1900). | Sierra Leone. |
| **6. **S. Japonica, Borm.** (*Forficula J.*) An. Soc. Españ. ix. p. 512 (1880); Tierreich, Forf. p. 114. n. 13 (1900). | Japan. |

§ 4.

| | |
|---|---|
| 7. **S. Furcifera, Borm.** Notes Leyden Mus. vi. p. 194 (1884).<br>*Apterygida Furcifera, Borm.* Tierreich, Forf. p. 115. n. 16, f. 41 (1900). | Sumatra. |
| **8. **S. Borneensis, Dubr.** (*Forficula B.*) Ann. Mus. Genov. xiv. p. 381, figg. (1879).<br>*Apterygida Borneensis, Borm.* l. c. p. 113. n. 11 (1900). | Sarawak. |
| *9. **S. Bicuspis, Stål,** (*Forficula B.*) Eugenie's Resa, Ins. p. 301 (1858); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 85, pl. 3. f. 19 (1883).<br>*Apterygida Bicuspis, Borm.* Tierreich, Forf. p. 114. n. 12 (1900). | Java. |
| 10. **S. Doriæ, Dubr.** (*Forficula D.*) l. c. xiv. p. 379, figg. (1879).<br>*Apterygida Doriæ, Borm.* l. c. p. 115. n. 17 (1900). | |
| **11. **S. Bipartita, Kirb.** l. c. xxiii. p. 526 (1891).<br>*Apterygida Bipartita, Borm.* l. c. p. 112. n. 5 (1900); Burr, J. Bombay Soc. xiv. p. 331 (1902). | India, Ceylon. |
| *12. **S. Cingalensis, Dohrn,** (*Forficula C.*) l. c. xxvi. p. 89 (1865); Borm. l. c. p. 128 (1900). | Ceylon. |

*Apterygida Cingalensis, Burr*, l. c. xiv. p. 332 (1902).

§ 5.

**13. **S. Albertisii, Dubr.** (*Forficula A.*) l. c. xiv. p. 378. figg. (1879); Borm. l. c. p. 128 (1900). Papua.

**14. **S. Spiculifera, Kirb.** l. c. xxiii. p. 528 (1891). N. S. Wales.

*Apterygida Spiculifera, Borm.* l. c. p. 119. n. 27 (1900).

15. **S. Exilis, Scudd.** (*Forficula E.*) P. Boston Soc. xviii. p. 262 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). Texas.

*Apterygida Exilis, Borm.* l. c. p. 111. n. 4 (1900).

*16. **S. Aculeata, Scudd.** (*Forficula A.*) ll. cc. xviii. p. 262 (1876); ii. p. 256 (1876). Eastern States.

17. **S. Vellicans, Scudd.** (*Forficula V.*) P. Boston Soc. xviii. p. 254 (1876). Brazil.

*18. **S. Gracilis, Burm.** (*Forficula G.*) Handb. Ent. ii. p. 755. n. 20 (1838). America.

*Forficula Luteipennis, Serv.* Ins. Orth. p. 46 (1839); Dohrn, l. c. xxvi. p. 87 (1865).

*Apterygida Luteipennis, Borm.* l. c. p. 118. n. 26 (1900).

*Forficula Dichroa, Stål*, Eugenie's Resa, Ins. p. 301 (1858).

*19. **S. Luteipes, Scudd.** (*Forficula L.*) P. Boston Soc. xviii. p. 255 (1876). Brazil.

*Sphingolabis Meridionalis*, ♀, *Kirb.* l. c. xxiii. p. 529 (1891).

*Apterygida Meridionalis*, ♀, *Borm.* l. c. p. 116 (1900).

§ 6.

*20. **S. Californica, Dohrn,** (*Forficula C.*) l. c. xxvi. p. 85 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 256 (1876). California.

*Sphingolabis Californica, Borm.* Biol. Centr.-Amer., Orth. i. p. 12, pl. 2. f. 20 (1893).

*Apterygida Californica, Borm.* Tierreich, Forf. p. 111. n. 2 (1900).

*21. **S. Tæniata, Dohrn,** (*Forficula T.*) l. c. xxiii. p. 230 (1862); xxvi. p. 85 (1865); Scudd. l. c. ii. p. 255 (1876); P. Boston Soc. xviii. p. 318 (1876). America.

| | |
|---|---|
| *Sphingolabis Tæniata, Borm.* Biol. Centr.-Amer., Orth. i. p. 12, pl. 2. ff. 17–19 (1893).<br>*Apterygida Tæniata, Borm.* Tierreich, Forf. p. 110. n. 1 (1900). | |
| 22. **S. Linearis, Esch.** (*Forficula L.*) Entomographien, p. 81 (1822). | Brazil. |
| *23. **S. Suturalis, Serv.** (*Forficula S.*) Ins. Orth. p. 40 (1839).<br>*Apterygida Suturalis, Borm.* l. c. p. 116 (1900). | id. |
| 24. **S. Flexuosa, Fabr.** (*Forficula F.*) Syst. Ent. p. 269. n. 3 (1775). | Cayenne. |
| *25. **S. Percheroni, Guér. & Perch.** (*Forficula Percheron*) Gen. Ins., Orth. pl. 7 (1835).<br>*Forficula Percheroni, Dohrn,* l. c. xxvi. p. 85 (1865); Scudd. ll. cc. ii. p. 255 (1876); xviii. p. 316 (1876).<br>*Apterygida Percheron, Borm.* l. c. p. 112. n. 8 (1900).<br>*Spongophora Bipunctata, Scudd.* Bost. Journ. Nat. Hist. vii. p. 415 (1862).<br>*Psalidophora Bipunctata, Dohrn,* l. c. xxv. p. 419 (1864). | Brazil. |
| *26. **S. Bimaculata, Beauv.** (*Forficula B.*) Ins. Afr. Amér. p. 165, Orth. pl. 14. f. 1 (1817); Serv. l. c. p. 39 (1839); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 255 (1876).<br>*Apterygida Bimaculata, Borm.* l. c. p. 111. n. 3 (1900).<br>*Forficula Elegans, Burm.* l. c. p. 753. n. 11 (1838). | W. Indies. |
| *27. **S. Speculigera, Stål,** (*Forficula S.*) Œfv. Vet.-Akad. Förh. xii. p. 349 (1855). | New Granada. |
| 27 *a*. **S. Versicolor, Borm.** (*Forficula V.*) Ann. Soc. Ent. Belgique, xxvii. p. 86, pl. 3. f. 20 (1883).<br>*Apterygida Versicolor, Borm.* Tierreich, Forf. p. 115. n. 18 (1900). | id. |
| *28. **S. Albipes, Fabr.** (*Forficula A.*) Mant. Ins. i. p. 224. n. 4 (1787); Scudd. l. c. ii. p. 255 (1876).<br>*Apterygida Albipes, Borm.* l. c. p. 114. n. 14 (1900). | W. Indies. |
| **29. **S. Binotata, Kirb.** l. c. xxiii. p. 529 (1891).<br>*Apterygida Binotata, Borm.* l. c. p. 113. n. 10 (1900). | Colombia. |

§ 7.

| | |
|---|---|
| 30. **S. Protensa, Gerst.** (*Forficula P.*) Mt. Ver. Vorpomm. xiv. p. 45 (1883).<br>*Apterygida Protensa*, *Borm.* l. c. p. 113. n. 9 (1900). | Gold Coast. |
| *31. **S. Serrata, Serv.** (*Forficula S.*) l. c. p. 40 (1839).<br>*Forficula Variana*, *Scudd.* P. Boston Soc. xviii. p. 253 (1876). | W. Africa. |
| *32. **S. Africana, Dohrn,** (*Forficula A.*) l. c. xxvi. p. 86 (1865).<br>*Forficula Natalensis*, *Stål*, Œfv. Vet.-Akad. Förh. xii. p. 348 (1855).<br>‖*Apterygida Erythrocephala*, *Borm.* l. c. p. 112. n. 6 (1900). | Africa. |
| 33. **S. Insularis, Kirb.** Dist. Ins. Transvaal. p. 13. pl. 1. f. 3 (1900). | Pemba I. |
| *34. **S. Mackinderi, Burr,** (*Apterygida M.*) Ann. Nat. Hist. (7) vi. p. 83, pl. 4. f. 3 (1900). | E. Africa,<br>Uganda. |

§ 8.

| | |
|---|---|
| *35. **S. Sansibarica, Karsch,** Berl. Ent. Zeitschr. xxx. p. 90 (1886).<br>*Apterygida Sansibarica*, *Borm.* l. c. p. 112. n. 7 (1900). | E. Africa. |

## Genus 51. **Forficula.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 423 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 268 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 4 (1835); Serv. Ins. Orth. p. 35 (1839); Dohrn, Stett. Ent. Zeit. xxvi. p. 84 (1865); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 254 (1876); Brunn. Prodr. Eur. Orth. p. 11 (1882); Borm. Ann. Mus. Genova, xxxiv. p. 407 (1894); Tierreich, Forf. p. 119 (1900); Burr, Brit. Orth. p. 15 (1897); Tümp. Geradfl. Mitteleurop. p. 231 (1900).

| | |
|---|---|
| *1. **F. Auricularia, Linn.** l. c. p. 423. n. 1 (1758); Steph. l. c. p. 4, pl. 28. f. 1 (1835); Serv. l. c. p. 36 (1839); Fisch. Orth. Eur. p. 74, pl. 6. ff. 11, 11 *a*, *b* (1853); Dohrn, l. c. xxvi. p. 98. n. 24 | Europe,<br>Asia,<br>Africa,<br>America. |

| | |
|---|---|
| (1865) ; Scudd. l. c. ii. p. 255 (1876) : Brunn. l. c. p. 12 (1882); Burr, l. c. p. 15, pl. 1. f. 5 (1897) ; Borm. l. c. p. 122. n. 6 (1900); Tümp. l. c. p. 231, pl. 15 (1900). | |
| *Forficula Major, De Geer,* Mém. Ins. iii. p. 545, pl. 25. ff. 16–25 (1773). | |
| ‖*Forficula Bipunctata, Petagna,* Inst. Ent. ii. pl. 3. f. 11 (1798), *non descr.* | |
| *Forficula Infumata, Charp.* Hor. Ent. p. 70 (1825). | |
| *Forficula Neglecta, Marsh.* Col. Brit. p. 529. n. 2 (1802). | |
| *Forficula Auricularia,* var. *Cyclolabia, Fieb.* Lotos, iii. p. 254 (1853). | |
| Var. *a.* ‖*Forficula Media, Steph.* l. c. vi. p. 5, pl. 28. f. 2 (1835). | |
| Var. *b. Forficula Borealis, Steph.* l. c. vi. p. 5, pl. 28. f. 3 (1835). | |
| Var. *c. Forficula Forcipata, Steph.* l. c. p. 6. n. 4, pl. 28. f. 4 (1835). | |
| *Forficula Auricularia, Sulz.* Gesch. Ins. p. 70, pl. 7. f. 17 (1776). | |
| ‖*Forficula Borealis, Curt.* Brit. Ent. xii. pl. 560 (1835). | |
| *Forficula Auricularia,* var. *Macrolabia, Fieb.* l. c. iii. p. 254 (1853). | |
| 2. **F. Vicaria, Sem.** Rev. Russ. d'Ent. ii. pp. 99, 100, f. 1 (1902). | Corea. |
| 3. **F. Silana, Costa,** (*Forficula* (*Apterygia*) *S.*) Atti Acc. Napoli, ix. (6) p. 37, ff. 8, 8 *a* (1881). | Calabria. |
| *Forficula Silana, Borm.* Tierreich, Forf. p. 126. n. 18 (1900). | |
| *Forficula Targionii, Brunn.* l. c. p. 14. n. 2 (1882). | |
| 4. **F. Apennina, Costa,** (*Forficula* (*Apterygia*) *A.*) l. c. p. 36, ff. 7, 7 *a* (1881). | id. |
| *Forficula Apennina, Borm.* l. c. p. 126. n. 19, f. 45 (1900). | |
| 5. **F. Circinata, Fin.** Bull. Soc. Ent. France, 1893, p. xxviii ; Ann. Soc. Ent. France, lxiv. p. 71, pl. 10. ff. 1, 2 (1895); Borm. l. c. p. 126. n. 20 (1900). | Algeria. |
| *6. **F. Lesnei, Fin.** Bull. Soc. Ent. France, (6) vii. p. clxxxix (1887) ; Faune France, Orth. p. 68, f. 2 (1900) ; Lucas, Entom. | England,<br>France,<br>Spain. |

| | |
|---|---|
| xxxi. pp. 49, 273, pl. 1 (1898) : Borm. l. c. p. 125. n. 16 (1900). | |
| [*Forficula Pubescens, Borm.* Ann Soc. Ent. Belgique, xxv. p. 27, fig. (1881) ; Burr, Brit. Orth. p. 16, pl. 1. f. 6 (1897). | |
| *7. **F. Pubescens, Serv.** l. c. p. 46 (1839) ; Fisch. l. c. p. 77, pl. 6. f. 15 *a–f* (1853) ; Bol. Sin. Ortópt. Esp. p. 30, pl. 1. f. 16 *a*, *b* (1876) ; Brunn. l. c. p. 14 (1882) ; Fin. Faune France, Orth. p. 67, f. 1 (1890). | S. Europe. |
| *Forficula Setulosa, Fieb.* l. c. p. 256 (1853) ; Bol. l. c. p. 33 (1876). | |
| *Forficula Yersini, Yers.* Ann. Soc. Ent. France, (3) iv. p. 741 (1856). | |
| *Forficula Pubescens* et var. *Yersini. Borm.* Ann. Soc. Ent. Belgique, xxv. p. 27, fig. (1881). | |
| *8. **F. Smyrnensis, Serv.** l. c. p. 38 (1839) ; Fisch. l. c. p. 71, pl. 6. ff. 8, 8 *a* (1853) ; Brunn. l. c. p. 15. n. 4 (1882) ; Borm. l. c. p. 123. n. 10 (1900). | Corsica,<br>Greece,<br>Turkey,<br>Asia Minor. |
| *Forficula Biguttata*, ♀, *Fisch. Waldh.* Orth. Ross. p. 40, pl. 1. f. 1 (1846). | |
| *9. **F. Lucasi, Dohrn,** l. c. xxvi. p. 98 (1865) ; Krauss, Ent. Nachr. xxi. p. 99, p. 97, f. 2 (1895) ; Borm. l. c. p. 121. n. 3 (1900). | W.&S.Asia;<br>N. Africa. |
| *10. **F. Ruficollis, Fabr.** Ent. Syst., Suppl. p. 185 (1798) ; Fisch. l. c. p. 73, pl. 6. ff. 10, 10 *a*, *a**, *b* (1853); Bol. Sin. Ortópt. Españ. p. 28. pl. 6. f. 13 *a–c* (1876) ; Brunn. l. c. p. 16. n. 5 (1882) ; Borm. l. c. p. 124. n. 11 (1900). | Spain,<br>Portugal. |
| *Forficula Bætica, Ramb.* Faun. Andal. ii. p. 6, pl. 1. ff. 6–8 (1838). | |
| *11. **F. Lurida, Fisch.** l. c. p. 75, pl. 6. f. 12 *a*, *b* (1835) ; Brunn. l. c. p. 16. n. 6, pl. 1. f. 4, A, B, C (1882) ; Borm. l. c. p. 123. n. 7 (1900). | Turkey,<br>Greece,<br>W. Asia. |
| *12. **F. Decipiens, Géné,** Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 228 (1832); Serv. l. c. p. 46 (1839); Fisch. l. c. p. 76, pl. 6. f. 13 *a*, *b* (1853) ; Bol. l. c. p. 29, pl. 6. f. 15 *a*, *b* (1876) ; Brunn. l. c. p. 17. n. 7 (1882) ; Fin. l. c. pp. 68, 69 fig. (1890) ; Borm. l. c. p. 125. n. 15 (1900). | S. Europe. |

| | |
|---|---|
| *Forficula Decipiens* et varr. *Cyclolabia* et *Macrolabia*, *Fieb.* l. c. iii. p. 255 (1853). | |
| *Forficula Pallidicornis*, *Brullé*, Expl. Morée. iii. (2) p. 81, pl. 29. f. 2 (1832). | |
| *Forficula Brevis*, *Ramb.* l. c. p. 9 (1838). | |
| 13. **F. Laminigera, Costa,** (*Forficula* (*Apterygia*) *L.*) Atti Acc. Napoli, ix. (6) p. 38, f. 9 (1881). | Calabria. |
| **14. **F. Dentata, Fabr.** Syst. Ent. p. 270. n. 4 (1775). | Madeira. |
| 15. **F. Orientalis, Burr,** Ann. Nat. Hist. (7) vi. p. 82, pl. 4. f. 7 (1900). | Constantinople. |
| 16. **F. Ætolica, Brunn.** l. c. p. 18. n. 9 (1882); Borm. l. c. p. 125. n. 14 (1900). | Asia Minor. |
| *17. **F. Tomis, Kol.** ((*Chelidura T.*) Melet. Ent. v. p. 74, pl. 17. f. 6 *a* (1846).<br>*Chelidura Tomis*, v. *Scindus*, *Kol.* l. c. f. 6 *b* (1846).<br>*Forficula Tomis*, *Krauss*, Verh. zool.-bot. Ges. Wien, xxix. p. 59 (1880); Brunn. l. c. p. 17. n. 8 (1882); Borm. l. c. p. 124. n. 13 (1900); Jacobson & Bianchi, Prem. Lozhn. Ross. Imp. p. 27, pl. 2 (1902).<br>*Forficula Hellmanni*, *Kitt.* Bull. Soc. Moscou, xxii. (4) p. 438, pl. 7. ff. 1, 2 (1849). 9-7115.<br>‖*Forficula Elongata*, *Eversm.* Bull. Soc. Moscou, xxxii. p. 123 (1859). 6-7066<br>*Forficula Scudderi*, *Borm.* An. Soc. Españ. ix. p. 514 (1880). | S. Russia.<br>W. & Centr. Asia,<br>Japan. |
| **18. **F. Barroisi, Bol.** Rev. biol. Nord France. v. p. 477 (1893); Sem. Hor. Soc. Ent. Ross. xxxvi. (1) p. 196 (1903). | Dead Sea. |
| 19. **F. Escherichi, Krauss,** Ent. Nachr. xxi. p. 97, f. 1 (1895).<br>‖*Forficula Barroisi*, *Borm.* l. c. p. 121. n. 2 (1900). | Tunis. |
| *20. **F. Rodziankoi, Sem.** Rev. Russe d'Ent. i. p. 48 (1901). | Abyssinia. |
| *21. **F. Erythrocephala, Oliv.** Enc. Méth. ix. p. 468. n. 10 (1792).<br>*Forficula Senegalensis*, *Serv.* l. c. p. 39 (1839); Borm. l. c. p. 121. n. 1, f. 13 (1900). | Africa,<br>S., E., & W. |

| | |
|---|---|
| *Forficula Serrata, Dohrn*, l. c. xxvi. p. 97. n. 22 (1865). | |
| 21 *a*. **F. Jackeryensis, Beauv.** Ins. Afr. Amér. p. 36, Orth. pl. 1. f. 4 (1805); Borm. l. c. p. 127 (1900). | W. Africa (Oware) |
| 22. **F. Mabillei, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 (1883). | Senegambia. |
| 23. **F. Pæderina, Gerst.** Mt. Ver. Vorpomm. xiv. p. 46 (1883); Borm. l. c. p. 127 (1900). | Cameroons. |
| 24. **F. Picta, Kirb.** J. Linn. Soc. xxiii. p. 525 (1891); Borm. l. c. p. 123. n. 9 (1900). | Zululand. |
| 25. **F. (?) Fasciata, Thunb.** Nova Acta Soc. Reg. Upsal. ix. p. 52 (1827). | Cape. |
| 26. **F. (?) Capensis, Thunb.** l. c. (1827). | id. |
| 27. **F. (?) Cabreræ, Bol.** An. Soc. Españ. xxii. p. 47 (1893); Borm. l. c. p. 127. n. 21. f. 46 (1900). | Canaries. |
| **28. **F. Planicollis, Kirb.** l. c. xxiii. p. 526 (1891); Borm. l. c. p. 128 (1900). | N. India. |
| 29. **F. (?) Pulchripes, Borm.** Ann. Mus. Genov. xxxiv. p. 408 (1894); Tierreich, Forf. p. 128 (1900). | Tenasserim. |
| **30. **F. Ornata, Borm.** Notes Leyden Mus. vi. p. 192 (1884); Tierreich, Forf. p. 124. n. 12, f. 44 (1900). | Sumatra. |
| *31. **F. (?) Lobophoroides, Dohrn,** l. c. xxvi. p. 96 (1865); Borm. Tierreich, Forf. p. 122. n. 4 (1900). | Philippines. |
| *Chelisoches* (?) *Picticornis, Kirb.* J. Linn. Soc. xxiii. p. 522, pl. 12. f. 4 (1891). | |
| 32. **F. (?) Ares, Burr,** Ann. Nat. Hist. (7) vi. p. 100, pl. 4. f. 6 (1900). | Sarawak. |
| **33. **F. Lugubris, Dohrn,** l. c. xxiv. p. 230 (1862); Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 255 (1876); Borm. Ann. Soc. Ent. Belgique, xxvii. p. 87, pl. 3. f. 21 (1883); Tierreich, Forf. p. 122. n. 5 (1900). | Mexico, Guatemala. |
| **34. **F. (?) Smithi, Borm.** Biol. Centr.-Amer., Orth. i. p. 11. n. 2, pl. 2. f. 16 (1893); Tierreich, Forf. p. 123. n. 8 (1900). | Mexico. |
| 35. **F. (?) Doumerci, Serv.** l. c. p. 41 (1839). | Cayenne. |

## Genus 52. **Pseudochelidura.** (*Type* no. 2.)

Verh. Zool. Anz. xxv. p. 187 (1902).

| | |
|---|---|
| **1. **P. (?) Parallela, Fabr.** (*Forficula P.*) Syst. Ent. p. 270. n. 5 (1775).<br>*Forficula Edentula, Woll.* Ann. Nat. Hist. (3) i. p. 20 (1858).<br>*Chelidura Edentula, Dubr.* Ann. Mus. Genov. xii. p. 443 (1878); Borm. Tierreich, Forf. p. 107. n. 5 (1900). | Madeira. |
| *2. **P. Analis, Ramb.** (*Forficula A.*) Faune Andal. ii. p. 10 (1838); Fisch. Orth. Eur. p. 79 (1853); Bol. Sin. Ortópt. Españ. p. 30 (1876).<br>*Chelidura Analis, Dubr.* l. c. xii. pp. 434, 435 figg. (1878); Borm. l. c. p. 106. n. 1 (1900); Brunn. Prodr. Eur. Orth. p. 22 (1882). | Spain (Sierra Nevada). |
| *3. **P. Sinuata, Germ.** (*Forficula S.*) Faun. Ins. Eur. xi. pl. 16. ff. *a*, *b* (1824); Serv. Ins. Orth. p. 49 (1839); Fisch. l. c. p. 82, pl. 6. ff. 18, 18 *a* (1853).<br>*Forficula Sinuata*, a. *Macrolabia*, b. *Cyclolabia*, *Fieb.* Lotos, iii. p. 256 (1853).<br>*Chelidura Sinuata, Fisch. Waldh.* Orth. Ross. p. 48 (1846); Bol. l. c. p. 33 (1876); Dubr. l. c. xii. pp. 437, 438 figg. (1878); Fin. Faune France, Orth. p. 71 (1890); Borm. Tierreich, Forf. p. 106. n. 4 (1900); Brunn. l. c. p. 22 (1882).<br>*Forficula Dufourii, Serv.* l. c. p. 49, pl. 1. ff. 5, 5 *a* (1839); Fisch. l. c. p. 81, pl. 1. ff. 17, 17 *a–c* (1853).<br>*Chelidura Sinuata*, var. *Dufourii, Dubr.* l. c. p. 439, figg. (1878).<br>*Chelidura Vittigera, Fisch. Waldh.* l. c. iv. p. 48 (1846). | Pyrenees, Crimea. |
| 3 *a*. **P. Paupercula, Géné,** (*Forficula P.*) Ann. Sci. Nat. Regn. Lomb. Venet. ii. p. 229 (1832). | Savoy. |
| *4. **P. Orsinii, Géné,** (*Forficula O.*) l. c. iii. p. 188 (1833); Fisch. l. c. p. 79 (1853); Dohrn, Stettin. Ent. Zeit. xx. p. 107 (1859); Costa, Atti Acc. Napoli, ix. (6) p. 36. f. 10 (1881). | Italy. |

*Chelidura Orsinii, Brunn.* l. c. p. 23. pl. 1. f. 6 A (1882); Borm. l. c. p. 106. n. 2 (1900).

*5. **P. Vara, Scudd.** (*Forficula V.*) P. Boston Soc. xviii. p. 260 (1876); Bull. U.S. Geol. Surv. Territ. ii. p. 257 (1876). Mexico.

*Chelidura Vara, Borm.* l. c. p. 106. n. 3 (1900).

---

(As some species of the two following genera have been mistaken for *Forficulidæ*, they are included in the present Catalogue, though they do not belong to the Orthoptera.)

## Genus **Iapyx.** (*Thysanura.* *Type* no. 1.)

*Iapyx, Hal.* Trans. Linn. Soc. xxiv. p. 442 (1864); Lubb. Mon. Collemb. Thys. p. 215 (1873).

*Japyx, Mein.* Nat. Tidskr. (3) iii. p. 413 (1865): Ann. Nat. Hist. (3) xx. p. 367 (1866); Fin. Faune France, Orth. p. 50 (1890); Silv. Bull. Soc. Ent. Ital. xxxiii. p. 212 (1902); Humb. Rev. Zool. (2) xx. p. 348 (1868).

*Dicellura, Hal.* J. Linn. Soc. viii. p. 162 (1865). (*Type* no. 1.)

*Typhlolabia, Scudd.* P. Boston Soc. xviii. p. 300 (1876); Borm. & Marq. Bull. Soc. Toulouse, xvii. p. 33 (1883). (*Type* no. 2.)

**1. **I. Solifugus, Hal.** Trans. Linn. Soc. xxiv. p. 442, pl. 44. ff. 1–15 (1864); Lubb. l. c. p. 215, pl. 51, pl. 65. ff. 12, 13 (1873); Luc. Bull. Soc. Ent. France, (5) ii. p. lxxi (1872). Europe, N. Africa.

*Japyx Solifugus, Mein.* ll. cc. p. 420, pl. 14. ff. 1–11 (1865); p. 372 (1866); Humb. l. c. p. 348, pl. 22. ff. 6, 7 (1868); Pack. Amer. Nat. viii. p. 501, f. 91 (1874); Standard Nat. Hist. ii. p. 158. f. 202 (1884); Grassi, Atti Ital. Gioenia, (3) xix. p. 1, pls. 1–3 (1886); Parona, Ann. Mus. Genov. xxvi. p. 148 (1888); Fin. l. c. p. 50, pl. 1. f. 27 (1890); Oudem. Tijdschr. Ent. xxxviii. p. 178. f. 6 (1895); Sharp, Cambridge Nat. Hist., Ins. i. p. 184

| | |
|---|---|
| (1895) : Calandr. Bull. Soc. Ent. Ital. xxx. p. 62 (1898) ; Silv. l. c. p. 213. n. 2. f. 17 (1902).<br>*Dicellura Solifuga, Hal.* J. Linn. Soc. viii. p. 162 (1865).<br>*I. Solifugus*, var. *Magna, Grassi*, l. c. pp. 6, 12 (1886).<br>*Typhlolabia Subterranea, Borm. & Marq.* l. c. p. 36 (1883). | |
| 2. **I. Major, Grassi,** (*Japyx Solifugus*, var. *Major*) l. c. p. 11 (1886).<br>*Japyx Major, Silv.* l. c. p. 220. n. 11. ff. 22, 23 (1902). | Italy.<br>Spain.<br>Algeria. |
| 3. **J. Isabellæ, Grassi,** l. c. p. 11. pl. 2. ff. 18, 19 (1886) ; Silv. l. c. p. 212. n. 1, f. 16 (1902). | Messina. |
| 4. **I. Humbertii, Grassi,** (*J. Solifugus*, var. *Humbertii*) l. c. p. 11 (1886).<br>*J. Solifugus, Humb.* Rev. Zool. (2) xx. p. 350 (1868). | Switzerland. Savoy. |
| 5. **J. Forficularius, Jos.** Jahresb. Schles. Ges. lix. p. 254 (1882) ; Berlin. Ent. Zeitschr. xxvi. p. 26 (1882). | Carniola. |
| 6. **J. Cavicola, Jos.** Berl. Ent. Zeitschr. xxvi. p. 26 (1882). | id. |
| 7. **J. Athenarum, Cook,** P. Ent. Soc. Washington. iv. p. 225. pl. 1. f. 1 *a, b* (1899). | Athens. |
| 8. **J. Creticus, Cook,** l. c. p. 226, pl. 2. f. 1 *a, b* (1899). | Crete. |
| 9. **J. Gigas, Brauer,** Verh. zool.-bot. Ges. Wien. xix. p. 557 (1869). | Cyprus. |
| 10. **I. Wollastoni, Westw.** Thes. Ent. Oxon. p. 196. pl. 37. f. 3 (1874). | Madeira. |
| 11. **J. Tunisinus, Silv.** l. c. p. 216. n. 6 (1902). | Tunis. |
| 12. **I. Africanus, Karsch,** Berl. Ent. Zeitschr. xxxviii. p. 16 (1893) ; *J. Africanus*, Cook, l. c. p. 226, pl. 2. f. 4 *a, b* (1899). | W. Africa (Adeli). |
| 13. **J. Liberiensis, Cook,** l. c. p. 226. pl. 1. ff. 5 *a, b*, 6 *a, b* (1899). | W. Liberia. |
| 14. **J. Obliquus, Cook,** l. c. p. 226. pl. 2. f. 2 *a, b* (1899). | Liberia. |
| 15. **J. Purcelli, Pér.** Ann. S. African Mus. ii. p. 133 (1901). | Cape Colony. |
| 16. **J. Dux, Skor.** Ann. Mus. Zool. St. Pétersb. v. p. 320, pl. 7 (1900). | Bokhara. |

| | |
|---|---|
| 17. **J. Oudemansi, Par.** Atti Soc. Ital. xxxiv. p. 128, pl. 1. ff. 5, 6 (1892). | Burma. |
| 18. **I. Indicus, Oudem.** Weber, Zool. Ergebn. Reise Niederl. Ost-Indien, i. p. 77, pl. 6. ff. 3–5 (1890); Par. l. c. p. 127, pl. 1. f. 4 (1892). | Java.<br>Saleyer.<br>Flores.<br>Burma. |
| *J. Indicus, Schött*, Termész. Füzetek. xxiv. p. 328 (1901); Silv. l. c. p. 217, ff. 24–26 (1902). | |
| *J. Javanicus, Cook*, l. c. p. 226, pl. 3. f. 3 *a*, *b* (1899). | |
| 19. **J. Papuasicus, Silv.** l. c. p. 221, ff. 34, 35 (1902). | |
| 20. **J. Subterraneus, Pack.** Amer. Nat. viii. p. 501 (1874), xx. p. 282 (1886); Macgill. Canad. Ent. xxv. p. 173 (1893). | Kentucky (Mammoth Cave). |
| 21. **J. Americanus, Macgill.** l. c. p. 174 (1893). | Washington State. |
| 22. **J. Hubbardi, Cook,** l. c. p. 225, pl. 1. f. 2 *a*, *b* (1899). | Arizona. |
| 23. **J. Bidens, Cook,** l. c. pl. 1. f. 3 *a*. (1899). | Alabama. |
| 24. **J. Multidens, Cook,** l. c. pl. 1. f. 1 *a*, *b* (1899). | id. |
| 25. **J. Saussurii, Humb.** l. c. p. 351, pl. 22. ff. 1–5 (1868); Pack. l. c. xx. p. 282 (1886). | Mexico.<br>Fernando Noronha |
| *I. Saussurii, Ridl.* J. Linn. Soc. xx. p. 558 (1894). | (error ?). |
| 26. **J. Goliath, Par.** Ann. Mus. Genova, xxvi. p. 80. ff. *a*, *b* (1888). | Guatemala. |
| 27. **J. Centralis, Silv.** l. c. p. 222, f. 36 (1902). | Venezuela. |
| 28. **J. Neotropicalis, Silv.** l. c. p. 219, ff. 28–31 (1902). | Brazil to Argentina. |
| 29. **J. Platensis, Silv.** l. c. p. 218, f. 27 (1902). | Argentina. |
| 30. **J. Patagonicus, Silv.** l. c. p. 215, ff. 19, 20 (1902). | id. |
| 31. **J. Bidentatus, Schäff.** Hamburger Magalhaenischen Sammelreise. Apterygoten. p. 30, pl. 3. ff. 89–105 (1897); Silv. l. c. p. 214, f. 18 (1902). | Chile. |
| 32. **J. Anodus, Silv.** l. c. p. 218 (1902). | id. |
| 33. **J. Megalocerus, Silv.** l. c. p. 215, ff. 21–23 (1902). | id. |

| | |
|---|---|
| 34. **I. Larva, Phil.** (*Forficula* (?) *Larva*) Zeitschr. ges. Naturw. xxi. p. 219 (1863).<br>*Typhlolabia Larva, Scudd.* l. c. pp. 300, 332 (1876); Borm. & Marq. l. c. p. 33 (1883).<br>*Typhlolabia Lucis, Kirb.* J. Linn. Soc. xxiii. p. 531 (1896). | Chile. |

## Genus **Condylopalama.** (*Neuroptera: Embiida.*)

Sund. Forh. Skand. Naturf. iv. p. 255 (1847); Scudd. P. Boston Soc. xviii. p. 292 (1876).

| | |
|---|---|
| 1. **C. Agilis, Sund.** l. c. (1847); Krauss. Zool. Anz. xxii. p. 117 (1899). | Bahia. |

## FAM. II.

# HEMIMERIDÆ.

### Genus 1. **Hemimerus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 2 (1871) ; Sauss. Mém. Soc. Genève. xxvi. p. 413 (1879) ; Spic. Ent. i. p. 19 (1879) ; Rev. Suisse Zool. iv. p. 277 (1896) ; Sharp. Cambridge Nat. Hist., Ins. i. p. 217 (1895) ; Krauss, Tierreich. Forf. & Hem. p. 132 (1900) ; Verh. SB. nat. Freunde Berl. 1892, p. 87.

| | |
|---|---|
| **1. **H. Talpoides, Walk.** l. c. n. 1 (1871) ; Sauss. ll. cc. p. 414, pl. 1 (1879); p. 20, pl. 1 (1879); pl. 10. ff. 1–6 (1896); Hans. (*pt.*) Ent. Tidskr. xv. p. 65 (1894); Sharp, l. c. p. 218, f. 117 (1895) ; Krauss, l. c. p. 132 (1900). | S. Leone. |
| 2. **H. Hanseni, Sharp,** l. c. pp. 217, 218, ff. 114–116 (1895).<br>‖ *Hemimerus Talpoides* (*pt.*). *Hans.* l. c. p. 65. pl. 2 (1895). | Cameroons. |

## FAM. III.

# BLATTIDÆ.

## SUBFAM. I.

## ECTOBIINÆ.

### Genus 1. **Ectobia.** (*Type* no. 1.)

Westw. Mod. Classif. Ins., Syn. Gen. p. 44 (1839); Sauss. Miss. Mex., Orth. p. 12 (1870); Bol. An. Soc. Españ. v. p. 116 (1876); Sin. Ort. Esp. p. 38 (1876); Brunn. Syst. Blatt. p. 52 (1865); Prodr. Eur. Orth. p. 30 (1882); Fin. Faun. France, Orth. p. 75 (1890); Burr, Brit. Orth. p. 21 (1897); Tümpel, Geradfl. Mitteleuropas, p. 233 (1900).

*Ectobius*, *Steph.* Ill. Brit. Ent., Mand. vi. p. 45 (1835).

†*Blatta*, *Linn.* Syst. Nat. (ed. x.) i. p. 424 (1758); Serv. Ann. Sci. Nat. xxii. p. 10 (1831); Fisch. Orth. Eur. p. 99 (1853).

| | |
|---|---|
| *1. **E. Lapponica, Linn.** (*Blatta L.*) Syst. Nat. (ed. x.) p. 425. n. 8 (1758); Faun. Suec. (ed. ii.) p. 235. n. 863 (1761); Sulz. Gesch. Ins. p. 77, pl. 8. f. 3 (1776); Curt. Brit. Ent. xii. pl. 556 (1835); Burm. Handb. Ent. ii. p. 496. n. 5 (1838); Serv. Ins. Orth. p. 110 (1839); Fisch. Orth. Eur. p. 105 (1853).<br>*Ectobius Lapponicus*, *Steph.* l. c. p. 46. n. 3, pl. 28. f. 7 (1835).<br>*Phyllodromia Laponica*, *Fisch. Waldh.* Orth. Ross. p. 83, pl. 1. ff. 4*, 4** (1846).<br>*Ectobia Lapponica*, *Brunn.* ll. cc. p. 53, pl. 1. f. 1 A–E (1865); p. 31, pl. 1. f. 7 A–G (1882); Sauss. l. c. p. 12, pl. 1. ff. 8, 8 *a–d* (1870); Bol. ll. cc. p. 117 (1876); p. 39 (1876); Fin. l. c. p. 76 (1890); Burr, Brit. Orth. p. 21, pl. 2. f. 1 (1897); Tümp. l. c. p. 233, pl. 15 (1900).<br>*Blatta Sylvestris*, *Scop.* Ent. Carn. p. 104. n. 314 (1763). | Europe. |

*Blatta Nigrofusca, De Geer,* Mém. Ins. iii. p. 533. pl. 25. ff. 8–15 (1773).

*Blatta Hemiptera, Fabr.* Ent. Syst. ii. p. 12. n. 30 (1793); Panz. Faun. Germ. fasc. xcvi. f. 15 (1805); Burm. l. c. p. 496. n. 4 (1838); Serv. l. c. p. 111 (1839).

*Blatta Lucida, Hagenb.* Faun. Ins. Helv. p. 18, f. 9 (1822).

*Blatta Helvetica, Hagenb.* l. c. p. 20, f. 10 (1822).

|| *Ectobius Perspicillaris, Steph.* l. c. p. 47. n. 4 (1835).

*2. **E. Albicincta, Brunn.** (*Blatta A.*) Verh. zool.-bot. Ges. Wien, xi. pp. 98, 286 (1861). — Dalmatia. Tuscany.

*Ectobia Albicincta, Brunn.* Syst. Blatt. p. 56. n. 2 (1865); Prodr. Eur. Orth. p. 33. n. 2 (1882); Tümp. l. c. p. 234 (1900).

3. **E. Nicæensis, Bris.** (*Blatta N.*) Bull. Soc. Ent. France, (2) x. p. lxviii (1852). — S. France, Spain.

*Ectobia Nicæensis, Brunn.* ll. cc. p. 56 (1865); p. 34. n. 3 (1882); Borm. Ann. Soc. Ent. Belgique, xxv. p. 28 (1881); Fin. l. c. p. 77 (1890).

*Ectobia Hæckelii, Bol.* ll. cc. p. 118. n. 2 (1876); p. 40. n. 2 (1876).

4. **E. Tridentina, Targ.-Tozz.** Bull. Soc. Ent. Ital. xiii. p. 180 (1881). — Tyrol.

*5. **E. Panzeri, Steph.** (*Ectobius P.*) l. c. p. 47. n. 5 (1835). — Europe.

*Ectobia Panzeri, Burr,* l. c. p. 22, pl. 2. f. 2 (1897).

|| *Blatta Germanica, Panz.* l. c. fasc. ii. f. 17 (1793).

*Blatta Ericetorum, Wesm.* Bull. Acad. Brux. v. p. 587, pl. 1. f. 2 (1838); Fisch. l. c. p. 110. n. 8 (1853).

*Ectobia Ericetorum, Brunn.* ll. cc. p. 58 (1865); p. 34. n. 4 (1882); Fin. l. c. p. 77, pl. 2. f. 45 (1890); Tümp. l. c. p. 234 (1890).

*Blatta Concolor, Serv.* l. c. p. 113. n. 43 (1839).

*Blatta Arenicola, Fisch.* l. c. p. 111, pl. 7. f. 20 (1853).

Var. *a. Ectobius Nigripes, Steph.* l. c. p. 48. n. 6 (1835). — England.

| | |
|---|---|
| *Ectobia Panzeri*, var. *Nigripes*, *Burr*, l. c. p. 22 (1897). | |
| *6. **E. Perspicillaris, Herbst,** Fuessly, Archiv. p. 186. pl. 49. f. 11 (1786). | Europe.<br>Algeria. |
| *Blatta Pallida*, *Oliv.* Enc. Méth., Ins. iv. p. 319. n. 29 (1789). | |
| *Ectobius Pallidus*, *Steph.* l. c. p. 48. n. 8 (1835). | |
| *Blatta Livida*, *Fabr.* Ent. Syst. ii. p. 10. n. 23 (1793); Serv. l. c. p. 109. n. 38 (1839); Fisch. l. c. p. 107. n. 6, pl. 7. ff. 16–18 (1853). | |
| *Ectobius Lividus*, *Steph.* l. c. p. 48. n. 7 (1835). | |
| *Ectobia Livida*, *Bol.* ll. cc. p. 120. n. 4 (1876); p. 42. n. 4 (1876); Brunn. ll. cc. p. 59. n. 6 (1865); p. 35. n. 5 (1882); Fin. l. c. p. 78 (1890); Burr, l. c. p. 23, pl. 2. f. 3 (1897); Tümp. l. c. p. 233, pl. 15 (1900). | |
| *Blatta Concolor*, *Hagenb.* l. c. p. 22, f. 11 (1822). | |
| 7. **E. Brunneri, Seoane,** Mt. Schweiz. Ent. Ges. v. p. 485 (1879). | Spain, Port.,<br>Minorca.<br>Spalato. |
| *Ectobia Livida*, var. *Brevipennis*, *Brunn.* ll. cc. p. 61 (1865); p. 36 (1882); Bol. ll. cc. p. 120 (1876); p. 42 (1876). | |
| 8. **E. Vittiventris, Costa,** (*Blatta V.*) Ann. Accad. Asp. Natur. i. p. 111 (1847); Fisch. l. c. p. 109. n. 7 (1853). | Italy,<br>Spain,<br>Algeria,<br>Cape. |
| *Ectobia Vittiventris*, *Brunn.* ll. cc. p. 57. n. 4 (1865); p. 37. n. 6 (1882); Tümp. l. c. p. 234 (1900). | |
| *Blatta Punctulata*, *Fieb.* Lotos, iii. p. 94. n. 4 (1853). | |
| 9. **E. Africana, Sauss.** Abh. Senckenb. Ges. xxi. p. 569 (1899). | E. Africa. |
| *10. **E. Platysoma, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 111. n. 95 (1868). | Swan River. |
| 11. **E. Tepperi, Kirb.,** n. n. | S. Australia. |
| *Ectobia Apicifera*, *Tepp.* Tr. R. Soc. S. Austral. xvii. p. 35 (1893). | |
| 12. **E. Minima, Tepp.** l. c. xix. p. 147 (1895). | Victoria. |
| 13. **E. Sublucida, Tepp.** l. c. p. 147 (1895). | id. |
| 14. **E. (?) Margarita, Tepp.** l. c. p. 148 (1895). | id. |

| | |
|---|---|
| 15. **E.** (?) **Marcida, Erichs.** (*Blatta M.*) Arch. Naturg. viii. p. 218 (1842).<br>*Ectobia Marcida, Brunn.* l. c. p. 61. n. 7 (1865). | Tasmania. |
| 16. **E. Tasmanica, Brancs.** Jahresh. Ver. Trencsin. Com. xix. p. 244, pl. 7. f. 1 (1897). | id. |
| 17. **E. Flavocincta, Scudd.** J. Boston Soc. Nat. Hist. vii. p. 419. n. 3 (1862) ; Brunn. l. c. p. 57. n. 3 (1865). | N. America (W. States). |

### Genus 2. **Theganopteryx.** (*Type* no. 12.)

Brunn. Syst. Blatt. p. 53 (1865) ; Sauss. Mém. Soc. Genève, xx. p. 229 (1869) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 16 (1893) ; Grandidier, Hist. Madagascar, Orth. i. p. 5 (1895).

| | |
|---|---|
| 1. **T. Senegalensis, Sauss.** (*Blatta S.*) Rev. Zool. (2) xx. p. 354 (1868).<br>*Ectobia* (*Theganopteryx*) *Senegalensis, Sauss.* Mém. Soc. Genève, xx. p. 231 (1869).<br>*T. Senegalensis*, var., *Sauss.* Mém. Soc. Genève, xxxv. p. 71 (1895). | Senegal, Somaliland (eadem ?). |
| 2. **T. Æthiopica, Sauss.** l. c. p. 72 (1895). | Gold Coast. |
| 3. **T. Hova, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 7. n. 1 (1895). | Madagascar (Antananarivo). |
| 4. **T. Malagassa, Sauss. & Zehntn.** l. c. p. 8. n. 2 (1895). | id. |
| 5. **T. Tricolor, Sauss. & Zehntn.** l. c. p. 9. n. 3, pl. 1. f. 2 (1895). | Madagascar |
| 6. **T. Conspersa, Sauss.** Soc. Ent. vi. p. 26 (1891) ; Sauss. & Zehntn. l. c. p. 10. n. 4, pl. 1. f. 3 (1895). | id. |
| 7. **T. Bidentata, Sauss. & Zehntn.** l. c. p. 11, pl. 1. ff. 1, 1 *a*, *d* (1895) ; Sauss. Abh. Senckenb. Ges. xxi. p. 570 (1899). | id. (Antananarivo). |
| 8. **T. Molesta, Sauss. & Zehntn.** l. c. p. 12. n. 6 (1895). | Madagascar |
| 9. **T. Punctata, Sauss.** Soc. Ent. vi. p. 26 (1891) ; Sauss. & Zehntn. l. c. p. 13. n. 7 (1895). | id. |
| 10. **T. Indica, Sauss.** (*Ectobia* (*Theganopteryx*) *I.*) Mém. Soc. Genève, xx. p. 230, pl. 3. f. 16 (1869). | Bombay. |

| | |
|---|---|
| 11. **T. Jucunda, Sauss.** (*Ectobia* (*Theganopteryx*) *J.*) l. c. p. 232 (1869). | India (?). |
| 12. **T. Lucida, Brunn.** (*Ectobia L.*) l. c. p. 62 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 34 (1893). | Australia(?) |
| 13. **T. Fallax, Sauss.** (*Ectobia* (*Theganopteryx*) *F.*) l. c. p. 233 (1869).<br>*T. Fallax, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 16. n. 1 (1893). | Mexico. |
| 14. **T. Pilosella, Sauss. & Zehntn.** l. c. p. 17. n. 2 (1893). | Peru. |

### Genus 3. **Lupparia.**

Walk. Cat. Blatt. B. M. p. 65 (1868).

| | |
|---|---|
| **1. **L. Adimonialis, Walk.** l. c. p. 66. n. 1 (1868). | Philippines. |

### Genus 4. **Pseudectobia.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 234 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 16 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 6 (1895).

| | |
|---|---|
| 1. **P. Luneli, Sauss.** (*Blatta L.*) Rev. Zool. (2) xx. p. 355 (1868).<br>*Ectobia* (*Pseudectobia*) *Luneli, Sauss.* Mém. Soc. Genève, xx. p. 235 (1869). | Nilgiris. |
| 2. **P. Pallidula, Bol.** (*Theganopteryx* (*Pseudectobia*) *P.*) Ann. Soc. Ent. France, 1897, p. 287, pl. 10. ff. 3, 3 *a*, *b*. | S. India (Kodai Canal). |
| 3. **P. Liturifera, Stål,** (*Blatta L.*) Eugenie's Resa, Ins. p. 308 (1858).<br>*Phyllodromia Liturifera, Brunn.* Syst. Blatt. p. 106 (1865).<br>*Ectobia* (*Pseudectobia*) *Liturifera, Sauss.* l. c. xx. p. 236, pl. 3. f. 17 (1869).<br>*Theganopteryx Liturifera, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 14. n. 8 (1895). | Mauritius. |
| 4. **P. Insularis, Sauss.** (*Ectobia* (*Pseudectobia*) *I.*) l. c. p. 237 (1869).<br>*Theganopteryx Insularis, Sauss. & Zehntn.* l. c. p. 14. n. 9 (1895). | id. |

| | |
|---|---|
| 5. **P. Punctulata, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *P.*) l. c. p. 15. n. 10 (1895). | Madagascar |
| 6. **P. Vœltzkowiana, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *V.*) l. c. p. 15. n. 11, pl. 4. f. 42 (1895); Sauss. Abh. Senckenb. Ges. xxi. p. 570 (1899). | N.W. Madagascar (Mojanga). |
| **7. **P. Subpectinata, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *S.*) Biol. Centr.-Amer., Orth. i. p. 17. n. 3, pl. 4. f. 18 (1893). | Guatemala. |
| 8. **P. Antiguensis, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *A.*) l. c. p. 17. n. 4 (1893). | Antigua, Cuba. |
| 9. **P. Intermedia, Sauss. & Zehntn.** (*Theganopteryx* (*Pseudectobia*) *I.*) l. c. p. 18. n. 5 (1893). | Peru. |

### Genus 5. **Anaplecta.** (*Type* no. 17.)

Burm. Handb. Ent. ii. p. 494 (1838); Brunn. Syst. Blatt. p. 63 (1865); Sauss. Mém. Mex., Blatt. p. 49 (1864); Miss. Mex., Orth. p. 12 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 18 (1893).

| | |
|---|---|
| *1. **A. Cincta, Gerst.** Mt. Ver. Vorpomm. xiv. p. 56 (1883). | W. Africa (Ogowe). |
| 2. **A. Africana, Sauss.** Ann. Mus. Genova, xxxv. p. 70 (1895). | E. Soudan (Lado). |
| 3. **A. Fulva, Brunn.** Ann. Mus. Genova, xxxiii. p. 12 (1893). | Burma. |
| 4. **A. Javanica, Sauss.** l. c. p. 71 (1895). | Batavia. |
| 5. **A. Dorsalis, Burm.** l. c. p. 494. n. 3 (1838); Brunn. Syst. Blatt. p. 63. n. 1 (1865). | Porto Rico. |
| 6. **A. Bivittata, Brunn.** l. c. n. 2 (1865). | Brazil. |
| 7. **A. Unicolor, Burm.** l. c. p. 494. n. 4 (1838); Brunn. l. c. p. 63. n. 3 (1865). | Colombia. |
| *8. **A. Mexicana, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 15 pl. 1. ff. 9, 9 *a–e* (1870); Sauss. & Zehntn. l. c. p. 22. n. 1, pl. 4. ff. 1, 2 (1893). | Mexico. |
| 9. **A. Peruviana, Sauss. & Zehntn.** l. c. p. 23. n. 2 (1893). | Peru. |
| 10. **A. Nahua, Sauss.** ll. cc. (2) xx. p. 354 (1868); p. 11, pl. 1. f. 11 *a* (1870); Sauss. & Zehntn. l. c. p. 23. n. 3 (1893). | Mexico. |

| | |
|---|---|
| 11. **A. Tolteca, Sauss.** ll. cc. (2) xx. p. 354 (1868); p. 16 (1870); Sauss. & Zehntn. l. c. p. 23. n. 4 (1893). | Mexico. |
| 12. **A. Pallida, Bol.** An. Soc. Españ. x. p. 463 (1881). | Ecuador. |
| 13. **A. Moxa, Sauss. & Zehntn.** l. c. p. 23. n. 5, pl. 4. ff. 3, 4 (1893). | Peru. |
| 14. **A. Major, Sauss. & Zehntn.** l. c. p. 24. n. 6, pl. 4. f. 6 (1893). | id. |
| 15. **A. Otomia, Sauss.** Mém. Soc. Genève, xx. p. 238, pl. 3. f. 18 (1869); Miss. Mex., Orth. p. 18 (1870); Sauss. & Zehntn. l. c. p. 24. n. 7 (1893). | Mexico. |
| 16. **A. Azteca, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 17, pl. 1. ff. 10, 10 *a* (1870); Sauss. & Zehntn. l. c. p. 24. n. 8 (1893). | id. |
| *17. **A. Lateralis, Burm.** l. c. p. 494. n. 2 (1838); Brunn. l. c. p. 65, pl. 1. f. 2 A–C (1865); Sauss. & Zehntn. l. c. p. 30 (1893). | Colombia, Brazil. |
| *Blatta Parviceps, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 97. n. 63 (1868). | |
| 18. **A. Fallax, Sauss.** Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 51 (1864); Sauss. & Zehntn. l. c. p. 25. n. 9, pl. 4. f. 7 (1893); Brunn. l. c. p. 66 (1865). | Guatemala, Mexico, Colombia. |
| ‖ *A. Lateralis, Sauss.* Miss. Mex., Orth. p. 19, pl. 1. f. 13 (1870). | |
| 19. **A. Minutissima, De Geer,** (*Blatta M.*) Mém. Ins. iii. p. 542. n. 10, pl. 44. ff. 13, 14 (1773); Oliv. Enc. Méth., Ins. iv. p. 321. n. 37 (1789). | Surinam. |
| *A. Minutissima, Burm.* l. c. p. 494. n. 1 (1838); Brunn. l. c. p. 64. n. 4 (1865). | |
| 20. **A. Replicata, Sauss. & Zehntn.** l. c. p. 25. n. 10, pl. 4. f. 12 (1893). | Brazil (Pernambuco). |
| 21. **A. Grandipennis, Sauss. & Zehntn.** l. c. p. 25. n. 11, pl. 4. f. 5 (1893). | id. |
| **22. **A. Albomarginata, Sauss. & Zehntn.** l. c. p. 26. n. 12 (1893). | Mexico. |
| **23. **A. Parvipennis, Sauss. & Zehntn.** l. c. n. 13 (1893). | id. |
| **24. **A. Domestica, Sauss. & Zehntn.** l. c. n. 14 (1893). | Guatemala. |
| 25. **A. Alaris, Sauss. & Zehntn.** l. c. p. 27. n. 15 (1893). | Peru. |

| | |
|---|---|
| **26. **A. Decipiens, Sauss. & Zehntn.** l. c. p. 27. n. 16, pl. 3. f. 5, pl. 6. ff. 10, 11 (1893). | Mexico. |
| 27. **A. Elliptica, Sauss. & Zehntn.** l. c. p. 27. n. 17, pl. 3. f. 2, pl. 4. f. 8 (1893). | Guatemala. |
| 28. **A. Dohrniana, Sauss. & Zenntn.** l. c. p. 28. n. 18, pl. 3. f. 3, pl. 4. f. 15 (1893). | id. |
| *29. **A. Fulgida, Sauss.** Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 50 (1864); Miss. Mex., Orth. p. 19, pl. 1. f. 12 (1870); Sauss. & Zehntn. l. c. p. 28. n. 19, pl. 4. f. 16 (1893); Brunn. l. c. p. 66 (1865). | id., Mexico. |
| **30. **A. Jansoni, Sauss. & Zehntn.** l. c. p. 29. n. 20, pl. 3. f. 4, pl. 4. f. 9 (1893). | Nicaragua (Chontales). |
| **31. **A. Flabellata, Sauss. & Zehntn.** l. c. p. 29, pl. 3. f. 1, pl. 4. ff. 13, 14 (1893). | Mexico to Panama. |

### Genus 6. **Riatia.**

Walk. Cat. Blatt. B. M. p. 66 (1868).

| | |
|---|---|
| **1. **R. Pallicornis, Walk.** l. c. (1868). | Ega. |

### Genus 7. **Hololampra.** (*Type* no. 1.)

Sauss. Mém. Mex., Blatt. p. 94 (1864).

*Aphlebia*, *Brunn.* Syst. Blatt. p. 66 (1865); Prodr. Eur. Orth. p. 37 (1882); Bol. Sin. Ortópt. Españ. p. 42 (1876); Fin. Faune France, Orth. p. 79 (1890); Tümp. Geradfl. Mitteleurop. p. 232 (1900). (*Type* no. 7.)

| | |
|---|---|
| *1. **H. Marginata, Schreb.** (*Blatta M.*) Naturf. xv. p. 88, pl. 3. f. 16 (1781); Cyr. Ent. Neap. p. 2, pl. 1. f. 11 (1787); Fisch. Orth. Eur. p. 100, pl. 7. ff. 8, 8 *a* (1853).<br>*Phyllodromia Marginata, Fisch. Waldh.* Orth. Ross. p. 84, pl. 1. f. 5 (1846).<br>*Aphlebia Marginata, Brunn.* ll. cc. p. 67 (1865); p. 39 (1882); Fin. l. c. p. 79, pl. 2. f. 46 (1890).<br>*Kakerlac Plicipennis, Brullé*, Expéd. Morée, Zool. ii. p. 82, pl. 29. f. 3 (1832).<br>*Blatta Plicipennis, Serv.* Ins. Orth. p. 105 (1839).<br>*Aphlebia Marginata*, var. *Erythronota, Brunn.* Prodr. Eur. Orth. p. 39 (1882). | S. Europe. |

| | |
|---|---|
| *2. **H. Infumata, Brunn.** (*Aphlebia I.*) Syst. Blatt. p. 68 (1865).<br>**Blatta Ericetorum*, *Woll.* Ann. Nat. Hist. (3) i. p. 21 (1858). | Madeira. |
| 3 **H. Polita, Krauss,** (*Aphlebia P.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 569, pl. 15. ff. 2, 2 A (1888). | W. Caucasus (Novorossisk). |
| 4. **H. Maculata, Schreb.** (*Blatta M.*) l. c. p. 89, pl. 3. ff. 17, 18 (1781); Panz. Faun. Germ. xcvi. pl. 14 (1805); Charp. Hor. Ent. p. 76 (1825); Hahn, Icon. Orth. pl. *a.* f. 6 *a*, *b* (1836); Fisch. l. c. p. 101, pl. 7. ff. 9, 9 *a*, 10 (1853).<br>*Aphlebia Maculata*, *Brunn.* Syst. Blatt. p. 69 (1865); Prodr. Eur. Orth. p. 39 (1882); Tümp. l. c. p. 233, pl. 15 (1900).<br>*Blatta Schæfferi*, *Gmel.* Syst. Nat. i. (4) p. 2046 (1788). | Germany, Austria. |
| 5. **H. Adusta, Fisch. Waldh.** (*Phyllodromia A.*) l. c. p. 355 (1846).<br>*Aphlebia Adusta*, *Krauss*, l. c. p. 568, pl. 15. f. 1 A, B (1888). | Crimea. |
| 6. **H. Algerica, Bol.** (*Aphlebia A.*) An. Soc. Españ. x. p. 499 (1881), xvi. p. 91, pl. 15. f. 5 (1887); Act. Soc. Españ. 1894, p. 84. | Oran, Tangiers. |
| *7. **H. Punctata, Charp.** (*Blatta P.*) Hor. Ent. p. 77 (1825); Fisch. l. c. p. 103, pl. 7. ff. 11, 11 *a* (1853).<br>*Aphlebia Punctata*, *Brunn.* ll. cc. p. 71, pl. i. f. 3 A–D (1865); p. 41 (1882); Tümp. l. c. p. 233 (1900).<br>*Blatta Megerlei*, *Fieb.* Lotos, iii. p. 94. n. 7 (1853). | Germany, Austria. |
| 8. **H. Sardea, Serv.** (*Blatta S.*) Ins. Orth. p. 112 (1839).<br>*Aphlebia Sardea*, *Brunn.* Prodr. Eur. Orth. p. 41 (1882).<br>*Blatta Cincticollis*, *Luc.* Expl. Alg., Zool. iii. p. 8, iv. pl. 1. f. 3 (1849).<br>*Aphlebia Cincticollis*, *Brunn.* Syst. Blatt. p. 69. n. 3 (1865).<br>*Aphlebia Sardea*, var. *Adspersa*, *Bol.* Ann. Sci. Nat. Porto, iv. p. 128 (1898). | Sardinia, Algeria. |
| 9. **H. Bivittata, Brullé,** (*Blatta B.*) Webb & Berthelot, Hist. Nat. Canar. Ins. p. 75. pl. 5. f. 1 (1844). | Canaries. |

| | |
|---|---|
| 10. **H. Moghrebica, Bol.** (*Aphlebia M.*) An. Soc. Españ. xvi. p. 89, pl. 4. f. 1 (1887). | Morocco (Riff). |
| 11. **H. Pallida, Brunn.** (*Aphlebia P.*) Prodr. Eur. Orth. p. 42. n. 5 (1882). | Greece, Asia Minor. |
| 12. **H. Cecconii, Griff.** (*Aphlebia Pallida*, subsp. *Cecconii*) Boll. Mus. Torino, x. (193) p. 1 (1895). | Candia. |
| 13. **H. Trivittata, Serv.** (*Blatta T.*) Ins. Orth. p. 106 (1839); Fisch. l. c. p. 103 (1853).<br>*Aphlebia Trivittata, Brunn.* Syst. Blatt. p. 73. n. 7 (1865); Prodr. Eur. Orth. p. 42. n. 6 (1882); Bol. l. c. p. 43 (1876); Costa, Atti Accad. Napoli, (2) i. (9) p. 50 (1888). | Sardinia, Algeria, Spain. |
| *14. **H. Brevipennis, Fisch.** (*Blatta B.*) l. c. p. 102, pl. 7. f. 12 (1853).<br>*Aphlebia Brevipennis, Brunn.* ll. cc. p. 72. n. 6 (1865); p. 43. n. 7 (1882); Krauss, SB. Akad. Wien, lxxviii. (1) p. 466, pl. 1. ff. 1, 1 A–E (1879); Tümp. l. c. p. 232 (1900). | Istria, Servia, Styria, Carniola, Tyrol. |
| 15. **H. Bætica, Bol.** (*Aphlebia B.*) C. R. Soc. Ent. Belg. xxviii. p. cv (1884); An. Soc. Españ. xvi. p. 90, pl. 4. f. 2 (1887). | Spain (Sierra Nevada). |
| 16. **H. Græca, Brunn.** (*Aphlebia G.*) Prodr. Eur. Orth. p. 43. n. 8 (1882). | Greece, Asia Minor. |
| 17. **H. Virgulata, Bol.** (*Aphlebia V.*) Ann. Soc. Ent. Belg. xxi. p. 67 (1878); An. Soc. Españ. vi. p. 423, pl. 4. ff. 2, 2 *a* (1878), xvi. p. 92, pl. 15. f. 6 (1887). | Portugal. |
| 18. **H. Carpetana, Bol.** (*Aphlebia C.*) An. Soc. Españ. ii. p. 214, pl. 9. f. 1 (1873); xvi. p. 91, pl. 15. f. 3 (1887); Sin. Ortópt. Españ. p. 44 (1876). | Spain. |
| 19. **H. Retowskii, Krauss,** (*Aphlebia R.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 570, pl. 15. ff. 3, 3 A (1888). | Crimea. |
| *20. **H. Subaptera, Ramb.** (*Blatta S.*) Faune de l'Andalusie, ii. p. 14 (1838).<br>*Polyzosteria Subaptera, Fisch.* l. c. p. 91. n. 3, pl. 7. f. 3 (1853).<br>*Aphlebia Subaptera, Brunn.* Syst. Blatt. p. 73. n. 8 (1865); Prodr. Eur. Orth. p. 44. n. 11, pl. 1. f. 8 A, B (1882); Bol. Sin. Ortópt. Españ. p. 45. n. 3 (1876); An. Soc. Españ. xvi. p. 91, pl. 15. f. 4 | Spain, Corsica, Dalmatia, Sicily. |

| | |
|---|---|
| (1887) ; Pant. An. Soc. Españ. xv. p. 258 (1886) ; Fin. l. c. p. 80 (1890). | |
| 21. **H. Tartara, Sauss.** (*Aphlebia T.*) Fedchenko. Reise in Turkestan, Orth. p. 7. pl. 1. f. 4 (1874). | Sarafshan, Ferghana. |
| 22. **H. Larrinuæ, Bol.** (*Aphlebia L.*) An. Soc. Españ. x. p. 500 (1881), xvi. p. 92, pl. 15. f. 7 (1887) ; Krauss, l. c. xxxviii. p. 570 (1888). | Algeria, Tunis, Crimea. |
| 23. **H. Chavesi, Bol.** (*Aphlebia C.*) Actas Soc. Españ. 1898, p. 72. | Azores (San Miguel). |
| 24. **H. Janeri, Bol.** (*Aphlebia J.*) op. cit. 1894, p. 83, fig. | Tangiers. |
| 25. **H. Cazurroi, Bol.** (*Aphlebia C.*) Le Naturaliste, iii. p. 116 (1885) ; An. Soc. Españ. xvi. p. 92, pl. 15. f. 8 (1887). | Morocco (Melilla). |
| 26. **H. Madecassa, Sauss.** (*Aphlebia M.*) Mém. Mus. Genève, xx. p. 238, pl. 3. ff. 19, 19*a* (1869) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 16 (1895). | Madagascar |

### Genus 8. **Aphlebidea.**

Brancs. Jahresh. Ver. Trencsin. Com. xix. & xx. p. 56 (1897).

| | |
|---|---|
| 1. **A. Brunneri, Brancs.** l. c. p. 56, pl. 1. f. 1 (1897). | Australia. |

## SUBFAM. II.

## CHORISONEURINÆ.

### Genus 9. **Chorisoneura.** (*Type* no. 14.)

Brunn. Syst. Blatt. p. 255 (1865) ; Sauss. Miss. Mex., Orth. p. 90 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 78 (1893).

| | |
|---|---|
| 1. **C. Anomala, Sauss. & Zehntn.** l. c. p. 80. n. 1, pl. 2. ff. 23, 24 (1893). | Peru. |
| 2. **C. Texensis, Sauss. & Zehntn.** l. c. n. 2 (1893). | Texas, New Mexico. |

| | |
|---|---|
| 3. **C. Surinama, Sauss.** Rev. Zool. (2) xx. p. 100. n. 13 (1868); Miss. Mex., Orth. p. 93 (1870). | Surinam. |
| 4. **C. Dimidiaticornis, Sauss. & Zehntn.** l. c. p. 80. n. 4 (1893). | Peru. |
| *5. **C. Mysteca, Sauss.** (*Blatta M.*) Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 140 (1864). | Mexico, Guatemala. |
| *C. Mysteca, Brunn.* l. c. p. 258. n. 4 (1865); Sauss. & Zehntn. l. c. p. 81. n. 5 (1893). | |
| **6. **C. Flavipennis, Sauss. & Zehntn.** l. c. p. 81. n. 6, pl. 2. f. 21 (1893). | Mexico. |
| *7. **C. Pellucida, Sauss.** (*Blatta P.*) Rev. Zool. (2) xvi. p. 311. n. 15 (1864); Mém. Mex., Blatt. p. 112 (1864). | id. |
| *C. Pellucida, Sauss.* Miss. Mex., Orth. p. 92, pl. 2. ff. 49, 49 *a* (1870); Sauss. & Zehntn. l. c. p. 81. n. 7 (1893). | |
| 8. **C. Minuta, Sauss.** Rev. Zool. (2) xxi. p. 113. n. 17 (1869); Miss. Mex., Orth. p. 95 (1870). | Argent. Rep. (Corrientes) |
| 8 *a*. **C. Argentina, Brancs.** Jahresh. Ver. Trencsin. Com. xix. & xx. p. 57 (1898). | La Plata. |
| 9. **C. Inquinata, Sauss.** ll. cc. p. 112. n. 16 (1869); p. 94 (1870). | Brazil. |
| **10. **C. Tæniata, Sauss. & Zehntn.** l. c. p. 82. n. 10, pl. 2. f. 22 (1893). | Mexico. |
| 11. **C. Translucida, Sauss.** (*Blatta T.*) Rev. Zool. (2) xvi. p. 311 (1864); Mém. Mex., Blatt. p. 113 (1864). | id. |
| *C. Translucida, Sauss.* Miss. Mex., Orth. p. 91 (1870); Sauss. & Zehntn. l. c. p. 82. n. 11 (1893). | |
| *12. **C. Gracilis, Sauss.** (*Blatta G.*) Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 111. n. 48 (1864). | Brazil (Rio Grande do Sul). |
| *C. Gracilis, Sauss.* Miss. Mex., Orth. p. 93 (1870); Sauss. & Zehntn. l. c. p. 82. n. 12 (1893). | |
| *C. Flavoantennata, Brunn.* l. c. p. 257. n. 2 (1865). | |
| 13. **C. Nigrifrons, Serv.** (*Blatta N.*) Ins. Orth. p. 109 (1839). | Brazil. |
| *C. Nigrifrons, Brunn.* l. c. p. 256. n. 1, pl. 6. f. 26 A–E (1865). | |
| 14. **C. Multivenosa, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 94 (1870). | Cayenne (?), Brazil (?). |

| | |
|---|---|
| 15. **C. Discoidalis, Burm.** (*Blatta D.*) l. c. p. 497. n. 9 (1838).<br>*C. Discoidalis, Brunn.* l. c. p. 257. n. 3 (1865). | Bahia. |
| 16. **C. Sordida, Brunn.** l. c. p. 258. n. 5 (1865). | Brazil. |
| **17. **C. Poststriga, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 99. n. 69 (1868). | id. (?); Fern. Noronha. |
| **18. **C. Vitrocincta, Walk.** (*Blatta V.*) l. c. p. 98. n. 67 (1868). | Santarem. |
| **18 *a*. **C. Vitrifera, Walk.** (*Blatta V.*) l. c. p. 108. n. 89 (1868). | id. |
| **19. **C. Perlucida, Walk.** (*Blatta P.*) l. c. p. 99. n. 68 (1868). | Brazil (Tejuca). |
| **20. **C. Lepidella, Walk.** (*Blatta L.*) l. c. p. 102. n. 76 (1868). | Brazil (Constancia). |
| **21. **C. Cistelina, Walk.** (*Blatta C.*) l. c. p. 104. n. 79 (1868). | Brazil (Bahia). |
| 22. **C. Calogramma, Walk.** (*Blatta C.*) l. c. p. 217 (1868). | Brazil. |
| 23. **C. Fragilis, Walk.** (*Blatta F.*) l. c. p. 218 (1868). | id. |
| 24. **C. Glabricula, Walk.** (*Blatta G.*) l. c. (1868). | id. |
| 25. **C. (?) Nigrolineata, Stål,** (Öfv. Vet.-Akad. Förh. xxxiv. p. 34 (1877). | Philippines. |
| 26. **C. (?) Virescens, Walk.** (*Blatta V.*) l. c. p. 231 (1868). [illegible] | Sarawak. |

## Genus 10. **Choristima.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Australia. xix. p. 165 (1895). [illegible]

| | |
|---|---|
| 1. **C. Pectinata, Sauss.** (*Chorisoneura P.*) Mém. Soc. Genève, xxiii. p. 131 (1873); Tepp. l. c. xviii. p. 186 (1894). | Australia. |
| **2. **C. Hydrophoroides, Walk.** (*Blatta H.*) Cat. Blatt. B. M. p. 96. n. 62 (1868).<br>*Chorisoneura Hygrophoroides, Tepp.* l. c. xvii. p. 114 (1893). 0 ~ 73, | id. |
| **3. **C. Galerucoides, Walk.** (*Diploptera G.*) l. c. p. 57. n. 3 (1868).<br>*Eleutheroda Galerucoides, Tepp.* l. c. xvii. p. 116 (1893). | Tasmania. |
| 3 *a*. **C. Loftyensis, Tepp.** (*Chorisoneura L.*) l. c. p. 115 (1893). | S. Australia. |
| *4. **C. Kershawi, Tepp.** l. c. xix. p. 165 (1895). | Australia. |

### Genus 11. **Anaptycha.**

Brunn. Proc. Zool. Soc. Lond. 1892, p. 202 ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

| | |
|---|---|
| **1. **A. Bipunctulata, Brunn.** l. c. pl. 15. f. 1 (1892). | St. Vincent,<br>W. Indies. |

### Genus 12. **Hemipterota.**

Sauss. Soc. Ent. viii. p. 67 (1893) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 83 (1893).

| | |
|---|---|
| 1. **H. Punctipes, Sauss.** l. c. p. 67 (1893) ; Sauss. & Zehntn. l. c. p. 83. n. 1, pl. 2. f. 25 (1893). | Peru. |

## SUBFAM. III.

## PHYLLODROMIINÆ.

### Genus 13. **Pseudomops.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 41 (1831) ; Ins. Orth. p. 115 (1839).

† *Thyrsocera, Burm.* Handb. Ent. ii. p. 498 (1838) ; Brunn. Syst. Blatt. p. 115 (1865); Sauss. Mém. Mex., Blatt. p. 119 (1864) ; Miss. Mex., Orth. p. 47 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 31 (1893).

| | |
|---|---|
| **1. **P. Angusta, Walk.** Cat. Blatt. B. M. p. 81. n. 19 (1868). | Santarem. |
| *2. **P. Cincta, Burm.** (*Thyrsocera C.*) l. c. p. 499. n. 3 (1838) ; Brunn. l. c. p. 122. n. 9 (1865) ; Sauss. ll. cc. p. 125 (1864) ; p. 50, pl. 1. f. 28 (1870).<br>*Thyrsocera Mexicana, Sauss.* Rev. Zool. (2) xiv. p. 168 (1862) ; Mém. Mex., Blatt. p. 122 (1864). | Mexico,<br>Guatemala,<br>Nicaragua. |
| *3. **P. Sallei, Sauss.** (*Thyrsocera S.*) ll. cc. p. 168 (1862) ; p. 123 (1864).<br>*P. Sallei*, var., *Walk.* l. c. p. 77. n. 4 (1868).<br>*Thyrsocera Cincta*, var., *Sauss.* Miss. Mex., Orth. p. 51 (1870). | Mexico. |

| | |
|---|---|
| *4. **P. Laticornis, Perty,** Del. Anim. Art. p. 117, pl. 23. f. 4 (1834); Serv. Ins. Orth. p. 116 (1839).<br>*Thyrsocera Laticornis, Burm.* l. c. p. 499. n. 6 (1838); Brunn. l. c. p. 123. n. 11 (1865); Sauss. Miss. Mex., Orth. p. 51 (1870). | Brazil. |
| *5. **P. Dubia, Sauss.** (*Thyrsocera D.*) Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 123 (1864); Brunn. l. c. p. 124. n. 12 (1865).<br>*Thyrsocera Laticornis*, var., *Sauss. & Zehntn.* l. c. p. 32. n. 2 (1893). | Rio Janeiro |
| **6. **P. Femoralis, Walk.** l. c. p. 81. n. 18 (1868).<br>‖ *Thyrsocera Crinicornis* et var. *Fulva*, *Brunn.* l. c. pp. 126, 127. n. 21 (1865).<br>*Thyrsocera Brunneri, Sauss.* Rev. Zool. (2) xxi. p. 111 (1869). | Brazil. |
| 7. **P. Oblongata, Linn.** (*Blatta O.*) Syst. Nat. (ed. x.) i. p. 425. n. 9 (1758); De Geer, Mém. Ins. iii. p. 541, pl. 41. ff. 11, 12 (1773). | Surinam. |
| *8. **P. Intercepta, Burm.** (*Blatta I.*) l. c. p. 499. n. 8 (1838); Sauss. Mém. Mex., Blatt. p. 113 (1864).<br>‖ *P. Oblongata, Serv.* l. c. p. 115 (1839).<br>‖ *Thyrsocera Oblongata, Brunn.* l. c. p. 121. n. 8 (1865); Sauss. Miss. Mex., Orth. p. 50, pl. 1. f. 29 (1870); Sauss. & Zehntn. l. c. p. 32. n. 3 (1893).<br>*Thyrsocera Tolteca, Sauss.* Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 124, pl. 1. f. 21 (1864); Brunn. l. c. p. 125. n. 18 (1865). | Mexico,<br>Guatemala,<br>Honduras. |
| 9. **P. Inclusa, Walk.** l. c. p. 212 (1868). | Brazil. |
| **10. **P. Walkeri, Kirb.** Ann. Nat. Hist. (7) xii. p. 273 (1903).<br>*P. Flavipes*, var., *Walk.* l. c. p. 79. n. 10 (1868). | id. |
| *11. **P. Flavipes, Burm.** (*Thyrsocera F.*) l. c. p. 499. n. 5 (1838).<br>*Thyrsocera Flavipes, Brunn.* l. c. p. 125. n. 16 (1865).<br>*P. Concinna, Walk.* l. c. p. 82. n. 20 (1868). | id. |
| *12. **P. Discicollis, Burm.** (*Blatta D.*) l. c. p. 1012 (1838); Sauss. Mém. Mex., Blatt. p. 114 (1864). | Mexico. |

| | |
|---|---|
| ‖ *Blatta Discoidalis, Burm.* l. c. p. 498. n. 14 (1838). | |
| *Thyrsocera Discicollis, Brunn.* l. c. p. 123. n. 10 (1865); (?) Sauss. Miss. Mex., Orth. p. 51 (1870). | |
| 13. **P. Gueriniana, Sauss.** (*Thyrsocera G.*) Rev. Zool. (2) xiv. p. 168 (1862); Mém. Mex., Blatt. p. 124 (1864); Miss. Mex., Orth. p. 50 (1870); Brunn. l. c. p. 126. n. 19 (1865). | Mexico. |
| **14. **P. Mimica, Walk.** l. c. p. 80. n. 17 (1868). | Para. |
| **15. **P. Deceptura, Walk.** l. c. p. 82. n. 21 (1868). | id.,<br>Panama. |
| *Thyrsocera Aurantiaca, Sauss. & Zehntn.* l. c. p. 32. n. 6, pl. 3. ff. 6, 7 (1893). | |
| 16. **P. Americana, Sauss.** (*Thyrsocera A.*) Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 51 (1870). | Argentine Republic. |
| 17. **P. Annulicornis, Burm.** (*Thyrsocera A.*) l. c. p. 500. n. 9 (1838); Brunn. l. c. p. 125. n. 16 (1865). | Bahia,<br>Para<br>(eadem ?). |
| ? *Blatta Annulicornis, Walk.* l. c. p. 219 (1868). | |
| **18. **P. Melana, Walk.** l. c. p. 80. n. 16 (1868). | Brazil. |
| *19. **P. Crinicornis, Burm.** (*Thyrsocera C.*) l. c. p. 499. n. 2 (1838); Sauss. Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 48 (1870); (?) Sauss. & Zehntn. l. c. p. 33. n. 7 (1893). | Para,<br>Surinam. |
| *P. Crinicornis*, var., *Walk.* l. c. p. 78. n. 8 (1868). | |
| *Thyrsocera Luctuosa, Sauss.* Rev. Zool. (2) xx. p. 99 (1868); Miss. Mex., Orth. p. 48, pl. 1. ff. 27, 27 *a* (1870). | |
| *20. **P. Affinis, Burm.** (*Thyrsocera A.*) l. c. p. 499. n. 4 (1838); (?) Brunn. l. c. p. 124. n. 14 (1865). | Surinam. |
| *P. Affinis, Walk.* l. c. p. 79. n. 9 (1868). | |
| 21. **P. Hirticornis, Burm.** (*Thyrsocera H.*) l. c. p. 500. n. 10 (1868). | Para. |
| 22. **P. Simulans, Stål,** Eugenie's Resa, Ins. p. 310. n. 31 (1858). | Brazil. |
| *Thyrsocera Simulans, Brunn.* l. c. p. 124. n. 13 (1865). | |
| **23. **P. Melandryoides, Walk.** l. c. p. 84. n. 25 (1868). | Amazons<br>(St. Paolo). |
| 24. **P. Tristicula, Stål,** l. c. p. 310. n. 32 (1858). | Rio Janeiro. |

| | |
|---|---|
| *Thyrsocera Tristicula, Brunn.* l. c. p. 125. n. 17 (1865). | |
| 25. **P. Nigrita, Sauss.** (*Thyrsocera N.*) Rev. Zool. (2) xxi. p. 111 (1869); Miss. Mex., Orth. p. 52 (1870). | Brazil. |
| 26. **P. Obscura, Sauss.** (*Thyrsocera O.*) Miss. Mex., Orth. p. 52 (1870). | Bolivia (Sta. Cruz). |
| *27. **P. Puiggarii, Bol.** (*Thyrsocera P.*) An. Soc. Españ. x. p. 354 (1881). | Brazil. |

## Genus 14. **Hemithyrsocera.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 31 (1893).

| | |
|---|---|
| *1. **H. Nigra, Brunn.** (*Thyrsocera N.*) Syst. Blatt. p. 120. n. 5 (1865); Ann. Mus. Genova, xxxiii. p. 21 (1893). | China, Cambodia, Burma. |
| *Ellipsidium Subcinctum, Walk.* Cat. Blatt. B. M. p. 85. n. 5 (1868). | |
| *2. **H. Soror, Brunn.** (*Thyrsocera S.*) Syst. Blatt. p. 120. n. 6 (1865). | Celebes. Java. |
| 3. **H. Ferruginea, Brunn.** (*Thyrsocera F.*) Ann. Mus. Genova, xxxiii. p. 22, pl. 1. f. 6 (1893). | Burma. |
| *4. **H. Scutigera, Walk.** (*Pseudomops S.*) l. c. p. 212 (1868). | Sarawak. |
| 5. **H. Communis, Brunn.** l. c. p. 23 (1893). | Burma. |
| *6. **H. Lateralis, Walk.** (*Ellipsidium Laterale*) l. c. p. 213 (1868). | id., Siam, India. |
| *Thyrsocera Major, Brunn.* l. c. p. 22, pl. 1. f. 7 (1893). | |
| 7. **H. Vittata, Brunn.** (*Thyrsocera V.*) Syst. Blatt. p. 119. n. 4 (1865). | Cambodia. |
| 8. **H. Lugubris, Stål,** (*Thyrsocera L.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877). | Philippines. |
| 9. **H. Signata, Brunn.** (*Thyrsocera S.*) l. c. p. 119. n. 3 (1865). | id. |
| *Thyrsocera Circumcincta, Stål,* l. c. p. 33 (1877). | |
| 10. **H. Rufiventris, Stål,** (*Thyrsocera R.*) l. c. (1877). | id. |
| 11. **H. Semicincta, Stål,** (*Thyrsocera S.*) l. c. (1877). | id. |
| 12. **H. Circumclusa, Stål,** (*Thyrsocera C.*) l. c. p. 34 (1877). | id. |

| | |
|---|---|
| 13. **H. Suspecta, Bol.** Ann. Soc. Ent. France. 1897, p. 288. | India. |
| 14. **H. (?) Australis, Tepp.** (*Thyrsocera* (?) *A.*) Tr. R. Soc. S. Australia. xix. p. 153 (1895). | N. Queensland. |

## Genus 15. **Nisibis.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 34 (1877).

| | |
|---|---|
| 1. **N. Amœna, Stål,** (*Thyrsocera* (*Nisibis*) *A.*) l. c. (1877). | Philippines. |

## Genus 16. **Thyrsocera.** (*Type* no. 5.)

Burm. Handb. Ent. ii. p. 498 (1838); Brunn. Syst. Blatt. p. 115 (1865), *nec Sauss.*

| | |
|---|---|
| 1. **T. Xanthophila, Walk.** (*Blatta X.*) Cat. Blatt. B. M. p. 230 (1868). | Celebes. |
| *2. **T. Histrio, Burm.** l. c. p. 499. n. 7 (1838); Brunn. l. c. p. 118. n. 2 (1865).<br>*Blatta Lateralis, Serv.* Ins. Orth. p. 107 (1839).<br>*Thyrsocera Lineaticollis, Bol.* An. Soc. Españ. xix. p. 302 (1890). | Java, Penang, Sumatra. |
| 3. **T. Fissa, Walk.** (*Pseudomops F.*) Cat. Blatt. B. M. p. 213 (1868). | Sumatra. |
| *4. **T. Pica, Walk.** (*Pseudomops P.*) l. c. (1868). | id., Singapore. |
| *5. **T. Spectabilis, Burm.** l. c. p. 498. n. 1 (1838); Brunn. l. c. p. 121. n. 7 (1865).<br>*Ellipsidium Speciosum, Walk.* l. c. p. 214 (1868). | Nepal, Ceylon, "E. Archipelago." |
| 6. **T. Jucunda, Sauss.** (*Hemithyrsocera J.*) Soc. Ent. viii. p. 57 (1893). | India. |

## Genus 17. **Pachnepteryx.** (*Type* no. 1.)

*Pachnepterix, Brunn.* Syst. Blatt. p. 116 (1865).

| | |
|---|---|
| 1. **P. Pruinosa, Brunn.** (*Thyrsocera P.*) l. c. p. 117. n. 1 (1865). | Philippines. |
| *2. **P. Ventralis, Walk.** (*Ellipsidium Ventrale*) Cat. Blatt. B. M. p. 85. n. 7 (1868). | id. |

| | |
|---|---|
| 3. **P. Pallidicollis, Stål,** (*Thyrsocera* (*Pachnepteryx*) *P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 33 (1877). | Philippines. |
| 4. **P. Signaticollis, Stål,** (*Thyrsocera* (*Pachnepteryx*) *S.*) l. c. (1877). | id. |

## Genus 18. **Ellipsidion.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xvii. p. 146 (1863).
*Ellipsidium, Sauss.* Mém. Mex., Blatt. p. 118 (1864).
*Apolyta, Brunn.* Syst. Blatt. p. 112 (1865) : Tepp. Tr. R. Soc. S. Australia, xvii. p. 44 (1893). (*Type* no. 15.)

| | |
|---|---|
| **1. **E. Mundicola, Walk.** (*Blatta M.*) Cat. Blatt. B. M. p. 101. n. 74 (1868). | Australia. |
| 1 *a*. **E. Marginatum, Tepp.** (*Apolyta Marginata*) l. c. xix. p. 152 (1895). | Victoria. |
| 1 *b*. **E. Latirupta, Walk.** (*Blatta L.*) Cat. Blatt. B. M. Suppl. p. 143 (1869). | N. S. Wales. |
| **1 *c*. **E. Inquinata, Walk.** (*Blatta I.*) Cat. Blatt. B. M. p. 103. n. 78 (1868). | Australia. |
| 1 *d*. **E. Bitæniata, Sauss.** (*Blatta B.*) Mém. Soc. Genève, xx. p. 243 (1869). | id. |
| *2. **E. Femoratum, Brunn.** (*Phyllodromia Femorata*) l. c. p. 101. n. 18 (1865). | Sydney. |
| 3. **E. Quadripunctatum, Tepp.** (*Apolyta Quadripunctata*) l. c. xvii. p. 45 (1893). | Adelaide. |
| *4. **E. Albovittatum, Sauss.** (*Blatta* (*Phyllodromia*) *Albovittata*) l. c. xxiii. p. 95 (1873). | Australia. |
| 5. **E. (?) Marginiferum, Walk.** (*Blatta Marginifera*) l. c. p. 107. n. 87 (1868). | id. |
| **6. **E. Depressum, Walk.** (*Blatta Depressa*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871). | id. |
| *7. **E. Humerale, Tepp.** (*Apolyta Humeralis*) l. c. xvii. p. 46 (1893). | Australia. |
| 8. **E. Pallidum, Tepp.** (*Apolyta Pallida*) l. c. p. 46 (1893). | S. Australia. |
| 9. **E. Decoratum, Tepp.** (*Apolyta Decorata*) l. c. (1893). | S. & W. Australia. |
| 10. **E. Testaceum, Tepp.** (*Apolyta Testacea*) Horn Exped. Centr. Australia, ii. p. 358 (1896). | Centr. Australia. |
| 11. **E. Litura, Tepp.** (*Apolyta L.*) l. c. p. 359 (1896). | id. |
| **12. **E. Variegatum, Fabr.** (*Blatta Variegata*) Syst. Ent. p. 273. n. 13 (1775). | Australia. |

| | |
|---|---|
| ‖*Apolyta Vestita*, *Brunn.* l. c. p. 113. n. 1 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 45 (1893). | |
| 12 *a.* **E.(?) Vestitum, Burm.** (*Blatta Vestita*) Handb. Ent. ii. p. 498. n. 11 (1838). | Java. |
| 13. **E. Bicolor, Tepp.** (*Apolyta B.*) l. c. xix. p. 152 (1895). | Cape York. |
| *14. **E. Australe, Sauss.** (*Thyrsocera Australis*) Mém. Soc. Genève, xvii. p. 146, pl. 1. f. 11 (1863). | Australia. |
| *E. Australe*, *Sauss.* Rev. Zool. (2) xvi. p. 312 (1864), *pupa*. | |
| **14 *a.* **E. Placens, Walk.** (*Blatta P.*) l. c. p. 29 (1871), *larva*. | id. |
| 15. **E. Pellucidum, Brunn.** (*Apolyta Pellucida*) l. c. p. 114. n. 2, pl. 3. f. 10 A–E (1865); Tepp. l. c. xvii. p. 47 (1893), xix. p. 151 (1895). | N. S. Wales. |
| *16. **E. Aurantium, Sauss.** Rev. Zool. (2) xvi. p. 312 (1864). | Australia. |
| *Apolyta Aurantia*, *Sauss.* Mém. Soc. Genève, xx. p. 250 (1869). | |
| *17. **E. Reticulatum, Sauss.** Rev. Zool. (2) xvi. p. 312 (1864). | id. |
| *Apolyta Reticulata*, *Sauss.* Mém. Soc. Genève, xx. p. 250 (1869). | |
| 18. **E. Pallescens, Tepp.** (*Apolyta P.*) l. c. xix. p. 152 (1895). | Victoria. |
| **19. **E. Gracile, Butl.** Cist. Ent. i. p. 294 (1874). | Rockhampton. |
| **20. **E. Apicifera, Walk.** (*Blatta A.*) Cat. Blatt. B. M. p. 110. n. 94 (1868). | Australia. |
| 21. **E.(?) Ramosum, Walk.** (*Blatta Ramosa*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 29 (1871). | id. |

### Genus 19. **Ischnoptera.** (*Type* no. 73.)

Burm. Handb. Ent. ii. p. 500 (1838); Sauss. Mém. Mex., Blatt. p. 78 (1864); Miss. Mex., Orth. p. 53 (1870); Brunn. Syst. Blatt. p. 128 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 34 (1893); Tepp. Tr. R. Soc. S. Australia, xvii. p. 50 (1893).

‖*Platamodes*, *Scudd.* Bost. Journ. Nat. Hist. vii. p. 417 (1862).

| | |
|---|---|
| *1. **I. Strigosa, Schaum,** (*Blatta S.*) Peters' Reise Mossamb., Zool. v. p. 108 (1862). | Mozambique, Natal, &c. |
| *I. Strigosa*, *Brunn.* l. c. p. 138. n. 13 (1865). | |

| | |
|---|---|
| *I. Natalensis, Walk.* Cat. Blatt. B. M. p. 117. n. 30 (1868). | |
| 2. **I. Bocagii, Bol.** J. Sci. Lisboa, xxx. p. 107 (1882). | Angola. |
| 3. **I. Picea, Schulth.** Ann. Mus. Genova, xxxix. p. 166 (1898). | Somali Land. |
| 4. **I. Neutra, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 571 (1899). | S. Africa. |
| 5. **I. Incuriosa, Sauss.** l. c. (1899). | id. |
| 6. **I. Malagassa, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 18, pl. 6. f. 66 (1895); Sauss. l. c. p. 570 (1899). | Madagascar |
| 7. **I. Ectobioides, Sauss.** Mém. Soc. Genève. xxiii. p. 104 (1873). | S. China. |
| **8. **I. Sinensis, Walk.** l. c. Suppl. p. 148 (1869). | Hong Kong. |
| 9. **I. Ramosa, Sauss.** l. c. xx. p. 254 (1869). | "E. Indies." |
| 10. **I. Himalayica, Brunn.** l. c. p. 129. n. 1 (1865). | Himalayas. |
| **11. **I. Continua, Walk.** (*Blatta C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871). | Bombay. |
| 12. **I. Arcta, Brunn.** l. c. p. 132. n. 7 (1865). | Ceylon. |
| 13. **I. Procera, Brunn.** l. c. p. 137. n. 12 (1865). | id. |
| 14. **I. Multiramosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 23, pl. 1. f. 8 (1893). | Burma (Rangoon). |
| 15. **I. Fusca, Brunn.** l. c. p. 24 (1893). | id. (Palon). |
| 16. **I. Modesta, Brunn.** l. c. (1893). | id. (Bhamo). |
| 17. **I. Indica, Brunn.** Syst. Blatt. p. 130. n. 2 (1865). | Malacca. |
| 18. **I. Majuscula, Walk.** (*Blatta M.*) Cat. Blatt. B. M. Suppl. p. 139 (1869). | Siam. |
| *19. **I. Reversa, Walk.** l. c. p. 147 (1869). | Singapore. |
| 20. **I. Flavicollis, Serv.** (*Kakerlac F.*) Ins. Orth. p. 69 (1839).<br>*I. Flavicollis, Brunn.* l. c. p. 138. n. 14 (1865); (?) Sauss. l. c. xx. p. 251 (1869). | Java. |
| 21. **I. Obtusifrons, Walk.** (*Blatta O.*) Cat. Blatt. B. M. p. 226 (1868). | Sarawak. |
| *22. **I. Australis, Sauss.** Mém. Soc. Genève, xvii. p. 155, pl. 1. f. 17 (1863).<br>*I. Australica, Brunn.* l. c. p. 131. n. 4 (1865); Tepp. l. c. p. 50 (1893).<br>*Periplaneta Apicalis, Walk.* l. c. p. 129. n. 17 (1868). | Australia. |
| *23. **I. Fulva, Sauss.** l. c. xvii. p. 156, pl. 1. f. 18 (1863), xx. p. 251 (1869). | id. |

| | |
|---|---|
| 24. **I. Longiuscula, Walk.** (*Blatta L.*) l. c. Suppl. p. 143 (1869).<br>*I. Longiuscula, Tepp.* l. c. xvii. p. 51 (1893), xix. p. 154 (1895). | Melbourne.<br>S. Australia. |
| 25. **I. Termitina, Sauss.** l. c. xvii. p. 157, pl. 1. f. 19 (1863), xx. p. 251 (1869). | Australia. |
| 26. **I. Triramosa, Sauss.** l. c. xx. p. 252 (1869). | id. |
| 27. **I. Anastomosa, Tepp.** l. c. xvii. p. 53 (1893). | S. Australia. |
| *28. **I. Brunneonigra, Tepp.** l. c. xix. p. 155 (1895). | Victoria. |
| **29. **I. Centralis, Walk.** Cat. Blatt. B. M. p. 120. n. 38 (1868). | S. Australia. |
| 30. **I. Manicata, Tepp.** l. c. xvii. p. 53 (1893). | id. |
| 31. **I. Paral[l]ella, Tepp.** l. c. (1893). | Australia. |
| 32. **I. Contraria, Tepp.** l. c. p. 54 (1893). | S. Australia. |
| 33. **I. Obscura, Tepp.** l. c. (1893). | Australia. |
| 34. **I. Annulata, Tepp.** l. c. p. 51 (1893). | S. Australia. |
| 35. **I. Excisa, Bol.** Mém. Soc. Zool. France, i. p. 124 (1888). | Cuba. |
| *36. **I. Rufescens, Beauv.** (*Blatta R.*) Ins. Afr. Amér. p. 183, Orth. pl. 1 *b.* f. 7 (1805).<br>*I. Rufescens, Sauss.* Mém. Mex., Blatt. p. 91 (1864); Brunn. Syst. Blatt. p. 139. n. 18 (1865).<br>*I. Terminalis, Walk.* Cat. Blatt. B. M. p. 122. n. 43 (1868).<br>*Blatta Capitata, Sauss.* Rev. Zool. (2) xiv. p. 167 (1862); Mém. Mex., Blatt. p. 114, pl. 1. f. 19 (1864).<br>*I. Capitata, Brunn.* l. c. p. 140. n. 21 (1865).<br>*Epilampra Blattoides, Sauss.* Mém. Soc. Genève, xvii. p. 145 (1863).<br>*I. Blattoides, Sauss.* Miss. Mex., Orth. p. 54, pl. 1. f. 31 (1870). | Haiti,<br>Jamaica,<br>Cuba,<br>India,<br>Africa,<br>Mexico to Brazil. |
| 37. **I. Inæqualis, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 36. n. 1, pl. 6. ff. 14–17 (1893). | Texas.<br>Mexico. |
| *38. **I. Uhleriana, Sauss.** Rev. Zool. (2) xiv. p. 169 (1862); Mém. Mex., Blatt. p. 82 (1864); Miss. Mex., Orth. p. 55 (1870); Sauss. & Zehntn. l. c. p. 36. n. 2, pl. 3. ff. 21–23 (1893). | Pennsylvania,<br>Southern States. |
| 39. **I. Hamata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 4 (1898). | Ecuador. |

| | |
|---|---|
| 40. **I. Sancta, Giglio-Tos,** l. c. p. 5 (1898). | Ecuador. |
| 41. **I. Festæ, Griff.** (*Epilampra F.*) Boll. Mus. Torino. xi. (236) p. 2 (1896).<br>*I. Festæ, Giglio-Tos,* l. c. xiii. (311) p. 3 (1898). | Panama. |
| 42. **I. Brasiliensis, Brunn**. l. c. p. 130. n. 3 (1865); Sauss. Miss. Mex., Orth. p. 55, pl. 2. f. 32 (1870). | Brazil. |
| 43. **I. Peruana, Sauss.** Rev. Zool. (2) xiv. p. 169 (1862); Mém. Mex., Blatt. p. 90 (1864); Brunn. l. c. p. 141. n. 22 (1865). | Peru. |
| 44. **I. Mexicana, Sauss.** ll. cc. (2) xiv. p. 170 (1862); p. 86 (1864); Miss. Mex., Orth. p. 64, pl. 2. f. 36 (1870); Brunn. l. c. p. 141. n. 22 (1865). | Mexico. |
| **45. **I. Nigricollis, Walk.** Cat. Blatt. B. M. p. 118. n. 32 (1868). | Georgia. |
| *46. **I. Occidentalis, Sauss.** Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 87 (1864); Brunn. l. c. p. 141. n. 23 (1865). | New Orleans, Mexico. |
| *47. **I. Consobrina, Sauss.** ll. cc. (2) xiv. p. 170 (1862); p. 88 (1864); Miss. Mex., Orth. p. 59, pl. 2. f. 34 (1870); Sauss. & Zehntn. l. c. p. 37. n. 4, pl. 3. f. 24 (1893); Brunn. l. c. p. 141. n. 24 (1865). | Mexico. |
| **48. **I. Melasa, Walk.** l. c. p. 118. n. 31 (1868). | Santarem. |
| **49. **I. Lucida, Walk.** l. c. p. 120. n. 39 (1868). | Pernambuco. |
| 50. **I. Elongata, Beauv.** (*Blatta E.*) l. c. p. 183, Orth. pl. 1 *b*. f. 5 (1805).<br>*I. Elongata, Sauss.* Mém. Mex., Blatt. p. 89 (1864). | Haiti. |
| **51. **I. Clara, Walk.** l. c. p. 114. n. 14 (1868). | Brazil. |
| 52. **I. Rufa, Brunn.** l. c. p. 131. n. 5, pl. 3. f. 13 A–C (1865). | id. |
| 53. **I. Bergrothi, Griff.** (*Epilampra B.*) l. c. xi. (236) p. 3 (1896).<br>*I. Bergrothi, Giglio-Tos,* l. c. xiii. (311) p. 4 (1898). | Panama. |
| 54. **I. Josephina, Giglio-Tos,** l. c. p. 6 (1898). | Ecuador. |
| **55. **I. Conformis, Sauss. & Zehntn.** l. c. p. 37. n. 5, pl. 3. f. 25 (1893). | Nicaragua. |
| *56. **I. Ignobilis, Sauss.** Rev. Zool. (2) xvi. p. 313 (1864); Miss. Mex., Orth. p. 60 (1870); Sauss. & Zehntn. l. c. p. 37. n. 6 (1893). | Buenos Aires, Guatemala. |

| | |
|---|---|
| 57. **I. Ocularis, Sauss.** Mém. Soc. Genève. xxiii. p. 103 (1873). | Cayenne. |
| 58. **I. Bivittata, Thom.** Proc. Davenport Acad. i. p. 250, pl. 36. ff. 1, 2 (1876). | San Francisco. |
| 59. **I. Bicolor, Beauv.** (*Blatta B.*) l. c. p. 183, pl. 1 *b*. f. 6 (1805). | Haiti. |
| *I. Bicolor, Sauss.* Mém. Mex., Blatt. p. 90 (1864); Brunn. l. c. p. 139. n. 17 (1865). | |
| *60. **I. Borealis, Brunn.** l. c. p. 133. n. 8 (1865). | Delaware, Texas. |
| *I. Hyalina, Scudd.* Trans. Amer. Ent. Soc. ii. p. 307 (1869). | |
| 61. **I. Unicolor, Scudd.** (*Platamodes U.*) Boston Journ. Nat. Hist. vii. p. 417 (1862). | Massachusetts. |
| *I. Unicolor, Brunn.* l. c. p. 134. n. 9 (1865); Sauss. Miss. Mex., Orth. p. 56 (1870). | |
| *Ectobia Lithophila, Scudd.* l. c. p. 418 (1862), *larva.* | |
| *62. **I. Nahua, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 56, pl. 2. f. 33 (1870). | Mexico. |
| **63. **I. Inca, Sauss. & Zehntn.** l. c. p. 38, pl. 4. f. 23 (1893). | Guatemala. |
| *64. **I. Castanea, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 61 (1870); Sauss. & Zehntn. l. c. p. 38. n. 9 (1893). | Brazil, Mexico. |
| 65. **I. Bilunata, Sauss.** ll. cc. p. 111 (1869); p. 58 (1870). | Bolivia (Chiquitos). |
| 66. **I. Taczanowskii, Bol.** An. Soc. Españ. x. p. 467 (1881). | Peru. |
| *67. **I. Azteca, Sauss.** Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 88 (1864); Miss. Mex., Orth. p. 65 (1870); Brunn. l. c. p. 141. n. 26 (1865). | Mexico. |
| *Blatta Otomia, Sauss.* Mém. Mex., Blatt. p. 104 (1864). | |
| *68. **I. Tolteca, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 64, pl. 2. f. 37 (1870). | id. |
| **69. **I. Nana, Sauss. & Zehntn.** l. c. p. 39. n. 12 (1893). | Nicaragua. |
| *70. **I. Parvula, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 62 (1870); Sauss. & Zehntn. l. c. p. 39. n. 13 (1893). | Brazil, Cuba, Nicaragua. |

| | |
|---|---|
| 71. **I. Annulicornis, Sauss. & Zehntn.** l. c. p. 40. n. 14 (1893). | Guatemala. |
| *72. **I. Vilis, Sauss.** ll. cc. (2) xxi. p. 112 (1869); p. 60 (1870). | S. America (Corrientes) |
| *73. **I. Morio, Burm.** l. c. p. 500. n. 3 (1838). | Colombia. |
| *74. **I. Pen[n]sylvanica, De Geer,** (*Blatta P.*) Mém. Ins. iii. p. 537, pl. 44. f. 4 (1773). | United States. |
| *I. Pennsylvanica, Sauss.* Mém. Mex., Blatt. p. 84 (1864); Miss. Mex., Orth. p. 63, pl. 2. f. 35 (1870). | |
| *I. Pensylvanica, Brunn.* l. c. p. 135. n. 11 (1865). | |
| *I. Nortoniana, Sauss.* Rev. Zool. (2) xiv. p. 169 (1862). | |
| 75. **I. Couloniana, Sauss.** l. c. (1862); Mém. Mex., Blatt. p. 83 (1864); Miss. Mex., Orth. p. 63 (1870); Sauss. & Zehntn. l. c. p. 40. n. 15 (1893). | Texas, Mexico. |
| *I. Lata, Brunn.* l. c. p. 135. n. 10 (1865). | |
| **76. **I. Rubiginosa, Walk.** l. c. p. 121. n. 41 (1868). | Santarem. |
| 77. **I.** (?) **Cincta, Fabr.** (*Blatta C.*) Mant. Ins. i. p. 226. n. 17 (1787). | North (?) America. |
| 78. **I. Marginata, Brunn.** l. c. p. 132. n. 6 (1865). | Brazil. |
| 79. **I. Translucida, Sauss.** Mém. Mex., Blatt. p. 85 (1864). | N. America. |
| **80. **I. Undulifera, Walk.** Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 31 (1871). | Nicaragua (Chontales) |
| 81. **I. Divisa, Sauss. & Zehntn.** l. c. p. 40. n. 16 (1893). | Georgia, North Mex. |
| 82. **I. Bolliana, Sauss. & Zehntn.** l. c. n. 17 (1893). | Texas, New Mex. |
| 83. **I. Hebes, Walk.** Cat. Blatt. B. M. p. 122. n. 42 (1868). | Santarem. |
| 84. **I. Fumata, Burm.** l. c. p. 500. n. 2 (1838); Brunn. l. c. p. 139. n. 16 (1865). | Brazil. |
| **85. **I. Deprivata, Walk.** (*Blatta D.*) l. c. p. 215 (1868). | Hab. —— ? |

### Genus 20. **Pseudischnoptera.**

Sauss. Rev. Zool. (2) xxi. p. 112 (1869); Miss. Mex., Orth. p. 66 (1870).

| | |
|---|---|
| 1. **P. Lineata, Oliv.** (*Blatta L.*) Enc. Méth., Ins. iv. p. 317. n. 17 (1789); Beauv. Ins. Afr. Amér. p. 218, Orth. pl. 2 *c.* f. 5 (1805); Serv. Ins. Orth. p. 98 (1839).<br>*Thyrsocera Lineata, Brunn.* Syst. Blatt. p. 126. n. 20 (1865).<br>*P. Lineata, Sauss.* Miss. Mex., Orth. p. 67 (1870). | Cayenne, Antilles. |

### Genus 21. **Chrastoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. pp. 17, 20 (1895).

| | |
|---|---|
| 1. **C. Tricolor, Sauss. & Zehntn.** l. c. p. 21, pl. 2. f. 17 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 572 (1899). | Madagascar (Antananarivo). |
| 2. **C. Dimidiata, Sauss.** (*Proscratea D.*) Mém. Soc. Genève, xvii. p. 160 (1863).<br>*C. Dimidiata, Sauss. & Zehntn.* l. c. p. 23, pl. 2. f. 18 (1895).<br>*Proscratea Marginata, Brunn.* Syst. Blatt. p. 326. n. 3 (1868). | |

### Genus 22. **Caloblatta.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 33 (1893).

| | |
|---|---|
| **1. **C. Bicolor, Sauss.** l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 33. n. 1 (1893). | Costa Rica. |
| **2. **C. Tricolor, Sauss.** l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 34. n. 2, pl. 3. ff. 11–13 (1893). | Guatemala, Nicaragua. |

### Genus 23. **Phyllodromia.** (*Type* no. 1.)

Serv. Ins. Orth. p. 105 (1839); Fisch. Waldh. Orth. Ross. p. 75 (1846); Brunn. Syst. Blatt. p. 88 (1865); Prodr. Eur. Orth. p. 45 (1882); Bol. Sin. Ortópt. Españ. p. 47 (1876); Fin. Faune France, Orth. p. 80 (1889); Burr. Brit. Orth. p. 23 (1897); Tümp. Geradfl. Mitteleuropas, p. 234 (1900).

| *Blatta*, *pt.*, *Linn.* Syst. Nat. (ed. xii.) i. (2) p. 667 (1767); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 41 (1893); Grandidier, Hist. Madagascar, Orth. i. p. 24 (1895).

*Liosilpha*, *Stål*, Bihang Svensk. Akad. ii. (13) p. 10 (1874). (*Type* no. 154.)

*Blattella*, *Caud.* Proc. Ent. Soc. Washington, v. p. 234 (1903). (*Type* no. 1.)

*1. **P. Germanica, Linn.** (*Blatta G.*) Syst. Nat. (ed. xii.) i. (2) p. 668. n. 7 (1767); Herbst, Fuessly, Arch. Ins. p. 186, pl. 49. f. 10 (1786); Don. Brit. Ins. x. pl. 341 (1800); Stoll, Spectres, Blatt. p. 7, pl. 4 *d.* f. 18 (1813); Serv. Ins. Orth. p. 107 (1839); Fisch. Orth. Eur. p. 112, pl. 7. ff. 21, 21 *a* (1853); Sauss. & Zehntn. ll. cc. p. 42, n. 1 (1893); p. 27 (1895).
*Ectobius Germanicus*, *Steph.* Ill. Brit. Ent., Mand. vi. p. 46 (1835).
*Phyllodromia Germanica*, *Fisch. Waldh.* l. c. p. 76, pl. 1. f. 4 (1842); Brunn. ll. cc. p. 90. n. 1, pl. 2. f. 7 A–E (1865); p. 46, pl. 1. f. 9 A–E (1882); Bol. l. c. p. 48 (1876); Fin. l. c. p. 81, pl. 2. f. 47 (1889); Burr, l. c. p. 23, pl. 2. f. 4 (1897); Tümp. l. c. p. 234, pl. 15 (1900).
*Phyllodromia Bivittata*, *Sauss.* Mém. Mex., Blatt. p. 102 (1864).
Denmark, Europe, &c. (*Cosmopolitan.*)

*2. **P. Bivittata, Serv.** (*Blatta B.*) Ins. Orth. p. 108 (1839); Sauss. Miss. Mex., Orth. p. 28 (1870).
*P. Bivittata*, *Brunn.* l. c. p. 92. n. 3 (1865).
Africa, &c. (*Cosmopolitan.*)

3. **P. Parenthesis, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 57 (1883).
W. Africa (Ogowe).

4. **P. Madecassa, Sauss.** (*Blatta M.*) Ann. Mus. Genova, xxxv. p. 72 (1895); Abhandl. Senckenb. Ges. xxi. p. 572 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 29 (1895).
Madagascar Somali Land.

5. **P. Bimaculata, Gerst.** Arch. Naturg. xxxv. p. 206 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 4 (1873).
E. Africa (Lake Jipe).

*6. **P. Bitæniata, Stål,** (*Blatta B.*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Brunn. l. c. p. 93 (1865).
*Ischnoptera Hastifera*, *Walk.* Cat. Blatt. B. M. Suppl. p. 147 (1869).
S. Africa (R. Swakop)

| | |
|---|---|
| 6 *a*. **P. Macilenta, Sauss. & Zehntn.** (*Blatta M.*) l. c. p. 33, pl. 1. f. 12 (1895). | S. Africa (Orange R.). |
| 7. **P. Difficilis, Sauss.** (*Blatta D.*) Abhandl. Senckenb. Ges. xxi. p. 572 (1899). | Madagascar (Nossi Bé). |
| 8. **P. Extenuata, Walk.** (*Blatta E.*) Cat. Blatt. B. M. p. 221 (1869). | Egypt. |
| *9. **P. Lobiventris, Sauss.** (*Blatta L.*) Ann. Mus. Genova, xxxv. p. 73 (1895). | E. Africa (Shoa). |
| 10. **P. Incisa, Sauss. & Zehntn.** (*Blatta I.*) l. c. p. 37, pl. 1. f. 8 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899). | Madagascar (Antananarivo). |
| 11. **P. Fissa, Sauss. & Zehntn.** (*Blatta F.*) l. c. p. 39, pl. 1. f. 11 (1895). | id. |
| 12. **P. Constricta, Sauss.** (*Blatta* (*Phyllodromia*) *C.*) Ann. Mus. Genova, xxxv. p. 74 (1895). | E. Africa (Erythræa). |
| 13. **P. Hemerobina, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 57 (1883). | W. Africa (Ogowe). |
| 14. **P. Centralis, Gerst.** l. c. p. 58 (1883). | Cameroons. |
| 15. **P. Pustulosa, Gerst.** l. c. p. 59 (1883). | id. |
| 16. **P. Ferrea, Sauss. & Zehntn.** (*Blatta F.*) l. c. p. 36, pl. 1. f. 7 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 573 (1899). | Madagascar |
| 17. **P. Lacrymula, Sauss. & Zehntn.** (*Blatta L.*) l. c. p. 31, pl. 1. f. 10 (1895). | id. |
| *18. **P. Supellectilium, Serv.** (*Blatta S.*) Ins. Orth. p. 114 (1839); Sauss. & Zehntn. l. c. p. 34 (1895). | Mauritius, Africa, &c. (*Cosmopolitan.*) |
| *P. Supellectilium, Brunn.* l. c. p. 98. n. 11 (1865). | |
| *Blatta Cubensis, Sauss.* Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 108, pl. 1. ff. 14, 15 (1864). | |
| *P. Cubensis, Brunn.* l. c. p. 109. n. 29 (1865). | |
| *Blatta Capensis, Sauss.* Rev. Zool. (2) xvi. p. 210 (1864); Mém. Soc. Genève, xx. p. 243, pl. 3. ff. 21, 21 *a* (1869). | |
| *Blatta Incisa, Walk.* l. c. p. 109. n. 92 (1868). | |
| *Ischnoptera Quadriplaga, Walk.* l. c. p. 121. n. 40 (1868). | |
| *Blatta Phalerata, Sauss.* Mém. Soc. Genève, xvii. p. 151, pl. 1. f. 16 (1864). | |
| *Blatta Subfasciata, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 26 (1871). | |

| | | |
|---|---|---|
| 19. | **P. Tenella, Stål,** (*Blatta T.*) l. c. xiii. p. 166 (1856).<br>*P. Tenella, Brunn.* l. c. p. 99. n. 13 (1865). | Natal. |
| 20. | **P. Cordofana, Brunn.** l. c. p. 97. n. 10 (1865). | Khartoum. |
| 21. | **P. Massauæ, Sauss. & Zehntn.** (*Blatta M.*) l. c. p. 28 (1895). | Massowa. |
| 22. | **P. Corommensis, Schulth.** Ann. Mus. Genova, xxxix. p. 165 (1898). | Somali Land. |
| 23. | **P. Delta, Kirb.** Ann. Nat. Hist. (7) v. p. 280 (1900); Distant, Ins. Transvaal. p. 19, pl. 1. f. 4 (1900). | Transvaal (Barberton). |
| *24. | **P. Ruficeps, Kirb.** ll. cc. p. 280 (1900); p. 20, pl. 1. f. 7 (1900). | Nyasa Land. |
| 25. | **P. Circumcincta, Reiche & Fairm.** (*Blatta C.*) Ferret & Galinier, Voy. Abyss. iii. p. 421, pl. 27. f. 3 (1847).<br>*P. Circumcincta, Brunn.* l. c. p. 100. n. 15 (1865). | Abyssinia. |
| 26. | **P. Patricia, Gerst.** l. c. p. 60 (1883). | Cameroons. |
| 27. | **P. Cinnamomea, Gerst.** l. c. p. 62 (1883). | id. |
| 28. | **P. Pulchella, Gerst.** l. c. p. 61 (1883). | id. |
| *29. | **P. Vinula, Stål,** (*Blatta V.*) l. c. xiii. p. 166 (1856).<br>*P. Vinula, Brunn.* l. c. p. 100. n. 14 (1865). | Natal. |
| **30. | **P. Fulvipes, Walk.** (*Blatta F.*) Cat. Blatt. B. M. p. 105. n. 82 (1868). | Sierra Leone. |
| **31. | **P. Amœna, Walk.** (*Blatta Amœna*) l. c. p. 220 (1868). | W. Africa.<br>Natal. |
| 32. | **P. Alluaudi, Bol.** (*Blatta A.*) Ann. Soc. Ent. France, 1893, p. 171. | W. Africa (Assinie). |
| **33. | **P. Macroptera, Walk.** (*Blatta M.*) l. c. p. 104. n. 80 (1868). | Natal. |
| **34. | **P. Reducta, Walk.** (*Blatta R.*) l. c. p. 220 (1868). | W. Africa. |
| 35. | **P. Trigonalis, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 574 (1899). | S. Africa. |
| 36. | **P. Carsiphila, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 ( 1883). | Senegambia |
| **37. | **P. Beauvoisii, Walk.** (*Blatta B.*) l. c. p. 101. n. 72 (1868). | Sierra Leone. |
| **38. | **P. Curta, Walk.** (*Blatta C.*) l. c. p. 220 (1868). | Congo. |
| 39. | **P. Basalis, Gerst.** l. c. p. 63 (1883). | Cameroons. |
| 40. | **P. Punctifrons, Gerst.** l. c. (1883). | id., Gaboon. |

| | |
|---|---|
| 41. **P. Ægrota, Gerst.** l. c. p. 64 (1883). | Ogowe. |
| 42. **P. Relucens, Gerst.** l. c. p. 65 (1883). | id. |
| 43. **P. Amplicollis, Gerst.** l. c. p. 66 (1883). | Gaboon. |
| 44. **P. Obsoleta, Gerst.** l. c. (1883). | Gold Coast. |
| 45. **P. Munzigeri, Sauss.** (*Blatta* (*Phyllodromia*) *M.*) Mém. Soc. Genève, xxiii. p. 94 (1873). | W. Africa (Bogos). |
| 46. **P. Opima, Sauss. & Zehntn.** l. c. p. 40, pl. 1. f. 13 (1895). | Madagascar |
| ‖*Blatta* (*Phyllodromia*) *Latipennis*, *Sauss.* Soc. Ent. vi. p. 26 (1891). | |
| 47. **P. Anomala, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xx. p. 248 (1869). | Gaboon. |
| 48. **P. Sikoræ, Sauss.** (*Blatta* (*Phyllodromia*) *S.*) Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. l. c. p. 34, pl. 6. f. 67 (1895). | Madagascar (Antananarivo). |
| 49. **P.(?) Bicincta, Walk.** (*Blatta B.*) Melliss, St. Helena, p. 166 (1875). | St. Helena. |
| 50. **P. Asiatica, Pall.** (*Blatta A.*) Reise, ii. p. 727. n. 76 (1773). | Siberia. |
| **51. **P. Lituricollis, Walk.** (*Blatta L.*) l. c. p. 105. n. 83 (1868). | Amoy. |
| 52. **P. Colligata, Walk.** (*Blatta C.*) l. c. p. 221 (1868). | id. |
| 53. **P. Bisignata, Brunn.** Ann. Mus. Genov. xxxiii. p. 15, pl. 1. f. 1 (1893). | Bhamo. |
| *Blatta Bisignata*, *Sauss. & Zehntn.* l. c. p. 28 (1896). | |
| 54. **P. Picteti, Fritze,** Rev. Suisse Zool. vii. p. 337 (1900). | Java. |
| *55. **P. Humbertiana, Sauss.** (*Polyzosteria H.*) Mém. Soc. Genève, xvii. p. 130 (1863), *larva.* | China, India. |
| *P. Cognata*, *Brunn.* Syst. Blatt. p. 92. n. 2 (1865); Ann. Mus. Genova, xxxiii. p. 17 (1893). | |
| *Blatta Cognata*, *Sauss. & Zehntn.* l. c. p. 30 (1895). | |
| *Blatta Latistriga*, *Walk.* l. c. p. 106. n. 84 (1868). | |
| *Blatta Subreticulata*, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871). | |
| 56. **P. Irregulariter-vittata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 202, pl. 16. f. 1 (1898). | Java, Borneo. |
| 57. **P. Latiusvittata, Brunn.** l. c. f. 2 (1898). | Java. |

| | | |
|---|---|---|
| 58. | **P. Curvinervis, Sauss. & Zehntn.** (*Blatta C.*) l. c. p. 32 (1895). | Java,<br>Borneo. |
| 59. | **P. Advena, Sauss. & Zehntn.** l. c. p. 33. pl. 1. f. 9 (1895). | Java. |
| 60. | **P. Variegata, Brunn.** l. c. p. 205, pl. 16. f. 10 (1898). | id. |
| 61. | **P. Sordida, Brunn.** Syst. Blatt. p. 104. n. 21 (1865). | Cambodia. |
| **62. | **P. Figurata, Walk.** (*Blatta F.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 24 (1871). | Bombay. |
| 63. | **P. Rectangulariter-vittata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 3 (1898). | Borneo. |
| 64. | **P. Triangulariter-vittata, Brunn.** l. c. f. 4 (1898). | id. (Baram). |
| **65. | **P. (?) Subcolorata, Walk.** (*Ischnoptera S.*) l. c. p. 32 (1871). | Bombay. |
| **66. | **P. Annulifera, Walk.** (*Blatta A.*) l. c. p. 24 (1871). | id. |
| **67. | **P. Fasciceps, Walk.** (*Blatta F.*) l. c. p. 25 (1871). | id. |
| 68. | **P. Diluta, Sauss.** (*Blatta D.*) Mém. Soc. Genève, xvii. p. 153 (1863); Sauss. & Zehntn. l. c. p. 31 (1895). | Ceylon. |
| 69. | **P. Inversa, Brunn.** l. c. p. 96 (1865). | Java. |
| 70. | **P. Humeralis, Walk.** (*Blatta H.*) Cat. Blatt. B. M. Suppl. p. 140 (1869). | Singapore. |
| 71. | **P. Laticeps, Walk.** (*Blatta L.*) l. c. p. 142 (1869). | id. |
| 72. | **P. Aliena, Brunn.** Ann. Mus. Genova, xxxiii. p. 15 (1893). | Upper<br>Burma. |
| **73. | **P. Biligata, Walk.** (*Ischnoptera B.*) Cat. Blatt. B. M. p. 123. n. 45 (1868).<br>*Blatta Biligata, Walk.* l. c. p. 227 (1868). | Ceylon,<br>Celebes. |
| **74. | **P. Brevipes, Walk.** (*Blatta B.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 22 (1871). | Bombay. |
| 75. | **P. Picticollis, Walk.** (*Blatta P.*) Cat. Blatt. B. M. Suppl. p. 140 (1869). | Celebes. |
| 76. | **P. Nodosa, Fritze,** (*Blatta N.*) Rev. Suisse Zool. vii. p. 335 (1899). | Java. |
| 77. | **P. Ferruginea, Brunn.** Syst. Blatt. p. 102. n. 19 (1865). | "E. Indies." |
| 78. | **P. Apicigera, Walk.** (*Blatta A.*) Cat. Blatt. B. M. p. 227 (1868). | Java. |
| **79. | **P. Lativitrea, Walk.** (*Blatta L.*) l. c. p. 223 (1868). | Cambodia. |

| | |
|---|---|
| 80. **P. Birmanica, Brunn.** Ann. Mus. Genov. xxxiii. p. 17, pl. 1. f. 4 (1893). | Burma. |
| 81. **P. Subtilis, Brunn.** l. c. p. 18 (1893). | Pegu. |
| *82. **P. Unicolor, Brunn.** l. c. (1893). | Mandalay. |
| 83. **P. Punctulata, Brunn.** l. c. (1893). | Up. Burma. |
| 84. **P. Marmorata, Brunn.** l. c. p. 19 (1893). | Burma. |
| 85. **P. Vicina, Brunn.** l. c. (1893). | id. |
| 86. **P. Immunda, Brunn.** l. c. p. 20 (1893). | id., Pegu. |
| 87. **P. Subgenitalis, Fritze,** (*Blatta S.*) l. c. p. 336 (1899).<br>*P. Subgenitalis*, var. *Obscurior*, *Fritze*, l. c. (1899). | Java, Sumatra. |
| **88. **P. Isomorpha, Walk.** (*Blatta I.*) Cat. Blatt. B. M. p. 108. n. 90 (1868). | Hong Kong. |
| 89. **P. Vilis, Brunn.** Syst. Blatt. p. 103. n. 20 (1865).<br>‖*Blatta Humbertiana*, *Sauss.* Mém. Soc. Genève, xvii. p. 155 (1863), xx. p. 246 (1869).<br>*P. Humbertiana*, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 574 (1899). | Malacca. |
| **90. **P. Parilis, Walk.** (*Blatta P.*) l. c. p. 110. n. 93 (1868). | Hong Kong, Amoy. |
| 91. **P. Marginata, Bol.** (*Blatta M.*) Ann. Soc. Ent. France, 1897, p. 288. | India (Trichinopoly). |
| **92. **P. Lycoides, Walk.** (*Blatta L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871). | Bombay. |
| **93. **P. Inexacta, Walk.** (*Blatta I.*) l. c. p. 26 (1871). | id. |
| 94. **P. Molesta, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 203, pl. 16. f. 5 (1898). | Java. |
| 95. **P. Fuliginosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 16, pl. 1. f. 2 (1893). | Burma. |
| 96. **P. Lugubris, Brunn.** l. c. f. 3 (1893). | Rangoon. |
| **97. **P. (?) Parvula, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 108. n. 80 (1868). | India. |
| *98. **P. Longealata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 205, pl. 16. f. 9 (1898). | Sarawak. |
| *99. **P. (?) Gyrinoides, Walk.** (*Blatta G.*) l. c. p. 97. n. 64 (1868). | Ceylon. |
| 100. **P. Elegans, Walk.** (*Blatta E.*) l. c. p. 226 (1868). | Sarawak. |
| 101. **P. Contingens, Walk.** (*Blatta C.*) l. c. p. 229 (1868). | id. |
| 102. **P. Laterifera, Walk.** (*Blatta L.*) l. c. p. 231 (1868). | id. |

| | |
|---|---|
| 103. **P. Nitens, Brunn.** l. c. xxiv. p. 204, pl. 16. f. 6 (1898). | Borneo (Brunei). |
| 104. **P. Castanea, Brunn.** l. c. f. 7 (1898). | id. |
| 105. **P. Laticaput, Brunn.** l. c. p. 205, pl. 16. f. 8 (1898). | Borneo. |
| 106. **P. Terminalis, Brunn.** l. c. p. 206, pl. 16. f. 11 (1898). | id. |
| 107. **P. Puncticollis, Brunn.** l. c. f. 12 (1898). | id. |
| 108. **P. Propinqua, Walk.** (*Blatta P.*) l. c. p. 228 (1868). | Celebes. |
| 109. **P. Sequens, Walk.** (*Blatta S.*) l. c. p. 229 (1868). | id. |
| 110. **P. Affinis, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xx. p. 248 (1869). Mel. Orth. II. p. 68. | Banda. |
| 111. **P. Amplectens, Walk.** (*Blatta A.*) l. c. p. 223 (1868). | Morty. |
| 112. **P. Suffusa, Walk.** (*Blatta S.*) l. c. (1868). | N. Guinea. |
| 113. **P. Contigua, Walk.** (*Blatta C.*) l. c. p. 228 (1868). | id. |
| 114. **P. Guttifera, Walk.** (*Blatta G.*) l. c. p. 230 (1868). | Aru. |
| 115. **P. Spuria, Brunn.** Syst. Blatt. p. 96. n. 9 (1865). | Fiji. |
| 116. **P. Australiæ, Brunn.** l. c. p. 95. n. 7 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 42 (1893). | Sydney. |
| 117. **P. Femorata, Brunn.** l. c. p. 101. n. 18 (1865). | id. |
| 118. **P. Similis, Sauss.** (*Blatta S.*) l. c. xx. p. 245 (1869). | Australia(?) |
| 119. **P. Papua, Sauss. & Zehntn.** (*Blatta P.*) l. c. p. 25, note (1895). | Rockhampton. |
| 120. **P. Circumducta, Walk.** (*Blatta C.*) l. c. Suppl. p. 142 (1869).<br>*Ischnoptera Circumducta, Tepp.* l. c. xvii. p. 51 (1893). | Australia. |
| **121. **P. Hospes, Perk.** Fauna Hawaiiensis, Orth. p. 5 (1899). | Hawaiian Islands. |
| 122. **P. Borealis, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 166 (April 1862); Mém. Mex., Blatt. p. 96, pl. 1. f. 13 (1864); Miss. Mex., Orth. p. 42 (1870).<br>*Phyllodromia Borealis, Brunn.* l. c. p. 101. n. 17 (1865).<br>*Ectobia Flavocincta, Scudd.* Boston Journ. Nat. Hist. vii. p. 419. n. 3 (Nov. 1862); Brunn. l. c. p. 57. n. 3 (1865). | N. America. |

| | |
|---|---|
| **123. **P. Notata, Brunn.** Proc. Zool. Soc. Lond. 1893, p. 602, pl. 52. f. 1 *a, b*. | Grenada. |
| 124. **P. Punctulata, Beauv.** (*Blatta P.*) Ins. Afr. Amér. p. 184, Orth. pl. 1 *b*. f. 8 (1805).<br>*Ischnoptera Punctulata, Sauss.* Mém. Mex., Blatt. p. 91 (1864). | Haiti. |
| *124 *a*. **P. Adspersicollis, Stål,** (*Blatta A.*) Eugenie's Resa, Ins. p. 308 (1858); Sauss. Miss. Mex., Orth. p. 35, pl. 1. f. 22 (1870).<br>*Phyllodromia Adspersicollis, Brunn.* Syst. Blatt. p. 107. n. 26 (1865).<br>*Blatta Nahua, Sauss.* Rev. Zool. (2) xx. p. 355 (1868); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 42, pl. 4. ff. 19–21 (1893).<br>*Blatta Latimarco, Walk.* Cat. Blatt. B. M. p. 97. n. 65 (1868).<br>*Blatta Latimargo, Walk.* l. c. p. 236 (*Index*) (1868).<br>*Blatta Nahua*, var. *Minor, Sauss. & Zehntn.* l. c. p. 43 (1893). | Brazil (Rio Janeiro), Mexico, W. Indies, Honduras, Hong Kong. |
| **125. **P. Vacillans, Walk.** (*Ischnoptera V.*) l. c. p. 114. n. 15 (1868). | Haiti. |
| 126. **P. Brunneriana, Sauss.** (*Blatta B.*) l. c. (2) xx. p. 98 (1868); Miss. Mex., Orth. p. 32, pl. 1. f. 20 (1870). | Mexico. |
| 127. **P. Conspersa, Brunn.** l. c. p. 106. n. 24 (1865). | Brazil. |
| 128. **P. Fasciata, Brunn.** l. c. p. 107. n. 25 (1865). | id. |
| 129. **P. Festæ, Giglio-Tos,** (*Blatta F.*) Boll. Mus. Torino, xiii. (311) p. 2 (1898). | Ecuador. |
| *130. **P. Delicatula, Guér.** (*Blatta (Phyllodromia) D.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 346 (1847).<br>*Blatta Delicatula, Sauss.* Mém. Mex., Blatt. p. 104, pl. 1. f. 17 (1864); Miss. Mex., Orth. p. 33 (1870). | Cuba, Mexico. |
| **131. **P. Azteca, Sauss. & Zehntn.** l. c. p. 43. n. 5 (1893). | Mexico. |
| **132. **P. Detersa, Walk.** (*Blatta D.*) l. c. p. 215 (1868). | Jamaica. |
| **133. **P. Alaris, Sauss. & Zehntn.** (*Blatta A.*) l. c. p. 43. n. 6 (1893). | Mexico. |
| 134. **P. Albida, Sauss.** (*Blatta A.*) Rev. Zool. (2) xxi. p. 110 (1869); Miss. Mex., Orth. p. 37 (1870). | New Granada. |

| | |
|---|---|
| 135. **P. Pellucida, Burm.** (*Blatta P.*) Handb. Ent. ii. p. 498. n. 12 (1838).<br>*Phyllodromia Pellucida, Brunn.* l. c. p. 109. n. 30 (1865). | Para. |
| 136. **P. Totonaca, Sauss.** (*Blatta T.*) Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 101 (1864); Miss. Mex., Orth. p. 37, pl. 1. f. 23 (1870).<br>*P. Totonaca, Brunn.* l. c. p. 94. n. 5 (1865). | Mexico. |
| 137. **P. Minor, Brunn.** l. c. n. 6 (1865). | Brazil. |
| **138. **P. Fraterna, Sauss. & Zehntn.** l. c. p. 44. n. 9 (1893). | Nicaragua (Chontales) |
| 139. **P. Dilatata, Sauss.** (*Blatta D.*) Rev. Zool. (2) xx. p. 98 (*nec* ♂) (1868); Miss. Mex., Orth. p. 32, pl. 1. f. 19 (1870); Sauss. & Zehntn. l. c. p. 44. n. 10 (1893). | Mexico. |
| 140. **P. Vitrea, Brunn.** l. c. p. 109. n. 28, pl. 2. f. 8 A–E (1865).<br>*Blatta Vitrea, Sauss.* Miss. Mex., Orth. p. 30, pl. 1. f. 18 (1870).<br>*Blatta Dilatata*, ♂, *Sauss.* Rev. Zool. (2) xx. p. 98 (1868). | id., Fiji. |
| 141. **P. Orizabæ, Sauss.** (*Blatta O.*) Rev. Zool. (2) xx. p. 355 (1868); Miss. Mex., Orth. p. 39, pl. 1. ff. 24, 24 *b* (1870). | Mexico. |
| *142. **P. Acolhua, Sauss.** (*Blatta A.*) ll. cc. (2) xx. p. 99 (1868); p. 40, pl. 1. f. 25 *a* (1870). | id. |
| **143. **P. Maya, Sauss. & Zehntn.** (*Blatta M.*) l. c. p. 45. n. 14 (1893). | Yucatan. |
| *144. **P. Zapoteca, Sauss.** (*Blatta Z.*) Rev. Zool. (2) xiv. p. 166 (1862); Mém. Mex., Blatt. p. 105 (1864); Miss. Mex., Orth. p. 34 (1870); Sauss. & Zehntn. l. c. p. 45. n. 15 (1893). | Mexico, Guatemala. |
| **145. **P. Chichimeca, Sauss. & Zehntn.** (*Blatta C.*) l. c. p. 46. n. 16, pl. 4. f. 22 (1893). | Mexico. |
| *146. **P. Mexicana, Sauss.** Rev. Zool. (2) xvi. p. 311 (1864); Miss. Mex., Orth. p. 28 (1870). | id. |
| **147. **P. Insularis, Walk.** (*Blatta I.*) l. c. p. 101. n. 73 (1868). | Jamaica. |
| **148. **P. Parana, Walk.** (*Blatta P.*) l. c. p. 100. n. 70 (1868). | Para. |

| | |
|---|---|
| **149. **P. Santarema, Walk.** (*Blatta S.*) l. c. p. 107. n. 86 (1868). | Santarem. |
| **150. **P. Flexivitta, Walk.** (*Blatta F.*) l. c. p. 216 (1868). | id. |
| **151. **P. Varicornis, Walk.** (*Blatta V.*) l. c. (1868). | id. |
| **152. **P. Cercalis, Walk.** (*Blatta C.*) l. c. p. 214 (1868). | Hab. —— ? |
| 153. **P. Pallipes, Scudd.** P. Boston Soc. N. H. xii. p. 342 (1869). | Napo or Maranon. |
| 154. **P. Pumicata, Stål,** (*Blatta P.*) Eugenie's Resa, Orth. p. 309 (1858). | Rio Janeiro. |
| 155. **P. Fusca, Sauss.** (*Blatta F.*) Rev. Zool. (2) xxi. p. 110 (1869); Miss. Mex., Orth. p. 28 (1870). | Argentina (Corrientes). |
| 156. **P. (?) Nigrita, Bol.** (*Blatta N.*) An. Soc. Españ. x. p. 477 (1881). | Ecuador. |
| **157. **P. Partita, Walk.** (*Blatta P.*) l. c. p. 104. n. 81 (1868). | Hab. —— ? |
| 158. **P. Borellii, Giglio-Tos,** Boll. Mus. Torino, ix. (184) p. 2 (1894). | Paraguay. |
| 159. **P. Reticularis, Blanch.** (*Blatta R.*) Gay, Hist. Chile, Zool. vi. p. 15 (1852); Sauss. Miss. Mex., Orth. p. 29 (1870). | Chile. |
| 160. **P. Strigata, Blanch.** (*Blatta S.*) l. c. p. 17, pl. 1. f. 4 (1852); Sauss. l. c. p. 41 (1870).<br>*Ischnoptera Strigata, Brunn.* l. c. p. 140. n. 19 (1865). | id. |

### Genus 24. **Mallatoblatta.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. pp. 17, 41 (1895).

| | |
|---|---|
| 1. **M. Pubescens, Sauss. & Zehntn.** l. c. p. 42, pl. 2. f. 19 (1895). | Madagascar (Antananarivo). |
| 2. **M. Pilosella, Sauss. & Zehntn.** l. c. p. 44, pl. 2. ff. 20, 20 *a* (1895). | id. |

### Genus 25. **Onychostylus.**

Bol. Ann. Soc. Ent. France, 1897, p. 289.

| | |
|---|---|
| 1. **O. Unguiculatus, Bol.** l. c. p. 290, pl. 10. ff. 4, 4 *a*, *b* (1897). | India (Trichinopoly). |

### Genus 26. **Desmosia.**

Bol. Ann. Soc. Ent. France, 1895, p. 369.

| | |
|---|---|
| 1. **D. Alluaudi, Bol.** l. c. p. 371 (1895). | Seychelles. |

### Genus 27. **Mareta.**

Bol. Ann. Soc. Ent. France, 1895, p. 371.

| | |
|---|---|
| **1. **M. Innotabilis, Walk.** (*Blatta I.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 21 (1871).<br>*M. Conspicienda, Bol.* l. c. p. 371 (1895). | Seychelles. |

### Genus 28. **Pseudophyllodromia.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 111 (1865); (?) Sauss. Miss. Mex., Orth. p. 42 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 46 (1893).

| | |
|---|---|
| 1. **P. Ornata, Brunn.** l. c. p. 112, pl. 3. f. 9 (1865). | Philippines. |
| 2. **P. Heydeniana, Sauss.** (*Ellipsidion Heydenianum*) Rev. Zool. (2) xvi. p. 313 (1864).<br>*Ellipsidium Heydenianum, Sauss.* Mém. Mex., Blatt. p. 119 (1864). | Brazil. |
| 3. **P. Peruana, Sauss.** (*Blatta P.*) ll. cc. (2) xvi. p. 311 (1864); p. 115 (1864). | Peru. |
| 4. **P. Angustata, Latr.** (*Blatta A.*) Humb. & Bonpl. Obs. Zool. i. p. 146, pl. 15. f. 9 (1807).<br>*P. Angustata, Sauss.* Miss. Mex., Orth. p. 44 (1870). | Vera Cruz. |
| *5. **P. Venosa, Sauss.** (*Blatta V.*) Rev. Zool. (2) xvi. p. 310 (1864); Mém. Mex., Blatt. p. 106 (1864).<br>*P. Angustata*, var. *Venosa, Sauss.* Miss. Mex., Orth. p. 45 (1870).<br>*P. Venosa, Sauss. & Zehntn.* l. c. p. 47 (1893). | Mexico. |
| 6. **P. Literata, Burm.** (*Blatta L.*) Handb. Ent. ii. p. 497. n. 7 (1838). | Surinam. |
| 7. **P. Alternans, Serv.** (*Blatta A.*) Ins. Orth. p. 114 (1839).<br>*Phyllodromia Alternans, Brunn.* l. c. p. 99. n. 12 (1865). | Cayenne. |

| | |
|---|---|
| **8. **P. Liturifera, Walk.** (*Blatta* (?) *L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 21 (1871). | "W Coast of N. Amer." |
| 9. **P. Obscura, Sauss.** Mém. Soc. Genève, xxiii. p. 98 (1873). | Brazil. |
| 10. **P. Lineolata, Sauss.** l. c. p. 99 (1873). | id. |
| 11. **P. Fasciatella, Sauss.** Rev. Zool. (2) xx. p. 99 (1868); Miss. Mex., Orth. p. 45, pl. 1. ff. 26, 26 *a* (1870). | Surinam. |
| 12. **P. Histrio, Sauss.** ll. cc. (2) xxi. p. 110 (1869); p. 46 (1870). | Colombia. |
| **13. **P. Semivitrea, Brunn.** Proc. Zool. Soc. Lond. 1892, p. 203, pl. 15. f. 2. | W. Indies (St. Vinc.). |
| 14. **P. Maximiliani, Sauss.** Mém. Soc. Genève, xxiii. p. 100, pl. 10. f. 35 (1873). | Mexico. |
| **15. **P. Albinervis, Brunn.** Proc. Zool. Soc. Lond. 1893, p. 602. | W. Indies (Grenada). |
| **16. **P. Reticulosa, Walk.** (*Blatta R.*) Cat. Blatt. B. M. p. 103. n. 77 (1868). | Jamaica. |
| **17. **P. Variegata, Walk.** (*Blatta V.*) l. c. p. 112. n. 97 (1868). | Para. |
| **18. **P. Perloides, Walk.** (*Blatta P.*) l. c. p. 217 (1868). | Brazil. |

### Genus 29. **Ceratinoptera.** (*Type* no. 11.)

Brunn. Syst. Blatt. p. 75 (1865); Sauss. Miss. Mex., Orth. p. 20 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 47 (1893).

| | |
|---|---|
| **1. **C. Inscripta, Walk.** (*Periplaneta I.*) Cat. Blatt. B. M. p. 145. n. 58 (1868). | Natal. |
| 2. **C. Dimidiata, Gerst.** Arch. Naturg. xxxv. p. 205 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 3 (1873). | E. Africa (Endara). |
| 3. **C. Hottentotta, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 575 (1899). | S. Africa. |
| 4. **C. Sundaica, Fritze,** Rev. Suisse Zool. vii. p. 338 (1900). | Java. |
| 5. **C. Diaphana, Fabr.** (*Blatta D.*) Ent. Syst. ii. p. 11. n. 25 (1792); Burm. Handb. Ent. ii. p. 496. n. 3 (1838); Sauss. Mém. Mex., Blatt. p. 95 (1864); Miss. Mex., Orth. p. 20 (1870).<br>*C. Diaphana, Brunn.* l. c. p. 76. n. 1 (1865); Sauss. & Zehntn. l. c. p. 48, pl. 3. ff. 27–29 (1893). | W. Indies: St. Thomas, Cuba, Porto Rico. |

| | |
|---|---|
| 6. **C. (?) Pygmæa, Beauv.** (*Blatta P.*) Ins. Afr. Amér. p. 184, Orth. pl. 1 *b*. f. 9 (1805); Sauss. Mém. Mex., Blatt. p. 118 (1864). | Haiti. |
| 7. **C. Poeyi, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 94 (1864).<br>*C. Poeyi*, *Brunn.* l. c. p. 79. n. 5 (1865). | Cuba. |
| 8. **C. Porcellana, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862).<br>*C. Porcellana*, *Brunn.* l. c. p. 79. n. 6 (1865). | id. |
| **9. **C. Lutea, Sauss. & Zehntn.** l. c. p. 48 (1893). | Georgia, &c. |
| *10. **C. Olmeca, Sauss.** l. c. (2) xx. p. 354 (1868); Miss. Mex., Orth. p. 20, pl. 1. ff. 17, 17 *a*, *b* (1870). | Mexico (Orizaba). |
| 11. **C. Picta, Brunn.** l. c. p. 76. n. 2, pl. 1. f. 4 A–E (1865). | Brazil. |
| 12. **C. Castanea, Brunn.** l. c. p. 77. n. 3 (1865). | id. |
| 13. **C. Peruviana, Brunn.** l. c. p. 78. n. 4 (1865). | Peru. |
| **14. **C. Facies, Walk.** (*Blatta F.*) Cat. Blatt. B. M. p. 102. n. 75 (1868). | Hab. ——? |

### Genus 30. **Allacta.** (*Type* no. 23.)

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 45 (1895).

‖ *Abrodiata*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 20 (1893).

| | |
|---|---|
| **1. **A. Transversalis, Walk.** (*Blatta T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 25 (1871). | Bombay. |
| **2. **A. Subrotundata, Walk.** (*Blatta S.*) l. c. p. 26 (1871). | id. |
| 3. **A. Funebris, Walk.** (*Blatta F.*) Cat. Blatt. B. M. p. 225 (1868). | Sarawak. |
| **4. **A. Submarginata, Walk.** (*Blatta S.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 27 (1871). | Cahar. |
| **5. **A. Concisa, Walk.** (*Blatta C.*) l. c. p. 29 (1871). | Australia. |
| **6. **A. Ramifera, Walk.** (*Blatta R.*) l. c. p. 27 (1871). | Nepal. |
| 7. **A. Crassivenosa, Bol.** (*Ceratinoptera (Allacta) C.*) Ann. Soc. Ent. France, 1897, p. 290. | India. |

| | |
|---|---|
| **8. **A. Telephoroides, Walk.** (*Blatta T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 23 (1871). | Bombay. |
| 9. **A. Ignobilis, Walk.** (*Blatta I.*) Cat. Blatt. B. M. p. 224 (1868). | Sula. |
| 10. **A. (?) Induta, Bol.** (*Ceratinoptera I.*) l. c. p. 291 (1897). | India (Madura). |
| 11. **A. Modesta, Brunn.** (*Abrodiata M.*) l. c. xxxiii. p. 21, pl. 1. f. 5 (1893). | Burma. |
| 12. **A. Latipennis, Brunn.** (*Phyllodromia L.*) Syst. Blatt. p. 109. n. 31 (1865). | Ceylon, Sydney, N. Zeal. |
| **13. **A. Conjuncta, Walk.** (*Blatta C.*) l. c. p. 109. n. 91 (1868). | N. Zealand. |
| **14. **A. Arborifera, Walk.** (*Blatta A.*) l. c. p. 100. n. 71 (1868). | Pulo Penang. |
| 15. **A. Marmorata, Walk.** (*Blatta M.*) l. c. Suppl. p. 140 (1869). | Mount Ophir. |
| 16. **A. Hamifera, Walk.** (*Blatta H.*) Cat. Blatt. B. M. p. 224 (1868). | Sarawak. |
| **17. **A. Megaspila, Walk.** (*Blatta M.*) l. c. p. 98. n. 66 (1868). | Java. |
| 18. **A. Polygrapha, Walk.** (*Blatta P.*) l. c. p. 222 (1868). | Siam. |
| *19. **A. Notulata, Stål,** (*Blatta N.*) Eugenie's Resa, Orth. p. 308 (1858).<br>*Phyllodromia Hieroglyphica, Brunn.* l. c. p. 105. n. 22 (1865). | Taiti, Borneo. |
| 19 *a*. **A. Ceylanica, Sauss.** (*Blatta C.*) Rev. Zool. (2) xx. p. 355 (1868); Mém. Soc. Genève, xx. p. 247 (1869). | Ceylon. |
| 20. **A. Patula, Walk.** (*Blatta P.*) l. c. Suppl. p. 143 (1869). | Sydney. |
| **21. **A. Obtusata, Brunn.** (*Phyllodromia O.*) Proc. Zool. Soc. Lond. 1895, p. 892. | Hawaiian Islands. |
| *22. **A. Liturata, Tepp.** (*Phyllodromia L.*) Tr. R. Soc. S. Australia, xix. p. 150 (1895). | Victoria. |
| *23. **A. Lobata, Sauss.** (*Blatta* (*Phyllodromia*) *L.*) Soc. Ent. vi. p. 25 (1891).<br>*A. Lobata, Sauss. & Zehntn.* l. c. p. 46, pl. 1. f. 4 (1895). | Madagascar |
| *24. **A. Undata, Sauss. & Zehntn.** l. c. p. 47, pl. 1. f. 5 (1895). | id. (Antananarivo). |
| *25. **A. Brachyptera, Sauss. & Zehntn.** l. c. p. 49, pl. 1. f. 6 (1895). | id. |
| 26. **A. Abbreviata, Sauss. & Zehntn.** l. c. p. 50 (1895). | Madagascar |

### Genus 31. **Duryodana.**

Kirb. Ann. Nat. Hist. (7) xii. p. 274 (1903).

| | |
|---|---|
| *1. **D. Palpalis, Walk.** (*Blatta P.*) Cat. Blatt. B. M. p. 225 (1868).<br>*Phyllodromia Palpata*, *Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 207, pl. 16. f. 13 (1898). | Borneo (Sarawak, Baram). |

### Genus 32. **Paraceratinoptera.**

Sauss. Rev. Zool. (2) xx. p. 357 (1868): Miss. Mex., Orth. p. 87 (1870).

| | |
|---|---|
| 1. **P. Nahua, Sauss.** ll. cc. p. 357 (1868); p. 87, pl. 1. f. 30 *a*, pl. 2. ff. 47, 47 *a* (1870). | Mexico, Guatemala. |
| 2. **P. Dohrniana, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 49. n. 2 (1893). | Guatemala. |

### Genus 33. **Anisopygia.**

Sauss. Soc. Ent. viii. p. 57 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 49 (1893).

| | |
|---|---|
| **1. **A. Jocosicluna, Sauss.** l. c. p. 57 (1893); Sauss. & Zehntn. l. c. p. 50 (1893). | Guatemala. |

### Genus 34. **Paraloboptera.**

Sauss. Miss. Mex., Orth. p. 86 (1870). 0 - x
‖ *Hypocrita*, *Sauss.* Rev. Zool. (2) xx. p. 99 (1868). 0 - 357

| | |
|---|---|
| 1. **P. Unicolor, Sauss.** (*Hypocrita U.*) l. c. p. 100 (1868). 0 - 357<br>*P. Unicolor*, *Sauss.* Miss. Mex., Orth. p. 86, pl. 2. ff. 46, 46 *a* (1870). 0 - x | Buenos Aires. |

### Genus 35. **Loboptera.**

Brunn. Syst. Blatt. p. 79 (1865); Prodr. Eur. Orth. p. 47 (1882); Bol. Sin. Ortópt. Españ. p. 45 (1876); Fin. Faune France, Orth. p. 82 (1890); Tümp. Geradflügler Mitteleuropas, p. 235 (1901).

| | |
|---|---|
| *1. **L. Decipiens, Germ.** (*Blatta D.*) Reise in Dalmatien, p. 249. n. 311 (1817); | Dalmatia; S. Europe. |

| | |
|---|---|
| Charp. Hor. Ent. p. 78 (1825); Serv. Ins. Orth. p. 104 (1839).<br>*Polyzosteria Decipiens, Burm.* Handb. Ent. ii. p. 483. n. 4 (1838); Fisch. Orth. Eur. p. 92, pl. 7. ff. 1, 1 *a–f* (1853).<br>*Loboptera Decipiens, Brunn.* ll. cc. p. 80. n. 1. pl. 2. f. 5 A–C (1865); p. 48. n. 1 (1882); Bol. l. c. p. 46, pl. 1. f. 18 (1876); Fin. l. c. p. 82, pl. 2. f. 48 (1900); Tümp. l. c. p. 235 (1901).<br>*Blatta Limbata, Charp.* l. c. p. 77 (1825).<br>*Polyzosteria Limbata, Fisch.* l. c. p. 93, pl. 7. f. 2 *a–c* (1853).<br>*Loboptera Limbata, Brunn.* Syst. Blatt. p. 81. n. 2 (1865); Bol. l. c. p. 47 (1876). | Madeira, Asia Minor. |
| 2. **L. Fortunata, Krauss,** Zool. Anz. xv. p. 165 (1892). | Canaries (Palma). |
| 3. **L. Maroccana, Bol.** Actas Soc. Españ. xxiii. p. 84, figs. (1894). | Morocco. |
| 4. **L. Minor, Bol.** l. c. p. 85 (1894). | id. |
| 5. **L. Duplovittata, Sauss.** Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. Grandid. Hist. Madagascar, Orth. i. p. 54, pl. 1. f. 14 (1895). | Madagascar (Imerina). |
| **6. **L. Peculiaris, Burr,** Bull. Liverpool Mus. ii. p. 42 (1900); Nat. Hist. Sokotra, p. 415, pl. 25. f. 8 (1903). | Sokotra. |
| 7. **L. Tartara, Sauss.** Fedchenko, Reise Turkestan, Orth. p. 8, pl. 1. f. 5 (1874). | Sarafshan. |
| *8. **L. Indica, Brunn.** l. c. p. 82. n. 4 (1865). | India. |
| **9. **L. Lepida, Walk.** (*Blatta L.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 28 (1871). | Australia. |
| 10. **L. Halmaturina, Tepp.** Tr. R. Soc. S. Australia, xvii. p. 36 (1893). | Kangaroo I. |
| 11. **L. Duodecimsignata, Tepp.** l. c. (1893). | Adelaide. |
| 12. **L. Circumcincta, Tepp.** l. c. p. 37 (1893). | Kangaroo I., &c. |
| 13. **L. Tricolor, Tepp.** Horn Exped. Centr. Australia, ii. p. 357 (1896). | Central Australia. |
| 14. **L. Trivittata, Erichs.** (*Blatta T.*) Arch. Naturg. viii. (1) p. 248. n. 211 (1842).<br>*L. Trivittata, Brunn.* l. c. p. 82. n. 3 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 36 (1893). | Tasmania. |

| | |
|---|---|
| **15. **L. Extranea, Perk.** Faun. Haw., Orth. p. 6 (1899). | Hawaiian Islands. |
| 16. **L. Americana, Scudd.** Canad. Ent. xxxii. pp. ~~93~~, 329, pl. 2. f. 4 (1900). | Arizona. |
| **17. **L. Annulicornis, Sauss. & Zehntn.** Biol.-Centr. Amer., Orth. i. p. 54 (1893). | Mexico. |
| **18. **L. Æqualis, Walk.** (*Blatta Æ.*) Cat. Derm. Salt. v. Suppl. Blatt. p. 21 (1871). | Brazil (Tejuca). |
| 19. **L. Laurenziana, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 2 (1897). | Argentina. |
| 20. **L. Borellii, Giglio-Tos,** l. c. p. 3 (1897). | id., Bolivia. |
| 21. **L. Araucana, Sauss.** Rev. Zool. (2) xxi. p. 109 (1869) ; Miss. Mex., Orth. p. 21 (1870). | Chili. |

## Genus 36. **Temnopteryx.** (*Type* no. 9.)

Brunn. Syst. Blatt. p. 83 (1865) : Sauss. Miss. Mex., Orth. p. 22 (1870) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 50 (1893) ; Grandidier, Hist. Madagascar, Orth. i. pp. 18, 50 (1895).

| | |
|---|---|
| 1. **T. Brachyptera, Bol.** An. Soc. Españ. xix. p. 301, pl. 1. f. 2 (1890). | N. Africa. |
| *2. **T. Schulthessi, Kirb.** (n. n.).<br>‖ *T. Ferruginea, Schulth.* Ann. Mus. Genova, xxxix. p. 165 (1898). | S., W., & E. Africa ; Ceylon. |
| 3. **T. Abyssinica, Sauss.** Mém. Soc. Genève, xxiii. p. 93 (1873). | Abyssinia (Tigré). |
| 4. **T. Saussurei, Bol.** Ann. Soc. Ent. France, lxvi. p. 292 note (1897).<br>‖ *T. Abyssinica, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 51 note (1895) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 576 (1899). | id. (Massowa). |
| 5. **T. Transvaaliensis, Kirb.** (*Aphlebia T.*) Ann. Nat. Hist. (7) v. p. 278 (1900) ; Distant, Ins. Transvaal. p. 29, pl. 1. f. 6 (1900). | Pretoria. |
| 6. **T. Variegata, Schulth.** Bull. Soc. Vaudoise, xxxv. p. 191, pl. 8. f. 1 (1899). | Delagoa Bay. |
| **7. **T. Elizabethæ, Kirb.** (n. n.)<br>‖ *Aphlebia Bicolor, Kirb.* Ann. Nat. Hist. (7) v. p. 279 (1900). | Cape Col. (Port Eliz.). |
| 8. **T. (?) Misella, Stål,** (*Blatta M.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856). | Natal. |

| | | |
|---|---|---|
| | *Phyllodromia Misella, Brunn.* l. c. p. 101. n. 16 (1865). | Natal. |
| *9. | **T. Phalerata, Sauss.** (*Blatta P.*) Rev. Zool. (2) xvi. p. 309 (1864). | Cape Town. |
| | *T. Capensis, Brunn.* l. c. p. 84. n. 1, pl. 2. f. 6 A, B (1865). | |
| *10. | **T. Inconspicua, Brunn.** l. c. p. 85. n. 2 (1865). | Cape. |
| 11. | **T. Caffra, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 577 (1899). | S. Africa. |
| 12. | **T. Nana, Sauss.** Mém. Soc. Genève, xx. p. 241 (1869). | Senegal. |
| 13. | **T. Sakalava, Sauss.** Soc. Ent. vi. p. 25 (1891) ; Abhandl. Senckenb. Ges. xxi. p. 576 (1899) ; Sauss. & Zehntn. l. c. p. 51, pl. 1. f. 16 (1895). | Madagascar (Imerina). |
| 14. | **T. Panteli, Sauss.** Soc. Ent. vi. p. 25 (1891) ; Sauss. & Zehntn. l. c. p. 52, pl. 1. f. 15 (1895). | Madagascar |
| 15. | **T. Madecassa, Sauss. & Zehntn.** l. c. p. 53 (1895) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 575 (1877). | id. |
| 16. | **T. Abbreviata, Sauss.** (*Blatta A.*) Mém. Soc. Genève, xvii. p. 149, pl. 1. f. 13 (1864). | Réunion. |
| | *T. Abbreviata, Sauss. & Zehntn.* l. c. p. 54 (1895). | |
| 17. | **T. Indica, Sauss.** (*Polyzosteria I.*) Mém. Soc. Genève, xvii. p. 130 (1864). | India (Pondicherry). |
| 18. | **T. Truncata, Sauss.** (*Blatta T.*) l. c. p. 148, pl. 1. f. 12 (1864). | id. |
| 19. | **T. Martini, Bol.** l. c. p. 292, pl. 10. f. 6 (1897). | India (Trichinopoly). |
| 20. | **T. Alca, Bol.** l. c. p. 293, pl. 10. f. 7 (1897). | id. |
| 21. | **T. Bicolor, Bol.** l. c. p. 293 (1897). | id. |
| 22. | **T. Dimidiatipes, Bol.** An. Soc. Españ. xix. p. 300, pl. 1. f. 1 (1890). | Philippines. |
| *23. | **T. Fulva, Brunn.** l. c. p. 85. n. 3 (1865). | Java. |
| 24. | **T. Obscura, Sauss.** l. c. xx. p. 241 (1869). | Samoa. |
| 25. | **T. Couloniana, Sauss.** (*Blatta C.*) l. c. xvii. p. 150, pl. 1. f. 14 (1864). | Australia. |
| 26. | **T. Ferruginea, Tepp.** Tr. R. Soc. S. Australia, xix. p. 148 (1895). | Victoria. |

| | |
|---|---|
| **27. **T. (?) Discalis, Walk.** (*Blatta D.*) Cat. Blatt. B. M. p. 111. n. 96 (1868).<br>*Balta Discalis, Tepp.* l. c. xvii. p. 40 (1893). | Swan River. |
| 28. **T. Major, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 54. n. 10 (1893). | Tennessee. |
| 29. **T. Virginica, Brunn.** l. c. p. 86. n. 4 (1865). | Virginia. |
| 30. **T. Texensis, Sauss. & Zehntn.** l. c. p. 52. n. 1, pl. 3. f. 31 (1893). | Texas, New Mexico. |
| 31. **T. Deropeltiformis, Brunn.** l. c. p. 87. n. 6 (1865). | N. America. |
| 32. **T. Tarasca, Sauss.** (*Blatta T.*) Rev. Zool. (2) xiv. p. 164 (1862); Mém. Mex., Blatt. p. 95 (1864).<br>*T. Tarasca, Brunn.* l. c. p. 86. n. 5 (1865). | Mexico. |
| 33. **T. Kaupiana, Sauss.** Mém. Soc. Genève, xxiii. p. 92 (1873); Sauss. & Zehntn. l. c. p. 52, pl. 4. ff. 24–26 (1893). | id. |
| 34. **T. Otomia, Sauss.** (*T. Otomius*) Rev. Zool. (2) xx. p. 98 (1868).<br>*T. Otomia, Sauss.* Miss. Mex., Orth. p. 24, pl. 1. ff. 15, 15 *a* (1870); Sauss. & Zehntn. l. c. p. 52. n. 4 (1893). | id. |
| **35. **T. Nitida, Sauss. & Zehntn.** l. c. p. 53, pl. 4. ff. 51, 52 (1893). | id. |
| 36. **T. Limbata, Sauss.** (*T. Limbatus*) Rev. Zool. (2) xx. p. 98 (1868).<br>*T. Limbata, Sauss.* Miss. Mex., Orth. p. 25, pl. 1. ff. 16, 16 *a* (1870); Sauss. & Zehntn. l. c. p. 53. n. 6 (1893). | id. |
| 37. **T. Sumichrasti, Sauss.** Rev. Zool. (2) xx. p. 97 (1868); Miss. Mex., Orth. p. 23, pl. 1. f. 14 (1870); Sauss. & Zehntn. l. c. p. 53. n. 7 (1893). | id. |
| **38. **T. Guatemalæ, Sauss. & Zehntn.** l. c. p. 53. n. 8, pl. 4. ff. 27, 28 (1893). | Guatemala. |
| 39. **T. Fissa, Sauss. & Zehntn.** l. c. p. 54. n. 9, pl. 4. ff. 29, 30 (1893). | id. |
| **40. **T. Incommoda, Kirb.** (*Blatta I.*) J. Linn. Soc. Lond. xx. p. 533 (1894). | Fernando Noronha. |
| 41. **T. Lobipennis, Sauss.** Miss. Mex., Orth. p. 26 (1870). | Brazil. |
| 42. **T. Dimorpha, Bol.** An. Soc. Españ. x. p. 464, pl. 8. f. 4 (1881). | Peru. |
| *43. **T. Snodgrassi, McNeill,** Proc. Washington Acad. iii. p. 493 (1901). | Galapagcs Isl. |

| | |
|---|---|
| 44. **T. Ardua, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 3 (1897). | Argentina (Salta). |
| 45. **T. Continua, Giglio-Tos,** l. c. p. 4 (1897). | id. (Jujuy). |
| 46. **T. Brevipennis, Sauss.** (*Ischnoptera B.*) Rev. Zool. (2) xvi. p. 313 (1864); Mém. Mex., Blatt. p. 80, pl. 1. f. 11 (1864); Miss. Mex., Orth. p. 23 (1870). | Chile. |
| 47. **T. Castanea, Blanch.** (*Kakerlac C.*) Hist. Chil., Zool. vi. p. 18, pl. 1. f. 2 (1851). | id. |
| 48. **T. (?) Latipes, Walk.** (*Polyzosteria L.*) Cat. Blatt. B. M. p. 165. n. 43 (1868); Melliss, St. Helena, p. 167 (1875). | Sierra Leone, St. Helena. |

### Genus 37. **Balta.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 40 (1893).

| | |
|---|---|
| 1. **B. Epilamproides, Tepp.** l. c. (1893). | Kangaroo I. |

### Genus 38. **Paratemnopteryx.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 273 (1869).

| | |
|---|---|
| 1. **P. Australis, Sauss.** l. c. pl. 3. f. 22 (1869); Tepp. Tr. R. Soc. S. Australia, xix. p. 149 (1895). | Melbourne, Adelaide. |
| 2. **P. Blattoides, Tepp.** l. c. p. 150 (1895). | Melbourne. |

## SUBFAM. IV.

## NOCTICOLINÆ.

### Genus 39. **Nocticola.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxi. p. 29 (1892). 0-3518.

| | |
|---|---|
| 1. **N. Simoni, Bol.** l. c. p. 32, pl. 1 (1892). | Philippines. |
| 2. **N. Cæca, Bol.** l. c. p. 33 (1892). | id. |

### Genus 40. **Spelæoblatta.**

Bol. Ann. Mus. Genova, xxxviii. p. 32 (1897). 0-3203.

| | |
|---|---|
| 1. **S. Gestroi, Bol.** l. c. (1897). | Burma. |

## SUBFAM. V.

## NYCTIBORINÆ.

### Genus 41. **Nyctibora.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 501 (1838); Brunn. Syst. Blatt. p. 142 (1865).

*Nyctobora*, *Sauss.* Mém. Mex., Blatt. p. 65 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 55 (1893).

| | |
|---|---|
| **1. **N. Azteca, Sauss. & Zehntn.** l. c. p. 56. n. 2, pl. 4. f. 34 (1893). | Guatemala. |
| *2. **N. Mexicana, Sauss.** Rev. Zool. xiv. p. 227 (1862); Mém. Mex., Blatt. p. 66 (1864); Miss. Mex., Orth. p. 68, pl. 2. ff. 38, 38 *a*, *b* (1870); Sauss. & Zehntn. l. c. p. 55 (1893); Brunn. l. c. p. 147 (1865).<br>*Nyctibora Stygia*, *Walk.* Cat. Blatt. B. M. p. 148. n. 9 (1868). | Mexico, Central America. |
| 3. **N. Crassicornis, Burm.** l. c. p. 501. n. 1 (1838); Brunn. l. c. p. 144 (1865); Sauss. Miss. Mex., Orth. p. 69 (1870).<br>*Blatta Servillei*, *Serv.* Ins. Orth. p. 91 (1839).<br>*Paratropes Vestita*, *Sauss.* Rev. Zool. (2) xvi. p. 308 (1864).<br>*Paratropes Vestitus*, *Sauss.* Mém. Mex., Blatt. p. 64. n. 11 (1864). | Brazil. |
| *4. **N. Holosericea, Burm.** l. c. p. 502. n. 3 (1838); Brunn. l. c. p. 145 (1865).<br>*Nyctobora Obscura*, *Sauss.* Rev. Zool. (2) xvi. p. 316 (1864); Mém. Mex., Blatt. p. 67, pl. 1. f. 9 (1864); Miss. Mex., Orth. p. 68 (1870). | id. |
| 5. **N. Intermedia, Sauss.** Mém. Soc. Genève, xxiii. p. 105 (1873). | id. |
| 6. **N. Humeralis, Dohrn,** Stettin. Ent. Zeit. xlix. p. 129 (1888). | Upper Amazons. |
| *7. **N. Sericea, Burm.** l. c. p. 501. n. 2 (1838); Brunn. l. c. p. 145 (1865).<br>‖ *Blatta Ægyptiaca*, *Drury*, Ill. Exot. Ent. ii. pl. 36. f. 3 (1773). | Brazil. |

| | |
|---|---|
| *Blatta Druryi, Serv.* l. c. p. 86 (1839). | |
| *Periplaneta Jucunda, Walk.* Cat. Blatt. B. M. p. 128. n. 15 (1868). | |
| *Nyctobora Terrestris, Sauss.* Rev. Zool. (2) xvi. p. 315 (1864); Mém. Mex., Blatt. p. 68 (1864). | |
| *7 *a*. **N. Bohlsii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 7 note (1897). | Paraguay, Brazil. |
| 8. **N. Omissa, Brancs.** Jahresh. Ver. Trencsin. Com. xxiv. p. 186, pl. 3. f. 1 (1901). | Argentina. |
| *9. **N. Tomentosa, Serv.** (*Blatta T.*) l. c. p. 86 (1839). | Surinam, Brazil. |
| *N. Tomentosa, Sauss.* Miss. Mex., Orth. p. 69 (1870). | |
| ‖ *N. Latipennis, Brunn.* l. c. p. 146. n. 4 (1865). | |
| **10. **N. Tenebrosa, Walk.** l. c. p. 147. n. 8 (1868). | Demerara. |
| *Periplaneta Aterrima, Walk.* l. c. Suppl. p. 151 (1869). | |
| 11. **N. Confusa, Giglio-Tos,** l. c. p. 7 (1897). | Paraguay. |
| *12. **N. Borellii, Giglio-Tos,** l. c. p. 8 (1897). | Bolivia, Brazil. |
| 13. **N. Glabra, Giglio-Tos,** l. c. p. 9 (1897). | Bolivia. |
| 14. **N.** (?) **Lateralis, Esch.** (*Blatta L.*) Entomographien, p. 84 (1822). | Brazil (S. Catharina). |

### Genus 42. **Heminyctobora.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 55, 56 (1893).

| | |
|---|---|
| **1. **H. Truncata, Sauss. & Zehntn.** (*Nyctobora (Heminyctobora) T.*) l. c. p. 56. n. 3, pl. 4. f. 33 (1893). | Mexico, Guatemala. |

### Genus 43. **Megaloblatta.** (*Type* no. 1.)

Dohrn, Stettin. Ent. Zeit. xlviii. p. 408 (1887); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 56 (1893).

| | |
|---|---|
| **1. **M. Blaberoides, Walk.** (*Epilampra B.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 12 (1871). | Nicaragua, Peruvian Amazons. |
| *Megaloblatta Peruviana, Dohrn,* l. c. p. 409 (1887). | |

| | |
|---|---|
| ‖*Megaloblatta Rufipes*, *Sauss.* l. c. p. 57, pl. 5. ff. 15–17 (1893). | |
| 2. **M. Regina, Sauss.** (*Blabera R.*) Miss. Mex., Orth. p. 116 (1870). | Brazil. |
| **3. **M. Longipennis, Walk.** (*Blabera L.*) Cat. Blatt. B. M. p. 8. n. 18 (1868). | Guayaquil, Panama. |
| *Megaloblatta Rufipes*, *Dohrn*, l. c. p. 409 (1887). | |

## SUBFAM. VI.

## EPILAMPRINÆ.

### Genus 44. **Paratropes.** (*Type* no. 6.)

Serv. Ins. Orth. p. 117 (1839); Sauss. Mém. Mex., Blatt. p. 56 (1864).

*Paratropa*, *Brunn.* Syst. Blatt. p. 148 (1865).

| | |
|---|---|
| *1. **P. Elegans, Burm.** (*Phoraspis E.*) Handb. Ent. ii. p. 493. n. 8 (1838). | Surinam (?), Upper Amazons. |
| *Paratropa Elegans*, *Brunn.* l. c. p. 150. n. 1 (1865). | |
| *P. Bivitta*, *Walk.* Cat. Blatt. B. M. p. 150. n. 7 (1868). | |
| *P. Subsericeus*, *Sauss.* Rev. Zool. (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 63, pl. 1. f. 8 (1864). | |
| *Paratropa Subsericea*, *Brunn.* l. c. p. 152. n. 3 (1865). | |
| *2. **P. Mexicana, Brunn.** (*Paratropa M.*) l. c. p. 151. n. 2, pl. 4. f. 15 A–E (1865); Sauss. Miss. Mex., Orth. p. 73 (1870). | Mexico. |
| *P. Lycus*, var., *Sauss.* Rev. Zool (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 60 (1864). | |
| **3. **P, Bilunata, Sauss. & Zehntn.** (*Paratropa B.*) Biol. Centr.-Amer., Orth. i. p. 60. n. 3 (1893). | Panama. |
| **4. **P. Biolleyi, Sauss. & Zehntn.** (*Paratropa B.*) l. c. n. 4 (1893). | Costa Rica. |
| *5. **P. Æquatorialis, Sauss.** ll. cc. (2) xvi. p. 309 (1864); p. 61 (1864). | Ecuador, Bolivia. |

| | |
|---|---|
| *Paratropa Æquatorialis, Sauss.* Miss. Mex., Orth. p. 74 (1870).<br>*P. Lanceolatus, Walk.* l. c. p. 150. n. 6 (1868).<br>‖ *Phoraspis Elegans, Blanch.* D'Orbigny, Voy. Amér. mér. vi. (2) p. 215, pl. 26. f. 4 (1846). | |
| 6. **P. Lycoides, Serv.** l. c. p. 118 (1839).<br>*Paratropa Licoides, Brunn.* l. c. p. 153. n. 6 (1865). | Para. |
| *7. **P. Phalerata, Erichs.** (*Blatta* (*Nyctibora*) *P.*) Schomb. Brit. Guiana, iii. p. 580 (1848).<br>*Paratropa Phalerata, Brunn.* l. c. p. 152. n. 4 (1865).<br>*P. Lycus, Sauss.* Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 59, pl. 1. f. 6 (1864). | Guiana, Brazil. |
| 8. **P. Histrio, Sauss.** ll. cc. (2) xiv. p. 229 (1862); p. 58, pl. 1. f. 5 (1864).<br>*Paratropa Histrio, Brunn.* l. c. p. 152. n. 5 (1865). | S. America. |
| **9. **P. Pica, Walk.** l. c. p. 151. n. 11 (1868). | Ega. |

### Genus 45. **Phlebonotus.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863).

| | |
|---|---|
| 1. **P. Pallens, Serv.** (*Phoraspis P.*) Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 125, pl. 3. f. 4 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 286, pl. 10. f. 1 (1837); Burm. Handb. Ent. ii. p. 492. n. 1 (1838).<br>*Paraphoraspis Pallens, Sauss.* Mém. Soc. Genève, xx. p. 263 (1869); (?) Brunn. Syst. Blatt. p. 165. n. 2 (1865). | Java, Ceylon. |
| 2. **P. Anomala, Sauss.** (*Phoraspis A.*) l. c. xvii. p. 141, pl. 1. f. 8 (1863).<br>*Paraphoraspis Anomala, Sauss.* l. c. xx. p. 264 (1869). | Nilgiris, Pondicherry. |

### Genus 46. **Thorax.**

Sauss. Mém. Soc. Genève, xvii. p. 141 (1863) ; Mém. Mex., Blatt. p. 143 (1864) ; Miss. Mex., Orth. p. 77 (1870).
*Paraphoraspis*, *Brunn.* Syst. Blatt. p. 163 (1865).

| | |
|---|---|
| *1. **T. Porcellana, Sauss.** (*Phoraspis P.*) Mém. Soc. Genève, xvii. p. 142, pl. 1. ff. 9, 9, 9 *a* (1863).<br>*Thorax Porcellana*, *Sauss.* Miss. Mex., Orth. p. 79, pl. 2. f. 43 H, 43 A′ (1870).<br>*Paraphoraspis Notata*, *Brunn.* l. c. p. 164, pl. 4. f. 18 A–E (1865). | Nilgiris,<br>Ceylon,<br>Victoria. |

### Genus 47. **Planes.**

Sauss. Mém. Mex., Blatt. p. 141 (1864).

| | |
|---|---|
| *1. **P. Cribrata, Sauss.** (*Epilampra C.*) Mém. Soc. Genève, xvii. p. 144, pl. 1. ff. 10, 10 *a* (1863), xx. p. 264 (1869).<br>*Epilampra Intacta*, *Walk.* Cat. Blatt. B. M. p. 205 (1868). | Assam,<br>Bengal. |

### Genus 48. **Notolampra.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 227 (1862) ;
Mém. Mex., Blatt. p. 139 (1864).

| | |
|---|---|
| 1. **N. Cassidea, Burm.** (*Phoraspis C.*) Handb. Ent. ii. p. 493. n. 7 (1838) ; Brunn. Syst. Blatt. p. 161. n. 8, pl. 4. f. 17 (1865).<br>*Epilampra Lucida*, *Sauss.* Rev. Zool. (2) xiv. p. 227 (1862) ; Mém. Mex., Blatt. p. 139, pl. 2. ff. 22, 23 (1864). | Bahia. |
| *2. **N. Punctata, Sauss.** (*Thorax P.*) Mém. Soc. Genève, xxiii. p. 125 (187~~3~~).<br>2 | Brazil. |

### Genus 49. **Phoraspis.** (*Type* no. 14.)

Serv. Ann. Sci. Nat. xxii. p. 43 (1831); Ins. Orth. p. 124 (1839); Blanch. Ann. Soc. Ent. France, vi. p. 285 (1837); Burm. Handb. Ent. ii. p. 492 (1838); Sauss. Mém. Mex., Blatt. p. 141 (1864); Brunn. Syst. Blatt. p. 154 (1865).

| | |
|---|---|
| 1. **P. Heydeniana, Sauss.** (*Paratropes H.*) Rev. Zool. (2) xvi. p. 309 (1864).<br>*Paratropes Heydeniana, Sauss.* Mém. Mex., Blatt. p. 62, pl. 1. f. 7 (1864).<br>*Phoraspis Heydeniana, Sauss.* Miss. Mex., Blatt. p. 75. n. 1 (1870).<br>? ‖*Phoraspis Conspersa, Burm.* l. c. p. 493. n. 6 (1838). | Brazil. |
| *2. **P. Bicolor, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 61. n. 3 (1893). | C.Amer.(?),<br>Brazil. |
| *3. **P. Flavipes, Blanch.** l. c. p. 291, pl. 11. f. 2 (1837); Serv. Ins. Orth. p. 127 (1839). | Brazil. |
| *4. **P. Atomaria, Blanch.** l. c. p. 287, pl. 10. f. 2 (1837); Serv. l. c. p. 126 (1839); Sauss. Mém. Mex., Blatt. p. 144 (1864); Brunn. l. c. p. 159. n. 5 (1865).<br>*P. Unicolor, Burm.* l. c. p. 493. n. 5 (1838). | Guadeloupe<br>Brazil. |
| *5. **P. Pellucens, Thunb.** (*Blatta P.*) Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826). | Brazil. |
| 6. **P. Luctuosa, Sauss.** Rev. Zool. (2) xx. p.356(1868); Miss. Mex., Orth. p.76 (1870). | Surinam. |
| *7. **P. Luteola, Blanch.** l. c. p. 290, pl. 11. f. 1 (1837); Serv. l. c. p. 127 (1839).<br>*P. Picta*, var. *Luteola, Brunn.* l. c. p. 157 (1865); Sauss. Miss. Mex., Orth. p. 76 (1870). | Brazil. |
| *8. **P. Conspersa, Brullé,** Hist. Ins. ix. p. 60, pl. 3. f. 4 (1835); Blanch. l. c. p. 288, pl. 10. f. 3 (1837); Serv. l. c. p. 127 (1839).<br>*P. Leucogramma*, var. *Conspersa, Brunn.* l. c. p. 158 (1865); Sauss. l. c. p. 77 (1870). | id. |
| *9. **P. Pantherina, Blanch.** l. c. p. 292, pl. 11. f. 3 (1837); Serv. l. c. p. 127 (1839); Sauss. Mém. Mex., Blatt. p. 144 (1864); Brunn. l. c. p. 160. n. 6 (1865). | Haiti,<br>Brazil. |
| *10. **P. Fastuosa, Blanch.** l. c. p. 293, pl. 11. f. 4 (1837); Serv. l. c. p. 128 (1839); Brunn. l. c. p. 158. n. 3 (1865). | Brazil. |
| 10*a*. **P. Albicollis, Burm.** l. c. p. 493. n. 4 (1838).<br>*P. Fastuosa, Burm.* l. c. p. 1012 (1839). | id. |
| 11. **P. Cassidea, Dalm.** (*Blatta C.*) Anal. Ent. p. 87 (1823).<br>*P. Cassidea, Serv.* l. c. p. 295 (1839). | id. |

| | |
|---|---|
| *12. **P. Leucogramma, Perty,** Del. Anim. Art. p. 116, pl. 30. f. 3 (1830); Blanch. l. c. p. 294, pl. 11. f. 5 (1837); Burm. l. c. p. 493. n. 3 (1838); Serv. l. c. p. 294, pl. 3. f. 3 (1839); Brunn. l. c. p. 157. n. 2 (1865). | Brazil. |
| 13. **P. Mexicana, Sauss.** Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 143 (1864); Miss. Mex., Orth. p. 75, pl. 2. ff. 41, 41 *a* (1870); Brunn. l. c. p. 159. n. 4 (1865). | Mexico. |
| *14. **P. Picta, Drury,** (*Blatta P.*) Ill. Exot. Ent. iii. pl. 50. f. 3 (1782); [? Guér. Icon. R. Anim. ii. pl. 52. f. 3, iii. p. 326 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 783, pl. 104. f. 3 (1842) (*var. aut sp. n.?*)].<br>*Phoraspis Picta, Blanch.* l. c. p. 296, pl. 11. f. 6 (1837); Serv. Ins. Orth. p. 129 (1839); Brunn. l. c. p. 155. n. 1, pl. 4. f. 16 A–E (1865).<br>*Lampyris Rufovittata, Schönh.* Syn. Ins. i. (3) p. 66. n. 47 (1817). | Brazil. |
| 15. **P. Nigra, Blanch.** l. c. p. 297, pl. 11. f. 7 (1837); Serv. l. c. p. 130 (1839); Brunn. l. c. p. 162. n. 2 (1865). | id. |
| 16. **P. (?) Modesta, Brunn.** l. c. p. 161. n. 7 (1865). | id. |

## Genus 50. **Cyrtilia.**

Stål, Bihang Svenska Akad. ii. (13) p. 11 (1875).

| | |
|---|---|
| 1. **C. Convexa, Thunb.** (*Blatta C.*) Mém. Acad. Pétersb. x. p. 279 (1826). | Hab. —— ? |

## Genus 51. **Pinaconota.**

Sauss. Rev. Suisse Zool. iii. p. 337 (1895).

| | |
|---|---|
| *1. **P. Bifasciata, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 165 (1862); Mém. Mex., Blatt. p. 98 (1864).<br>*Epilampra Bifasciata, Sauss.* Miss. Mex., Orth. p. 84, pl. 2. ff. 44, 44 A (1870).<br>*Pinaconota Bifasciata, Sauss.* Rev. Suisse Zool. iii. p. 337 (1895).<br>*Phyllodromia Bifasciata, Brunn.* Syst. Blatt. p. 94. n. 4 (1865).<br>*Ischnoptera Sicca, Walk.* Cat. Blatt. B. M. Suppl. p. 149 (1869). | Brazil (Santarem). |

## Genus 52. **Opisthoplatia.**

Brunn. Syst. Blatt. p. 198 (1865).

| | |
|---|---|
| *1. **O. Orientalis, Burm.** (*Polyzosteria O.*) Handb. Ent. ii. p. 482. n. 1 (1838); Sauss. Mém. Mex., Blatt. p. 54 (1864).<br>*O. Orientalis, Brunn.* l. c. p. 199. n. 1, pl. 5. f. 22 A, B (1865).<br>*Nympha Aptera, pt., Stoll,* Spectres, Blatt. p. 8, pl. 5 *d.* f. 25 (1813).<br>*Polyzosteria Pictetiana, Sauss.* Mém. Soc. Genève, xvii. p. 131, pl. 1. f. 1 (1863).<br>*Polyzo teria Ægyptiaca* (?), *Walk.* Cat. Blatt. B. M. p. 154. n. 22 (1868). | China, America. |

## Genus 53. **Molytria.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 12 (1875); Sauss. Rev. Suisse Zool. iii. pp. 333, 337 (1895).

| | |
|---|---|
| 1. **M. Decolyi, Bol.** Ann. Soc. Ent. France, 1897, p. 294. | S. India (Trichinopoly). |
| *2. **M. Maculata, Brunn.** (*Epilampra M.*) Syst. Blatt. p. 179. n. 12 (1865).<br>*Epilampra Polyspila, Walk.* Cat. Blatt. B. M. p. 197 (1868). | Singapore. |
| *3. **M. Plana, Brunn.** (*Epilampra P.*) l. c. p. 183. n. 16 (1865).<br>*Epilampra Punctifera, Walk.* l. c. p. 198 (1868). | Ceylon. |
| *4. **M. Badia, Brunn.** (*Epilampra B.*) l. c. p. 189. n. 25 (1865).<br>*Epilampra Dotata, Walk.* l. c. Suppl. p. 130 (1869). | Java, Singapore, Sarawak. |
| *5. **M. Inquinata, Stål,** (*Epilampra I.*) Eugenie's Resa, Ins. p. 309 (1858); Brunn. l. c. p. 177. n. 10 (1865).<br>*Epilampra Inquinita, Tepp.* Tr. R. Soc. S Australia, xvii. p. 61 (1893).<br>*Epilampra Nudiventris, Sauss.* Rev. Zool. (2) xvi. p. 321 (1864). | Sydney. |
| **6. **M. Amplipennis, Walk.** (*Epilampra A.*) Cat. Blatt. B. M. p. 196 (1868). | Silhet. |
| 7. **M. Ramifera, Walk.** (*Epilampra R.*) l. c. Suppl. p. 132 (1869). | Sumatra. |

| | |
|---|---|
| 8. **M. Auriculata, Brunn.** (*Epilampra A.*) l. c. p. 181 n. 13 (1865). | Bengal. |
| **9. **M. Imperatrix, Kirb.** Ann. Nat. Hist. (7) xii. p. 274 (1903). | Tonkin. |
| **9 *a.* **M. Shelfordi, Kirb.** l. c. p. 275 (1903). | Borneo. |
| ‖ *Epilampra Polyspila, Walk.* l. c. Suppl. p. 133 (1869). | |
| 10. **M.** (?) **Marmorata, Brunn.** (*Epilampra M.*) Ann. Mus. Genov. xxxiii. p. 29 (1893). | Burma. |

## Genus 54. Homalopteryx. (*Type* no. 13.)

Brunn. Syst. Blatt. p. 195 (1865); Sauss. Rev. Suisse Zool. iii. p. 340 (1895).

| | |
|---|---|
| 1. **H. Patinifera, Bol.** Ann. Soc. Ent. France, 1897, p. 295. | S. India (Trichinopoly). |
| 2. **H. Cariniceps, Bol.** l. c. p. 296 (1897). | id. |
| 3. **H. Biplagiata, Bol.** l. c. (1897). | id. |
| **4. **H. Templetonii, Kirb.** Ann. Nat. Hist. (7) xii. p. 275 (1903). | Ceylon. |
| ‖ *Epilampra Cribricollis*, var. (?), *Walk.* Cat. Blatt. B. M. p. 195 (1868). | |
| 5. **H. Regina, Sauss.** (*Epilampra (Homalopteryx) R.*) Mém. Soc. Genève, xx. p. 270 (1869). | Cochin China. |
| 6. **H. Macassariensis, Haan,** (*Blatta (Epilampra) M.*) Temminck, Verhandel., Orth. p. 51, pl. 18. f. 7 (1842). | Macassar, Amboina, Philippines. |
| *H. Macassariensis, Brunn.* l. c. p. 197. n. 2 (1865). | |
| *Epilampra Strigifrons, Walk.* Cat. Blatt. B. M. Suppl. p. 132 (1869). | |
| 7. **H. Adusta, Walk.** (*Epilampra A.*) l. c. p. 131 (1869). | Sarawak. |
| 8. **H. Basifera, Walk.** (*Epilampra B.*) l. c. (1869). | Ceram. |
| 9. **H. Pelewensis, Sauss.** Rev. Suisse Zool. iii. p. 342 (1895). | Pelew Islands. |
| 10. **H. Intermedia, Bol.** Actas Soc. Españ. 1898, p. 137. | Papua. |
| 11. **H. Pectinata, Sauss.** (*Epilampra (Homalopteryx ?) P.*) Mém. Soc. Genève, xx. p. 271 (1869). | Australia. |
| **12. **H. Vasta, Walk.** (*Epilampra V.*) Cat. Blatt. B. M. p. 195 (1868). | Philippines. |

| | |
|---|---|
| *Epilampra Imperatoria, Stål*, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877). | |
| 13. **H. Capucina, Brunn.** l. c. p. 196. n. 1, pl. 5. f. 21 A–E (1865); Ann. Soc. Ent. France, (6) x. p. 137 (1890). | Venezuela,<br>Colombia. |
| **14. **H. Geochroma, Walk.** (*Polyzosteria G.*) Cat. Blatt. B. M. p. 158. n. 31 (1868). | Hab. —— ? |

## Genus 55. **Compsolampra.**

*Comptolampra, Sauss.* Soc. Ent. viii. p. 58 (1893).

*Compsolampra, Sauss.* Rev. Suisse Zool. iii. p. 343 (1895); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 59 (1893).

| | |
|---|---|
| *1. **C. Liturata, Serv.** (*Blatta L.*) Ins. Orth. p. 103 (1839); Haan, Temminck, Verhandel., Orth. p. 58, pl. 18. f. 8 (♂) (1842).<br>*Opisthoplatia Liturata, Brunn.* Syst. Blatt. p. 201 (1865).<br>*Periplaneta Insolita, Walk.* Cat. Blatt. B. M. p. 146. n. 59 (1868).<br>*Compsolampra Liturata, Sauss.* Rev. Suisse Zool. iii. p. 343 (1895). | Java. |

## Genus 56. **Phœtalia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. ii. (13) p. 17 (1875); Sauss. Rev. Suisse Zool. iii. p. 343 (1895); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. pp. 56, 68 (1895).

| | |
|---|---|
| 1. **P. (?) Marginicollis, Stål,** (*Blatta M.*) Eugenie's Resa, Ins. p. 307 (1858). | Madeira. |
| *2. **P. Pallida, Brunn.** (*Nauphœta P.*) Syst. Blatt. p. 286. n. 3 (1865).<br>‖*Blatta Lœvigata, Serv.* Ins. Orth. p. 98 (1839); Sauss. Mém. Mex., Blatt. p. 99, pl. 1. f. 16 (1864).<br>*Blatta (Panchlora) Lœvigata, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 344 (1857).<br>*Nauphœta Lœvigata, Sauss.* Miss. Mex., Orth. p. 104 (1870).<br>*Nauphœta Marginalis, Walk.* Cat. Blatt. B. M. p. 41. n. 14 (1868). | W. Indies,<br>Brazil.<br>Teneriffe. |
| *3. **P. Circumvagans, Burm.** (*Nauphœta C.*) Handb. Ent. ii. p. 508. n. 1 (1838).<br>‖*Nauphœta Lœvigata, Brunn.* l. c. p. 285. n. 2, pl. 7. f. 33 A–E (1865). | Brazil,<br>Teneriffe,<br>Mascarene<br>Islands. |

## Genus 57. **Calolampra.** (*Type* no. 16.)

Sauss. Soc. Ent. viii. p. 57 (1893): Sauss. & Zehntn. Biol. Cent.-Amer.. Orth. i. p. 67 (1893).

*Epilampra*, *Tepp.* Tr. R. Soc. S. Australia, xvii. p. 57 (1893).

| | |
|---|---|
| *1. **C. Aptera, Schulth.** Ann. Mus. Genova. xxxix. p. 169. pl. 2. f. 2 (1898). | Kilimanjaro. |
| 2. **C. Biolleyi, Sauss.** Rev. Suisse Zool. iii. p. 347. pl. 9. ff. 8. 8 *e* (1895). | Central America. |
| 3. **C. Brevitarsis, Sauss.** Soc. Ent. viii. p. 58 (1893); Sauss. & Zehntn. l. c. p. 67. n. 1, pl. 4. f. 39 (1893). | New Granada, Panama. |
| 4. **C. Bispinosa, Sauss.** l. c. p. 58 (1893); Sauss. & Zehntn. l. c. p. 67. n. 2, pl. 3. f. 26 (1893). | id. |
| 5. **C. Carinulata, Sauss.** Rev. Suisse Zool. iii. p. 347. pl. 9. f. 9 (1895). | Central America. |
| 6. **C. Heusseriana, Sauss.** (*Epilampra H.*) Rev. Zool. (2) xvi. p. 321 (1864); Mém. Mex., Blatt. p. 134, pl. 2. f. 24 (1864). | Uruguay. |
| **7. **C. Conferta, Walk.** (*Epilampra C.*) Cat. Blatt. B. M. p. 207 (1868). | Amazons. |
| **8. **C. Basistriga, Walk.** (*Epilampra B.*) l. c. p. 211 (1868). | Hab. —— ? |
| **9. **C. Pardalina, Walk.** (*Epilampra P.*) l. c. p. 68. n. 6 (1868); Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900); Dist. Ins. Transvaal. p. 20. pl. 1. f. 5 (1900). | Lake N'gami; Transvaal. |
| **10. **C. Characterosa, Walk.** (*Epilampra C.*) l. c. p. 209 (1868). | Bengal. |
| **11. **C. Signatura, Walk.** (*Epilampra S.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 13 (1871); Melliss, St. Helena, p. 166 (1875). | St. Helena. |
| *12. **C. Marginata, Brunn.** (*Epilampra M.*) Ann. Mus. Genov. xxxiii. p. 28, pl. 1. f. 9 (1893). | Pegu. |
| 13. **C. Lævis, Brunn.** (*Epilampra L.*) l. c. p. 28 (1893). | Tenasserim. |
| **14. **C. Antica, Walk.** (*Polyzosteria A.*) l. c. p. 161. n. 37 (1868). | Hab. —— ? |
| 15. **C. Quadrata, Sauss.** (*Epilampra Q.*) Mém. Soc. Genève, xxiii. p. 129 (1873). | China, Java. |
| *Blatta Liturata*, ♀, *Haan.* Temminck. Verhandel.. Orth. p. 48. pl. 1. f. 9 (1842). | |
| **16. **C. Irrorata, Fabr.** (*Blatta I.*) Syst. Ent. p. 272. n. 8 (1775). | Australia. |

| | |
|---|---|
| *Epilampra Gracilis, Brunn.* Syst. Blatt. p. 170, pl. 4. f. 20 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 57 (1893). | |
| *Epilampra Atomifera, Walk.* Cat. Blatt. B. M. p. 69. n. 11 (1868). | |
| *Polyzosteria Propria, Walk.* l.c. p. 161. n. 36 (1868). | |
| 16 *a*. **C. Fornicata, Sauss.** (*Epilampra F.*) Rev. Zool. (2) xvi. p. 320 (1864). | Australia. |
| 17. **C. Depolita, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 57 (1897). | id. (Yorktown) |
| **18. **C. Notabilis, Walk.** (*Epilampra N.*) l. c. p. 202 (1868); Tepp. l. c. xvii. p. 58 (1893). | Australia. |
| 19. **C. Fraserensis, Tepp.** (*Epilampra F.*) l. c. p. 59 (1893); Horn Exped. Centr. Australia, ii. p. 360 (1896). | S.W. Australia. |
| 20. **C. Paula, Tepp.** (*Epilampra P.*) Tr. R. Soc. S. Australia, xvii. p. 60 (1893). | S. Australia. |
| 21. **C. Truncata, Brunn.** (*Epilampra T.*) l. c. p. 178. n. 11 (1865); Tepp. l. c. p. 61 (1893). | Sydney. |
| 22. **C. Aspera, Tepp.** (*Epilampra A.*) l. c. p. 62 (1893). | S. & W. Australia. |
| *C. Aspera, Sauss.* Rev. Suisse Zool. iii. p. 348 (1895). | |
| 23. **C. Tepperi, Kirb.** Ann. Nat. Hist. (7) xii. p. 275 (1903). | Australia. |
| ‖ *Epilampra Propria,* Tepp. l. c. p. 64 (1893). | |
| 24. **C. Obscura, Tepp.** (*Epilampra O.*) l. c. (1863). | id. |
| 25. **C. Atra, Tepp.** (*Epilampra A.*) l. c. p. 65 (1893). | id. |
| **26. **C. (?) Marginalis, Walk.** (*Ischnoptera M.*) l. c. p. 119. n. 36 (1868). | id. (Swan River). |
| 27. **C. (?) Tatei, Tepp.** (*Epilampra T.*) l. c. xviii. p. 174 (1894). | Australia. |
| **28. **C. (?) Congrua, Walk.** (*Polyzosteria C.*) Cat. Blatt. B. M. p. 165. n. 44 (1868). | Congo. |

### Genus 58. **Pœciloderrhis.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. ii. (13) p. 12 (1874).

| | |
|---|---|
| *1. **P. Verticalis, Burm.** (*Epilampra V.*) Handb. Ent. ii. p. 505. n. 6 (1838); | Brazil. |

| | |
|---|---|
| Brunn. Syst. Blatt. p. 175. n. 8 (1865); Sauss. Miss. Mex., Orth. p. 85 (1870).<br>*Epilampra Socia, Stål,* Eugenie's Resa. Ins. p. 309 (1858).<br>*Epilampra Bella, Sauss.* Rev. Zool. (2) xvi. p. 322 (1864). | |
| 2. **P. Bivittata, Sauss.** (*Epilampra B.*) l. c. p. 323 (1864); Mém. Mex., Blatt. p. 136 (1864). | Brazil. |
| 3. **P. Maculifrons, Stål,** (*Epilampra M.*) l. c. p. 310 (1858). | Rio Janeiro. |
| 4. **P. Proxima, Brunn.** (*Epilampra P.*) l. c. p. 176. n. 9 (1865). | Brazil. |

## Genus 59. **Wodongia.**

Tepp. Tr. R. Soc. S. Australia, xix. p. 155 (1895).

| | |
|---|---|
| 1. **W. Lunata, Tepp.** l. c. p. 156 (1895). | Victoria. |

## Genus 60. **Derocardia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 350 (1895).

| | |
|---|---|
| 1. **D. Acutipennis, Sauss.** (*Hedaia A.*) l. c. p. 353, pl. 9. f. 11 (1895). | Amboina. |
| *2. **D. Oxyptera, Walk.** (*Epilampra O.*) Cat. Blatt. B. M. p. 199 (1868). | Sarawak. |

## Genus 61. **Apsidopis.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 338 (1895).

| | |
|---|---|
| 1. **A. Cyclops, Sauss.** l. c. pl. 9. f. 7 (1895). | Borneo. |
| 2. **A. (?) Oniscosoma, Sauss.** l. c. p. 339 (1895). | Peru. |

## Genus 62. **Pseudophoraspis.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 275 (1903).

| | |
|---|---|
| *1. **P. Nebulosa, Burm.** (*Epilampra N.*) Handb. Ent. ii. p. 505, n. 4 (1838); Brunn. Syst. Blatt. p. 193. n. 30, pl. 9. f. 19 A–E (1865); Walk. Cat. Blatt. B. M. p. 194 (1868).<br>*Blatta Jaspidea, Serv.* Ins. Orth. p. 88 (1839). | Java, Malay Peninsula. |

| | |
|---|---|
| *Epilampra Jaspidea, Brunn.* l. c. p. 184. n. 17 (1865); Walk. l. c. p. 193 (1868); Sauss. Mém. Mex., Blatt. p. 138 (1864). | |
| 2. **P. Scita, Walk.** (*Epilampra S.*) l. c. p. 200 (1868). | Sumatra. |
| **3. **P. Congrua, Walk.** (*Epilampra C.*) l. c. p. 199 (1868). | Sarawak; Tonkin. |
| **4. **P. Deplanata, Walk.** (*Epilampra D.*) l. c. p. 201 (1868). | Singapore. |
| 5. **P. (?) Conformis, Walk.** (*Epilampra C.*) l. c. p. 200 (1868). | Sarawak. |

### Genus 63. **Rhabdoblatta.**

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903).

| | |
|---|---|
| **1. **R. Præcipua, Walk.** (*Epilampra P.*) Cat. Blatt. B. M. p. 196 (1868). | Ceylon. |

### Genus 64. **Heterolampra.** (*Type* no. 46.)

Kirb. Ann. Nat. Hist. (7) xii. p. 276 (1903). D-513

‖*Epilampra, Sauss. & Zehntn.* Hist. Madagascar, Orth. i. p. 56 (1895).

| | |
|---|---|
| **1. **H. Alligata, Walk.** (*Epilampra A.*) Cat. Blatt. B. M. p. 71. n. 22 (1868). | Hong Kong. |
| **1 *a*. **H. Isochroma, Walk.** (*Epilampra I.*) l. c. p. 204 (1868). | id. |
| **2. **H. Munda, Walk.** (*Epilampra M.*) l. c. p. 203 (1868). | id. |
| **3. **H. Sinensis, Walk.** (*Epilampra S.*) l. c. p. 197 (1868). | id. |
| 4. **H. Saussurei, Kirb.** Ann. Nat. Hist. (7) xii. p. 277 (1903). 6-513, R<br>‖*Epilampra Puncticollis, Sauss.* Rev. Suisse Zool. iii. p. 359 (1895). 0-129, | China. |
| 5. **H. Sculpturata, Bol.** (*Epilampra S.*) Ann. Soc. Ent. France, 1897, p. 297, pl. 10. f. 8. | S. India (Trichinopoly). |
| 6. **H. Lineaticollis, Bol.** (*Epilampra L.*) l. c. p. 298 (1897). | id. |
| *7. **H. Punctata, Brunn.** (*Epilampra P.*) Syst. Blatt. p. 173. n. 5 (1865). | Ceylon. |
| **8. **H. Subsparsa, Walk.** (*Epilampra S.*) l. c. p. 205 (1868). | id. |

| | |
|---|---|
| *9. **H. Inconspicua, Brunn.** (*Epilampra I.*) l. c. p. 186. n. 20 (1865). | Philippines. |
| **10. **H. Curta, Walk.** (*Epilampra C.*) l. c. p. 205 (1868). | id. |
| 11. **H. Cyrtophthalma, Stål,** (*Epilampra C.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 35 (1877). | id. |
| **12. **H. Pustulata, Walk.** (*Epilampra P.*) l. c. p. 206 (1868). | id. |
| **13. **H. Insueta, Walk.** (*Epilampra I.*) l. c. p. 202 (1868). | id. |
| 14. **H. Manillensis, Sauss.** (*Epilampra M.*) Mém. Soc. Genève, xx. p. 268 (1869). | id.<br>(Manilla). |
| 15. **H. Stæli, Kirb.** l. c. p. 277 (1903).<br>‖*Epilampra Puncticollis, Stål,* l. c. p. 34 (1877). | Philippines. |
| **16. **H. Pandens, Walk.** (*Epilampra P.*) l. c. p. 204 (1868). | id. |
| *17. **H. Cribellata, Stål,** (*Epilampra C.*) l. c. p. 34 (1877). | id. |
| 18. **H. Mutica, Stål,** (*Epilampra M.*) l. c. (1877). | id. |
| 19. **H. Plebeia, Stål,** (*Epilampra P.*) l. c. (1877). | id. |
| 20. **H. Tagalica, Stål,** (*Epilampra T.*) l. c. p. 35 (1877). | id. |
| 21. **H. Trivialis, Stål,** (*Epilampra T.*) l. c. (1877). | id. |
| 22. **H. Caliginosa, Stål,** (*Epilampra C.*) l. c. p. 35 (1877). | id. |
| 23. **H. Lugubrina, Stål,** (*Epilampra L.*) l. c. (1877). | id. |
| 24. **H. Meticulosa, Stål,** (*Epilampra M.*) l. c. (1877). | id. |
| 25. **H. Ferruginosa, Stål,** (*Epilampra F.*) l. c. (1877). | id. |
| 26. **H. Pudica, Stål,** (*Epilampra P.*) l. c. (1877). | id. |
| 27. **H. (?) Elegans, Esch.** (*Blatta E.*) Entographien, p. 84 (1822). | Luzon. |
| 28. **H. Inclarata, Walk.** (*Epilampra I.*) l. c. p. 198 (1868). | Sarawak. |
| 29. **H. Imitans, Brunn.** (*Epilampra I.*) Ann. Mus. Genov. xxxiii. p. 29, pl. 1. f. 10 (1893). | Tenasserim. |
| 30. **H. Varia, Walk.** (*Epilampra V.*) Cat. Blatt. B. M. Suppl. p. 130 (1869). | Sarawak. |

| | |
|---|---|
| *31. **H. Lurida, Burm.** (*Epilampra L.*) Handb. Ent. ii. p. 505. n. 5 (1838); Brunn. Syst. Blatt. p. 185. n. 19 (1865).<br>*Blatta Cribricollis, Serv.* Ins. Orth. p. 93 (1839). | Java,<br>Borneo,<br>India,<br>Celebes. |
| **32. **H. Monticola, Kirb.** l. c. p. 277 (1903). | Tonkin. |
| **33. **H. Pallida, Kirb.** l. c. p. 278 (1903). | id. |
| **34. **H. Ridleyi, Kirb.** l. c. (1903). | Singapore. |
| **35. **H. Puncticollis, Walk.** (*Epilampra P.*) Cat. Blatt. B. M. p. 74. n. 28 (1868). | Sarawak. |
| 36. **H. Fervida, Walk.** (*Epilampra F.*) l. c. p. 211 (1868). | id., Celebes,<br>Papua. |
| 37. **H. Plena, Walk.** (*Epilampra P.*) l. c. p. 210 (1868). | Celebes<br>(Menado). |
| 38. **H. Lævicollis, Sauss.** (*Epilampra L.*) Mém. Soc. Genève, xxiii. p. 129, pl. 10. f. 45 (1873). | Java. |
| **39. **H. Quadrinotata, Walk.** (*Epilampra Q.*) l. c. p. 209 (1868). | Sarawak. |
| 39 *a*. **H. Geminata, Brunn.** (*Epilampra G.*) Abhandl. Senckenb. Ges. xxiv. p. 208 (1898). | Borneo. |
| 40. **H. Deflexa, Sauss.** (*Epilampra D.*) l. c. p. 126, pl. 10. f. 43 (1873). | Java. |
| 41. **H. Truncata, Brunn.** (*Epilampra T.*) l. c. p. 207 (1898). | Celebes. |
| 42. **H. Doleschali, Brunn.** (*Epilampra D.*) Syst. Blatt. p. 194. n. 31 (1895). | Amboina. |
| *43. **H. Concinnula, Walk.** (*Epilampra C.*) l. c. Suppl. p. 134 (1869). | Timor. |
| 44. **H. Keraudrenii, Le Guill.** (*Blatta K.*) Rev. Zool. 1841, p. 292.<br>*Epilampra Keraudrenii, Brunn.* l. c. p. 182. n. 15 (1865). | N. Guinea<br>(Triton<br>Bay). |
| 45. **H. Papua, Sauss.** (*Epilampra P.*) Rev. Suisse Zool. iii. p. 361, pl. 9. f. 14 (1895). | N. Guinea. |
| *46. **H. Dilatata, Brunn.** (*Epilampra D.*) l. c. p. 185. n. 18 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 62 (1893).<br>*Epilampra Laticollis, Walk.* Cat. Blatt. B. M. p. 203 (1868). | Australia. |
| 47. **H. Pectinata, Sauss.** (*Epilampra* (*Homalopteryx?*) *P.*) Mém. Soc. Genève, xx. p. 271 (1869). | id. |
| 48. **H. Lyncea, Gerst.** (*Epilampra L.*) Mitth. Ver. Vorpomm. xiv. p. 53 (1883). | Cameroons. |

| | |
|---|---|
| 49. **H. Erubescens, Gerst.** (*Epilampra E.*) l. c. p. 54 (1883). | Cameroons, Ogowe. |
| **50. **H. Stipata, Walk.** (*Epilampra S.*) l. c. p. 208 (1868). | Sierra Leone. |
| 51. **H. Punctipennis, Sauss.** (*Epilampra P.*) Rev. Suisse Zool. iii. p. 356, pl. 9. f. 12 (1895). | Zanzibar. |
| 52. **H. Hybrida, Sauss.** (*Epilampra H.*) l. c. p. 358 (1895). | Lake N'gami. |
| 53. **H. Trilobata, Sauss.** (*Epilampra T.*) l. c. p. 25 (1891); Sauss. & Zehntn. l. c. p. 60, pl. 2. f. 24 (1895). | Madagascar |
| 54. **H. Punctulata, Sauss.** (*Epilampra P.*) l. c. p. 25 (1891); Sauss. & Zehntn. l. c. p. 63, pl. 2. ff. 22, 23 (1895). | id. |
| 55. **H. Malagassa, Sauss. & Zehntn.** (*Epilampra M.*) l. c. p. 65, pl. 2. f. 25 (1895). | id. |
| 56. **H. Cincta, Brunn.** (*Epilampra C.*) Syst. Blatt. p. 172. n. 4 (1865). | Hab. —— ? |

### Genus 65. **Hedaia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 349 (1895); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 56, 66 (1895).

| | |
|---|---|
| 1. **H. Venusta, Sauss.** l. c. p. 351 (1895); Sauss. & Zehntn. l. c. p. 67, pl. 4. f. 43 (1895). | Madagascar |
| 2. **H. Angulata, Sauss.** (*Epilampra A.*) Soc. Ent. vi. p. 25 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 58, pl. 2. f. 21 (1895).<br>*H. Angulata, Sauss.* l. c. p. 352 (1895). | id. |
| 3. **H. Melanosoma, Sauss.** (*Epilampra M.*) Mém. Soc. Genève, xx. p. 266 (1869). | "East Indies." |
| **4. **H. Olivacea, Sauss.** (*Epilampra O.*) l. c. p. 267 (1869). | Cochin China. |
| **5. **H. Abdominalis, Kirb.** Ann. Nat. Hist. (7) xii. p. 279 (1903). | Tonkin. |
| **6. **H. Immaculata, Kirb.** l. c. (1903). | id. |
| 7. **H. Albina, Sauss.** Rev. Suisse Zool. iii. p. 351 (1895). | Java. |
| **8. **H. Buqueti, Serv.** (*Blatta B.*) Ins. Orth. p. 93 (1839). | id. |

| | |
|---|---|
| 8 *a*. **H. Pfeifferæ, Brunn.** (*Epilampra P.*) Syst. Blatt. p. 188. n. 24 (1865). | Borneo. |
| 9. **H. Javanica, Sauss.** (*Epilampra J.*) Mém. Soc. Genève, xx. p. 269 (1869). | Java. |
| 10. **H. Parvicollis, Walk.** (*Epilampra P.*) Cat. Blatt. B. M. Suppl. p. 133 (1869). | Sarawak. |
| *11. **H. Procera, Brunn.** (*Epilampra P.*) l. c. p. 192. n. 29 (1865). | Java. |
| *Epilampra Borrei, Sauss.* l. c. xxiii. p. 127, pl. 10. f. 44 (1873). | id. |
| **12. **H. Horologica, Kirb.** l. c. p. 280 (1903). | Khasia H. |
| 13. **H. Yersiniana, Sauss.** (*Epilampra Y.*) Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 128 (1864). | Brazil. |
| *Epilampra Superba, Brunn.* l. c. p. 191. n. 23 (1865). | |

### Genus 66. **Rhicnoda.** (*Type* no. 1.)

Brnnn. Ann. Mus. Genov. xxxiii. p. 30 (1893).

| | |
|---|---|
| *1. **R. Rugosa, Brunn.** l. c. p. 31, pl. 1. f. 11 *a*, *b* (1893). | Borneo,<br>Java. |
| **2. **R. Terranea, Walk.** (*Perisphæria T.*) Cat. Blatt. B. M. p. 163. n. 41 (1868). | Ceylon. |
| *3. **R. Spinulosa, Brunn.** l. c. p. 31 (1893). | Java. |
| *4. **R. Obscurifrons, Stål,** (*Homalopteryx O.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 34 (1877). | Philippines. |
| 5. **R. Major, Sauss.** (*Homalopteryx M.*) Rev. Suisse Zool. iii. p. 342 (1895). | Java. |
| 6. **R. Perplexa, Tepp.** (*Epilampra* (*Rhicnoda*) *P.*) Tr. R. Soc. S. Australia, xix. p. 156 (1895). | Victoria. |
| **7. **R. Reflexa, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 68. n. 1, pl. 4. f. 25 (1893). | Nicaragua. |
| **8. **R. Laminata, Brunn.** (*Homalopteryx L.*) Proc. Zool. Soc. Lond. 1892, p. 294, pl. 15. f. 4. | St. Vincent,<br>Grenada. |

## Genus 67. **Epilampra.** (*Type* no. 12.)

Burm. Handb. Ent. ii. p. 504 (1838); Sauss. Mém. Mex., Blatt. p. 126 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 61 (1893); Brunn. Syst. Blatt. p. 166 (1865).

| | |
|---|---|
| 1. **E. Crassa, Sauss.** Rev. Zool. (2) xvi. p. 99 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. l. c. p. 62. n. 1, pl. 4. f. 37 (1893). | Mexico. |
| *2. **E. Imitatrix, Sauss. & Zehntn.** l. c. p. 63. n. 2 (1893). | Brazil. |
| *3. **E. Mexicana, Sauss.** Rev. Zool. (2) xiv. p. 228 (1862); Mém. Mex., Blatt. p. 130, pl. 2. f. 26 (1864); Miss. Mex., Orth. p. 80 (1870); Sauss. & Zehntn. l. c. p. 63. n. 3 (1893); Brunn. l. c. p. 188. n. 23 (1865). | Mexico, Guatemala. |
| 4. **E. Insularis, Bol.** (*E. Mexicana*, var. *I.*) Mém. Soc. Zool. France, i. p. 128 (1888). | Cuba. |
| 5. **E. Columbiana, Sauss.** Rev. Suisse Zool. iii. p. 360, pl. 9. f. 13 (1895). | New Granada. |
| **6. **E. Sabulosa, Walk.** Cat. Blatt. B. M. p. 70. n. 20 (1868). | Haiti. |
| **7. **E. Arctata, Walk.** l. c. p. 74. n. 27 (1868). | British Guiana. |
| *8. **E. Azteca, Sauss.** Rev. Zool. (2) xx. p. 356 (1868); Miss. Mex., Orth. p. 82 (1870); Sauss. & Zehntn. l. c. p. 95. n. 6 (1893). | Mexico. |
| **9. **E. Microspila, Walk.** l. c. p. 208 (1868). | Haiti. |
| 10. **E. Latifrons, Sauss. & Zehntn.** l. c. p. 66. n. 9 (1893). | S. America. |
| **11. **E. Caraibea, Sauss. & Zehntn.** l. c. p. 65. n. 7 (1893). | Cuba. |
| 12. **E. Maculicollis, Serv.** (*Blatta M.*) Ins. Orth. p. 92 (1839).<br>‖*E. Brasiliensis, Brunn.* l. c. p. 169. n. 1 (1865); (?) Burm. l. c. ii. p. 505. n. 1 (1838). | Brazil. |
| 13. **E. Fusca, Brunn.** l. c. p. 170. n. 2 (1865). | Venezuela. |
| 14. **E. Grisea, De Geer,** (*Blatta G.*) Mém. Ins. iii. p. 570. n. 7, pl. 44. f. 9 (1773). | Surinam. |

| | |
|---|---|
| **15. **E. Brasiliensis, Fabr.** (*Blatta B.*) Syst. Ent. p. 272. n. 10 (1775). | Brazil. |
| 16. **E. Crossea, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864).<br>*E. Crocea, Sauss.* Mém. Mex., Blatt. p. 133 (1864). | id. |
| 17. **E. Burmeisteri, Guér.** (*Blatta* (*Phyllodromia*) *B.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 345 (1857).<br>*E. Burmeisteri, Sauss.* Mém. Mex., Blatt. p. 136, pl. 2. f. 25 (1864); Miss. Mex., Orth. p. 81 (1870); Sauss. & Zehntn. l. c. p. 66. n. 8 (1893). | Cuba. |
| 18. **E. Testacea, Brunn.** l. c. p. 187. n. 22 (1865). | Brazil. |
| 19. **E. Cinerascens, Brunn.** l. c. p. 173. n. 6 (1865). | id. |
| **20. **E. Subconspersa, Walk.** l. c. p. 71. n. 21 (1868). | id. |
| 21. **E. Adjuncta, Walk.** l. c. p. 72. n. 23 (1868). | id. |
| **22. **E. Caliginosa, Walk.** l. c. p. 207 (1868). | id. |
| 23. **E. Castanea, Brunn.** l. c. p. 174. n. 7 (1865). | id. |
| **24. **E. Sodalis, Walk.** l. c. p. 72. n. 24 (1868).<br>‖ *E. Conspersa, Sauss. & Zehntn.* l. c. p. 64. n. 5, pl. 4. f. 38 (1893). | Santarem,<br>Guiana,<br>Guatemala. |
| *25. **E. Cribrosa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 27 (1865).<br>*E. Agathina, Sauss.* Rev. Zool. (2) xvi. p. 322 (1864); Mém. Mex., Blatt. p. 135 (1864); Walk. l. c. p. 194 (1868). | Brazil. |
| **26. **E. Repanda, Walk.** l. c. p. 73. n. 25 (1868). | id. |
| *27. **E. Fallax, Sauss. & Zehntn.** l. c. p. 64. n. 4, pl. 4. f. 36 (1893). | id. |
| *28. **E. Conspersa, Burm.** l. c. p. 505. n. 2 (1838); Brunn. l. c. p. 190. n. 26 (1865). | id. |
| 29. **E. Ferruginea, Brunn.** l. c. p. 187. n. 21 (1865). | id. |
| 30. **E. Heydeniana, Sauss.** Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 133 (1864). | id. |
| 31. **E. Cubensis, Bol.** l. c. i. p. 127 (1888). | Cuba. |

| | |
|---|---|
| *32. **E. Brevis, Brunn.** Proc. Zool. Soc. Lond. 1892. p. 203. pl. 15. f. 3. | W. Indies (St. Vinc.). |
| **33. **E. Substrigata, Walk.** l. c. p. 73. n. 26 (1868).<br>*E. Opaca, Walk.* l. c. p. 206 (1868). | Demerara. |
| 34. **E. (?) Obliqua, Walk.** (*Ischnoptera* (?) *O.*) l. c. Suppl. p. 148 (1869). | Brazil. |
| 35. **E. Atriventris, Sauss.** Rev. Suisse Zool. iii. p. 357 (1895). | id. |
| 36. **E. Stigmosa, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 8 (1898). | Ecuador. |
| 37. **E. Josephi, Giglio-Tos,** l. c. p. 9 (1898). | id. |
| 38. **E. Caizana, Giglio-Tos,** l. c. xii. (302) p. 10 (1897). | Bolivia. |
| *39. **E. Limbalis, Brancs.** Verh. Ver. Trencsin. Com. xxiii.–xxiv. p. 187 (1901). | Paraguay. |
| 40. **E. Erythrina, Walk.** (*Blatta E.*) Cat. Blatt. B. M. p. 219 (1868). | Brazil. |

## SUBFAM. VII.

## BLATTINÆ.

### Genus 68. **Polyzosteria.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 482 (1838); Sauss. Mém. Mex., Blatt. p. 52 (1864); Miss. Mex., Orth. p. 70 (1870); Brunn. Syst. Blatt. p. 203 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 72 (1893).

|| *Chalcolampra, Sauss.* Mém. Soc. Genève, xvii. p. 132 (1863).

| | |
|---|---|
| *1. **P. Limbata, Burm.** l. c. p. 483. n. 5 (1838); Walk. Cat. Blatt. B. M. p. 167. n. 47 (1868); Sauss. Mém. Soc. Genève, xvii. p. 133, pl. 1. f. 3 (1864); Brunn. l. c. p. 205. n. 1, pl. 5. f. 23 A, B (1865); Tepp. l. c. xvii. p. 73 (1893).<br>*P. Purpurascens, Fisch.* Orth. Eur. p. 93 note (1853).<br>*P. Pulchella, Sauss.* Rev. Zool. (2) xvi. p. 308 (1864), *larva.* | Australia, Tasmania. |
| **2. **P. Nitens, Walk.** l. c. p. 155. n. 24 (1868). | Hab. —— ? |

| | |
|---|---|
| 3. **P. Impressa, Tepp.** Horn Exped. Centr. Austr. ii. p. 361 (1896). | Central Australia. |
| *4. **P. Cuprea, Sauss.** l. c. xvii. p. 133, pl. 1. f. 2 (1864).<br>*P. Maculata, Brunn.* l. c. p. 206. n. 2 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 74 (1893). | Swan River. |
| 5. **P. Obscuroviridis, Tepp.** l. c. p. 73 (1893). | S. Australia. |
| 6. **P. Ænea, Burm.** l. c. p. 483. n. 6 (1838); Brunn. l. c. p. 207. n. 3 (1865); Tepp. l. c. xvii. p. 74 (1893). | Australia (Sydney, &c.). |
| **7. **P. Invisa, Walk.** l. c. p. 162. n. 38 (1868); Tepp. l. c. xvii. p. 78 (1893). | Australia. |
| **8. **P. Patula, Walk.** l. c. p. 157. n. 28 (1868); Tepp. l. c. xvii. p. 76 (1893). | N. Australia. |
| 9. **P. Frenchii, Tepp.** l. c. xviii. p. 178 (1894). | Victoria. |
| *10. **P. Mitchellii, Angas,** (*Blatta M.*) S. Australia Illustrated, pl. 48. f. 1 (1847).<br>*P. Mitchellii, Sauss.* l. c. xxiii. p. 106 (1873); Tepp. l. c. xvii. p. 78 (1893).<br>*Polyzostria Mitchelli, Frogg.* Agric. Gazette N. S. Wales, xii. p. 1210, plate, f. 4 (1901). | Australia. |
| 11. **P. Subreflexa, Tepp.** l. c. xix. p. 158 (1895). | id. (Ooklea). |
| **12. **P. Subverrucosa, White,** (*Blatta S.*) Grey, Journ. Exped. Australia, ii. p. 467 (1841).<br>*P. Reflexa, Brunn.* l. c. p. 208. n. 4 (1865); Tepp. l. c. xvii. p. 80 (1893). | K. George's Sound,<br>Swan River. |
| *13. **P. Nobilis, Brunn.** l. c. p. 209. n. 5 (1865); Tepp. l. c. xvii. p. 81 (1893). | Swan River. |
| 14. **P. Subnobilis, Tepp.** l. c. (1893). | Kangaroo I. |
| 15. **P. Iridicolor, Tepp.** l. c. p. 73 (1893). | S. Australia. |
| **16. **P. Femoralis, Walk.** l. c. p. 156. n. 27 (1868); Tepp. l. c. xvii. p. 77 (1893). | Swan River. |
| **17. **P. Figurata, Walk.** l. c. p. 157. n. 29 (1868); Tepp. l. c. xvii. p. 77 (1893). | id. |
| 18. **P. Bagoti, Tepp.** l. c. p. 79 (1893). | Pt. Augusta. |
| 19. **P. Oculata, Tepp.** l. c. p. 75 (1893). | Kangaroo I. |
| 20. **P. Pubescens, Tepp.** l. c. (1893); Frogg. l. c. p. 1210, pl. f. 6 (1901). | S.W. Australia. |
| 21. **P. Australica, Brancs.** (*Pellita A.*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 245, pl. 7. f. 4 (1897). | York Town. |

### Genus 69. **Anamesia.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 69 (1893).

| | | |
|---|---|---|
| 1. | **A. Lambii, Tepp.** l. c. p. 70 (1893). | C. Australia. |
| 2. | **A. Eastii, Tepp.** l. c. (1893). | id. |
| 3. | **A. Lindsayi, Tepp.** l. c. p. 71 (1893). | S.W. Austr. |
| *4. | **A. Frenchii, Tepp.** l. c. p. 72 (1893). | N. Queensl. |
| 5. | **A. (?) Fulvornata, Tepp.** l. c. xviii. p. 177 (1894). | Victoria. |

### Genus 70. **Melanozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

| | | |
|---|---|---|
| *1. | **M. Nitida, Brunn.** (*Platyzosteria N.*) Syst. Blatt. p. 214. n. 14 (1865). | Amboina,<br>Ternate,<br>Philippines. |
| **2. | **M. Polita, Walk.** (*Periplaneta P.*) Cat. Blatt. B. M. p. 139. n. 44 (1868). | Formosa,<br>CornwallisI. |
| **3. | **M. Glabra, Walk.** (*Periplaneta G.*) l. c. n. 45 (1868). | Australia. |
| 4. | **M. Aterrima, Esch.** (*Blatta A.*) Entomographien, p. 89 (1822). | I. Radak. |
| **5. | **M. Bicolor, Kirb.** Ann. Nat. Hist. (7) xii. p. 373 (1903). | Torres Str.,<br>CornwallisI. |

### Genus 71. **Syntomaptera.** (*Type* no. 6.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893).

| | | |
|---|---|---|
| 1. | **S. Heydeniana, Sauss.** (*Periplaneta H.*) Rev. Zool. (2) xvi. p. 317 (1864).<br>*Polyzosteria Heydeniana, Sauss.* Mém. Soc. Genève, xx. p. 256 (1869).<br>*Platyzosteria Heydeniana*, Tepp. l. c. xviii. p. 180 (1894). | King George's Sound. |
| *2. | **S. Novæ-Seelandiæ, Brunn.** (*Polyzosteria N.*) Syst. Blatt. p. 218. n. 19 (1865).<br>*Periplaneta Fortipes, Walk.* Cat. Blatt. B. M. p. 137. n. 40 (1868); Huds. Manual N. Zealand Ent. p. 109, pl. 17. f. 5 (1892). | N. Zealand (Auckland);<br>Australia,<br>Tasmania. |

| | |
|---|---|
| 3. **S. Tepperi, Kirb.** Ann. Nat. Hist. (7) xii. p. 374 (1903). | Australia. |
| ‖*Periplaneta Glabra, Tepp.* l. c. xvii. p. 107 (1893). | |
| 4. **S. Obscura, Tepp.** (*Periplaneta O.*) l. c. (1893). | id. |
| 5. **S. Provisionalis, Tepp.** (*Periplaneta P.*) l. c. xvii. p. 108 (1893), xix. p. 161 (1895). | id. (Mt. Bryan East). |
| 6. **S. Scabriuscula, Tepp.** (*Periplaneta S.*) l. c. xvii. p. 108 (1893). | S. Australia. |
| 7. **S. Rufoterminata, Brunn.** (*Polyzosteria R.*) l. c. p. 219. n. 20 (1865). | Australia. |

## Genus 72. **Platyzosteria.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 204 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 83 (1893). 0-79.

| | |
|---|---|
| 1. **P. Consobrina, Sauss.** (*Polyzosteria C.*) Rev. Zool. (2) xvi. p. 306 (1864). | Australia. |
| 2. **P. Melanaria, Erichs.** (*Periplaneta M.*) Arch. Naturg. viii. p. 247 (1862). | Tasmania. |
| *3. **P. Analis, Sauss.** (*Polyzosteria A.*) l. c. (2) xvi. p. 305 (1864). | Australia. |
| ‡‖*Polyzosteria Melanaria, Brunn.* l. c. p. 210. n. 6 (1865); (?) Sauss. Mém. Soc. Genève, xxiii. p. 109 (1873). | |
| (?) *Platyzosteria Melanaria, Tepp.* l. c. xvii. p. 83 (1893). | |
| 4. **P. Grandis, Sauss.** (*Polyzosteria Melanaria*, var. *Grandis*) l. c. p. 110 (1873). | Melbourne. |
| 5. **P. Bifida, Sauss.** (*Polyzosteria B.*) l. c. pl. 10. f. 37 (1873). | Queensland. |
| *Platyzosteria Bifida, Tepp.* l. c. xix. p. 159 (1895). | |
| 6. **P. Armata, Tepp.** l. c. xvii. p. 84 (1893). | W. Australia. |
| 7. **P. Rufofusca, Tepp.** l. c. (1893). | S. Australia. |
| **8. **P. Invisa, Walk.** (*Periplaneta I.*) Cat. Blatt. B. M. p. 137. n. 41 (1868). | Swan River. |
| **9. **P. Tarsalis, Walk.** (*Polyzosteria T.*) l. c. p. 162. n. 39 (1868). | Australia. |
| *10. **P. Atrata, Erichs.** (*Periplaneta A.*) l. c. p. 248 (1842). | Tasmania, Australia. |

| | | |
|---|---|---|
| | *Polyzosteria Atrata*, *Brunn.* l. c. p. 210. n. 7 (1865). | |
| | *Platyzosteria Atrata*, *Tepp.* l. c. xix. p. 15 (1895). | |
| *11. | **P. Aterrima, Erichs.** (*Periplaneta A.*) l. c. p. 248 (1842). | Tasmania. |
| | *Polyzosteria Aterrima*, *Brunn.* l. c. p. 211. n. 8 (1865). | |
| | *Platyzosteria* (*Periplaneta*) *Aterrima*, *Tepp.* l. c. xvii. p. 85 (1893). | |
| 12. | **P. Punctata, Brunn.** (*Polyzosteria P.*) l. c. p. 211. n. 9 (1865). | Australia. |
| | *Platyzosteria Punctata*, *Tepp.* l. c. xvii. p. 85 (1893). | |
| 13. | **P. Pseudatrata, Tepp.** l. c. p. 86 (1893). | C. Australia. |
| 14. | **P. Avocaensis, Tepp.** l. c. p. 88 (1893). | N. S. Wales. |
| *15. | **P. Scabra, Brunn.** (*Polyzosteria S.*) l. c. p. 213. n. 12 (1865). | Sydney. |
| 16. | **P. Scabrella, Tepp.** l. c. p. 88 (1893). | S. Australia. |
| 17. | **P. Variolosa, Bol.** (*Polyzosteria V.*) Ann. Soc. Ent. France, (6) ii. p. 460 (1882). | New Caledonia. |
| *18. | **P. Castanea, Brunn.** (*Polyzosteria C.*) l. c. p. 214. n. 13 (1865). | Sydney. |
| | *Platyzosteria Castanea*, *Tepp.* l. c. xvii. p. 89 (1893). | |
| *19. | **P. Biglumis, Sauss.** (*Polyzosteria B.*) Rev. Zool. (2) xvi. p. 305 (1864); Mém. Soc. Genève, xx. p. 257 (1869). | Australia. |
| | *Polyzosteria Subaptera*, *Brunn.* l. c. p. 212. n. 11 (1865). | |
| | *Platyzosteria Subaptera*, *Tepp.* l. c. xvii. p. 87 (1893). | |
| 20. | **P. Pseudocastanea, Tepp.** l. c. p. 89 (1893). | S. Australia. |
| 21. | **P. Exaspera, Tepp.** l. c. xviii. p. 182 (1894). | Victoria. |

### Genus 73. **Leptozosteria.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

| | | |
|---|---|---|
| 1. | **L. Prima, Tepp.** l. c. (1893). | Cent. Austr. |
| 2. | **L. Secunda, Tepp.** l. c. xviii. p. 183 (1894). | Queensland. |

### Genus 74. **Pseudolampra.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 96 (1893).

| | |
|---|---|
| 1. **P. Punctata, Tepp.** l. c. p. 97 (1893). | S.&W.Aust. |
| 2. **P. Rothei, Tepp.** l. c. p. 98 (1893). | S.Australia. |
| 3. **P. Ornata, Tepp.** l. c. (1893). | id. |
| **4. **P. Circumcincta, Walk.** (*Polyzosteria C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 36 (1871). | Australia. |

### Genus 75. **Knephasia.**

Tepp. Tr. R. Soc. S. Australia, xvii. p. 99 (1893).

| | |
|---|---|
| 1. **K. Medilinea, Tepp.** l. c. p. 100 (1893). | S.Australia. |

### Genus 76. **Cosmozosteria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

| | |
|---|---|
| *1. **C. Bicolor, Sauss.** (*Polyzosteria B.*) Rev. Zool. (2) xvi. p. 307 (1864); Mém. Soc. Genève, xx. p. 259 (1869).<br>*Polyzosteria Ligata, Brunn.* Syst. Blatt. p. 220. n. 22 (1865).<br>*Platyzosteria Ligata, Tepp.* Tr. R. Soc. S. Austral. xvii. p. 93 (1893). | Australia. |
| **2. **C. Lateralis, Walk.** (*Polyzosteria L.*) Cat. Blatt. B. M. p. 154. n. 23 (1868).<br>*Platyzosteria Lateralis, Tepp.* l. c. xvii. p. 93 (1893).<br>*Platyzosteria* (?) *Picta, Tepp.* l. c. xviii. p. 182 (1894). | id. |
| **3. **C. Ferruginea, Walk.** (*Polyzosteria F.*) l. c. p. 158. n. 30 (1868).<br>*Platyzosteria Ferruginea, Tepp.* l. c. xvii. p. 94 (1893). | id. |
| 4. **C. Maculimarginata, Tepp.** (*Platyzosteria M.*) l. c. xix. p. 160 (1895). | N. Queensland. |
| 5. **C. Albomarginata, Brunn.** (*Polyzosteria A.*) l. c. p. 312. n. 10 (1865). | Sydney. |

| | |
|---|---|
| *Platyzosteria Albomarginata, Tepp.* l. c. xvii. p. 86 (1893). | |
| 6. **C. Brunnea, Tepp.** (*Platyzosteria Albomarginata*, var. *Brunnea*) l. c. (1893). | S. & Central Australia. |
| **7. **C. Inclusa, Walk.** (*Periplaneta I.*) l. c. p. 140. n. 48 (1868). | Hab. —— ? |
| 8. **C. Trifasciata, Tepp.** (*Platyzosteria T.*) l. c. p. 91 (1893). | S. Australia. |
| **9. **C. Polyzona, Walk.** (*Polyzosteria P.*) l. c. p. 159. n. 33 (1868). | Swan River. |
| *Platyzosteria Polyzona, Tepp.* l. c. xvii. p. 94 (1893). | |
| 10. **C. Zebra, Tepp.** (*Polyzosteria Z.*) Horn Exped. Centr. Australia, ii. p. 362 (1896). | Central Australia. |
| 11. **C. Latizona, Tepp.** (*Platyzosteria L.*) Tr. R. Soc. S. Australia, xvii. p. 92 (1893). | S. Australia. |
| 12. **C. Coolgardiensis, Tepp.** (*Platyzosteria C.*) l. c. xix. p. 159 (1895). | W. Australia. |
| 13. **C. Ardrossanensis, Tepp.** (*Platyzosteria A.*) l. c. xvii. p. 92 (1893). | S. Australia. |
| **14. **C. Zonata, Walk.** (*Polyzosteria Z.*) l. c. p. 159. n. 32 (1868). | Port Essington. |
| 15. **C. Subzonata, Tepp.** (*Platyzosteria S.*) l. c. xviii. p. 181 (1894). | Victoria. |
| **16. **C. Pectoralis, Walk.** (*Polyzosteria P.*) l. c. p. 160. n. 35 (1868). | N. Australia. |
| *Platyzosteria Pectoralis, Tepp.* l. c. xvii. p. 95 (1893). | |
| **17. **C. Quadrifascia, Walk.** (*Polyzosteria Q.*) l. c. p. 160. n. 34 (1868). | Australia. |
| *Platyzosteria Quadrifascia, Tepp.* l. c. xvii. p. 95 (1893). | |
| **18. **C. Sexguttata, Walk.** (*Periplaneta S.*) l. c. p. 141. n. 50 (1868). | id. |
| *Drymaplaneta Sexguttata, Tepp.* l. c. xvii. p. 113 (1893). | |
| **19. **C. (?) Ruficornis, Walk.** (*Periplaneta R.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 38 (1871). | Bombay. |

### Genus 77. **Cutilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).
*Drymaplaneta*, *Tepp.* Tr. R. Soc. S. Austral. xvii. p. 109 (1893). (*Type* no. 9 *a*.)

| | |
|---|---|
| 1. **C. Tartarea, Stål,** l. c. p. 36 (1877). | Philippines. |
| **2. **C. Coxalis, Walk.** (*Polyzosteria C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 35 (1871). | Bombay. |
| 3. **C. Biloba, Sauss.** (*Polyzosteria B.*) Mém. Soc. Genève, xx. p. 258, pl. 2. f. 20 (1869). | Amboina. |
| 4. **C. Liturata, Sauss.** (*Polyzosteria L.*) l. c. xxiii. p. 108, pl. 10. f. 36 (1873). | New Georgia. |
| *5. **C. Soror, Brunn.** (*Polyzosteria S.*) Syst. Blatt. p. 219. n. 21 (1865); Sauss. l. c. xx. p. 107. n. 2 (1869).<br>*Periplaneta Semicincta*, *Walk.* Cat. Blatt. B. M. p. 140. n. 47 (1868). | Amboina, Ceram, Formosa, Navigators' Isl. |
| 6. **C. Sedilloti, Bol.** (*Polyzosteria S.*) Ann. Soc. Ent. France, (6) ii. p. 459 (1882). | New Caledonia. |
| **7. **C. Circumducta, Walk.** (*Periplaneta C.*) l. c. p. 143. n. 53 (1868). | Hab. —— ? |
| 8. **C.** (**?**) **Balteata, Tepp.** (*Platyzosteria B.*) l. c. xvii. p. 91 (1893). | S. Australia. |
| **9. **C. Semivitta, Walk.** (*Periplaneta S.*) l. c. p. 143. n. 54 (1868).<br>*Drymaplaneta Semivitta*, *Tepp.* l. c. xvii. p. 113 (1893). | Swan River. |
| 9 *a*. **C. Communis, Tepp.** (*Drymaplaneta C.*) l. c. p. 110 (1893). | S. Australia. |
| 10. **C. Submarginata, Tepp.** (*Drymaplaneta S.*) l. c. p. 111 (1893). | id. |
| 11. **C. Obscuripes, Tepp.** (*Drymaplaneta O.*) l. c. p. 112 (1893). | S. & W. Australia. |
| 12. **C. Subbifasciata, Tepp.** (*Drymaplaneta S.*) l. c. p. 112 (1893). | S. Australia. |
| 13. **C. Antipoda, Brancs.** (*Methana Antipodum*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 58, pl. 1. f. 4 (1897). | id. (Yorktown). |
| 14. **C.** (**?**) **Anthracina, Brancs.** (*Stylopyga A.*) l. c. xvii.–xviii. p. 244, pl. vii. f. 2 (1897). | Zambesi. |

### Genus 78. **Dorylæa.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877).

| | |
|---|---|
| *1. **D. Rhombifolia, Stoll,** (*Blatta R.*) Spectres, Blatt. p. 5, pl. 3 *d.* f. 13 (1813). | Asia,<br>Africa,<br>America. |
| *Periplaneta Rhombifolia, Sauss.* Mém. Soc. Genève, xx. p. 260. n. 2 (1869). | |
| *Dorylæa Rhombifolia, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. p. 73 (1895). | |
| *Periplaneta Histrio, Sauss.* Rev. Zool. (2) xvi. p. 318 (1864); Mém. Mex., Blatt. p. 73 (1864); Walk. Cat. Blatt. B. M. p. 130. n. 20 (1868). | |
| *Periplaneta Decorata, Brunn.* Syst. Blatt. p. 224. n. 2 (1865). | |
| *Stylopyga Decorata, Brunn.* Ann. Mus. Genova, xxxiii. p. 35 (1893). | |
| *Polyzosteria Heterospila, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 35 (1871), | |
| 2. **D. Ornata, Brunn.** (*Periplaneta O.*) l. c. p. 225. n. 3 (1865). | India (?). |
| 3. **D. Brunneri, Stål,** l. c. xxxiv. (10) p. 37 (1877). | Philippines. |
| **4. **D. Configurata, Walk.** (*Periplaneta C.*) l. c. p. 145. n. 57 (1868). | Java. |
| 5. **D. Hottentota, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 578 (1899). | S. Africa. |
| *6. **D. Guttata, Sauss.** (*Stylopyga G.*) Ann. Mus. Genova, xxxv. p. 75 (1895). | Galla Land;<br>Mashona L. |
| 7. **D. Flavilatera, Sauss.** (*Stylopyga F.*) l. c. p. 76 (1895). | Galla Land. |
| 8. **D. (?) Signata, Esch.** (*Blatta S.*) Entomographien, p. 88 (1822). | Luzon. |

### Genus 79. **Methana.** (*Type* no. 10.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 36 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 70 (1895).

| | |
|---|---|
| *1. **M. Agaboides, Gerst.** (*Periplaneta A.*) Mitth. Ver. Vorpomm. xiv. p. 47 (1883). | Cameroons,<br>Old Calabar. |

| | |
|---|---|
| *2. **M. Concinna, Haan,** (*Blatta* (*Periplaneta*) *C.*) Temminck, Verhandelingen, Orth. p. 50 (1842).<br>*Periplaneta Pallipalpis*, var. (?), *Walk.* Cat. Blatt. B. M. p. 132. n. 26 (1868).<br>*Periplaneta Borrei*, *Sauss.* Mém. Soc. Genève, xxiii. p. 113, pl. 10. f. 38 (1873). = Mal. Orth. iv ? . -o-✓. | Java ;<br>Hong Kong. |
| *3. **M. Flavicincta, Haan,** (*Blatta* (*Periplaneta*) *F.*) l. c. p. 50 (1842).<br>*Periplaneta Flavicincta*, *Brunn.* Syst. Blatt. p. 231. n. 9 (1865).<br>*M. Flavicincta*, varr. *b*, *c*, *Sauss. & Zehntn.* l. c. p. 72 (1895). | Java. |
| 4. **M. Zehntneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 374 (1903).<br>‖ *M. Flavicincta*, *Sauss. & Zehntn.* l. c. p. 71, pl. 2. f. 27 (1895). | Madagascar |
| *5. **M. Pallipalpis, Serv.** (*Kakerlac P.*) Ins. Orth. p. 71 (1839).<br>(?) *Periplaneta Pallipalpis*, *Sauss.* l. c. xx. p. 262 (1869). | Java. |
| 6. **M. Latipennis, Burm.** (*Nyctibora L.*) Handb. Ent. ii. p. 502. n. 4 (1838). | id. |
| **7. **M. Convexa, Walk.** (*Periplaneta C.*) l. c. Suppl. Blatt. p. 152 (1869) ; Tepp. Tr. R. Soc. S. Australia, xvii. p. 106 (1893). | Australia<br>(Moreton<br>Bay). |
| 8. **M. Castanea, Tepp.** (*Paraphoraspis* (?) *C.*) l. c. xviii. p. 173 (1894). | Victoria. |
| **9. **M. Rufescens, Kirb.** l. c. p. 374 (1903).<br>‖ *Periplaneta Pallipalpis*, *Brunn.* l. c. p. 238. n. 18 (1865). | N. S. Wales. |
| *10. **M. Marginalis, Sauss.** (*Periplaneta M.*) Rev. Zool. (2) xvi. p. 319 (1864).<br>*Periplaneta Ligata*, *Brunn.* l. c. p. 234. n. 12 (1865) ; Tepp. l. c. xvii. p. 104 (1893). | Australia. |
| 11. **M. (?) Regina, Sauss.** (*Periplaneta R.*) l. c. p. 320 (1864). | Malacca. |
| *12. **M. Soror, Sauss.** (*Periplaneta S.*) l. c. p. 319 (1864).<br>*Periplaneta Biquadrata*, *Walk.* Cat. Blatt. B. M. p. 134. n. 32 (1868) ; Tepp. l. c. xvii. p. 105 (1893).<br>*Periplaneta Oculata*, *Walk.* l. c. Suppl. p. 152 (1869). | Australia |
| 13. **M. (?) Affinis, Sauss.** (*Periplaneta A.*) Mém. Soc. Genève, xx. p. 261 (1869). | India (?). |

## Genus 80. **Zonioploca.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1874).
*Temnelytra, Tepp.* Tr. R. Soc. S. Australia, xvii. p. 38 (1893). (*Type* no. 1.)

| | |
|---|---|
| 1. **Z. Harpuri, Tepp.** (*Temnelytra H.*) l. c. p. 39 (1893). | Kangaroo I. |
| *2. **Z. Truncata, Brunn.** (*Polyzosteria T.*) Syst. Blatt. p. 217. n. 18 (1865).<br>*Platyzosteria Truncata, Tepp.* l. c. xvii. p. 90 (1893).<br>*Periplaneta Undulivitta, Walk.* Cat. Blatt. B. M. p. 144. n. 56 (1868). | N. S. Wales, New Zealand. |
| 3. **Z. Abbreviata, Tepp.** (*Temnelytra A.*) l. c. xix. p. 164 (1895). | Victoria. |
| 4. **Z. Brunni, Alfk.** (*Platyzosteria B.*) Abhandl. Ver. Bremen, xvii. p. 142 (1901). | Chatham Islands. |
| 5. **Z. Alutacea, Stål,** l. c. p. 13 (1874). | Australia. |
| 6. **Z. Subtruncata, Tepp.** (*Temnelytra S.*) l. c. xix. p. 164 (1895). | Victoria. |
| **7. **Z. Marginifera, Walk.** (*Periplaneta M.*) l. c. p. 144. n. 55 (1868). | K. George's Sound. |
| **8. **Z. Curvigera, Walk.** (*Periplaneta C.*) l. c. p. 134. n. 31 (1868); Tepp. l. c. xvii. p. 104 (1893). | Moreton Bay. |

## Genus 81. **Blatta.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 424 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 269 (1802); Steph. Ill. Brit. Ent., Mand. vi. p. 43 note (1835); Fisch. Orth. Eur. p. 114 (1853); Burr, Brit. Orth. p. 24 (1897).
*Kakerlac, Latr.* Fam. Nat. Règne Anim. p. 411 (1825); Cuvier, Règne Anim. v. p. 175 note (1829); Serv. Ann. Sci. Nat. xxii. p. 39 (1831); Ins. Orth. p. 67 (1839).
*Steleopyga, Fisch. Waldh.* Bull. Mosc. vi. pp. 356, 366 (1833).
*Stylopyga, Fisch. Waldh.* Orth. Ross. p. 68 (1846); Brunn. Syst. Blatt. p. 222 (1865).

| | |
|---|---|
| *1. **B. Orientalis, Linn.** l. c. p. 424. n. 7 (1758); Faun. Suec. (ed. ii.) p. 234. n. 862 (1761); Sulz. Kennzeich. Ins. pl. 7. f. 47 (1761); Beauv. Ins. Afr. | Asia, Europe, &c. (*Cosmopolitan.*) |

| | |
|---|---|
| Amér. p. 228, Orth. pl. 2 *c.* f. 3 (1805) ; Stoll, Spectres, Blatt. p. 6, pl. 4 *d.* ff. 15–17 (1813); Steph. l. c. p. 44 note (1835); Burr, l. c. p. 24, pl. 2. f. 5 (1897). | |
| *Periplaneta Orientalis, Burm.* Handb. Ent. ii. p. 504. n. 5 (1838) ; Fisch. l. c. p. 115, pl. 7. ff. 22–26 (1853) ; Sauss. Mém. Mex., Blatt. p. 73 (1864) ; Brunn. Syst. Blatt. p. 226. n. 4 (1865) ; Prodr. Eur. Orth. p. 49 (1882) ; Finot, Faune France, Orth. p. 83, pl. 2. f. 49 (1889) ; Tümp. Geradfl. Mitteleuropas, p. 235, pl. 15 (1901). | |
| *Periplaneta (Stylopyga) Orientalis, Bol.* Sin. Ortópt. Españ. p. 49 (1873). | |
| *Kakerlac Orientalis, Serv.* Ann. Sci. Nat. xxi. p. 29 (1831); Ins. Orth. p. 72 (1839). | |
| *Stylopyga Orientalis, Fisch. Waldh.* Orth. Ross. p. 70, pl. 24. ff. 1–3 (1842). | |
| *Blatta Culinaris, De Geer*, Mém. Ins. iii. p. 344, pl. 25. ff. 1–7 (1773). | |
| *B. Ferrugineofusca, Gronov.* Zoophylacium, ii. p. 174. n. 636 (1774). | |
| *B. Badia, Sauss.* Mém. Soc. Genève, xvii. p. 150, pl. 1. f. 15 (1863). | |
| 1 *a.* **B. Castanea, Blanch.** (*Kakerlak C.*) Gay, Hist. Chile, Zool. vi. p. 18, Orth. pl. 1. f. 2 (1852) ; Phil. Zeitschr. ges. Naturw. xxi. p. 221 (1863). | Chile. |
| *Kakerlak Platystetho, Phil.* l. c. p. 222 (1863). | |
| **1 *b.* **B. Lateralis, Walk.** (*Periplaneta L.*) Cat. Blatt. B. M. p. 136. n. 39 (1868). | Egypt. |
| 2. **B. Voeltzkowi, Sauss.** (*Stylopyga V.*) Abhandl. Senckenb. Ges. xxi. p. 579 (1899). | Madagascar (?). |
| 3. **B. Nossibei, Sauss.** (*Stylopyga N.*) l. c. p. 580 (1899). | Nossi-Bé. |
| 4. **B. Hova, Sauss.** (*Periplaneta H.*) Soc. Ent. vi. p. 17 (1891). | Madagascar |
| *Stylopyga Hova, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 73, pl. 2. f. 26 (1895) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 579 (1899). | |
| *5. **B. Picea, Brunn.** (*Periplaneta P.*) Syst. Blatt. p. 223. n. 1 (1865). | Nicobar I. ; Penang (eadem ?). |

| | |
|---|---|
| 6. **B. Parallela, Bol.** (*Stylopyga P.*) Ann. Soc. Ent. France, 1897, p. 299. | S.India(Trichinopoly). |
| 7. **B. Sinuata, Brunn.** (*Stylopyga S.*) Ann. Mus. Genova, xxxiii. p. 35, pl. 1. f. 12 (1893). | Burma. |
| 8. **B. Quadrilobata, Brunn.** (*Stylopyga Q.*) Abhandl. Senckenb. Ges. xxiv. p. 209 (1898). | Celebes. |
| **9. **B. Coxalis, Walk.** (*Periplaneta C.*) l. c. p. 138. n. 43 (1868). | Ceram. |
| 10. **B. Rotundata, Brunn.** (*Periplaneta R.*) Syst. Blatt. p. 230. n. 8 (1865). | Fiji. |
| 11. **B. Rufa, Tepp.** (*Periplaneta R.*) Tr. R. Soc. S. Australia, xvii. p. 101 (1893). | Central Australia. |
| 12. **B. Brunneri, Kirb.** Ann. Nat. Hist. (7) xii. p. 375 (1903).<br>‖*Periplaneta Concinna, Brunn.* l. c. p. 229. n. 7 (1865). | Australia. |
| 13. **B. Zamorensis, Giglio-Tos,** (*Stylopyga Z.*) Boll. Mus. Torino, xiii. (311) p. 10 (1898). O-234. | Ecuador. |
| 14. **B. Pallipes, Phil.** (*Kakerlak P.*) Zeitschr. Naturw. xxi. p. 222 (1863). O-2143.<br>*Periplaneta Pallipes, Brunn.* l. c. p. 228. n. 5 (1865). | Chile. |
| 15. **B. Brevipes, Phil.** (*Kakerlak B.*) l. c. p. 223 (1863). o-2143.<br>*Periplaneta Brevipes, Brunn.* l. c. p. 229. n. 6 (1865). | id. |
| 16. **B. (?) Nitida, Bol.** (*Stylopyga N.*) An. Soc. Españ. xix. p. 302 (1890). | Philippines. |
| 17. **B. Assiniensis, Bol.** (*Periplaneta A.*) Ann. Soc. Ent. France, 1893, p. 172, pl. 1. f. 1. | W. Africa (Assinie). |
| 18. **B. Manca, Gerst.** (*Periplaneta M.*) Mitth. Ver. Vorpomm. xiv. p. 48 (1883). | Cameroons. |
| 19. **B. Anthracina, Gerst.** (*Periplaneta A.*) l. c. p. 49 (1883). | id. |
| 20. **B. Spinulifera, Krauss,** Zool. Jahrb. v. Abth. Syst. p. 650, pl. 45. ff. 1, 1A–C (1891). | W. Africa (S. Thomé). |
| **21. **B. Bimaculata, Walk.** (*Periplaneta B.*) l. c. p. 139. n. 46 (1868). | Natal. |
| *22. **B. Æthiopica, Sauss.** (*Periplaneta Æ.*) Rev. Zool. (2) xvi. p. 317 (1864); Mém. Soc. Genève, xx. p. 260 (1869).<br>*Periplaneta Tetra, Walk.* l. c. p. 138. n. 42 (1868). | Gaboon, S. Africa. |

| | |
|---|---|
| **23. **B. Antillarum, Brunn.** (*Stylopyga A.*) Proc. Zool. Soc. Lond. 1892, p. 204, pl. 15. f. 5. | W. Indies (St. Vinc.). |
| **24. **B.** (**?**) **Curta, Walk.** (*Periplaneta C.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 38 (1871). | Bombay. |
| **25. **B.** (**?**) **Sexpustulata, Walk.** (*Polyzosteria S.*) l. c. p. 36 (1871), *larva* (?). | id. |

### Genus 82. **Periplaneta.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 502 (1838) ; Sauss. Mém. Mex., Blatt. p. 69 (1864) ; Brunn. Syst. Blatt. pp. 221, 223 (1865) ; Prodr. Eur. Orth. p. 48 (1882) ; Bol. Sin. Ortópt. Españ. p. 49 (1876) ; Fin. Faune France, Orth. p. 82 (1889) ; Tepp. Tr. R. Soc. S. Australia, xvii. p. 100 (1893) ; Burr, Brit. Orth. p. 25 (1897) ; Tümp. Geradfl. Mitteleuropas, p. 235 (1901).

*Cacerlaca, Sauss.* l. c. p. 71 (1864).

| | |
|---|---|
| *1. **P. Americana, Linn.** (*Blatta A.*) Syst. Nat. (ed. x.) i. p. 424. n. 4 (1758) ; Herbst, Fuessly, Archiv, vii. & viii. p. 185, pl. 49. f. 6 (1786); Stoll, Spectres, Blatt. p. 3, pl. 1 *d*. f. 4 (1813) ; Steph. Ill. Brit. Ent., Mand. vi. p. 44 note (1835).<br>*Kakerlac Americana, Serv.* Ann. Sci. Nat. xxii. p. 39 (1831) ; Ins. Orth. p. 68 (1839) ; Brullé, Hist. Nat. Ins. ix. p. 53, pl. 4. f. 3 (1835).<br>*Periplaneta Americana, Burm.* l. c. p. 503. n. 1 (1838) ; Fisch. Orth. Eur. p. 116 (1853) ; Sauss. Mém. Mex., Blatt. p. 71 (1864) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 2 (1893) ; Grandidier, Hist. Madagascar, Orth. i. p. 75 (1895); Brunn. ll. cc. p. 232. n. 10, pl. 5. f. 24 A–E (1865); p. 50, pl. 1. f. 11 (1882) ; Bol. l. c. p. 50 (1876) ; Fin. l. c. p. 83 (1889) ; Tepp. l. c. xvii. p. 102 (1893) ; Burr, l. c. p. 26, pl. 2. f. 6 (1897) ; Tümp. l. c. p. 235 (1901).<br>*Blatta Kakkerlac, De Geer,* Mém. Ins. iii. p. 535, pl. 44. ff. 1–3 (1773) ; Oliv. Enc. Méth., Ins. iv. p. 315. n. 7 (1789) ; | America, Europe, &c. (*Cosmopolitan.*) |

| | |
|---|---|
| Beauv. Ins. Afr. Amér. p. 181, Orth. pl. 1 *b*. f. 1 (1805). | |
| ‖*Blatta Orientalis*, *Sulz.* Gesch. Ins. p. 77, pl. 8. f. 2 (1776). | |
| *Blatta Aurelianensis*, *Fourcr.* Ent. Paris. i. p. 177. n. 2 (1785). | |
| *Blatta Siccifolia*, *Stoll*, l. c. p. 5, pl. 3 *d*. ff. 10, 11 (1813). | |
| *Blatta Aurantiaca*, *Stoll*, l. c. f. 14 (1813), *larva*. | |
| *P. Stolida*, *Walk.* Cat. Blatt. B. M. p. 128. n. 15 (1868). | |
| Var. *P. Americana Colorata*, *Rehn*, Trans. Amer. Ent. Soc. xxvii. p. 220 (1901). | Mexico (Morelos). |
| 2. **P. Tartara, Sauss.** Fedchenko, Reise Turkestan, Orth. p. 9 (1874). | Khokand. |
| 3. **P. Lata, Herbst,** (*Blatta L.*) l. c. p. 185, pl. 49. f. 7 (1786). | E. Indies. |
| **3 *a*. **P. Concolor, Walk.** l. c. p. 135. n. 34 (1868). | Hab. —— ? |
| *4. **P. Valida, Brunn.** Ann. Mus. Genova, xxxiii. p. 36, pl. 1. f. 13 (1893). | Pegu. |
| 5. **P. (?) Gracilis, Brunn.** l. c. f. 14 (1893). | Rangoon. |
| **6. **P. Monochroma, Walk.** Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871). | Bombay. |
| 7. **P. Methanoides, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 209, pl. 16. f. 14 (1898). | Gilolo. |
| *8. **P. Australasiæ, Fabr.** (*Blatta A.*) Syst. Ent. p. 271. n. 5 (1775); Oliv. Enc. Méth., Ins. iv. p. 315. n. 8 (1789). | Australia, Europe, &c. (*Cosmopolitan.*) |
| *Periplaneta Australasiœ*, *Burm.* l. c. p. 503. n. 4 (1838); Sauss. Mém. Mex., Blatt. p. 72 (1864); Brunn. Syst. Blatt. p. 233. n. 11 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 203 (1893); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. p. 75 (1896); Burr, l. c. p. 26, pl. 2. f. 7 (1897). | |
| *Blatta Domingensis*, *Beauv.* l. c. p. 182, Orth. pl. 1. f. 4 (1805). | |
| *Periplaneta Zonata*, *Haan*, Temminck, Verhandel. Nat. Gesch., Orth. p. 49 (1842). | |
| *Periplaneta Repanda*, *Walk.* Cat. Blatt. B. M. p. 125. n. 11 (1868). | |
| *Periplaneta Subcincta*, *Walk.* l. c. p. 126. n. 12 (1868). | |

| | |
|---|---|
| *Periplaneta Inclusa*, *Walk.* Cat. Blatt. B. M. p. 126. n. 13 (1868).<br>*Periplaneta Emittens*, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 37 (1871).<br>*Polyzosteria Subornata*, *Walk.* l. c. p. 35 (1871), *larva.* | |
| 9. **P. (?) Australis, Macl.** (*Blatta A.*) King, Survey Coasts Australia, ii. p. 454. n. 109 (1827). 0 - 1000. | N. Australia. |
| 10. **P. Savignyi, Krauss,** Verh. zool.-bot. Ges. Wien, xl. p. 242 (1890). (Sav. Descr. Égypte, Orth. pl. 2. f. 13.) | Egypt. |
| 11. **P. Brunneriana, Schulth.** Ann. Mus. Genova, xxxix. p. 167, pl. 2. f. 1 (1898). | Somali Land. |
| 12. **P. Atricollis, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 580 (1899). | S. Africa (Akam). |
| **13. **P. Patens, Walk.** Cat. Blatt. B. M. p. 127. n. 14 (1868). | Congo. |
| 14. **P. Fuliginosa, Serv.** (*Kakerlac F.*) Ins. Orth. p. 70 (1839).<br>*Periplaneta Fuliginosa*, *Brunn.* Syst. Blatt. p. 238. n. 17 (1865). | N. America. |
| *15. **P. Brunnea, Burm.** l. c. p. 503. n. 2 (1838).<br>*P. Truncata*, *Krauss*, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 74. n. 3 (1893). | Demerara, Chile, Mexico, Brazil, Teneriffe, N. Britain. |
| 16. **P. Insignis, Serv.** (*Kakerlac I.*) l. c. p. 67 (1839).<br>*Blatta Insignis*, *Blanch.* Hist. Ins. iii. p. 6, pl. 1. f. 2 (1840).<br>*Periplaneta Insignis*, *Brunn.* l. c. p. 237. n. 16 (1865). | Cayenne. |
| 17. **P. (?) Heros, Esch.** (*Blatta H.*) Entomographien, p. 83 (1822). | Luzon. |

### Genus 83. **Pelmatosilpha.** (*Type* no. 1.)

Dohrn, Stett. Ent. Zeit. xlviii. p. 410 (1887).

| | |
|---|---|
| 1. **P. Alaris, Sauss.** (*Periplaneta A.*) Rev. Zool. (2) xvi. p, 319 (1864); Mém. Mex., Blatt. p. 75, pl. 1. f. 10 (1864).<br>*P. Alaris*, *Dohrn*, l. c. p. 411 (1887). | Brazil. |
| 2. **P. Præstans, Dohrn,** l. c. p. 411 (1887). | Fonte Boa. |
| 3. **P. Rotundata, Scudd.** Proc. Davenport Acad. viii. p. 93, pl. 2. f. 5 (1900). | Texas, Panama. |

| | |
|---|---|
| *4. **P. Opaca, Brunn.** (*Polyzosteria O.*) l. c. p. 216. n. 17 (1865).<br>*Eurycotis Opaca, Sauss. & Zehntn.* l. c. p. 72. n. 6 (1893). | Cuba. |
| **5. **P. Floridana, Walk.** (*Periplaneta F.*) l. c. p. 135. n. 35 (1868).<br>*Platyzosteria Ingens, Scudd.* l. c. xix. p. 92 (1877). | Florida. |
| **6. **P. Marginalis, Brunn.** Proc. Zool. Soc. Lond. 1893, p. 603, pl. 52. f. 2. 0·219 | W. Indies (Grenada). |
| 7. **P. Villana, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 72. n. 1, pl. 4. ff. 41, 42 (1893). | Panama. |
| 8. **P. (?) Occidentalis, Burm.** (*Polyzosteria O.*) Handb. Ent. ii. p. 483. n. 2 (1838).<br>*Opisthoplatia Occidentalis, Brunn.* Syst. Blatt. p. 200. n. 2 (1865). | Colombia. |
| **9. **P. Purpurascens, Kirb.** Ann. Nat. Hist. (7) xii. p. 375 (1903). | Dominica. |
| **10. **P. Decipiens, Kirb.** l. c. p. 376 (1903). | Trinidad. |
| **11. **P. (?) Antipoda, Kirb.** l. c. (1903). | Queensland. |

## Genus 84. **Homalosilpha.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875).

| | |
|---|---|
| *1. **H. Ustulata, Burm.** (*Periplaneta U.*) Handb. Ent. ii. p. 503. n. 3 (1839); Brunn. Syst. Blatt. p. 235. n. 13 (1865).<br>*Kakerlac Thoracica, Serv.* Ins. Orth. p. 69, pl. 2. f. 1 (1839). | Java, Sumatra. |
| **2. **H. Contraria, Walk.** (*Periplaneta C.*) Cat. Blatt. B. M. p. 131. n. 24 (1868). | Philippines. |
| 3. **H. Vicina, Brunn.** (*Periplaneta V.*) l. c. p. 236. n. 14 (1865). | Hab. —— ? |

## Genus 85. **Eurycotis.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. ii. (13) p. 13 (1875); Sauss. & Zehntn. Biol.Centr.-Amer., Orth. i. p. 70 (1893).

| | |
|---|---|
| 1. **E. Australis, Burm.** (*Polyzosteria A.*) Handb. Ent. ii. p. 483. n. 3 (1838).<br>*Opisthoplatia Australis, Brunn.* Syst. Blatt. p. 200. n. 2 (1865). | Brazil. |

| | |
|---|---|
| *2. **E. Mexicana, Sauss.** (*Polyzosteria M.*) Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 54 (1864); Miss. Mex., Orth. p. 70, pl. 2. ff. 39, 39*a* (1870); Brunn. l. c. p. 216. n. 16 (1865).<br>*Eurycotis Mexicana, Sauss. & Zehntn.* l. c. p. 70. n. 1 (1893).<br>*Polyzosteria Azteca, Sauss.* Rev. Zool. (2) xiv. p. 163 (1862); Mém. Mex., Blatt. p. 55 (1864). | Mexico. |
| 3. **E. Vittifrons, Sauss. & Zehntn.** l. c. p. 71. n. 2 (1893). | Guatemala. |
| *4. **E. Mysteca, Sauss.** (*Periplaneta M.*) Rev. Zool. (2) xiv. p. 170 (1862); Mém. Mex., Blatt. p. 77 (1864).<br>*Polyzosteria Mysteca, Sauss.* Miss. Mex., Orth. p. 71, pl. 2. f. 40 (1870).<br>*Eurycotis Mysteca, Sauss. & Zehntn.* l. c. p. 71. n. 3 (1893).<br>*Polyzosteria Rufovittata, Brunn.* l. c. p. 215. n. 15 (1865). | Mexico (Oaxaca). |
| **5. **E. Semipicta, Walk.** (*Periplaneta S.*) Cat. Blatt. B. M. p. 141. n. 49 (1868).<br>*Platyzosteria Sabalianus, Scudd.* Proc. Boston Soc. N. H. xix. p. 93 (1877). | Florida. |
| 6. **E. Dimidiata, Bol.** (*Polyzosteria D.*) Mém. Soc. Zool. France, i. p. 125 (1888). | Cuba. |
| 7. **E. Flavipennis, Sauss. & Zehntn.** l. c. p. 71. n. 4 (1893). | id. |
| **8. **E. Quadrisquamata, Sauss. & Zehntn.** l. c. p. 71. n. 5, pl. 4. f. 40 (1893). | Guatemala. |
| 9. **E. Finschiana, Sauss.** Mém. Soc. Genève, xxiii. p. 111 (1873).<br>*Polyzosteria Cabreræ, Bol.* An. Soc. Españ. x. p. 355, pl. 8. f. 3 (1881). | Cuba. |
| 10. **E. Subalata, Sauss. & Zehntn.** l. c. p. 72. n. 8 (1893). | Colombia. |
| 11. **E. Occidentalis, Sauss.** (*Periplaneta O.*) Rev. Zool. (2) xvi. p. 318 (1864); Mém. Mex., Blatt. p. 74 (1864). | W. Indies. |
| 12. **E. Cothurnata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 11 (1898). | Ecuador. |
| 13. **E. Caraibea, Bol.** (*Polyzosteria C.*) Mém. Soc. Zool. France, i. p. 126 (1888). | Cuba. |

## Genus 86. **Deropeltis.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Brunn. Syst. Blatt. p. 240 (1865); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 70, 75 (1895).

*Euryzosteria*, *Sauss.* Rev. Zool. (2) xvi. p. 316 (1864). (*Type* no. 1.)

| | |
|---|---|
| **1. **D. Erythrocephala, Fabr.** (*Blatta E.*) Spec. Ins. i. p. 342. n. 7 (1781); Oliv. Enc. Méth., Ins. iv. p. 316. n. 10 (1789).<br>*Perisphæria Erythrocephala*, *Burm.* l. c. p. 486. n. 7 (1838).<br>*Ischnoptera Erythrocephala*, *Sauss.* l. c. (2) xvi. p. 314. n. 25 (1864).<br>*D. Erythrocephala*, *Brunn.* l. c. p. 242. n. 1, pl. 8. f. 38 A–F (1865).<br>*Blatta Capensis*, *Thunb.* Diss. Ent. Nov. Spec. Ins. iv. p. 77 (1784); Oliv. l. c. p. 316. n. 11 (1789); Serv. Ins. Orth. p. 93 (1839).<br>*Euryzosteria Delalandii*, *Sauss.* l. c. (2) xvi. p. 316 (1864).<br>*Perisphæria Verticalis*, ♀, *Burm.* l. c. p. 486. n. 6 (1838).<br>*D. Burmeisteri*, *Sauss.* Ann. Mus. Genova, xxxv. p. 77 (1895). | S. Africa. |
| **2. **D. Melanophila, Walk.** (*Ischnoptera M.*) Cat. Blatt. B. M. Suppl. p. 146 (1869).<br>*D. Robusta*, *Gerst.* Mitth. Ver. Vorpommern, xiv. p. 52 (1883).<br>*D. Speiseri*, *Brancs.* Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 245, pl. 7. f. 3 (1897).<br>*D. Madecassa*, *Sauss.* Soc. Ent. vi. p. 17 (1891); Abhandl. Senckenb. Ges. xxi. p. 581 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 77, pl. 3. ff. 28, 29 (1895). | Zanzibar; E. & W. Africa, Madagascar |
| *3. **D. Caffra, Stål,** (*Periplaneta C.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856); Brunn. l. c. p. 239. n. 19 (1865).<br>*D. Atra*, *Brunn.* l. c. p. 244. n. 3 (1865); Borm. Ann. Mus. Genova, xvi. p. 207 (1881). | Natal; Ruwenzori, Shoa. |

| | |
|---|---|
| *4. **D. Brevicollis, Serv.** (*Kakerlac B.*) Ins. Orth. p. 70 (1839).<br>*D. Brevicollis, Brunn.* l. c. p. 246. n. 8 (1865); Kirb. Ann. Nat. Hist. (7) v. p. 283 (1900); Distant, Ins. Transvaal. p. 22. n. 9 (1900).<br>*D. Juncea*, var., *Sauss.* Mém. Soc. Genève, xxiii. p. 117 (1873).<br>*Ischnoptera Longipennis, Walk.* Cat. Blatt. B. M. p. 117. n. 29 (1868). | Cape: E. & W. Africa. |
| *5. **D. Juncea, Sauss.** (*Ischnoptera J.*) Rev. Zool. (2) xvi. p. 314 (1864). | S. Africa. |
| *6. **D. Similis, Sauss.** (*Ischnoptera S.*) l. c. p. 314 (1864).<br>*D. Similis, Kirb.* ll. cc. p. 284 (1900); p. 22. n. 10 (1900). | id. |
| 7. **D. Intermedia, Brunn.** l. c. p. 244. n. 4 (1865). | Natal. |
| 8. **D. Integerrima, Brunn.** l. c. p. 245. n. 5 (1865). | Zanzibar. |
| 9. **D. Orba, Stål,** (*Periplaneta O.*) l. c. p. 167. n. 5 (1856); Brunn. l. c. p. 240. n. 22 (1865). | Natal. |
| 10. **D. Gracilis, Burm.** (*Ischnoptera G.*) l. c. p. 500. n. 1 (1838); Brunn. l. c. p. 139. n. 15 (1865). | Cape. |
| 11. **D. Wahlbergi, Stål,** (*Periplaneta W.*) l. c. xiii. p. 167. n. 2 (1856); Brunn. l. c. p. 239. n. 20 (1865). | Limpopo. |
| *12. **D. Albilatera, Stål,** (*Periplaneta A.*) l. c. p. 167. n. 3 (1856); Brunn. l. c. p. 237. n. 15 (1865).<br>*Ischnoptera Dimidiata, Walk.* l. c. p. 116. n. 28 (1868).<br>‖*D. Wahlbergi, Sauss.* Mém. Soc. Genève, xxiii. p. 115 (1873). | Natal. |
| 13. **D. Saussurei, Kirb.** Ann. Nat. Hist. (7) xii. p. 377 (1903).<br>‖*D. Longipennis, Sauss.* l. c. p. 117 (1873). | Caffraria. |
| 14. **D. Autraniana, Sauss.** Ann. Mus. Genova, xxxv. p. 78 (1895). | Galla Land, W. Africa. |
| 15. **D. Barbeyana, Sauss.** l. c. p. 79 (1895). | Massowa, &c. |
| 16. **D. Schweinfurthi, Sauss.** l. c. (1895). | Massowa. |
| 17. **D. Nigrita, Sauss.** l. c. p. 80 (1895). | Shoa. |
| 18. **D. Bueana, Karsch,** Berlin. Ent. Zeitschr. xxxvii. p. 65 (1892). | Cameroons. |
| 19. **D. Paulinoi, Bol.** Jorn. Sci. Lisboa, xxx. p. 108 (1882); (2) i. p. 76 (1889). | Benguela. |

| | |
|---|---|
| 20. **D. Sculpturata, Krauss,** Zool. Jahrb. v. Syst. p. 651, pl. 45. f. 2 (1891). | Guinea (S. Thomé I.). |
| 21. **D. Dichroa, Gerst.** l. c. p. 50 (1883). | Gold Coast. |
| *22. **D. Flavomarginata, Brunn.** l. c. p. 247. n. 10 (1865). | S. Africa. |
| ‖ *Polyzosteria Capensis, Sauss.* Rev. Zool. (2) xvi. p. 307 (1864). | |
| *Periplaneta Collaris, Walk.* Cat. Blatt. B. M. p. 142. n. 51 (1868). | |
| *Periplaneta Decorata, Walk.* l. c. n. 52 (1868). | |
| *23. **D. Meridionalis, Sauss.** (*Polyzosteria* (*Blatta?*) *M.*) l. c. p. 306 (1864). | id. |
| *D. Bivittata, Brunn.* l. c. p. 247. n. 9 (1865). | |
| 24. **D. Distanti, Kirb.** Ann. Nat. Hist. (7) v. p. 284 (1900); Distant, Ins. Transvaal. p. 22, pl. 1. f. 12 (1900). | Pretoria. |

## Genus 87. **Pseudoderopeltis.** (*Type* no. 1.)

Krauss, Zool. Jahrb. v. Syst. p. 652 (1891).

| | |
|---|---|
| 1. **P. Antennata, Sauss.** (*Deropeltis A.*) Mém. Soc. Genève, xxiii. p. 116, pl. 10. f. 39 (1873). | S. Africa (?) |
| *P. Antennata, Krauss,* l. c. p. 653, pl. 45. f. 4 (1891). | |
| *2. **P. Granulifera, Krauss,** l. c. p. 653 (1891). | Matabele L. |
| 3. **P. Flavescens, Krauss,** l. c. p. 654 (1891). | Cape. |
| 4. **P. Triimpressa, Krauss,** l. c. p. 656, pl. 45. ff. 3, 3*a* (1891). | Guinea (S. Thomé I.). |
| 5. **P. Carbonaria, Gerst.** (*Deropeltis C.*) Mitth. Ver. Vorpommern, xiv. p. 51 (1883). | Cameroons. |
| **6. **P. Foveolata, Walk.** (*Nauphoeta F.*) Cat. Blatt. B. M. p. 42. n. 16 (1868). | S. Africa. |
| *7. **P. Diluta, Stål,** (*Periplaneta D.*) Œfv. Vet.-Akad. Förh. xiii. p. 167. n. 4 (1856); Brunn. l. c. p. 239. n. 21 (1865). | Natal. |

## SUBFAM. VIII.

# ARCHIBLATTINÆ.

### Genus 88. **Archiblatta.** (*Type* no. 1.)

Vollenh. Tidschr. Ent. v. p. 106 (1862); Brunn. Syst. Blatt. p. 248 (1865).
*Planetica*, *Sauss.* Mém. Soc. Genève, xvii. p. 164 (1864).

| | |
|---|---|
| *1. **A. Hoevenii, Voll.** l. c. pl. 6. ff. 1, 2 (1862); Brunn. l. c. p. 249, pl. 8. f. 39 A–E (1865).<br>*Planetica Aranea*, *Sauss.* l. c. p. 166, pl. 1. f. 23 (1864). | Sumatra,<br>Penang,<br>Singapore. |
| 2. **A. Phalangium, Sauss.** (*Planetica P.*) Rev. Zool. (2) xvi. p. 344 (1864). | "E. Indies." |

### Genus 89. **Catara.**

Walk. Cat. Blatt. B. M. p. 52 (1868); Brunn. Ann Soc. Genova, xxxiii. p. 35 (1893).

| | |
|---|---|
| *1. **C. Rugosicollis, Brunn.** (*Deropeltis R.*) Syst. Blatt. p. 245. n. 6 (1865).<br>*C. Rugicollis*, *Walk.* l. c. p. 53. n. 1 (1868).<br>*Archiblatta Valvularia*, *Sauss.* Mém. Soc. Genève, xxiii. p. 118, pl. 10. f. 40 (1873). | Java,<br>Borneo,<br>Singapore. |

## SUBFAM. IX.

# PANCHLORINÆ.

### Genus 90. **Phenacisma.**

Karsch, Stettin. Ent. Zeit. lvii. p. 243 (1896).

| | |
|---|---|
| 1. **P. Peltata, Karsch,** l. c. (1896). | Mombasa. |

### Genus 91. **Trichomera.**

Kirb. Ann. Nat. Hist. (6) xviii. p. 257 (1896).

| | |
|---|---|
| **1. **T. Insignata, Kirb.** l. c. pl. 12. f. 5 (1896). | Ogowe. |

## Genus 92. **Gyna.** (*Type* no. 13.)

Brunn. Syst. Blatt. p. 266 (1865).

| | |
|---|---|
| **1. **G. Costalis, Walk.** (*Panchlora C.*) Cat. Blatt. B. M. p. 35. n. 33 (1868). | W. Africa. |
| **2. **G. Scutelligera, Walk.** (*Panchlora S.*) l. c. p. 32. n. 29 (1868). | Gambia. |
| 3. **G. Nigrifrons, Bol.** J. Sci. Lisboa, (2) i. p. 77 (1889). | Benguela (Caconda). |
| **4. **G. Spurcata, Walk.** (*Panchlora S.*) l. c. p. 34. n. 32 (1868). | Gaboon. |
| 5. **G. Æstuans, Sauss.** (*Panchlora Æ.*) Mém. Soc. Genève, xvii. p. 159, pl. 1. f. 20 (1864). | Senegal. |
| 6. **G. Fervida, Sauss.** (*Panchlora F.*) Rev. Zool. (2) xvi. p. 341 (1864). | Senegambia |
| **7. **G. Lata, Walk.** (*Panchlora L.*) l. c. p. 31. n. 28 (1868). | Gambia. |
| *8. **G. Vetula, Brunn.** l. c. p. 267 (1865); Sauss. Abh. Senckenb. Ges. xxi. p. 582 (1899). | W. Africa; B. E. Afr. (eadem ?). |
| 9. **G. Lurida, Sauss.** l. c. p. 581 (1899). | Zanzibar. |
| *10. **G. Caffrorum, Stål,** (*Panchlora C.*) Œfv. Vet.-Akad. Förh. xiii. p. 167 (1856); Brunn. l. c. p. 268 (1865).<br>*Epilampra Conspicua, Walk.* l. c. p. 67. n. 2 (1868).<br>*Panchlora Scripta, Walk.* l. c. p. 183 (1868).<br>‖ *G. Fervida, Borm.* Ann. Soc. Ent. Belgique, xxv. p. 21, pl. 1. f. B (1881). | Natal; S. & E. Africa. |
| 11. **G. Maculipennis, Schaum,** (*Panchlora M.*) Ber. Akad. Berlin, 1853, p. 776. n. 2; Peters, Reise Mossamb., Zool. v. p. 109, pl. 7. f. 1 (1862). | Mozambique. |
| **12. **G. Laticosta, Walk.** (*Panchlora L.*) l. c. p. 33. n. 31 (1868). | Angola. |
| *13. **G. Capucina, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 72 (1883).<br>‖ *G. Maculipennis, Brunn.* l. c. p. 268. n. 2, pl. 6. f. 30 A–E (1865). | Cameroons, Old Calabar. |
| 14. **G. Buchholzi, Gerst.** l. c. xiv. p. 72 (1883). | Fern. Po, Cameroons. |
| 15. **G. Colini, Rochebr.** Bull. Soc. Philom. (7) vii. p. 176 (1883). | Senegambia |

| | |
|---|---|
| *16. **G. Gloriosa, Stål,** (*Blatta G.*) l. c. xii. p. 351 (1856).<br>*Panchlora Africana, Sauss.* Rev. Zool. (2) xvi. p. 342 (1864).<br>*G. Africana, Sauss.* Mém. Soc. Genève, xx. p. 275 (1869).<br>*G. Pomposa, Brunn.* l. c. p. 269. n. 3 (1865). | Sierra Leone,<br>Gaboon,<br>O. Calabar,<br>Niger,<br>Congo. |
| 17. **G. Centurio, Dohrn,** Stettin. Ent. Zeit. xlix. p. 129 (1888). | Cameroons. |

## Genus 93. **Rhyparobia.** (*Type* no. 1.)

Krauss, Zool. Anz. xv. p. 165 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893); Burr, Brit. Orth. p. 27 (1897).

| | |
|---|---|
| **1. **R. Maderæ, Fabr.** (*Blatta M.*) Spec. Ins. i. p. 341. n. 2 (1781); Stoll, Spectres, Blatt. p. 4, pl. 1 *d*. f. 7 (1813); Brullé, Hist. Nat. Ins. ix. p. 19, pl. 3. f. 1 (1835); Hahn, Icon. Orth., Blatt. pl. A. f. 1 (1836); Serv. Ins. Orth. p. 87 (1839); Donovan, Brit. Ins. xiii. p. 51, pl. 457 (1808); Steph. Ill. Brit. Ent., Mand. vi. p. 43 (1835).<br>*Panchlora Maderæ, Burm.* Handb. Ent. ii. p. 507. n. 8 (1838); Sauss. Mém. Mex., Blatt. p. 202 (1864); Brunn. Syst. Blatt. p. 282. n. 15 (1865); Gerst. Mitth. Ver. Vorpomm. xiv. p. 68 (1883).<br>*R. Maderæ, Krauss,* l. c. p. 165 (1892); Burr, l. c. p. 27, pl. 2 *a*. f. 1 (1897).<br>*Blatta Major, Beauv.* Ins. Afr. Amér. p. 182, pl. 16. f. 2 (1805).<br>*Proscratea* (?) *Illepida, Walk.* Cat. Blatt. B. M. p. 185 (1868), *larva*. | Madeira;<br>Africa, &c.<br>(*Cosmopolitan.*) |
| *2. **R. Grandis, Sauss.** (*Panchlora G.*) Mém. Soc. Genève, xxiii. p. 132, pl. 10. f. 46 (1873). | Sierra Leone. |
| 3. **R. Capelloi, Bol.** (*Panchlora C.*) J. Sci. Lisboa, (2) i. p. 78 (1889). | L. Guinea (Quango). |
| **4. **R. Thoracica, Kirb.** Ann. Nat. Hist. (7) xi. p. 404 (1903). | E. Africa (Up. Shire). |
| 5. **R. Adusta, Gerst.** (*Panchlora A.*) l. c. xiv. p. 69 (1883). | Cameroons. |
| 6. **R. Vitellina, Gerst.** (*Panchlora V.*) l. c. p. 70 (1883). | id. |

| | |
|---|---|
| **7. **R. Rufipes, Kirb.** l. c. (7) xii. p. 377 (1903). | Sierra Leone. |
| **8. **R. Pallescens, Kirb.** l. c. (1903). | id. |

### Genus 94. **Leucophæa.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 278 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 89 (1893).
*Pycnoscelus, Scudd.* Boston Journ. Nat. Hist. vii. p. 424 (1862), *larva.*

| | |
|---|---|
| *1. **L. Surinamensis, Linn.** (*Blatta S.*) Syst. Nat. (ed. x.) i. p. 424. n. 3 (1758); De Geer, Mém. Ins. iii. p. 539. n. 6, pl. 44. f. 8 (1783). | Surinam, &c. (*Cosmopolitan.*) |
| *Panchlora Surinamensis, Burm.* Handb. Ent. ii. p. 507. n. 5 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864); Brunn. l. c. p. 278. n. 12, pl. 7. f. 32 A–E (1865). | |
| *L. Surinamensis, Burr,* Brit. Orth. p. 28, pl. 2 *a.* f. 1 (1897). | |
| *Blatta Melanocephala, Stoll,* Spectres, Blatt. p. 7, pl. 4 *d.* f. 20 (1813). | |
| *Blatta Indica, Fabr.* Syst. Ent. p. 272. n. 6 (1775); Serv. Ins. Orth. p. 97 (1839). | |
| *Panchlora Indica, Burm.* l. c. p. 507. n. 6 (1838); Sauss. Mém. Mex., Blatt. p. 188 (1864). | |
| *Blatta Punctata, Esch.* Entomographien, p. 86 (1822). | |
| *Blatta Corticum, Serv.* l. c. p. 90 (1839). | |
| *Panchlora Submarginata, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 7 (1871). | |
| *Panchlora Occipitalis, Walk.* l. c. (1871). | |
| *Panchlora Celebesa, Walk.* Cat. Blatt. B. M. p. 26. n. 3 (1868). | |
| *Pycnoscelus Obscurus, Scudd.* l. c. p. 424 (1862), *larva.* | |
| **2. **L. Tenebrigera, Walk.** (*Panchlora T.*) l. c. p. 31. n. 27 (1868). | India. |
| **3. **L. Striata, Kirb.** Ann. Nat. Hist. (7) xii. p. 378 (1903). | Selangor. |
| 4. **L. Nigra, Brunn.** (*Panchlora N.*) l. c. p. 280. n. 13 (1865). | Burma. |
| 5. **L. Conferta, Walk.** (*Ischnoptera C.*) l. c. Suppl. p. 148 (1869). | Siam. |

| | |
|---|---|
| 6. **L. (?) Lævigata, Beauv.** (*Blatta L.*) Ins. Afr. Amér. p. 228, Orth. pl. 2 *c.* f. 4 (1805). | Haiti. |

### Genus 95. **Panchlora.** (*Type* no. 17.)

Burm. Handb. Ent. ii. p. 506 (1838); Sauss. Mém. Mex., Blatt. p. 186 (1864); Miss. Mex., Orth. p. 101 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 90 (1893); Brunn. Syst. Blatt. p. 270 (1865).

| | |
|---|---|
| 1. **P. Thalassina, Sauss. & Zehntn.** l. c. p. 93. n. 1 (1893). | S. & Centr. America. |
| *2. **P. Exoleta, Burm.** l. c. p. 507. n. 2 (1838); Brunn. l. c. p. 272. n. 2 (1865); Sauss. & Zehntn. l. c. p. 93. n. 2 (1893). | Mexico to Brazil. |
| 3. **P. Glauca, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 200 (1864); Sauss. & Zehntn. l. c. p. 94. n. 3 (1893); Brunn. l. c. p. 274 (1865). | Brazil. |
| 4. **P. Antillarum, Sauss.** ll. cc. (2) xiv. p. 230 (1862); p. 193 (1864); Sauss. & Zehntn. l. c. p. 94. n. 4 (1893); Brunn. l. c. p. 275. n. 5 (1865). | Cuba. |
| *5. **P. Virescens, Thunb.** (*Blatta V.*) Mém. Acad. St. Pétersb. x. p. 278 (1826); Serv. Ins. Orth. p. 101 (1839).<br>*Blatta (Panchlora) Virescens, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 344 (1857).<br>*P. Virescens, Sauss.* Mém. Mex., Blatt. p. 190 (1864); Sauss. & Zehntn. l. c. p. 94. n. 5 (1893). | Mexico to Brazil; Cuba. |
| *6. **P. Hyalina, Stoll,** (*Blatta H.*) Spectres, Blatt. p. 5, pl. 3 *d.* f. 12 (1813).<br>‖*P. Viridis, Burm.* Handb. Ent. ii. p. 506. n. 1 (1838); Sauss. & Zehntn. l. c. p. 94. n. 6 (1893); Brunn. l. c. p. 273 (1865).<br>‖*Blatta Nivea, Herbst,* Fuessly, Arch. Insekt. vii. & viii. p. 185. n. 7, pl. 49. f. 7 (1786); Thunb. l. c. p. 277 (1826); Sauss. Mém. Mex., Blatt. p. 194 (1864).<br>*P. Poeyi, Sauss.* Rev. Zool. (2) xiv. p. 230 (1862); Mém. Mex., Blatt. p. 194 (1864). | Cayenne, Cuba. |
| *7. **P. Prasina, Burm.** l. c. p. 507. n. 3 (1838); Sauss. Mém. Mex., Blatt. p. 192 | Rio Janeiro. |

| | |
|---|---|
| (1864); Sauss. & Zehntn. l. c. p. 95. n. 7 (1893); Brunn. l. c. p. 273. n. 3 (1865). | |
| **8. **P. Acolhua, Sauss. & Zehntn.** l. c. p. 95. n. 8 (1893). | Mexico,<br>Guatemala. |
| Var. *Minor, Sauss. & Zehntn.* l. c. (1893). | Panama. |
| *9. **P. Peruana, Sauss.** Rev. Zool. (2) xvi. p. 342. n. 52 (1864); Mém. Mex., Blatt. p. 195 (1864); Sauss. & Zehntn. l. c. p. 95. n. 9 (1893). | Mexico to Peru;<br>Cuba. |
| *10. **P. Nivea, Linn.** (*Blatta N.*) Syst. Nat. (ed. x.) i. p. 424. n. 5 (1758); De Geer, Mém. Ins. iii. p. 540. n. 8, pl. 44. f. 10 (1773); Drury, Ill. Exot. Ent. ii. pl. 36. f. 1 (1773). | S. America;<br>Cuba. |
| *P. Nivea, Brunn.* l. c. p. 274. n. 4 (1865); Sauss. Mém. Mex., Blatt. p. 194 (1864); Miss. Mex., Orth. p. 102. n. 5 (1870); Sauss. & Zehntn. l. c. p. 96. n. 10 (1893). | |
| *Blatta Viridis, Fabr.* Syst. Ent. p. 272. n. 9 (1775). | |
| *P. Viridis, Sauss.* Mém. Mex., Blatt. p. 193 (1864). | |
| *Blatta Chlorotica, Pall.* Spicil. Zool. ix. p. 11, pl. 1. f. 6 (1772). | |
| *Blatta Cubensis, Sauss.* Rev. Zool. (2) xiv. p. 230 (1862); Mém. Mex., Blatt. p. 192 (1864). | |
| *P. Luteola, Sauss.* Rev. Zool. (2) xvi. p. 342. n. 53 (1864). | |
| 11. **P. Punctum, Sauss. & Zehntn.** l. c. p. 96. n. 11 (1893). | Central America. |
| 12. **P. Translucida, Kirb.** Ann. Nat. Hist. (7) xii. p. 378 (1903). | Guatemala,<br>Cuba. |
| ‖*P. Hyalina, Sauss.* Rev. Zool. (2) xiv. p. 231 (1862); Sauss. & Zehntn. l. c. p. 96. n. 12 (1893); Brunn. l. c. p. 275. n. 6 (1865). | |
| **13. **P. Nigricornis, Walk.** Cat. Blatt. B. M. p. 28. n. 12 (1868). | Quito. |
| 14. **P. Moxa, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 199 (1864); Sauss. & Zehntn. l. c. p. 96. n. 13 (1893); Brunn. l. c. p. 276. n. 9 (1865). | Bolivia,<br>Peru. |
| **15. **P. Fraterna, Sauss. & Zehntn.** l. c. p. 97. n. 14 (1893). | Nicaragua,<br>Panama. |

| | |
|---|---|
| 16. **P. Lancadon, Sauss.** ll. cc. (2) xvi. p. 342. n. 54 (1864); p. 194. n. 96, pl. 2. f. 29 (1864). | Guatemala. |
| *P. Lacandon, Sauss. & Zehntn.* l. c. p. 97. n. 15 (1893). | |
| *17. **P. Quadripunctata, Stoll,** (*Blatta Q.*) Spectres, Blatt. p. 7, pl. 4 *d*. f. 19 (1813). | Mexico,<br>Brazil. |
| *P. Pulchella, Burm.* l. c. p. 507. n. 4 (1838); Brunn. l. c. p. 275. n. 7, pl. 7. f. A–E (1865); Sauss. & Zehntn. l. c. p. 97. n. 16 (1893). | |
| *P. Mexicana, Sauss.* ll. cc. (2) xiv. p. 231 (1862); p. 197. n. 98 (1864). | |
| *18. **P. Erronea, Sauss.** Miss. Mex., Orth. p. 103. n. 12 (1870). | Brazil. |
| ‖*P. Pulchella, Sauss.* Mém. Mex., Blatt. p. 196. n. 98 (1864). | |
| 19. **P. Zendala, Sauss.** Rev. Zool. (2) xiv. p. 231 (1862); Mém. Mex., Blatt. p. 196. n. 99, pl. 2. f. 30 (1864); Sauss. & Zehntn. l. c. p. 98. n. 17 (1893); Brunn. l. c. p. 276. n. 8 (1865). | Guatemala. |
| 20. **P. Najas, Dohrn,** Stettin. Ent. Zeit. xlix. p. 130 (1880); Sauss. & Zehntn. l. c. p. 98. n. 18 (1893). | Amazons (Fonte Boa). |
| **21. **P. Montezuma, Sauss. & Zehntn.** l. c. p. 98. n. 19 (1893). | Mexico. |
| 22. **P. Azteca, Sauss.** ll. cc. (2) xiv. p. 230 (1862); p. 198. n. 101, pl. 2. f. 31 (1864); Sauss. & Zehntn. l. c. p. 98. n. 20 (1893). | id. |
| Var. *P. Lactea, Brunn.* l. c. p. 277. n. 10 (1865). | |
| 23. **P. Latipennis, Sauss. & Zehntn.** l. c. p. 99. n. 21, pl. 5. f. 2 (1893). | Guatemala. |
| 24. **P. Tolteca, Sauss.** Mém. Soc. Genève, xxiii. p. 131 (1873); Sauss. & Zehntn. l. c. p. 99. n. 22, pl. 6. f. 11 (1893). | Mexico. |
| **25. **P. Cribrosa, Sauss. & Zehntn.** l. c. p. 99. n. 23, pl. 5. f. 1 (1893). | Panama. |
| 26. **P. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 12 (1898). | Ecuador. |
| *27. **P. (?) Alcarazzas, Serv.** (*Blatta A.*) l. c. p. 90 (1839). | Brazil. |
| *P. Alcarazzas, Walk.* l. c. p. 29. n. 18 (1868). | id. |
| 28. **P. Viridula, Beauv.** (*Blatta V.*) Ins. Afr. Amér. p. 182, Orth. pl. 1. f. 3 (1805). | W. Africa (Oware). |
| 28 *a*. **P. Smaragdina, Brunn.** l. c. p. 277. n. 11 (1865). | Old Calabar. |

## Genus 96. **Achroblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893).

| | |
|---|---|
| *1. **A. Luteola, Blanch.** (*Blatta L.*) D'Orbigny, Voy. Amér. Mér., Ins. p. 215, pl. 26. f. 3 (1843).<br>*A. Luteola, Sauss. & Zehntn.* l. c. p. 100. n. 1, pl. 6. f. 12 (1893).<br>*Paratropes Histrio, Sauss.* Rev. Zool. (2) xiv. p. 229 (1862); Mém. Mex., Blatt. p. 58. n. 6, pl. 1. f. 5 (1864).<br>*Panchlora Tripartita, Walk.* Cat. Blatt. B. M. p. 35. n. 34 (1868).<br>*Zetobora Sigillata, Walk.* l. c. p. 51. n. 13 (1868). | Bolivia: Mexico to Colombia. |
| 2. **A. (?) Signifera, Scudd.** (*Panchlora S.*) Proc. Boston Soc. Nat. Hist. xvii. p. 280 (1875). | Peruvian Andes. |
| **3. **A. Lituriceps, Walk.** (*Pseudomops L.*) l. c. p. 83. n. 24 (1868). | Brazil (Ega). |

## Genus 97. **Nauphœta.** (*Type* no. 7.)

Burm. Handb. Ent. ii. p. 508 (1838); Sauss. Mém. Mex., Blatt. p. 203 (1864); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 100 (1893); Grandidier, Hist. Madag., Orth. i. p. 80 (1895); Brunn. Syst. Blatt. p. 283 (1865).

| | |
|---|---|
| 1. **N. Testacea, Brunn.** l. c. p. 284. n. 1 (1865). | W. Africa. |
| 2. **N. Guineensis, Sauss.** Mém. Soc. Genève, xxiii. p. 133, pl. 10. f. 47 (1873). | Guinea, Gold Coast. |
| 3. **N. Gestriana, Sauss.** Ann. Mus. Genova, xxxv. p. 86 (1895). | E. Afr. (Boran Galla). |
| **4. **N. Flexivitta, Walk.** (*Periplaneta F.*) Cat. Blatt. B. M. p. 133. n. 29 (1868).<br>*N. Discoidalis, Sauss.* Abh. Senckenb. Ges. xxi. p. 582 (1899). | Congo. |
| 5. **N. Brazzæ, Bol.** (*Panchlora B.*) An. Soc. Españ. xix. p. 303 (1890). | id. |
| 6. **N. Frenata, Gerst.** Mt. Ver. Vorpomm. xiv. p. 67 (1883). | Ogowe. |

| | |
|---|---|
| *7. **N. Cinerea, Oliv.** (*Blatta C.*) Enc. Méth., Ins. iv. p. 314. n. 3 (1789); Serv. Ins. Orth. p. 89 (1839). | Mauritius,<br>Madagascar<br>Sumatra,<br>Philippines,<br>Polynesia,<br>S. & Centr. America,<br>Cuba, &c. |
| *N. Cinerea, Sauss.* Mém. Mex., Blatt. p. 204 (1864); Miss. Mex., Orth. p. 104 (1870); Abh. Senckenb. Ges. xxi. p. 583 (1899); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 81, pl. 3. f. 31 (1895). | |
| *Epilampra Cinerea, Brunn.* l. c. p. 182. n. 14 (1865). | |
| *N. Grisea, Burm.* l. c. p. 508. n. 2 (1838); Brunn. l. c. p. 287. n. 4 (1865). | |
| *N. Bivittata, Burm.* l. c. p. 508. n. 3 (1838); Brunn. l. c. p. 287. n. 5 (1865). | |
| (?) ‖*Blatta Maderæ, Herbst,* Fuessly, Arch. Insekt. p. 184, pl. 49. f. 3 (1786). | |
| (?) *Blatta Gallica, Fabr.* Ent. Syst. ii. p. 8. n. 11 (1793). | |
| 8. **N. Aspersata, Kirb.** Ann. Nat. Hist. (7) v. p. 285 (1900); Distant, Ins. Transvaal. p. 23, pl. 1. f. 8 (1900). | Pretoria. |
| 9. **N. Madecassa, Sauss.** Soc. Ent. vi. p. 17 (1891): Sauss. & Zehntn. l. c. p. 82, pl. 3. f. 30 (1895). | Madagascar |
| 10. **N. Heydeniana, Sauss.** l. c. p. 17 (1891); Sauss. & Zehntn. l. c. p. 83, pl. 3. f. 32 (1895). | id. |
| 11. **N. Rubricosa, Walk.** Cat. Blatt. B. M. p. 185 (1868). | S. Africa. |
| **12. **N. Opaca, Walk.** (*Blatta O.*) Cat. Blatt. B. M. p. 106. n. 85 (1868). | Ceylon. |
| **13. **N. Basalis, Kirb.** Ann. Nat. Hist. (7) xii. p. 378 (1903). | Tonkin. |

### Genus 98. **Heminauphœta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 17 (1891); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 78, 84 (1895).

| | |
|---|---|
| 1. **H. Sakalava, Sauss.** l. c. (1891); Sauss. & Zehntn. l. c. p. 85, pl. 3. f. 33 (1895). | Madagascar |
| 2. **H. Brunneriana, Sauss. & Zehntn.** l. c. p. 86, pl. 3. f. 34 (1895). | id. |
| 3. **H. Hova, Sauss. & Zehntn.** l. c. p. 87, pl. 3. f. 35 (1895). | id. |

### Genus 99. **Tribonium.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1864); Mém. Mex., Blatt. p. 208 (1864).
*Philobora, Brunn.* Syst. Blatt. p. 294 (1865).

| | |
|---|---|
| *1. **T. Spectrum, Esch.** (*Blatta S.*) Entomographien, p. 85 (1822). | Brazil,<br>Cuba. |
| *Blatta Conspersa, Guér. & Perch.* Gen. Ins. (2) iii. pl. 2 (1835); Serv. Ins. Orth. p. 39 (1839). | |
| *Zetobora Conspersa, Burm.* Handb. Ent. ii. p. 510. n. 2 (1838). | |
| *Blatta (Zetobora) Conspersa, Guér.* Ramon de la Sagra, Hist. Cuba, Ins. p. 339 (1857). | |
| *Proscratea Conspersa, Sauss.* Mém. Mex., Blatt. p. 208 (1864). | |
| *Philobora Conspersa, Brunn.* l. c. p. 295. n. 1, pl. 7. f. 35 A–E (1865). | |
| 2. **T. Guttulosa, Walk.** (*Nauphœta G.*) Cat. Blatt. B. M. p. 184 (1868). | Brazil. |
| 3. **T. Conspurcata, Burm.** (*Zetobora C.*) Handb. Ent. ii. p. 510. n. 1 (1838). | id. |
| *Philobora Conspurcata, Brunn.* l. c. p. 297. n. 2 (1865). | |
| 4. **T. Elegans, Brunn.** (*Philobora E.*) l. c. p. 297. n. 3 (1865). | id. |
| **5. **T. Inæqualis, Walk.** (*Panchlora I.*) l. c. p. 33. n. 30 (1868). | Hab. —— ? |

### Genus 100. **Tribonidium.** (*Type* no. 1 *a.*)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 210 (1864).

| | |
|---|---|
| 1. **T. Signaticollis, Burm.** (*Zetobora S.*) Handb. Ent. ii. p. 510. n. 3 (1838); Brunn. Syst. Blatt. p. 289. n. 1 (1865). | Brazil. |
| *1 *a.* **T. Monastica, Sauss.** (*Zetobora M.*) ll. cc. p. 232 (1862); p. 211, pl. 2. f. 34 (1864); Miss. Mex., Orth. p. 104 (1870); Brunn. l. c. p. 293. n. 8 (1865). | id. |
| *Zetobora Transversa, Brunn.* l. c. p. 390. n. 2, pl. 7. f. 34 A–E (1865). | |
| *Zetobora Impressa, Walk.* Cat. Blatt. B. M. p. 45. n. 2 (1868). | |

| | |
|---|---|
| **2. **T. (?) Lignaria, Walk.** (*Perisphæria L.*) Cat. Blatt. B. M. p. 179. n. 30 (1868). (An *T. Monastica*, larva ?) | Rio Janeiro. |
| 3. **T. ? Aberrans, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 13 (1898). | Ecuador. |

## Genus 101. **Zetobora.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 509 (1838); Brunn. Syst. Blatt. p. 289 (1865).

| | |
|---|---|
| 1. **Z. Nimbata, Burm.** l. c. p. 511. n. 4 (1838); Brunn. l. c. p. 291. n. 6 (1865); Sauss. Miss. Mex., Orth. p. 105 (1870).<br>*Z. Castanea, Sauss.* Rev. Zool. (2) xvi. p. 343 (1864); Mém. Mex., Blatt. p. 216 (1864). | Brazil (Para), Cayenne. |
| *2. **Z. Emarginata, Burm.** l. c. p. 511. n. 5 (1838); Brunn. l. c. p. 291. n. 4 (1865).<br>*Z. Limbata, Brunn.* l. c. n. 3 (1865).<br>*Z. Perspicua, Walk.* Cat. Blatt. B. M. p. 46. n. 3 (1868). | Brazil (Para). |
| *3. **Z. Cicatricosa, Burm.** l. c. p. 511. n. 6 (1838); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 336, pl. 12. f. 5 (1857); Sauss. Mém. Mex., Blatt. p. 213 (1864); Miss. Mex., Orth. p. 107 (1870); Brunn. l. c. p. 291. n. 5 (1865).<br>*Z. Rudis, Walk.* l. c. p. 46. n. 4 (1868). | Brazil (Para, Ega), Cuba (eadem ?). |
| 4. **Z. Verrucosa, Sauss.** Rev. Zool. (2) xvi. p. 344 (1864); Mém. Mex., Blatt. p. 215 (1864); Miss. Mex., Orth. p. 105 (1870). | S. America. |
| 5. **Z. Martinezi, Bol.** An. Soc. Españ. x. p. 478 (1881); Viaje al Pacifico, Ins. p. 20, pl. 1. f. 2 (1884); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 13 (1898). | Ecuador. |

## Genus 102. **Phortiœca.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 212 (1864).

| | |
|---|---|
| 1. **P. Peruana, Sauss.** (*Zetobora P.*) ll. cc. p. 232 (1862); p. 213, pl. 2. f. 33 (1864); Brunn. Syst. Blatt. p. 291. n. 9 (1865). | Peru. |

**2. **P. Phoraspoides, Walk.** (*Zetobora P.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 8 (1871).
*Zetobora Sublobata, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 102. n. 2 (1893).
Nicaragua, Guatemala.

*3. **P. Maximiliani, Sauss.** (*Zetobora M.*) Rev. Zool. (2) xx. p. 357. n. 13 (1868); Miss. Mex., Orth. p. 105 (1870).
Mexico.

## Genus 103. **Schizopilia.**

Sauss. Mém. Mex., Blatt. p. 217 (1864).

1. **S. Fissicollis, Serv.** (*Blatta F.*) Ins. Orth. p. 85 (1839); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 337, pl. 12. f. 7 (1857).
*Zetobora Fissicollis, Brunn.* Syst. Blatt. p. 292. n. 7 (1865).
*Schizopilia Fissicollis, Sauss.* l. c. p. 218 (1864).
Cayenne.

## Genus 104. **Capucina.**

Sauss. Soc. Ent. viii. p. 67 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 102 (1893).

**1. **C. Patula, Walk.** (*Zetobora P.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 8 (1871).
*C. Cucullata, Sauss.* l. c. p. 67 (1893); Sauss. & Zehntn. l. c. p. 103. n. 1, pl. 6. f. 13 (1893).
Nicaragua.

## Genus 105. **Oniscosoma.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 298 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 118 (1893).
|| *Zetobora, Sauss.* Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 212 (1864); Mém. Soc. Genève, xvii. p. 161 (1863).
*Laxta, Walk.* Cat. Blatt. B. M. p. 17 (1868). (*Type* no. 2.)

*1. **O. Granicollis, Sauss.** (*Zetobora G.*) Rev. Zool. (2) xiv. p. 232 (1862); Mém. Soc. Genève, xvii. p. 161, pl. 1. f. 21 (1863); Mém. Mex., Blatt. p. 212 (1864).
Australia.

| | |
|---|---|
| *O. Castanea, Brunn.* l. c. p. 300. n. 1, pl. 7. f. 36 A–F (1865); Tepp. l. c. xvii. p. 119 (1893); xviii. p. 186 (1894). | |
| *Zetobora Antica, Walk.* Cat. Blatt. B. M. p. 47. n. 5 (1868). | |
| *Perisphæria Laminata, Walk.* l. c. p. 178. n. 29 (1868). | |
| *2. **O. Pallida, Brunn.** l. c. p. 301. n. 2 (1865); Tepp. l. c. xvii. p. 120 (1893). | New South Wales. |
| *Laxta Oniscoides, Walk.* l. c. p. 18. n. 1 (1868). | |
| 3. **O. (?) Contigua, Sauss.** (*Derocalymma C.*) l. c. xxiii. p. 140, pl. 10. ff. 51, 51*a* (1873). | N. Guinea. |

## SUBFAM. X.

## BLABERINÆ.

### Genus 106. **Monachoda.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 513 (1838); Sauss. Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 253 (1864); Brunn. Syst. Blatt. p. 362 (1865).

| | |
|---|---|
| *1. **M. Grossa, Thunb.** (*Blatta G.*) Mém. Acad. St. Pétersb. x. p. 280 (~~1822~~). 1826 | Brazil. |
| *Blabera Grossa, Serv.* Ins. Orth. p. 79 (1839). | |
| *M. Grossa, Sauss.* Mém. Mex., Blatt. p. 254 (1864). | |
| *M. Crassimargo, Burm.* l. c. p. 515. n. 6 (1838); Brunn. l. c. p. 370 (1865). | |
| 2. **M. Burmeisteri, Sauss.** l. c. p. 254 note (1864). | id. |
| *M. Grossa, Burm.* l. c. p. 515. n. 5 (1838); Brunn. l. c. p. 369 (1865). | |
| *3. **M. Latissima, Brunn.** l. c. p. 370 (1865). | Bahia. |
| 4. **M. Laticollis, Burm.** l. c. p. 515. n. 7 (1838). | Brazil. |

### Genus 107. **Petasodes.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex., Blatt. p. 259 (1864).

*1. **P. Reflexa, Thunb.** (*Blatta R.*) Mém. Acad. St. Pétersb. x. p. 278 (1826). — Brazil.
*Blabera Reflexa, Serv.* Ins. Orth. p. 82, pl. 2. f. 2 (1839).
*Monachoda Reflexa, Brunn.* Syst. Blatt. p. 364, pl. 11. f. 54 A–E (1865).
*Petasodes Reflexa, Sauss.* Mém. Mex., Blatt. p. 261 (1864).
(?) *Blatta Mouffeti, Kirb.* Introd. Ent. ii. p. 329 (1817); Trans. Linn. Soc. xii. p. 448. n. 95 (1818).
(?) *Monachoda Mouffeti, Burm.* Handb. Ent. ii. p. 514. n. 3 (1838).
——, *Mouf.* Ins. Theatrum, p. 129 (1634).
*Monachoda Franciscana, Burm.* l. c. p. 514. n. 2 (1838).

*2. **P. Dominicana, Burm.** (*Monachoda D.*) l. c. p. 514. n. 1 (1838). — id.
*Petasodes Dominicana, Sauss.* l. c. p. 261 (1864).
*Blabera Pedestris, Serv.* l. c. p. 83 (1839).
*Monachoda Pedestris, Brunn.* l. c. p. 365 (1865).

### Genus 108. **Monastria.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 349 (1864); Mém. Mex., Blatt. p. 255 (1864).

*1. **M. Biguttata, Thunb.** (*Blatta B.*) Mém. Acad. St. Pétersb. x. p. 276. n. 2, pl. 14 (1826). — Brazil.
*Monastria Biguttata, Sauss.* Mém. Mex., Blatt. p. 256 (1864); Miss. Mex., Orth. p. 120 (1870).
*Monachoda Biguttata, Brunn.* Syst. Blatt. p. 365 (1865).
*Blabera Nigripennis, Walk.* Cat. Blatt. B. M. p. 6. n. 15 (1868).

*2. **M. Similis, Serv.** (*Blabera S.*) Ins. Orth. p. 81 (1839). — S. America.
*Monastria Similis, Sauss.* Mém. Mex., Blatt. p. 257 (1864).
*Monachoda Similis, Brunn.* l. c. p. 367 (1865).

*3. **M. Angulata, Sauss.** l. c. p. 257 (1864). — Bahia.

| | |
|---|---|
| *4. **M. Cassidea, Esch.** (*Blatta C.*) Entomographien, p. 87 (1822).<br>*Monastria Semialata, Sauss.* Mém. Mex., Blatt. p. 258 (1864).<br>*Monachoda Semialata, Sauss.* Miss. Mex., Orth. p. 120 (1870). | S. America. |
| *5. **M. Granosa, Brunn.** (*Monachoda G.*) l. c. p. 367 (1865). | Rio Grande do Sol. |

### Genus 109. **Blaptica.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (13) p. 18 (1875); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

| | |
|---|---|
| *1. **B. Dubia, Serv.** (*Blabera D.*) Ins. Orth. p. 78 (1839); Sauss. Mém. Mex., Blatt. p. 245 (1864).<br>*Blabera Claraziana, Sauss.* Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 243, pl. 2. ff. 41, 42 (1864); Miss. Mex., Orth. p. 116 (1870).<br>*Blaptica Claraziana, Sauss. & Zehntn.* l. c. p. 121. n. 1 (1894).<br>*Blabera Ligata, Brunn.* Syst. Blatt. p. 381 (1865). | Buenos Aires, Uruguay. |
| 2. **B. Obscura, Sauss. & Zehntn.** l. c. p. 121. n. 2 (1894). | Brazil. |
| **3. **B. Panesthoides, Walk.** (*Polyzosteria P.*) Cat. Blatt. B. M. p. 164. n. 42 (1868). | Jamaica. |
| 4. **B. (?) Bipustulata, Thunb.** (*Blatta B.*) Mém. Acad. St. Pétersb. x. p. 279 (1826). | Hab. —— ? |

### Genus 110. **Byrsotria.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. ii. (13) p. 18 (1875); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 120 (1894).

| | |
|---|---|
| 1. **B. Fumigata, Guér.** (*Blatta* (*Blabera*) *F.*) Ramon de la Sagra, Hist. Cuba, Ins. p. 335, pl. 12. f. 4 (1857).<br>*Blabera Fumigata, Sauss.* Mém. Mex., Blatt. p. 244 (1864); Brunn. Syst. Blatt. p. 381. n. 10 (1865). | Cuba. |
| 2. **B. Thunbergii, Guér.** (*Blatta* (*Monachoda*) *T.*) l. c. p. 337, pl. 12. f. 6 (1857).<br>*Blabera Thunbergii, Sauss.* Mém. Mex., Blatt. p. 246 (1864).<br>*Monachoda* (?) *Thunbergii, Brunn.* l. c. p. 368. n. 6 (1865). | id. |

### Genus 111. **Archimandrita.** (*Type* no. 1.)

Sauss. Soc. Ent. viii. p. 67 (1893);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 116 (1894).

| | |
|---|---|
| *1. **A. Marmorata, Stoll,** (*Blatta M.*) Spectres, Blattes, p. 3, pl. 2 *d.* f. 5 (1813).<br>*Blabera Marmorata, Sauss.* Mém. Mex., Blatt. p. 249 (1864); Brunn. Syst. Blatt. p. 378 (1865); Brun. Bull. Lab. Iowa, iii. (3) p. 60, pl. 2. f. 1 (1893).<br>*A. Marmorata, Sauss. & Zehntn.* l. c. p. 116. n. 1 (1894). | S. & Central America. |
| 2. **A. Discoidalis, Serv.** (*Blabera D.*) Ins. Orth. p. 76, pl. 1. f. 6 (1839); Sauss. l. c. p. 250 (1864). | Haiti. |
| 3. **A.** (?) **Colossea, Illig.** (*Blatta C.*) Mag. Insekt. i. p. 186 (1802). | Demerara. |
| 4. **A.** (?) **Deplanata, Sauss.** (*Blabera D.*) Rev. Zool. (2) xvi. p. 348 (1864); Mém. Mex., Blatt. p. 250 (1864); Miss. Mex., Orth. p. 118 (1870).<br>*A. Deplanata, Sauss. & Zehntn.* l. c. p. 116. n. 2, pl. 5. f. 18 (1894). | Cuba. |

### Genus 112. **Blabera.** (*Type* no. 1.)

*Blaberus, Serv.* Ann. Sci. Nat. xxii. p. 37 (1831).
*Blabera, Serv.* Ins. Orth. p. 74 (1839); Mém. Mex., Blatt. p. 230 (1864); Miss. Mex., Orth. p. 113 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 117 (1894); Brunn. Syst. Blatt. p. 371 (1865).
*Sisapona, Walk.* Cat. Blatt. B. M. p. 16 (1868), *larva.* (*Type* no. 5.)
*Tarraga, Walk.* l. c. p. 16 (1868), *larva.* (*Type* no. 25.)
*Libisoca, Walk.* l. c. p. 12 (1868), *larva.* (*Type* no. 23.)

| | |
|---|---|
| *1. **B. Gigantea, Linn.** (*Blatta G.*) Syst. Nat. (ed. x.) i. p. 424. n. 1 (1758); Mus. Ludov. Ulr. p. 106 (1764); Stoll, Spectres, Blatt. p. 2, pl. 1 *d.* f. 2 (1813).<br>*Blabera Gigantea, Burm.* Handb. Ent. ii. p. 517. n. 5 (1838); Serv. Ins. Orth. p. 75 (1839); Sauss. Mém. Mex., Blatt. p. 236 (1864); Brunn. Syst. Blatt. p. 372 (1865); Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 2 (1871). | S. America. |

| | |
|---|---|
| 2. **B. Armigera, Scudd.** P. Boston Soc. xii. p. 343 (1869). | Napo (?). |
| *3. **B. Stollii, Brunn.** l. c. p. 374 (1865).<br>‖ *Blatta Gigantea, Stoll,* l. c. p. 2, pl. 1 *d.* f. 1 (1813). | Guiana, Rio Negro. |
| **4. **B. Parabolica, Walk.** Cat. Blatt. B. M. p. 8. n. 17 (1868).<br>*Blabera Æquatoriana, Bol.* An. Soc. Españ. x. p. 479 (1881) ; Viaje al Pacifico, Orth. p. 24, pl. 1. f. 3 (1864). | Ecuador. |
| *5. **B. Trapezoidea, Burm.** l. c. p. 516. n. 1 (1838) ; Sauss. Mém. Mex., Blatt. p. 240 (1864) ; Sauss. & Zehntn. l. c. p. 118. n. 2, pl. 5. ff. 26–31 (1894) ; Brunn. l. c. p. 374 (1865).<br>*Blabera Varians, Serv.* l. c. p. 78 (1839).<br>*Blabera Mexicana, Sauss.* Rev. Zool. (2) xiv. p. 233 (1862) ; Mém. Mex., Blatt. p. 234 (1864) ; Walk. Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 3 (1871).<br>*Blabera Quadrifera, Walk.* Cat. Blatt. B. M. p. 3. n. 11 (1868).<br>*Sisapona Marginalis, Walk.* l. c. p. 17. n. 1 (1868), *larva.* | Mexico to Brazil. |
| *6. **B. Fusca, Brunn.** l. c. p. 376 (1865). | S.& C.Amer. |
| *7. **B. Atropos, Stoll,** (*Blatta A.*) l. c. p. 4, pl. 2 *d.* f. 8 (1813).<br>*Blabera Atropos, Sauss.* Mém. Mex., Blatt. p. 233 (1864); Brunn. l. c. p. 375, pl. 12. f. 55 A–G (1865).<br>*Blabera Craniifera, Burm.* l. c. p. 516. n. 3 (1838).<br>*Blabera Luctuosa, Stål,* Œfv. Vet.-Akad. Förh. xii. p. 351 (1855).<br>*Blabera Laticollis, Walk.* l. c. p. 5. n. 14 (1868). | Mexico to Brazil. |
| 8. **B. Rufescens, Sauss. & Zehntn.** l. c. p. 119. n. 3, pl. 5. f. 22 (1894). | Cuba. |
| *9. **B. Cubensis, Sauss.** Rev. Zool. (2) xvi. p. 347 (1864); Mém. Mex., Blatt. p. 236 (1864).<br>*Blabera Subspurcata, Walk.* l. c. p. 4. n. 12 (1868). | Cuba, Haiti. Brazil. |
| *10. **B. Brasiliana, Sauss.** ll. cc. p. 347 (1864) : p. 236 (1864).<br>*Blabera Decisa, Walk.* l. c. p. 5. n. 13 (1868). | Brazil. |

| | |
|---|---|
| **11. **B. Scutata, Sauss. & Zehntn.** l. c. p. 119. n. 4, pl. 5. f. 24 (1894). | Pernambuco. |
| 12. **B. Anisitsi, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 60, pl. 1. f. 5 (1897). | Paraguay. |
| 13. **B. Immacula, Sauss. & Zehntn.** l. c. p. 120. n. 6, pl. 5. f. 23 (1894); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 106 (1897). | Pernambuco. |
| *14. **B. Ferruginea, Stoll,** (*Blatta F.*) l. c. p. 4, pl. 2 *d*. f. 9 (1813). | Mexico. |
| *Blabera Ferruginea, Sauss.* Mém. Mex., Blatt. p. 241 (1864); Brunn. l. c. p. 377 (1865). | |
| *Blabera Limbata, Burm.* l. c. p. 516. n. 2 (1838). | |
| **15. **B. Fusiformis, Walk.** l. c. p. 7. n. 16 (1868). | Hab. —— ? |
| 16. **B. Femorata, Scudd.** l. c. xii. p. 342 (1869). | Napo. |
| 17. **B. Sulzeri, Guér.** Ramon de la Sagra, Hist. Cuba, Ins. p. 334 (1857); (?) Sauss. Mém. Mex., Blatt. p. 239, pl. 2. f. 39 (1864); Brunn. l. c. p. 380 (1865). | Surinam, Cuba. |
| (?) \|\| *Blatta Surinamensis, Sulz.* Gesch. Ins. pl. 8. f. 1 (1776). | |
| **18. **B. Distanti, Kirb.** Ann. Nat. Hist. (7) xi. p. 404 (1903). | Hab. —— ? |
| *19. **B. Postica, Erichs.** Schomb. Reisen Brit. Guiana, iii. p. 580 (1848); Brunn. l. c. p. 379 (1865). | Guiana, Panama, Colombia. |
| *Blabera Thoracica, Sauss. & Zehntn.* l. c. p. 120. n. 5, pl. 5. f. 25 (1894). | |
| 20. **B. Monstrosa, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 351 (1855). | Brazil. |
| 21. **B. Minor, Sauss.** Rev. Zool. (2) xvi. p. 347 (1864); Mém. Mex., Blatt. p. 238 (1864); Miss. Mex., Orth. p. 115 (1870). | id. |
| 22. **B. Fraterna, Sauss.** Mém. Mex., Blatt. p. 241 (1864). | S. America. |
| **23. **B. Æqualis, Walk.** (*Libisoca Æ.*) Cat. Blatt. B. M. p. 12. n. 1 (1869), *larva*. | St. Domingo |
| **24. **B. Chitonoides, Walk.** (*Laxta C.*) l. c. p. 18. n. 2 (1868), *larva*. | Hab. —— ? |
| **25. **B. Guttiventris, Walk.** (*Tarraga G.*) l. c. p. 16. n. 1 (1868), *larva*. | Rio Janeiro. |
| 26. **B. (?) Latissima, Herbst,** (*Blatta L.*) Fuessly, Arch. Insekt. p. 184, pl. 49. f. 2 (1786), *larva*. | Surinam. |

### Genus 113. **Hemiblabera.** (*Type* no. 3.)

Sauss. Soc. Ent. viii. p. 68 (1893) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 121 (1894).

| | |
|---|---|
| *1. **H. Capucina, Sauss.** (*Blabera C.*) Rev. Zool. (2) xiv. p. 234 (1862) ; Mém. Mex., Blatt. p. 248, pl. 2. f. 43 (1864) ; Brunn. Syst. Blatt. p. 383. n. 12 (1865).<br>*H. Capucina, Sauss.* Soc. Ent. viii. p. 68 (1893). | Bahia. |
| 2. **H. Brunneri, Sauss.** (*Blabera B.*) Rev. Zool. (2) xxi. p. 113 (1869) ; Miss. Mex., Orth. p. 117 (1870). | Antilles. |
| 3. **H. Manca, Sauss.** Soc. Ent. viii. p. 68 (1893) ; Sauss. & Zehntn. l. c. p. 122. n. 1, pl. 5. f. 20 (1894). | Portorico. |
| 4. **H. Granulata, Sauss.** l. c. viii. p. 68 (1893); Sauss. & Zehntn. l. c. p. 122. n. 2, pl. 5. f. 21 (1894). | Mexico. |

### Genus 114. **Cacoblatta.**

Sauss. Soc. Ent. viii. p. 68 (1893) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 122 (1894).

| | |
|---|---|
| 1. **C. Scabra, Sauss.** l. c. viii. p. 68 (1893); Sauss. & Zehntn. l. c. p. 122. n. 2, pl. 5. f. 19 (1894). | New Granada. |

## SUBFAM. XI.

## CORYDIINÆ.

### Genus 115. **Corydia.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 42 (1831) ; Ins. Orth. p. 122 (1839) ; Burm. Handb. Ent. ii. p. 490 (1838) ; Sauss. Mém. Mex., Blatt. p. 147 (1864) ; Brunn. Syst. Blatt. p. 335 (1865).

| | |
|---|---|
| *1. **C. Petiveriana, Linn.** (*Cassida P.*) Syst. Nat. (ed. x.) i. p. 364. n. 18 (1758).<br>*Blatta Petiveriana, Herbst,* Fuessly, Arch. Insekt. p. 185. n. 6, pl. 49. f. 7 (1786) ; | India ;<br>W. Africa (?) |

| | |
|---|---|
| Stoll. Spectres. Blatt. p. 7. pl. 5. ff. 21, 22 (1813); Beauv. Ins. Afr. Amér. p. 227, Orth. pl. 2 *c*. f. 1 (1805). | |
| *Corydia Petiveriana, Burm.* Handb. Ent. ii. p 491. n. 1 (1838); Serv. Ins. Orth. p. 123 (1839); Brunn. l. c. p. 336. n. 1, pl. 10. f. 47 A. B (1865). | |
| *Cassida 7-guttata, Linn.* Syst. Nat. (ed. xii.) i. (2) p. 577. n. 19 (1767). | |
| *Blatta Heteroclyta, Pall.* Spicil. Zool. ix. pl. 1. f. 5 (1772); Sulz. Gesch. Ins. pl. 11. ff. A. B (1776). | |
| 2. **C. Nuptialis, Gerst.** Arch. Naturg. xxvii. p. 113 (1861); Brunn. l. c. p. 338. n. 3, pl. 10. f. 46 A–E (1865). | Bengal. |
| *Corydia Gueriniana, Sauss.* Mém. Soc. Genève, xvii. p. 140, pl. 1. f. 7 (1864). | |
| *3. **C. Dasytoides, Walk.** (*Euthyrrapha D.*) Cat. Blatt. B. M. p. 191 (1868). | Amoy, Tonkin, |
| *C. Tonkinensis, Kirb.* Ann. Nat. Hist. (7) xi. p. 405 (1903). | (Siam, eadem?) |
| **4. **C. Purpuralis, Kirb.** l. c. (1903). | S.W.Fokien |
| **5. **C. Hilaris, Kirb.** l. c. p. 406 (1903). | Hab. —— ? |
| *6. **C. Westwoodii, Gerst.** l. c. p. 114 (1861); Brunn. l. c. p. 339. n. 4 (1865). | Assam. |
| 7. **C. Ænea, Brunn.** l. c. p. 340. n. 5 (1865); Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 15 (1893). | Pegu. |
| **8. **C. Plagiata, Walk.** Cat. Blatt. B. M. p. 58. n. 3 (1868). | India, Burma. |
| *Corydia Elegans, Brunn.* Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 16 (1893). | |
| 9. **C. Ornata, Sauss.** (*Melestora O.*) Rev. Zool. (2) xvi. p. 341 (1864). | Bombay. |
| *Corydia Armata, Sauss.* Mém. Soc. Genève, xx. p. 280 (1869). | |

### Genus 116. **Melestora.** (*Type* no. 1.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 149 (1864); Brunn. Syst. Blatt. p. 341 (1865).

| | |
|---|---|
| 1. **M. Adspersipennis, Stål,** l. c. p. 311, pl. 5. ff. 2, 2*a* (1858); Brunn. l. c. p. 341 (1865). | Brazil. |
| *2. **M. Fuscella, Stål,** l. c. p. 311 (1858); Brunn. l. c. p. 342 (1865). | id. |

### Genus 117. **Euthyrrhapha.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 491 (1838); Sauss. Mém. Mex., Blatt. p. 148 (1864); Brunn. Syst. Blatt. p. 342 (1865).

| | |
|---|---|
| *1. **E. Pacifica, Coq.** (*Blatta P.*) Icon. Ins. iii. p. 91, pl. 21. f. 1 (1804); Serv. Ins. Orth. p. 103 (1839). | Brazil,<br>Polynesia,<br>Madagascar |
| *Euthyrrhapha Pacifica, Sauss.* l. c. p. 148 (1864): Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108. n. 1 (1894); Brunn. l. c. p. 343. n. 1 (1865); Walk. Cat. Blatt. B. M. p. 59. n. 1 (1868). | |
| *Corydia Biguttata, Burm.* Handb. Ent. ii. p. 491. n. 2 (1838). | |
| *E. Ipsoides, Walk.* Cat. Blatt. B. M. p. 191 (1868). | Para. |
| 2. **E. Sanctæ-Helenæ, Walk.** Melliss, St. Helena, p. 165 (1875). | St. Helena. |

### Genus 118. **Latindia.** (*Type* no. 8.)

Stål, Eugenie's Resa, Ins. p. 311 (1858); Sauss. Mém. Mex., Blatt. p. 229 (1864); Miss. Mex., Orth. p. 109 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 110 (1894); Brunn. Syst. Blatt. p. 344 (1865).

| | |
|---|---|
| 1. **L. Dohrniana, Sauss. & Zehntn.** l. c. p. 111. n. 1, pl. 5. f. 7 (1894). | Guatemala. |
| **2. **L. Cucullata, Sauss. & Zehntn.** l. c. n. 2, pl. 5. f. 9 (1894). | id. |
| 3. **L. Inca, Sauss. & Zehntn.** l. c. n. 3, pl. 5. f. 8 (1894). | Peru. |
| **4. **L. Delicatula, Sauss. & Zehntn.** l. c. p. 112. n. 4, pl. 5. f. 10 (1894). | Guatemala. |
| 5. **L. Schwarzi, Caud.** Proc. Ent. Soc. Washington, v. p. 165 (1903). | Arizona. |
| 6. **L. Pusilla, Sauss. & Zehntn.** l. c. n. 5 (1894). | Peru. |
| 7. **L. Tolteca, Sauss. & Zehntn.** l. c. p. 113. n. 6 (1894). | Mexico. |
| 8. **L. Maurella, Stål,** Eugenie's Resa, Ins. p. 312, pl. 5. f. 3 (1858): Sauss. Mém. Mex., Blatt. p. 250 (1864); Brunn. l. c. p. 345. n. 1 (1865). | id. |
| 9. **L. Mexicana, Sauss.** Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 110, pl. 2. ff. 53–55 (1870); Sauss. & Zehntn. l. c. p. 113 (1894). | id. |
| 10. **L. Signata, Brunn.** l. c. p. 345 (1865). | Brazil. |
| **11. **L. Castanea, Brunn.** Proc. Zool. Soc. Lond. 1893, p. 601. | Grenada. |

## Genus 119. **Hemilatindia.**

Sauss. Ann. Mus. Genova, xxxv. p. 83 (1895).

| | |
|---|---|
| 1. **H. Doriana, Sauss.** l. c. p. 84 (1895). | S. Africa (Assab). |

## Genus 120. **Ipisoma.**

Bol. Ann. Soc. Ent. France, 1893, p. 172.

| | |
|---|---|
| 1. **I. Coleoptratum, Bol.** l. c. p. 173 (1893). | W. Africa (Assinie). |

## Genus 121. **Tivia.**

Walk. Cat. Blatt. B. M. Suppl. p. 153 (1869).

| | |
|---|---|
| **1. **T. Simulatrix, Walk.** l. c. (1869) | Lake N'Gami. |

## Genus 122. **Paralatindia.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xx. p.100 (1868); Miss. Mex., Orth. p. 111 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 113 (1894).

| | |
|---|---|
| *1. **P. Azteca, Sauss.** Rev. Zool. xx. p. 101 (1868); Sauss. & Zehntn. l. c. p. 113. n. 1 (1894).<br>*Latindia Azteca, Sauss.* Miss. Mex., Orth. p. 112, pl. 2. ff. 54, 55 (1870). | Mexico. |
| 2. **P. Peruviana, Sauss. & Zehntn.** l. c. p. 114. n. 2, pl. 5. ff. 11–14 (1894). | Peru. |
| 3. **P. Mancella, Sauss. & Zehntn.** l. c. n. 3, pl. 5. f. 6 (1894). | id. |

## Genus 123. **Holocompsa.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 49 (1838); Sauss. Mém. Mex., Blatt. p. 150 (1864); Miss. Mex., Orth. p. 99 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 108 (1894); Brunn. Syst. Blatt. p. 346 (1865).

| | |
|---|---|
| *1. **H. Cyanea, Burm.** (*Corydia C.*) Handb. Ent. ii. p. 492. n. 3 (1838).<br>*H. Cyanea, Sauss.* Mém. Mex., Blatt. p. 150 (1864); Brunn. l. c. p. 346. n. 1 (1865). | St. Thomas, Cuba, Mauritius. |
| **2. **H. Nitidula, Fabr.** (*Blatta N.*) Spec. Ins. i. p. 345. n. 19 (1781).<br>*Corydia Collaris, Burm.* l. c. p. 492. n. 4 (1838). | Surinam, Mexico, W. Indies, Mauritius. |

| | |
|---|---|
| *Blatta (Holocompsa) Collaris, Guér.* Ramon de la Sagra. Hist. Cuba, Ins. p. 332, pl. 12. f. 3 (1857).<br>*Hol. Collaris, Sauss.* Mém. Mex., Blatt. p. 151 (1864); Sauss. & Zehntn. l. c. p. 109. n. 2, pl. 3. f. 34 (1894); Brunn. l. c. p. 347. n. 2, pl. 10. f. 50 A–C (1865); Proc. Zool. Soc. Lond. 1892, p. 205, pl. 15. f. 1. | |
| *3. **H. Azteca, Sauss.** (*Corydia A.*) Rev. Zool. (2) xiv. p. 230 (1862).<br>*H. Azteca, Sauss.* Mém. Mex., Blatt. p. 151 (1864); Miss. Mex., Orth. p. 100, pl. 2. f. 49 (1870); Sauss. & Zehntn. l. c. p. 109. n. 3 (1894); Brunn. Syst. Blatt. p. 347. n. 3 (1865); Walk. Cat. Blatt. B. M. p. 61. n. 4 (1868).<br>*Euthyrrhapha Mordelloides, Walk.* l. c. p. 59. n. 2 (1868). | Mexico. |
| **4. **H. Zapoteca, Sauss. & Zehntn.** l. c. p. 109. n. 4, pl. 3. f. 33 (1894). | Guatemala. |
| **5. **H. Tolteca, Sauss. & Zehntn.** l. c. n. 5, pl. 3. f. 35 (1894). | id. |
| **6. **H. Binotata, Sauss. & Zehntn.** l. c. p. 110. n. 6, pl. 3. f. 32 (1894). | id. |
| 7. **H. Fulva, Burm.** (*Corydia F.*) l. c. p. 492. n. 5 (1838).<br>*H. Fulva, Brunn.* l. c. p. 348. n. 4 (1865). | Egypt, Soudan. |
| 8. **H. Simonyi, Krauss,** Zool. Anz. xv. p. 165 (1892). | Teneriffe. |
| 9. **H. Debilis, Walk.** l. c. p. 192 (1868). | Sarawak. |

### Genus 124. **Hypercompsa.** (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 323 (1864); Mém. Mex., Blatt. p. 152 (1864).

*Diaphana, Brunn.* Syst. Blatt. p. 348 (1865). (*Type* no. 1.)

| | |
|---|---|
| *1. **H. Fieberi, Brunn.** (*Diaphana F.*) l. c. p. 349, pl. 10. f. 51 (1865).<br>*H. Fieberi, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 110. n. 1 (1894).<br>*H. Cynipsoides, Walk.* Cat. Blatt. B. M. p. 61. n. 2 (1868). | Brazil. |
| 2. **H. Fenestrina, Sauss.** Rev. Zool. xvi. p. 324 (1864); Mém. Mex., Blatt. p. 153, pl. 2. f. 27 (1864); Sauss. & Zehntn. l. c. p. 110. n. 2 (1894). | id. |

### Genus 125. **Biolleya.**

Sauss. An. Inst. Fis. Nac. Costa Rica, vii. p. 138 (1894 or 1897); Biolley, Inf. Mus. Nac. Costa Rica, 1899–1900, p. 48 (1900).

| | |
|---|---|
| 1. **B. Alaris, Sauss.** l. c. (1894 or 1897); Biolley, l. c. plate (1900). | Costa Rica. |

## SUBFAM. XII.

## POLYPHAGINÆ.

### Genus 126. **Polyphaga.** (*Type* no. 1.)

Brullé, Hist. Nat. Ins. ix. p. 57 (1835); Sauss. Mém. Mex., Blatt. p. 220 (1864).

*Heterogamia*, *Burm.* Handb. Ent. ii. p. 488 (1838); Fisch. Waldh. Orth. Ross. p. 72 (1846); Fisch. Orth. Eur. p. 96 (1853); Brunn. Syst. Blatt. p. 350 (1865); Prodr. Eur. Orth. p. 51 (1882); Sauss. l. c. p. 222 (1864); Rev. Suisse Zool. i. p. 302 (1893). (*Type* no. 1.)

| | |
|---|---|
| *1. **P. Ægyptiaca, Linn.** (*Blatta Æ.*) Syst. Nat. (ed. x.) i. p. 424. n. 2 (1758); Mus. Ludov. Ulr. p. 107 (1764); Herbst, Fuessly, Arch. Ins. p. 185, pl. 49. f. 4 (1786); Petagna, Inst. Entom. i. p. 305, pl. 3. f. 12 *a*, *b* (1792); Ahrens, Faun. Ins. Eur. i. pl. 13 (1812); Serv. Ins. Orth. p. 94 (1839).<br>*Polyphaga Ægyptiaca*, *Brullé*, l. c. ix. p. 57, pl. 3. f. 3 (1835).<br>*Heterogamia Ægyptiaca*, *Burm.* l. c. p. 489. n. 2 (1838); Fisch. Waldh. l. c. p. 73, pl. 1. ff. 2, 3, pl. 24. f. 10 (1846); Fisch. l. c. p. 97, pl. 7. ff. 6, 6 *a*, 7, 7 *a* (1853); Brunn. ll. cc. p. 353, pl. 10. f. 52 A–F (1865); p. 52, pl. 1. f. 12 A–C (1882); Sauss. Rev. Suisse Zool. i. p. 308. n. 1 (1893).<br>*Steleopyga Trichoprocta*, *Fisch. Waldh.* Bull. Soc. Moscou, vi. p. 367 (1833).<br>(?) *Blatta Omeca*, *Costa*, Atti Accad. Borb. iv. Zool. p. 19, pl. 2. f. 8 (1839). | Egypt,<br>S. Europe,<br>N. Africa,<br>W. Asia. |

| | |
|---|---|
| *2. **P. Saussurii, Dohrn,** (*Heterogamia S.*) Stettin. Ent. Zeit. xlix. p. 131 (1888); Sauss. l. c. i. p. 308 (1893). | Tashkend. |
| 2*a*. **P. Pellucida, Redt.** (*Heterogamia P.*) Wien. Ent. Zeit. viii. p. 25 (1889). | Turcomania |
| 3. **P. Roseni, Brancs.** (*Heterogamia R.*) Jahresh. Ver. Trenesin. Com. xix.–xx. p. 59, pl. 1. f. 2 *a*, *b* (1897). | Turkestan,<br>Afghanistan |
| 4. **P. Plancyi, Bol.** Ann. Soc. Ent. France, (6) ii. p. 462 (1882). | Pekin. |
| 5. **P. Silphoides, Walk.** Cat. Blatt. B. M. p. 182 (1868). | Cambodia. |
| **6. **P. Sinensis, Walk.** l. c. p. 14. n. 5 (1868).<br>*Heterogamia Sinensis, Dohrn,* l. c. p. 132 (1888).<br>*Het. Dohrniana, Sauss.* l. c. p. 309 (1893). | N. China. |
| **7. **P. Indica, Walk.** l. c. p. 14. n. 4 (1868). | India. |
| *8. **P. Limbata, Kirb.** Ann. Nat. Hist. (7) xii. p. 379 (1903).<br>‖ *Homœogamia Sinensis, Sauss.* Mém. Soc. Genève, xx. p. 282 (1869); Rev. Suisse Zool. i. p. 311 (1893).<br>(?) *Polyphaga Sinensis, Bol.* l. c. p. 463 (1882). | N. China. |
| **9. **P. Camelorum, Kirb.** Ann. Nat. Hist. (7) xi. p. 407, xii. p. 379 (1903).<br>*Polyphaga sp., Kirb.* Trans. Linn. Soc. (2) v. Zool. p. 138 (1889).<br>‖ *P. Ægyptiaca, Jacobson & Bianchi,* Premokr. i Lozhn. Ross. Imp. p. 133, pl. 2 (1902). | Hari Rud,<br>Turkestan. |
| *10. **P. Africana, Linn.** (*Blatta A.*) Syst. Nat. (ed. x.) i. p. 424. n. 6 (1758); Mus. Ulr. p. 108 (1764).<br>*Heterogamia Africana, Sauss.* Rev. Suisse Zool. i. p. 312 (1893).<br>*Polyphaga Syriaca, Sauss.* Rev. Zool. (2) xvi. p. 346 (1864). | Egypt,<br>Syria. |
| 11. **P. Maris Mortui, Jans.** (*Het. M.*) Hart, Flora & Fauna of Sinai, p. 184, pl. 10. f. 3 (1891). | Dead Sea. |
| 12. **P. Pilosella, Sauss.** (*Het. P.*) Ann. Mus. Genova, xxxv. p. 82 (1895). | Shoa. |
| *13. **P. Ursina, Burm.** (*Het. U.*) l. c. p. 489. n. 1 (1838); Sauss. Rev. Suisse Zool. i. p. 313 (1893).<br>‖ *Het. Africana, Brunn.* l. c. p. 357 (1865). | Egypt,<br>Syria. |

| | | |
|---|---|---|
| 14. | **P. Hirsuta, Sauss.** (*Het. H.*) Abh. Senckenb. Ges. xxi. p. 583 (1899). | S. Africa. |
| 15. | **P. Gestroiana, Sauss.** (*Het. G.*) Ann. Mus. Genova, xxxv. p. 81 (1895). | Galla Land. |
| *16. | **P. Algerica, Brunn.** (*Het. A.*) l. c. p. 356 (1865). | Algeria. |
| 17. | **P. Livida, Brunn.** (*Het. L.*) l. c. p. 359 (1865); Prodr. Eur. Orth. p. 53 (1882). | Cyprus,<br>Ins. Graec. |
| 18. | **P. Cerveræ, Bol.** An. Soc. Españ. xv. p. 512 (1886). | W. Sahara. |
| 19. | **P. Rugosa, Schulth.** (*Het. S.*) Zool. Jahrb. viii. Syst. p. 68 (1894). | Somali. |

### Genus 127. **Anisogamia.**

Sauss. Rev. Suisse Zool. i. p. 315 (1893).

| | | |
|---|---|---|
| 1. | **A. Tamerlana, Sauss.** l. c. p. 316 (1893). | Turcomania |

### Genus 128. **Attaphila.** (*Type* no. 1.)

Wheel. Amer. Nat. xxxiv. pp. 856–862 (1900).

| | | |
|---|---|---|
| 1. | **A. Fungicola, Wheel.** l. c. ff. 3–5 (1900). | Texas. |
| 2. | **A. Bergi, Bol.** Com. Mus. Nac. B. Aires, i. p. 334 (1901). | Argentina,<br>Uruguay. |

### Genus 129. **Ergaula.**

Walk. Cat. Blatt. B. M. p. 19 (1868).

| | | |
|---|---|---|
| **1. | **E. Scarabæoides, Walk.** l. c. (1868). | Philippines. |

### Genus 130. **Dyscologamia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. i. p. 297 (1893).

| | | |
|---|---|---|
| *1. | **D. Cesticulata, Sauss.** l. c. p. 298 (1893); Kirb. Ann. Nat. Hist. (7) xi. p. 406 (1903). | Singapore,<br>Selangore. |
| 2. | **D. Carunculigera, Gerst.** (*Corydia C.*) Arch. Naturg. xxvii. (1) p. 12 (1861); Brunn. Syst. Blatt. p. 337 (1865).<br>*D. Carunculigera, Sauss.* l. c. p. 299 (1893). | Luzon. |
| 3. | **D. Nepalensis, Sauss.** l. c. p. 300 (1893). | Sikkim(*sic*). |

| | |
|---|---|
| 4. **D. Capucina, Brunn.** (*Homœogamia C.*) Ann. Mus. Genova, xxxiii. p. 39, pl. 1. f. 17 *a, b* (1893).<br>*D. Capucina, Sauss.* l. c. p. 301 (1893). | Tenasserim. |
| 5. **D. Pilosa, Walk.** (*Zetobora P.*) Cat. Blatt. B. M. p. 187 (1868). | Java. |
| 6. **D. Capensis, Sauss.** l. c. p. 301 (1893). | S. Africa. |

## Genus 131. **Ataxigamia.**

Tepp. Tr. R. Soc. S. Austral. xvii. p. 123 (1893).

| | |
|---|---|
| 1. **A. Tatei, Tepp.** l. c. (1893). | S.Australia. |

## Genus 132. **Homœogamia.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 490 (1838): Sauss. Mém. Mex., Blatt. p. 225 (1864); Rev. Suisse Zool. i. p. 294 (1893); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 105 (1894); Brunn. Syst. Blatt. p. 360 (1865).

| | |
|---|---|
| *1. **H. Mexicana, Burm.** (*Heterogamia M.*) l. c. p. 490. n. 3 (1838).<br>*Polyphaga (Homœogamia) Mexicana, Sauss.* Mém. Mex., Blatt. p. 226, pl. 2. ff. 36, 37 (1864).<br>*Homœogamia Mexicana, Brunn* Syst. Blatt. p. 360 (1865): Sauss. Miss. Mex., Orth. p. 108 (1870); Rev. Suisse Zool. i. p. 296. n. 1 (1893); Sauss. & Zehntn. l. c. p. 106. n. 1 (1894). | Mexico. |
| **2. **H. Guttipennis, Walk.** (*Zetobora G.*) Cat. Blatt. B. M. Suppl. p. 123 (1869).<br>*Polyphaga Æqualis, Walk.* Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 3 (1871).<br>*H. Azteca, Sauss.* Rev. Suisse Zool. i. p. 296. n. 2 (1893); Sauss. & Zehntn. l. c. p. 106. n. 2, pl. 5. ff. 4, 5 (1894). | id. |
| 3. **H. Bolliana, Sauss.** l. c. p. 296. n. 3 (1893); Sauss. & Zehntn. l. c. p. 107. n. 3, pl. 5. f. 3 (1894). | Texas,<br>NewMexico |
| 4. **H. Apacha, Sauss.** l. c. p. 296. n. 4 (1893): Sauss. & Zehntn. l. c. p. 107. n. 4. pl. 3. f. 20 (1894). | NewMexico |
| 5. **H. Brasiliana, Sauss.** (*Polyphaga (Homœogamia) B.*) Mém. Mex., Blatt. p. 228 (1864). | Brazil. |

### Genus 133. **Culama.**

Walk. Cat. Blatt. B. M. p. 44 (1868).

| | |
|---|---|
| **1. **C. Pilosa, Walk.** l. c. (1868). | Brazil. |

### Genus 134. **Apotrogia.** (*Incertæ sedis.*)

Kirb. Ann. Nat. Hist. (7) v. p. 281 (1900).

| | |
|---|---|
| **1. **A. Angolensis, Kirb.** l. c. (1900); Distant, Ins. Transvaal. p. 21, pl. 1. f. 11 (1900). | Angola. |

## SUBFAM. XIII.

## OXYHALOINÆ.

### Genus 135. **Oxyhaloa.** (*Type no. 2.*)

Brunn. Syst. Blatt. p. 252 (1865); Sauss. Miss. Mex., Orth. p. 89 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 77 (1893).

| | |
|---|---|
| 1. **O. Kitensis, Rochebr.** Bull. Soc. Philom. (7) vii. p. 175 (1883). | Senegambia |
| 2. **O. Murrayi, Brunn.** l. c. p. 253. n. 1, pl. 6. f. 25 A–E (1865). | Old Calabar. |
| 3. **O. Minor, Brunn.** l. c. p. 254. n. 2 (1865). | Khartoum. |
| *4. **O. Ferreti, Reiche,** (*Blatta F.*) Ferret & Galinier, Voy. Abyssinie, iii. p. 420. pl. 27. ff. 1, 2 (1847).<br>*O. Ferreti, Brunn.* l. c. p. 254. n. 3 (1865).<br>*Periplaneta Fusata, Walk.* Cat. Blatt. B. M. p. 133. n. 30 (1868). | Abyssinia. |
| 5. **O. Africana, Sauss.** Ann. Mus. Genova, xxxv. p. 85 (1895). | S. Africa. |
| *6. **O. Deusta, Thunb.** (*Blatta D.*) Diss. Ent. Nov. Ins. Spec. iv. p. 77 (1784).<br>*O. Deusta, Kirb.* Ann. Nat. Hist. (7) v. p. 293 (1900).<br>*Proscratea Deusta, Stål,* Öfv. Vet.-Akad. Förh. xiii. p. 167 (1856).<br>*Proscratea Fulviceps, Burm.* Handb. Ent. ii. p. 509. n. 1 (1838). | Cape,<br>Natal,<br>Transvaal,<br>Delagoa B.,<br>B. Centr. Africa. |

*Perisphæria Verticalis*, *Burm.* l. c. p. 486. n. 6 (1838).

*Deropeltis Verticalis*, ♂, *Brunn.* l. c. p. 244. n. 2 (1865).

*O. Fulviceps*, *Brunn.* l. c. p. 255. n. 4 (1865).

*Nauphœta Ruficeps*, *Walk.* Cat. Blatt. B. M. p. 39. n. 11 (1868).

*Ischnoptera Ruficeps*, *Walk.* l. c. p. 123. n. 14 (1868).

*Nauphœta Signifrons*, *Walk.* l. c. p. 40. n. 12 (1868).

7. **O. Buprestoides, Sauss.** (*Blatta B.*) Rev. Zool. (2) xiv. p. 166 (1862); Mém. Mex., Blatt. p. 116, pl. 12. f. 20 (1864). — Cuba.

*O. Buprestoides*, *Sauss.* Miss. Mex., Orth. p. 90, pl. ~~2~~. 1 f. 48 (1870); Sauss. & Zehntn. l. c. p. 77. n. 1 (1893).

*Ischnoptera Buprestoides*, *Brunn.* l. c. p. 140. n. 20 (1865).

### Genus 136. **Cirphis.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 74 (1876). & -414.

1. **C. Pallipes, Stål,** l. c. (1876). — Damara L.

### Genus 137. **Diploptera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 325 (1864); Mém. Mex., Blatt. p. 177 (1864).

*Eleutheroda*, *Brunn.* Syst. Blatt. p. 264 (1865); Tepp. Tr. R. Soc. S. Australia, xvii. p. 116 (1893). (*Type* no. 1.)

*1. **D. Dytiscoides, Serv.** (*Blatta D.*) Ins. Orth. p. 102 (1839). — Australia.

*Eleutheroda Dytiscoides*, *Brunn.* l. c. p. 265. n. 1, pl. 6. f. 29 A–E (1865).

*Prosoplecta Silpha*, *Sauss.* Rev. Zool. (2) xvi. p. 325 (1864).

*D. Silpha*, *Sauss.* Mém. Mex., Blatt. pp. 167, 178, pl. 2. f. 28 (1864).

*2. **D. Minor, Brunn.** l. c. p. 265. n. 2 (1865). — Philippines.

*D. Silphoides*, *Walk.* Cat. Blatt. B. M. p. 57. n. 2 (1868).

## SUBFAM. XIV.

# PLECTOPTERINÆ.

### Genus 138. **Areolaria.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 259 (1865).

| | |
|---|---|
| *1. **A. Fieberi, Brunn.** l. c. p. 260. n. 1, pl. 6. f. 27 A–E (1865).<br>*Blatta Dermestoides*, *Walk.* Cat. Blatt. B. M. p. 95. n. 60 (1868). | Java; Penang. |
| **2. **A. Consocia, Walk.** (*Blatta C.*) l. c. p. 96. n. 61 (1868). | Pulo Penang. |
| 3. **A. Bipunctata, Brunn.** l. c. p. 261. n. 2 (1865). | Philippines. |
| **4. **A. Coccinelloides, Walk.** (*Prosoplecta C.*) l. c. p. 56. n. 2 (1868). | id. |

### Genus 139. **Prosoplecta.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xvi. p. 324 (1864); Mém. Mex., Blatt. p. 169 (1864).

*Cassidodes*, *Brunn.* Syst. Blatt. p. 261 (1865). (*Type* no. 2.)

| | |
|---|---|
| *1. **P. Coccinella, Sauss.** ll. cc. (2) xvi. p. 324 (1864); p. 173 (1864). | Philippines. |
| 2. **P. Ligata, Brunn.** (*Cassidodes L.*) l. c. p. 262. pl. 6. f. 28 (1865). | id. |
| 3. **P. Rufa, Kirb.** Ann. Nat. Hist. (7) xii. p. 379 (1903). | id. (Mindanao). |
| 4. **P. Gutticollis, Walk.** Cat. Blatt. B. M. p. 189 (1868). | Ceram. |
| 5. **P. Quadriplagiata, Walk.** l. c. (1868). | Batchian. |
| 6. **P. Trifaria, Walk.** l. c. p. 190 (1868). | id. |
| 7. **P. Megaspila, Walk.** l. c. (1868). | id. |
| 8. **P. Bipunctata, Walk.** (*Blatta B.*) l. c. Suppl. p. 141 (1869). | Celebes. |

### Genus 140. **Plectoptera.** (*Type* no. 7.)

Sauss. Mém. Mex., Blatt. p. 173 (1864); Miss. Mex., Orth. p. 96 (1870); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 84 (1893).

*Hololampra*, sect. 2, *Sauss.* Mém. Mex., Blatt. p. 94 (1864).

| | |
|---|---|
| 1. **P. Unicolor, Burm.** (*Anaplecta U.*) Handb. Ent. ii. p. 494. n. 4 (1838); Brunn. Syst. Blatt. p. 64. n. 3 (1865). | Colombia. |

| | |
|---|---|
| 2. **P. Poeyi, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 164 (1862): Mém. Mex., Blatt. p. 94 (1864).<br>*P. Poeyi, Sauss.* Mém. Mex., Blatt. p. 177 (1864); Miss. Mex., Orth. p. 96 (1870); Sauss. & Zehntn. l. c. p. 84. n. 1 (1893).<br>*Ceratinoptera Poeyi, Brunn.* l. c. p. 79. n. 5 (1865). | Cuba. |
| 3. **P. Krugi, Sauss. & Zehntn.** l. c. p. 85. n. 3 (1893). | id. |
| **4. **P. Picta, Sauss. & Zehntn.** l. c. n. 4, pl. 3. f. 9 (1893). | Mexico. |
| **5. **P. Circumcincta, Sauss. & Zehntn.** l. c. n. 5 (1893). | id. |
| 6. **P. Micans, Bol.** Mém. Soc. Zool. France, i. p. 129 (1888). | Cuba. |
| 7. **P. Porcellana, Sauss.** (*Blatta P.*) Rev. Zool. (2) xiv. p. 161 (1862).<br>*P. Porcellana, Sauss.* Mém. Mex., Blatt. p. 175, fig., p. 176 (1864); Miss. Mex., Orth. p. 96, pl. 2. f. 50 (1870); Sauss. & Zehntn. l. c. p. 85. n. 7 (1893).<br>*Ceratinoptera Porcellana, Brunn.* l. c. p. 79. n. 6 (1865). | id. |
| **8. **P. Pulicaria, Sauss. & Zehntn.** l. c. p. 86. n. 8, pl. 3. f. 8 (1893). | Panama. |
| **9. **P. Circumdata, Sauss. & Zehntn.** l. c. n. 9, pl. 3. f. 10, pl. 4. f. 17 (1893). | Guatemala. |

### Genus 141. **Hypnorna.** (*Type* no. 1.)

Stål, Eugenie's Resa, Ins. p. 312 (1861): Brunn. Syst. Blatt. p. 263 (1865); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 86 (1893).

*Hypnorma, Sauss.* Mém. Mex., Blatt. p. 149 (1864); Walk. Cat. Blatt. B. M. p. 62 (1868).

| | |
|---|---|
| 1. **H. Hummeli, Stål,** l. c. p. 312, pl. 5. ff. 4, 4 *a* (1861); Brunn. l. c. p. 263 (1865); Sauss. & Zehntn. l. c. p. 87. n. 2 (1893). | Rio Janeiro. |
| **2. **H. Cucujoides, Walk.** l. c. p. 63. n. 4 (1868). | id. |
| 3. **H. Blanda, Sauss. & Zehntn.** l. c. p. 87. n. 1, pl. 3. ff. 17–19 (1893). | Brazil. |

### Genus 142. **Calhypnorna.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 87 (1893).

| | |
|---|---|
| **1. **C. Amœna, Sauss. & Zehntn.** (*Hypnorna (Calhypnorna) A.*) l. c. p. 88. n. 4 (1893).<br>*Hypnorna Amœna, Sauss. & Zehntn.* l. c. pl. 3. ff. 14, 15 (1893). | Panama. |
| **2. **C. Pulchella, Sauss. & Zehntn.** (*Hypnorna (Calhypnorna) P.*) l. c. p. 87. n. 3 (1893).<br>*Hypnorna Pulchella, Sauss. & Zehntn.* l. c. pl. 3. f. 16 (1893). | id. |
| **3. **C. Saperdoides, Walk.** (*Hypnorma S.*) Cat. Blatt. B. M. p. 62. n. 2 (1868). | Santarem. |
| **4. **C. Saperdiformis, Walk.** (*Hypnorma S.*) l. c. n. 3 (1868). | Tapajos. |

### Genus 143. **Stenoblatta.**

Walk. Cat. Blatt. B. M. p. 192 (1868).

| | |
|---|---|
| 1. **S. Parallela, Walk.** l. c. p. 193. n. 1 (1868). | Brazil. |

## SUBFAM. XV.

## PERISPHÆRIINÆ.

### Genus 144. **Paranauphœta.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 397 (1865) ;
Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 8, 15 (1895).

| | |
|---|---|
| 1. **P. Indica, Sauss. & Zehntn.** l. c. p. 16 (1895). | Assam. |
| 2. **P. Basalis, Serv.** (*Blatta B.*) Ins. Orth. p. 95 (1839).<br>*Blatta (Nauphœta) Basalis, Haan,* Temminck, Verhandel., Orth. p. 52 (1842).<br>(?) *P. Basalis, Brunn.* l. c. p. 398 (1865). | Java. |

| | |
|---|---|
| *3. **P. Circumdata, Haan,** (*Blatta* (*Naupharta*) *C.*) l. c. p. 52 (1842).<br>*P. Circumdata, Brunn.* l. c. p. 399, pl. 13. f. 59 A–E (1865).<br>*Naupharta Adjuncta, Walk.* Cat. Blatt. B. M. p. 38. n. 9 (1868). | Java.<br>Cambodia. |
| 4. **P. Vicina, Brunn.** Ann. Mus. Genova, xxxiii. p. 44, pl. 1. f. 19 (1893). | Pegu. |
| *5. **P. Rufipes, Brunn.** Syst. Blatt. p. 400 (1865). | Ternate. |
| **6. **P. Discoidalis, Walk.** (*Nauphœta D.*) l. c. p. 39. n. 10 (1868).<br>*P. Rufipes*, var. *Novæ Guineæ, Bol.* Act. Soc. Españ. 1898, p. 138. | N. Guinea,<br>Waigiou. |
| *7. **P. Lyrata, Burm.** (*Naupharta L.*) Handb. Ent. ii. p. 508. n. 4 (1838): Walk. l. c. p. 37. n. 4 (1868).<br>*Blatta* (*Naupharta*) *Lyrata, Haan*, l. c. p. 52 (1842).<br>*P. Lyrata, Brunn.* l. c. p. 401 (1865).<br>*Blatta Ornata, Serv.* l. c. p. 99 (1839). | Java,<br>Borneo,<br>Sumatra,<br>Philippines,<br>India,<br>Malacca. |
| 8. **P. Bilunata, Haan,** (*Blatta* (*Naupharta*) *B.*) l. c. p. 51 (1842).<br>*P. Bilunata, Brunn.* l. c. p. 402 (1865). | Java. |
| 9. **P. Javanica, Sauss.** Mém. Soc. Genève, xxiii. p. 153 (1873). | id. |
| 10. **P. Limbata, Sauss.** l. c. xx. p. 288 (1869). | India (?). |

### Genus 145. **Compsoblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 9 (1891).

| | |
|---|---|
| *1. **C. Amœna, Sauss.** (*Naupharta A.*) Rev. Zool. (2) xvi. p. 343 (1864).<br>*Compsoblatta Amœna, Sauss.* l. c. p. 10 (1891).<br>*Eustegasta Amœna, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 102, pl. 3. f. 36 (1895). | Madagascar |
| 2. **C. Venusta, Sauss.** l. c. p. 10 (1891).<br>*Eustegasta Venusta, Sauss. & Zehntn.* l. c. p. 101 (1895). | id. |
| 3. **C. Lepida, Sauss. & Zehntn.** (*Eustegasta L.*) Rev. Suisse Zool. iii. p. 16 (1895): Grandidier, Hist. Madagascar, Orth. i. p. 101 (1895). | id. |

| | |
|---|---|
| 4. **C. Suava, Sauss.** Soc. Ent. vi. p. 26 (1891).<br>*Eustegasta Suava, Sauss. & Zehntn.* l. c. p. 105 (1895). | Madagascar |
| 5. **C. Blanda, Sauss. & Zehntn.** (*Eustegasta B.*) ll. cc. p. 16 (1895) : p. 106 (1895). | id. |
| *6. **C. Pulchella, Sauss.** Soc. Ent. vi. p 10 (1891).<br>*Eustegasta Pulchella, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 106, pl. 3. f. 38 (1895). | id. |

## Genus 146. **Eustegasta.** (*Type* no. 7.)

Gerst. Mt. Ver. Vorpomm. xiv. p. 53 (1883) ; Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 8, 16 (1895) ; Grandidier, Hist. Madagascar, Orth. i. pp. 94, 99 (1895).

| | |
|---|---|
| *1. **E. Pœcila, Schaum,** (*Panchlora P.*) Ber. Akad. Berlin, 1853, p. 777 : Peters' Reise Mossamb., Zool. v. p. 109, pl. 7. f. 2 (1862) ; Brunn. Syst. Blatt. p. 281 (1865).<br>*E. Pœcila, Kirb.* Ann. Nat. Hist. (7) v. p. 286 (1900); p. 444; Distant. Ins. Transvaal. p. 24. pl. 1. f. 10 (1900). | Mozambique, Nyasa Land. |
| **2. **E. Obsoleta, Kirb.** ll. cc. p. 287 (1900); p. 444; Dist., p. 24. pl. 1. f. 9 (1900). | Nyasa Land. |
| 3. **E. Splendens, Sauss.** Abh. Senckenb. Ges. xxi. p. 584 (1899). | W. (?) Afr. |
| 4. **E. Lueci, Dominique,** Bull. Soc. Ouest France, x. p. 204. pl. 3. ff. 14–18 (1900). | French Congo. |
| 5. **E. Micans, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 17 (1895) ; Grandidier, Hist. Madag., Orth. i. p. 107 (1895). | Zanzibar. |
| 6. **E. Metallica, Sauss.** (*Compsoblatta M.*) Soc. Ent. vi. p. 26 (1891).<br>*E. Metallica, Sauss. & Zehntn.* Grandidier, Hist. Madag., Orth. i. p. 108, pl. 3. f. 37 (1895). | Madagascar |
| **7. **E. Buprestoides, Walk.** (*Epilampra B.*) Cat. Blatt. B. M. p. 76. n. 41 (1868).<br>*E. Buprestoides, Gerst.* l. c. p. 53 (1883) ; Sauss. & Zehntn. l. c. p. 108 (1895). | Fernando Po, Cameroons. |
| **8. **E. Carabidina, Walk.** (*Epilampra C.*) l. c. p. 76. n. 42 (1868). | Sierra Leone. |

### Genus 147. **Gynopeltis.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 208 (1869); Von der Decken's Reisen in Ost-Afrika, iii. (2) p. 9 (1873); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 17 (1895).

| | |
|---|---|
| **1. **G. Cryptospila, Walk.** (*Polyphaga C.*) Cat. Blatt. B. M. p. 15. n. 6 (1868).<br>*G. Cryptospila, Kirb.* Ann. Nat. Hist. (7) v. p. 288 (1900).<br>*G. Picta, Gerst.* ll. cc. p. 208 (1869); p. 9, pl. 1. ff. 1, 2 (1873); Sauss. & Zehntn. l. c. p. 17 (1895). | E. Africa. |
| *2. **G. Discoidalis, Brunn.** (*Perisphæria D.*) Syst. Blatt. p. 310 (1865); Sauss. Mém. Soc. Genève, xx. p. 276 (1869). | S., E., & W. Africa. |

### Genus 148. **Glyptopeltis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 119 (1873).

| | |
|---|---|
| 1. **G. Biguttata, Sauss.** l. c. p. 122, pl. 10. f. 41 (1873). | Java. |
| 2. **G. Couloniana, Sauss.** l. c. p. 124, pl. 10. f. 42 (1873). | id. (?). |

### Genus 149. **Aptera.** (*Type* no. 2.)

Sauss. Rev. Zool. (2) xvi. p. 326 (1864).
*Oncerocorypha, Stål,* Œfv. Vet.-Akad. Förh. xxviii. p. 378 (1871). (*Type* no. 1.)

| | |
|---|---|
| *1. **A. Cingulata, Burm.** (*Perisphæria C.*) Handb. Ent. ii. p. 484. n. 1 (1838).<br>*A. Cingulata, Sauss. & Zehntn.* Rev. Suisse Zool. iii. p. 18 (1895).<br>*Perisphæria Multicincta, Walk.* Cat. Blatt. B. M. p. 169. n. 3 (1868). | S. Africa. |
| *2. **A. Lenticularis, Sauss.** Rev. Zool. (2) xvi. p. 326 (1864).<br>*Perisphæria Crassa, Walk.* l. c. p. 169. n. 2 (1868). | id. |
| *3. **A. Fusca, Thunb.** (*Blatta F.*) Dissert. Ent. iv. p. 77 (1784); Oliv. Enc. Méth. iv. p. 315. n. 9 (1789); Serv. Ins. Orth. p. 97 (1839), *nec auct. al.*<br>*Perisphæria Cingulata, Brunn.* Syst. Blatt. p. 307. n. 4 (1865); Walk. l. c. p. 168. n. 1 (1868). | id. |

### Genus 150. **Ellipsica.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 19 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 95, 108 (1895).

| | |
|---|---|
| 1. **E. Insculpta, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 110, pl. 4. f. 53 (1895). | Madagascar |
| 2. **E. Ænea, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 110 (1895). | id. |
| 3. **E. Cribrosa, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 111, pl. 4. f. 52 (1895). | id. |
| 4. **E. Subænea, Sauss. & Zehntn.** l. c. p. 19 (1895); p. 112 (1895). | id. |
| 5. **E. Virescens, Sauss. & Zehntn.** ll. cc. p. 19 (1895); p. 112 (1895). | id. |

### Genus 151. **Elliptoblatta.** (*Type* no. 2.)

Sauss. Soc. Ent. vi. p. 9 (1891); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 19 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 95, 112 (1895).

| | |
|---|---|
| 1. **E. Uniformis, Kirb.** Ann. Nat. Hist. (7) v. p. 288 (1900); Distant, Ins. Transvaal. p. 25, pl. 1. f. 19 (1902). | Pretoria. |
| 2. **E. Madecassa, Sauss.** (*Perisphæria M.*) Mém. Soc. Genève, xx. p. 277 (1869).<br>*E. Madecassa, Sauss. & Zehntn.* Grandidier, Hist. Madag., Orth. i. p. 115, pl. 4. f. 50 (1895). | Madagascar (Antananarivo). |
| 3. **E. Sakalava, Sauss. & Zehntn.** l. c. p. 116, pl. 4. f. 49 (1895). | id. |
| 4. **E. Antennata, Sauss. & Zehntn.** l. c. p. 117 (1895). | id. |
| 5. **E. Punctulata, Sauss. & Zehntn.** l. c. p. 117 (1895). | id. |
| 6. **E. Consobrina, Sauss. & Zehntn.** l. c. p. 118 (1895). | id. |
| 7. **E. Polita, Sauss. & Zehntn.** l. c. p. 119 (1895). | id. |
| 8. **E. Bisignata, Sauss. & Zehntn.** l. c. p. 119, pl. 4. f. 47 (1895). | Madagascar |
| 9. **E. Semilimbata, Sauss. & Zehntn.** l. c. p. 120 (1895). | id. |
| 10. **E. Brunneriana, Sauss. & Zehntn.** l. c. p. 120, pl. 4. f. 48 (1895). | id. |

| | |
|---|---|
| 11. **E. Cælebs, Sauss. & Zehntn.** l. c. p. 121, pl. 4. f. 51 (1895). | Madag. (Antananarivo). |
| 12. **E. Marginalis, Sauss. & Zehntn.** l. c. p. 122, pl. 4. f. 46 (1895). | Madagascar |
| 13. **E. Hova, Sauss.** Soc. Ent. vi. p. 26 (1891) ; Sauss. & Zehntn. l. c. p. 122, pl. 4. f. 45 (1895). | id. |
| **14. **E. (?) Terrestris, Walk.** (*Perisphæria T.*) Cat. Blatt. B. M. p. 178. n. 28 (1868). | S. Africa. |
| **15. **E. (?) Signata, Walk.** (*Polyzosteria S.*) l. c. p. 155. n. 25 (1868). | id. |
| **16. **E. (?) Limosa, Walk.** (*Polyzosteria L.*) l. c. p. 167. n. 48 (1868). | id. |
| 17. **E. (?) Oniscoides, Walk.** (*Polyzosteria O.*) Melliss. St. Helena, p. 167 (1875). | St. Helena. |

### Genus 152. **Gymnonyx.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 10, 21 (1895) ; Grandidier, Hist. Madagascar, Orth. i. pp. 95, 124 (1895).

| | |
|---|---|
| 1. **G. Grandidieri, Sauss. & Zehntn.** ll. cc. p. 21 (1895) ; p. 124, pl. 3. ff. 40, 41 (1895). | Madagascar |
| 2. **G. Scabra, Sauss. & Zehntn.** ll. cc. p. 21 (1895) ; p. 124, pl. 3. f. 39 (1895). | id. |

### Genus 153. **Pronaonota.** (*Type* no. 2.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 21 (1895) ; Grandidier, Hist. Madagascar, Orth. i. pp. 95, 127 (1895).

| | |
|---|---|
| 1. **P. Clypeata, Sauss.** (*Derocalymma C.*) Mém. Soc. Genève, xxiii. p. 142, pl. 10. f. 52 (1873). | Java (?). |
| 2. **P. Cribrosa, Sauss. & Zehntn.** ll. cc. p. 21, pl. 1. f. 1 (1895) ; p. 128, pl. 5. f. 62 (1895) ; Kirb. Ann. Nat. Hist. (7) v. p. 288 (1900) ; Distant, Ins. Transvaal. p. 25, pl. 1. f. 14 (1902).<br>*Pilema Laubneri, Brancs.* Jahresh. Ver. Trencsin. Com. xxiii.–xxiv. p. 187, pl. 3. f. 2 (1901). | Pretoria. |
| 3. **P. Fornicata, Sauss. & Zehntn.** ll. cc. p. 21 (1895) ; p. 128 (1895). | S. Africa. |

### Genus 154. **Pilema.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxiii. p. 142 (1873); Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 11, 22 (1895).

| | |
|---|---|
| *1. **P. Dentata, Sauss. & Zehntn.** l. c. p. 23 (1895). | S. Africa. |
| *2. **P. Hebetata, Sauss. & Zehntn.** l. c. p. 24, pl. 1. ff. 2, 2 *a*, *b* (1895). | id. |
| *3. **P. Dubia, Kirb.,** n. n.<br>‖*Derocalymma Reflexa, Sauss.* Mém. Soc. Genève, xxiii. p. 143 (1873). | id. |
| 4. **P. Serpæ, Bol.** (*Derocalymma S.*) J. Sci. Lisboa, (2) i. p. 79, pl. 1. f. 1 (1889). | Angola. |
| **5. **P. Thoracica, Walk.** (*Perisphæria T.*) Cat. Blatt. B. M. p. 174. n. 20 (1868).<br>*Pilema Thoracica, Kirb.* Ann. Nat. Hist. (7) v. p. 289 (1900); Distant, Ins. Transvaal. p. 26. n. 15 (1902). | id. (?). |
| 6. **P. Saussurei, Kirb.** ll. cc. p. 289 (1900); p. 26, pl. 1. f. 16 (1902). | Pretoria. |
| **7. **P. Reflexa, Walk.** (*Perisphæria R.*) l. c. p. 173. n. 19 (1868). | Natal. |
| 8. **P. (?) Saxicola, Esch.** (*Blatta S.*) Entomographien, p. 89 (1822). | Cape. |

### Genus 155. **Thysanoblatta.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xii. p. 380 (1903).

| | |
|---|---|
| **1. **T. Latipennis, Kirb.** l. c. (1903). | B.E.Africa. |
| 2. **T. (?) Versicolor, Burm.** (*Perisphæria V.*) Handb. Ent. ii. p. 487. n. 9 (1838).<br>*Derocalymma V., Brunn.* Syst. Blatt. p. 317 (1865). | Cape. |
| 3. **T. (?) Macra, Stål,** (*Ischnoptera M.*) Œfv. Vet.-Akad. Förh. xiii. p. 165 (1856).<br>*Derocalymma (Cyrtotria) Macra, Stål,* l. c. xxviii. p. 380 (1871).<br>*Deropeltis Macra, Brunn.* Syst. Blatt. p. 246 (1865). | Limpopo. |
| 4. **T. (?) Trichoderma, Bol.** (*Derocalymma T.*) An. Soc. Españ. x. p. 356 (1881). | Abyssinia,<br>Zanzibar. |
| 5. **T. (?) Pubescens, Sauss.** (*Perisphæria P.*) Mém. Soc. Genève, xxiii. p. 136 (1873). | Natal. |

### Genus 156. **Stenopilema.** (*Type* no. 5.)

Sauss. Ann. Mus. Genova, xxxv. p. 87 (1895); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 25 (1895).

| | |
|---|---|
| **1. **S. Cylindrica, Walk.** (*Perisphæria C.*) Cat. Blatt. B. M. p. 176. n. 23 (1868). | Natal. |
| **2. **S. Elateroides, Walk.** (*Perisphæria E.*) l. c. n. 24 (1868).<br>*Derocalymma* (?) *Elateroides, Kirb.* Ann. Nat. Hist. (7) v. p. 290 (1900); Distant, Ins. Transvaal. p. 27, pl. 1. f. 13 (1902). | id., Transvaal. |
| **3. **S. Linearis, Walk.** (*Perisphæria L.*) l. c. p. 176. n. 25 (1868). | Natal. |
| 4. **S. Fusca, Burm.** (*Perisphæria F.*) Handb. Ent. ii. p. 487. n. 10 (1838) (*excl. syn.*!).<br>*D. Fusca, Brunn.* Syst. Blatt. p. 317. n. 2 (1865). | S. Africa. |
| *5. **S. Capucina, Gerst.** (*Derocalymma C.*) Arch. Naturg. xxv. p. 207 (1861); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 8, pl. 1. f. 4 (1873). | E. Africa. |
| 6. **S. Somali, Sauss.** Ann. Mus. Genova, xxxv. p. 88 (1895); Sauss. & Zehntn. l. c. p. 27 (1895). | Somali Land. |
| *7. **S. Gracilis, Burm.** (*Perisphæria G.*) l. c. p. 487. n. 11 (1838).<br>*Derocalymma Gracilis, Brunn.* l. c. p. 318 n. 3 (1865).<br>*Perisphæria Poduriformis, Walk.* l. c. p. 175. n. 21 (1868). | Cape, Natal. |
| *8. **S. Macilenta, Sauss. & Zehntn.** l. c. p. 26, pl. 1. f. 3 (1895). | S. Africa, Nyasa Land. |
| **9. **S. Poduroides, Walk.** (*Perisphæria P.*) l. c. p. 175. n. 22 (1868). | Natal. |
| **10. **S. Pallicornis, Kirb.** (*Perisphæria P.*) ll. cc. p. 290 (1900); p. 26. n. 18, pl. 1. f. 15 (1902). | Pretoria. |
| 11. **S. Graniger, Sauss. & Zehntn.** l. c. p. 26 (1895). | Somali Land. |

## Genus 157. **Derocalymma.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 487 (1838); Brunn. Syst. Blatt. p. 315 (1865).

*Cyrtotria*, *Stål*, Œfv. Vet.-Akad. Förh. xxviii. p. 379 (1871); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 28 (1895). (*Type* no. 2.)

*1. **D. Dispar, Burm.** (*Perisphæria D.*) Handb. Ent. ii. p. 487. n. 12 (1838). — S. Africa.
*Derocalymma Dispar, Brunn.* Syst. Blatt. p. 319, pl. 9. f. 42 A, B (1865).
*Cyrtotria Dispar, Sauss. & Zehntn.* l. c. p. 28. pl. 1. f. 4 (1895).
*Perisphæria Picea, Walk.* Cat. Blatt. B. M. p. 173. n. 18 (1868).

2. **D. Gibbicollis, Stål,** (*Ischnoptera G.*) l. c. xiii. p. 165 (1856). — Natal.
*Derocalymma* (*Cyrtotria*) *Gibbicollis, Stål,* l. c. xxviii. p. 380 (1871).
*Deropeltis Gibbicollis, Brunn.* l. c. p. 248 (1865).

**3. **D. Scabra, Walk.** (*Perisphæria S.*) l. c. p. 172. n. 17 (1868). — S. Africa.

4. **D. Scabricollis, Gerst.** (*D.* (*Cyrtotria*) *S.*) Mt. Ver. Vorpomm. xiv. p. 34 (1883). — Gaboon.

5. **D. Brunneriana, Costa,** Rend. Acc. Napoli, (4) iv. p. 174 (1890); Atti Acc. Napoli, (2) iv. (5) p. 18, pl. 3. f. 9 (1891). — Cape.

## Genus 158. **Pollusca.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 381 (1871).

1. **P. Cruralis, Stål,** (*Perisphæra C.*) l. c. xv. p. 307 (1858). — S. Africa.
*Perisphæria Cruralis, Brunn.* Syst. Blatt. p. 307. n. 3 (1865).

**2. **P. Murina, Walk.** (*Perisphæria M.*) Cat. Blatt. B. M. p. 178. n. 27 (1868). — E. Africa.

### Genus 159. **Homalodemas.** (*Type* no. 1.)

Stål. Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856); xxviii. p. 381 (1871); Brunn. Syst. Blatt. p. 332 (1865).

†*Derocalymma*, *Sauss.* & *Zehntn.* Rev. Suisse Zool. iii. p. 29 (1895) p. 28; Grandidier, Hist. Madagascar, Orth. i. p. 128 (1895); Sauss. Ann. Mus. Genova, xxxv. p. 89 (1895).

| | |
|---|---|
| 1. **H. Exarata, Stål,** l. c. xiii. p. 166 (1856); Brunn. l. c. p. 333 (1865).<br>*H. Exaratum*, *Stål*, l. c. p. 381 (1871). | Natal, Caffraria. |
| *2. **H. Porcellio, Gerst.** (*Derocalymma P.*) Arch. Naturg. xxxv. p. 207 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 7, pl. 1. f. 3 (1873). | Zanzibar. |
| 3. **H. Lampyrina, Gerst.** (*Derocalymma L.*) ll. cc. p. 207 (1869); p. 8 (1873). | id. |
| 4. **H. Punctata, Sauss. & Zehntn.** (*Derocalymma P.*) ll. cc. pp. 29, 30 (1895); p. 131 (1895). | Pretoria. |
| **5. **H. Bipapilla, Kirb.** (*Derocalymma B.*) Ann. Nat. Hist. (7) v. p. 291 (1900). | Nyasa Land (Blantyre). |
| **6. **H. Intermedia, Kirb.** (*Derocalymma I.*) l. c. p. 292 (1900); Distant, Ins. Transvaal. p. 28, pl. 1. f. 17 (1902). | Barberton. |
| 7. **H. Granulata, Sauss. & Zehntn.** (*Derocalymma G.*) l. c. p. 29 (1895); p. 131, pl. 5. f. 65 (1895). | S. Africa. |
| 8. **H. Stigmosa, Krauss,** (*Derocalymma S.*) Verh. zool.-bot. Ges. Wien, li. p. 282 (1901). | S.W. Africa. |
| 9. **H. Analis, Sauss. & Zehntn.** (*Derocalymma A.*) ll. cc. p. 29, pl. 1. ff. 5, 5 *a*, *b* (1895); p. 131 (1895). | S. Africa. |
| 10. **H. Pallipes, Kirb.** (*Derocalymma P.*) Ann. Nat. Hist. (7) v. p. 292 (1900). | id. (Grahamstown). |
| *11. **H. Bottegoiana, Sauss. & Zehntn.** (*Derocalymma B.*) Rev. Suisse Zool. iii. p. 30 (1895); Ann. Mus. Genova, xxxv. p. 90 (1895). | Somali Land. |
| 12. **H. Clavigera, Kirb.** (*Derocalymma C.*) l. c. p. 293 (1900); Distant, Ins. Transvaal. i. p. 28, pl. 1. f. 18 (1902). | Transvaal (Barberton). |
| 13. **H. Erythreina, Sauss. & Zehntn.** (*Derocalymma E.*) Rev. Suisse Zool. iii. p. 31 (1895). | Abyssinia. |
| 14. **H. Abyssinica, Sauss. & Zehntn.** (*Derocalymma A.*) l. c. p. 31 (1895). | id. |

| | |
|---|---|
| 15. **H. Peringueyi, Sauss. & Zehntn.** (*Derocalymma P.*) l. c. p. 30 (1895). | S. Africa (?) |
| 16. **H. (?) Silphoides, Bol.** (*Derocalymma S.*) J. Sci. Lisboa, (2) i. p. 79 (1889). | Quango. |

### Genus 160. **Pseudopanchlora.** (*Type* no. 1.)

Tepp. Tr. R. Soc. S. Australia, xvii. p. 55 (1893).

| | |
|---|---|
| 1. **P. Punctosa, Walk.** (*Ischnoptera* (?) *P.*) Cat. Blatt. B. M. Suppl. p. 149 (1869).<br>*Ischnoptera Punctuosa, Tepp.* l. c. (1893). | Australia. |
| 2. **P. Brunneri, Brancs.** (*Pellita B.*) Jahresh. Ver. Trencsin. Com. xix.–xx. p. 60, pl. 1. f. 3 (1897). | id. (York Town). |

### Genus 161. **Pellita.** (*Type* no. 1 ?)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893).

| | |
|---|---|
| **1. **P. Aspera, Walk.** (*Zetobora A.*) Cat. Blatt. B. M. p. 50. n. 11 (1868).<br>(?) *Derocalymma Porcellio, Brunn.* l. c. (1893), *nec Gerst.* | S. Africa. |
| **2. **P. Æqua, Walk.** (*Perisphæria Æ.*) l. c. p. 177. n. 26 (1868). | Hab. —— ? |

### Genus 162. **Perisphæria.** (*Type* no. 7.)

*Perispherus, Serv.* Ann. Sci. Nat. xxii. p. 44 (1831).
*Perisphæra, Serv.* Ins. Orth. p. 132 (1839).
*Perisphæria, Burm.* Handb. Ent. ii. p. 483 (1838): Brunn. Syst. Blatt. p. 303 (1865); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 32 (1895).

| | |
|---|---|
| **1. **P. Fornicata, Walk.** (*Zetobora F.*) Cat. Blatt. B. M. p. 48. n. 7 (1868). | Philippines. |
| 2. **P. Brunneri, Kirb.,** n. n.<br>*Pseudoglomeris Fornicata, Brunn.* Ann. Mus. Genova, xxxiii. p. 43, pl. 1. f. 18 (1893).<br>*P. Fornicata, Sauss. & Zehntn.* l. c. p. 35 (1895). | Pegu, Tenasserim. |
| 3. **P. Cotesiana, Sauss. & Zehntn.** l. c. p. 35 (1895). | Assam. |
| 4. **P. Himalayæ, Sauss. & Zehntn.** l. c. p. 36 (1895). | id. |

| | |
|---|---|
| *5. **P. Alta, Walk.** Cat. Blatt. B. M. p. 170. n. 12 (1868). | Silhet. |
| *6. **P. Lucasiana, Sauss. & Zehntn.** l. c. p. 36 (1895). | Java. |
| *7. **P. Armadillo, Serv.** Ann. Sci. Nat. xxii. p. 44 (1831) ; Ins. Orth. p. 133, pl. 3. f. 2 (1839).<br>*Derocalymma Flavicornis*, pt., *Brunn.* l. c. p. 321 (1865). | id. |
| *8. **P. Glomeriformis, Luc.** Ann. Soc. Ent. France, (4) iii. p. 408, pl. 9. ff. 10, 10 *a* (1863) ; Sauss. & Zehntn. l. c. p. 37 (1895). | Cochin China.<br>Philippines. |
| *9. **P. Ænea, Brunn.** (*Derocalymma Æ.*) l. c. p. 322 (1865). | Philippines. |

### Genus 163. **Pseudoglomeris.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 42 (1893) ;
Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 37 (1895).

| | |
|---|---|
| 1. **P. Glomeris, Sauss.** (*Perisphæria G.*) Mém. Soc. Genève, xvii. p. 135, pl. 1. f. 4 (1863).<br>*Pseudoglomeris Glomeris, Sauss. & Zehntn.* l. c. p. 37 (1895). | Ceylon. |
| *2. **P. Flavicornis, Burm.** (*Perisphæria F.*) Handb. Ent. ii. p. 488. n. 14 (1838).<br>*Derocalymma Flavicornis, Brunn.* Syst. Blatt. p. 321 (1865). | Java,<br>Tenasserim,<br>Cambodia. |
| *3. **P. Humbertiana, Sauss.** (*Perisphæria H.*) l. c. p. 136 (1863).<br>*Perisphæria Flavipes, Sauss.* l. c. p. 137, pl. 1. f. 5 (1863).<br>*Pseudoglomeris Humbertiana, Sauss. & Zehntn.* l. c. p. 40 (1895).<br>*Perisphæria Orientalis, Sauss.* l. c. p. 137 (1863), *larva.*<br>*Perisphæria Tarsalis, Walk.* Cat. Blatt. B. M. p. 171. n. 13 (1868). | Ceylon. |
| *4. **P. Aterrima, Herbst,** (*Blatta A.*) Fuessly, Arch. Insekt. p. 185, pl. 49. f. 9 (1786).<br>*Derocalymma Atra, Brunn.* l. c. p. 321 (1865). | Java. |
| *5. **P. Planiuscula, Brunn.** Ann. Mus. Genova, xxxiii. p. 44 (1893) ; Sauss. & Zehntn. l. c. p. 41, pl. 1. ff. 14, 14 *a* (1895). | Burma,<br>Tonkin. |

| | |
|---|---|
| 6. **P. Nepalensis, Sauss. & Zehntn.** l. c. p. 42 (1895). | Sikkim. |
| 7. **P. Antennata, Sauss. & Zehntn.** l. c. p. 42 (1895). | Bangalore, Nilgiris. |
| 8. **P. Flexicollis, Walk.** (*Zetobora F.*) l. c. p. 187 (1868). | Java. |
| **9. **P. Fallax, Walk.** (*Perisphæria F.*) l. c. p. 172. n. 15 (1868). | Swan River. |

### Genus 164. **Melanoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 43 (1895).

| | |
|---|---|
| *1. **M. Virescens, Brunn.** (*Derocalymma V.*) Syst. Blatt. p. 320 (1865); Sauss. Mém. Soc. Genève, xxiii. p. 138, pl. 10. ff. 48, 49 *a, b* (1873).<br>*M. Virescens, Sauss. & Zehntn.* l. c. p. 43, pl. 1. ff. 6, 7 (1895). | Cape. |
| **2. **M. Lampyroides, Walk.** (*Nauphœta L.*) Cat. Blatt. B. M. p. 42. n. 15 (1868).<br>♀. *Perisphæria Æqualis, Walk.* l. c. p. 172. n. 16 (1868). | id. |

### Genus 165. **Stilpnoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

| | |
|---|---|
| *1. **S. Bengalensis, Sauss.** (*Parahormetica B.*) Mém. Soc. Genève, xx. p. 284 (1869).<br>*S. Bengalensis, Sauss. & Zehntn.* l. c. p. 44, pl. 1. f. 8 (1895). | India, Cochin China. |

### Genus 166. **Trichoblatta.** (*Type* no. 2.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 44 (1895).

| | |
|---|---|
| 1. **T. Guerini, Sauss. & Zehntn.** l. c. p. 45 (1895). | India (?). |
| 2. **T. Sericea, Sauss.** (*Perisphæria S.*) Mém. Soc. Genève, xvii. p. 138 (1863).<br>*T. Sericea, Sauss. & Zehntn.* l. c. p. 45 (1895). | Pondicherry. |
| 2 *a*. **T. Emortualis, Sauss.** (*Perisphæria E.*) l. c. p. 138, pl. 1. f. 6 (1863).<br>*T. Emortualis, Sauss. & Zehntn.* l. c. p. 45 (1895). | id. |

| | |
|---|---|
| **2 *b*. **T. Terranea, Walk.** (*Ischnoptera T.*) Cat. Derm. Salt. B. M. v. Suppl. Blatt. p. 32 (1871). | Bombay. |
| **3. **T. (?) Purpurea, Walk.** (*Polyzosteria P.*) Cat. Blatt. B. M. p. 163. n. 40 (1868). | Hab. —— ? |

### Genus 167. **Hostilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 380 (1871).

| | |
|---|---|
| *1. **H. Proterva, Stål,** (*Blatta P.*) l. c. xiii. p. 166 (1856).<br>*Phyllodromia Proterva, Brunn.* Syst. Blatt. p. 111 (1865).<br>*Zetobora Sordidula, Walk.* Cat. Blatt. B. M. p. 48. n. 8 (1868). | Natal. |
| **2. **H. Congrua, Walk.** (*Zetobora C.*) l. c. p. 49. n. 9 (1868).<br>*Zetobora Cervina, Walk.* l. c. p. 186 (1868). | id. |
| 3. **H. Carinata, Sauss.** (*Derocalymma C.*) Mém. Soc. Genève, xxiii. p. 138, pl. 10. ff. 50, 50 *a* (1873). | id. |
| **4. **H. Abscissa, Walk.** (*Zetobora A.*) l. c. p. 49. n. 10 (1868). | id. |

### Genus 168. **Pœciloblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 47 (1895).
(An *Hostilia*, ♀?)

| | |
|---|---|
| 1. **P. Angusta, Sauss. & Zehntn.** l. c. p. 48, pl. 1. f. 9 (1895). | Africa. |
| 2. **P. Affinis, Burm.** (*Perisphaeria A.*) Handb. Ent. ii. p. 487. n. 13 (1838).<br>*Derocalymma Affinis, Brunn.* Syst. Blatt. p. 319 (1865).<br>*P. Affinis, Sauss. & Zehntn.* l. c. p. 49 (1895). | S. Africa. |
| 3. **P. Peringueyi, Sauss. & Zehntn.** l. c. p. 49 (1895). | Natal. |
| 4. **P. Bicolor, Sauss. & Zehntn.** l. c. p. 50, pl. 1. f. 10 (1895). | S. Africa. |
| *5. **P. Granicollis, Burm.** (*Perisphaeria G.*) Handb. Ent. ii. p. 485. n. 3 (1838); Brunn. l. c. p. 305 (1865). | Cape. |

| | |
|---|---|
| **6. **P. Tenebrosa, Walk.** (*Panchlora T.*) Cat. Blatt. B. M. p. 36. n. 35 (1868).<br>*Zetobora Leucophthalma, Walk.* l. c. p. 186 (1868). | Natal. |
| **7. **P. Munda, Walk.** (*Nauphœta M.*) l. c. p. 41. n. 13 (1868). | Cape. |
| **8. **P. Rugosa, Walk.** (*Zetobora R.*) l. c. p. 47. n. 6 (1868). | Hab. — ? |
| 9. **P. Rubricosa, Walk.** (*Nauphœta R.*) l. c. p. 185 (1868). | S. Africa. |

### Genus 169. **Hyposphæria.** (*Type* no. 3.)

Luc. Ann. Soc. Ent. France, (4) iii. p. 408 (1863).
*Lioblatta, Sauss. & Zehntn.* Rev. Suisse Zool. iii. p. 51 (1895).

| | |
|---|---|
| 1. **H. Giebeliana, Sauss. & Zehntn.** (*Lioblatta G.*) l. c. p. 51 (1895). | Java (?). |
| 2. **H. Ruficornis, Sauss. & Zehntn.** (*Lioblatta R.*) l. c. p. 52. pl. 1. f. 13 (1895). | Caffraria. |
| *3. **H. Stylifera, Burm.** (*Perisphæria S.*) Handb. Ent. ii. p. 485. n. 2 (1838); Brunn. Syst. Blatt. p. 308 (1865).<br>*Lioblatta Stylifera, Sauss. & Zehntn.* l. c. p. 51, pl. 1. f. 12 (1895).<br>*Perisphæria Solida, Walk.* Cat. Blatt. B. M. p. 171. n. 14 (1868). | S. Africa, Tuscany (advena ?) |
| *4. **H. Micans, Burm.** (*Perisphæria M.*) l. c. p. 485. n. 5 (1838); Brunn. l. c. p. 308 (1865).<br>*Polyzosteria Aversa, Walk.* l. c. p. 156. n. 26 (1868). | S. Africa; Java (?). |

### Genus 170. **Melanosilpha.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 378 (1871); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 52 (1895).

| | |
|---|---|
| *1. **M. Unicolor, Burm.** (*Perisphæria U.*) Handb. Ent. ii. p. 485. n. 4 (1838); (?) Brunn. Syst. Blatt. p. 306 (1865).<br>*Blatta Scabricollis, Serv.* Ins. Orth. p. 96 (1839). | S. Africa; Egypt (eadem ?). |
| 2. **M. Capensis, Sauss. & Zehntn.** l. c. p. 43, pl. 1. f. 11 (1895). | S. Africa. |

3. **M. Oniscina, Gerst.** (*Perisphæria* (*Melanosilpha*) *O.*) Mt. Ver. Vorpomm. xiv. p. 75 (1883). — Cameroons.

4. **M. (?) Ampla, Stål,** (*Blatta A.*) Œfv. Vet.-Akad. Förh. xiii. p. 166 (1856). — Natal.
*Phyllodromia Ampla, Brunn.* l. c. p. 111. n. 32 (1865).

### Genus 171. **Homaloblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 54 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 98, 132 (1895).

1. **H. Peringueyi, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 132, pl. 5. f. 61 (1895). — S. Africa.

### Genus 172. **Blepharodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 486 (1838); Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 46 (1895).
*Hemiblatta, Sauss.* Soc. Ent. vi. p. 9 (1891). (*Type* no. 1.)
*Trichocoma, Stål,* Œfv. Vet.-Akad. Förh. xxviii. p. 379 (1871). (*Type* no. 2.)

*1. **B. Ciliata, Burm.** (*Perisphæria C.*) l. c. p. 486. n. 8 (1838); Brunn. Syst. Blatt. p. 311 (1865). — Cape.
*B. Ciliata, Sauss. & Zehntn.* l. c. p. 47 (1895).

2. **B. Pilifera, Stål,** (*Heterogamia P.*) l. c. xiii. p. 165 (1856); Brunn. Syst. Blatt. p. 352 (1865). — Natal.
*Perisphæria* (*Trichocoma*) *Pilifera, Stål,* l. c. xxviii. p. 379 (1871).

**3. **B. (?) Contusa, Walk.** (*Panchlora C.*) Cat. Blatt. B. M. p. 30. n. 26 (1868). — Cape.
*Panchlora Pilipes, Walk.* l. c. p. 184 (1868).

### Genus 173. **Thliptoblatta.** (*Type* no. 1.)

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13 & 54 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 99, 133 (1895).

1. **T. Obtrita, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 134, pl. 5. f. 63 (1895). — S. Africa.

2. **T. Taurina, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 135, pl. 5. f. 64 (1895). — id.

### Genus 174. **Thoracopyga.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. pp. 13, 54 (1895); Grandidier, Hist. Madagascar, Orth. i. pp. 99, 135 (1895).

| | |
|---|---|
| 1. **T. Loricata, Sauss. & Zehntn.** ll. cc. p. 54 (1895); p. 136, pl. 6. f. 69 (1895). | Madagascar |

### Genus 175. **Proscratea.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 509 (1838); Sauss. Mém. Mex., Blatt. p. 205 (1864); Brunn. Syst. Blatt. p. 324 (1865).

| | |
|---|---|
| *1. **P. Complanata, Perty,** (*Blatta C.*) Del. Anim. Art. p. 116, pl. 23. f. 1 (1830).<br>*P. Complanata, Burm.* l. c. p. 509. n. 3 (1838); Brunn. l. c. p. 325. n. 2. pl. 9. f. 43 (1865).<br>*P. Peruana, Sauss.* Rev. Zool. (2) xiv. p. 232 (1862); Mém. Mex., Blatt. p. 207. pl. 2. f. 32 (1864). | Minas Geraes,<br>Para.<br>Peru. |
| 2. **P. Funebris, Burm.** l. c. p. 509. n. 2 (1838); Brunn. l. c. p. 324. n. 1 (1865). | Brazil (Cameta). |

### Genus 176. **Parasphæria.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 311 (1865).

| | |
|---|---|
| 1. **P. Ovata, Blanch.** (*Blatta O.*) Gay, Hist. Chile, Zool. vi. p. 14, Orth. pl. 1. f. 3 (1852).<br>*Parasphæria Ovata, Brunn.* l. c. p. 312. n. 1, pl. 9. f. 40 A–F (1865).<br>*Polyzosteria Valdiviana, Phil.* Zeitschr. Naturw. xxi. p. 223 (1863).<br>*Polyzosteria Geissei, Phil.* l. c. p. 225 (1863), *larva.*<br>*Hormetica Chilensis, Sauss.* Rev. Zool. (2) xiv. p. 233 (1862); Mém. Mex., Blatt. p. 184 (1864).<br>*Brachycolla* (sic) *Chilensis, Sauss.* l. c. (2) xvi. p. 345 (1864). | Chile. |
| 2. **P. Linearis, Serv.** (*Blatta L.*) Ann. Sci. Nat. xxii. p. 41. n. 10 (1831); Ins. Orth. p. 100, pl. 3. f. 1 (1839).<br>*Perisphæria Linearis, Brunn.* l. c. p. 314 (1865). | Brazil. |
| 3. **P. Castanea, Brunn.** l. c. p. 315 (1865). | id. |

| | |
|---|---|
| **4. **P. Nigra, Brunn.** Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 7. | St. Vincent;<br>Sta. Lucia<br>(eadem ?). |
| **5. **P. Rufipes, Brunn.** l. c. 1893, p. 604, pl. 52. f. 3. | Grenada. |
| **6. **P. (?) Nitens, Walk.** (*Polyzosteria N.*) Cat. Blatt. B. M. p. 166. n. 46 (1868). | Brazil<br>(Tejuca). |
| 7. **P. (?) Crassipes, Walk.** (*Polyzosteria C.*) l. c. n. 45 (1868). | Napo. |

### Genus 177. **Oxycercus.**

Bol. An. Soc. Españ. x. p. 470 (1881).

| | |
|---|---|
| 1. **O. Peruvianus, Bol.** l. c. p. 471. pl. 8. f. 2 *a–d* (1881). | Peru. |

### Genus 178. **Mioblatta.**

Sauss. & Zehntn. Rev. Suisse Zool. iii. p. 55 (1895).

| | |
|---|---|
| 1. **M. Forficata, Sauss. & Zehntn.** l. c. pl. 1. ff. 15, 15 *a–c* (1895). | Brazil. |

### Genus 179. **Brachycola.** (*Type* no. 1.)

*Brachycola*, 2me div., Serv. Ins. Orth. p. 119 (1839).
*Hormetica*, sect. A, *Brunn.* Syst. Blatt. pp. 327, 328 (1865).

| | |
|---|---|
| *1. **B. Tuberculata, Dalm.** (*Blatta T.*) Anal. Ent. p. 87. n. 95 (1823); Hahn, Icon. Orth. pl. A. f. 3 (1836); Brullé. Hist. Nat. Ins. ix. p. 52, pl. 4. f. 2 (1835).<br>*Hormetica Tuberculata, Burm.* Handb. Ent. ii. p. 512. n. 5 (1838); Brunn. l. c. p. 328 (1865).<br>*Blatta Sexnotata, Thunb.* Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826); Perty, Del. Anim. Art. p. 116 (1830).<br>*Blatta Maculata, Gray,* Griffith, Anim. Kingd. xv. p. 783, pl. 78. f. 1 (1832).<br>*Brachycola Sexnotata, Serv.* Ins. Orth. p. 121 (1839).<br>*Blatta Macularia, Perty,* l. c. pl. 23. f. 2 (1830). | Brazil. |

2. **B. Diabolus, Sauss.** Rev. Zool. (2) xvi. p. 345 (1864). — Brazil.
   *Hormetica Diabolus, Sauss.* Mém. Mex., Blatt. p. 182 (1864); Miss. Mex., Orth. p. 99 (1870).
3. **B. Interna, Walk.** Cat. Blatt. B. M. p. 188 (1868). — Nauta.
4. **B. Subcincta, Walk.** l. c. (1868). — Colombia.

### Genus 180. **Hormetica.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 511 (1838); Sauss. Mém. Mex., Blatt. p. 181 (1864); Brunn. Syst. Blatt. p. 327 (1865) (*sect.* B).

*Brachycola*, 1^re^ div., *Serv.* Ins. Orth. pp. 119, 120 (1839).

1. **H. Advena, Scudd.** P. Davenport Acad. viii. p. 94 (1900). — Massachusetts.
2. **H. Verrucosa, Brunn.** l. c. p. 331 (1865). — Venezuela.
*3. **H. Lævigata, Burm.** l. c. p. 512. n. 2 (1838). — Brazil.
   *Brachycola Lævicollis, Serv.* Ins. Orth. p. 120 (1839).
   ♂. *H. Scrobiculata, Burm.* l. c. p. 512. n. 3 (1838); Brunn. l. c. p. 329 (1865).
   *Brachycola Robusta, Serv.* l. c. p. 120, pl. 2. f. 4 (1839).
4. **H. Vittata, Brunn.** l. c. p. 330, pl. 9. f. 44 A–E (1865). — Minas Geraes.
5. **H. Ventralis, Burm.** l. c. p. 512. n. 1 (1838); Brunn. l. c. p. 331 (1865). — Rio Janeiro.
6. **H. Strumosa, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 56 (1895). — Ecuador.
7. **H. (?) Surinama, Sauss.** Rev. Zool. (2) xx. p. 100 (1868); Miss. Mex., Orth. p. 98, pl. 2. f. 52 (1870). — Surinam.

### Genus 181. **Parahormetica.** (*Type* no. 2.)

Brunn. Syst. Blatt. p. 385 (1865).

‖*Brachycola, Sauss.* Mém. Mex., Blatt. p. 183 (1864).

*1. **P. Monticollis, Burm.** (*Hormetica M.*) Handb. Ent. ii. p. 512. n. 5 (1838). — Brazil.
   *P. Monticollis, Brunn.* l. c. p. 386 (1865).
   *Hormetica Trilobita, Sauss.* l. c. p. 183, pl. 2. f. 35 (1864).

| | |
|---|---|
| *2. **P. Bilobata, Sauss.** (*Brachycolla B.*) Rev. Zool. (2) xiv. p. 345 (1864).<br>*P. Bilobata, Sauss.* Miss. Mex., Orth. p. 123 (1870).<br>*P. Tumulosa, Brunn.* l. c. p. 385, pl. 12. f. 56 A–C (1865). | Brazil. |
| *3. **P. Cicatricosa, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 122 (1870). | Argentine Republic. |
| 4. **P. Punctata, Sauss.** Mém. Soc. Genève, xxiii. p. 145 (1873). | Brazil. |
| 5. **P.** (?) **Obscura, Sauss.** l. c. p. 146 (1873). | Java (?). |

### Genus 182. **Dasyposoma.** (*Type* no. 1.)

Brunn. Syst. Blatt. p. 387 (1865).

| | |
|---|---|
| 1. **D. Nigra, Brunn.** l. c. p. 388, pl. 13. f. 57 A–C (1865). | Brazil. |
| *2. **D. Bicolor, Brunn.** l. c. p. 388 (1865). | id. |
| 3. **D. Brunneri, Sauss. & Zehntn.** Rev. Suisse Zool. iii. p. 57 (1895). | id. |
| 4. **D. Marmorata, Sauss.** Rev. Zool. (2) xxi. p. 113 (1869); Miss. Mex., Orth. p. 121 (1870). | Venezuela. |
| 5. **D.** (?) **Castanea, Sauss.** Mém. Soc. Genève, xx. p. 285 (1869). | Australia. |

### Genus 183. **Ateloblatta.** (*Type* no. 1.)

Sauss. Soc. Ent. vi. p. 10 (1891)0-671.; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 137 (1895).
*Exedra, Brunn.* Ann. Mus. Genova, xxxiii. p. 41 (1893).

| | |
|---|---|
| *1. **A. Cambouini, Sauss.** l. c. p. 10 (1891).0-671.<br>*A. Cambouei, Sauss. & Zehntn.* l. c. p. 139, pl. 5. ff. 58, 59 (1895). | Madagascar |
| 2. **A. Malagassa, Sauss.** l. c. p. 10 (1891); Sauss. & Zehntn. l. c. p. 140, pl. 5. f. 60 (1895). | id. |

### Genus 184. **Gromphadorhina.** (*Type* no. 3.)

Brunn. Syst. Blatt. p. 333 (1865) ; Sauss. Mém. Soc. Genève, xx. p. 278 (1869) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 99, 141 (1895).

*1. **G. Coquereliana, Sauss.** (*Hormetica* (*Brachycola*) *C.*) l. c. xvii. p. 163, pl. 1. f. 22 (1864). — Madagascar
*Gromphadorhina Coquereliana, Sauss.* Abh. Senckenb. Ges. xxi. p. 585 (1899); Sauss. & Zehntn. l. c. p. 143, pl. 5. f. 55 (1895).
‖ *G. Portentosa*, pt., *Sauss.* Mém. Soc. Genève, xx. p. 279 (1869).
*Ateloblatta Granulata, Sauss.* Soc. Ent. vi. p. 10 (1891).
*Exedra Sacalava, Branes.* Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 175, pl. 11. f. 6 (1893).

**2. **G. Brunneri, Butl.** Ann. Nat. Hist. (5) ix. p. 384 (1882) ; Sauss. & Zehntn. l. c. p. 145, pl. 5. f. 54 (1895). — id.

3. **G. Portentosa, Schaum,** (*Hormetica P.*) Ber. Akad. Berlin, 1853, p. 777. n. 4 ; Peters, Reise Mossamb., Zool. v. p. 111, pl. 7. f. 3 (1862). — id.
*G. Portentosa, Brunn.* l. c. p. 333, pl. 9. f. 45 (1865).

4. **G. Lævigata, Sauss. & Zehntn.** (*G. Portentosa*, var. *Lævigata*) l. c. p. 147 (1895). — id.

5. **G. Grandidieri, Kirb.,** n. n. — id.
‖ *G. Portentosa, Sauss. & Zehntn.* l. c. p. 146, pl. 5. ff. 56, 57 (1895).

### Genus 185. **Æluropoda.**

Butl. Ann. Nat. Hist. (5) ix. p. 385 (188~~1~~) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. pp. 79, 88 (1895). /2.

**1. **Æ. Insignis, Butl.** l. c. p. 384. f. 2 (1882): Sauss. & Zehntn. l. c. p. 89, pl. 4. f. 44 (1895). — Madagascar
*Æ. Gigantea, Butl.* l. c. p. 386 (1882).
*Gomphadorhina Hildebrandti, Dohrn,* Stettin. Ent. Zeit. xlviii. p. 412 (1887). o. 3446.

## SUBFAM. XVI.

# PANESTHIINÆ.

### Genus 186. **Cryptocercus.**

Scudd. Boston Journ. Nat. Hist. vii. p. 419 (1863); Sauss. Mém. Soc. Genève. xxiii. p. 147 (1873).

1. **C. Punctulatus, Scudd.** l. c. p. 420 (1863). — United States.
*Dasyposoma Punctulata, Brunn.* Syst. Blatt. p. 389 (1865).
*Cryptocercus Punctulata, Sauss.* l. c. p. 149, pl. 10. f. 53 *a–e* (1873).

### Genus 187. **Salganea.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

1. **S. Morio, Burm.** (*Panesthia M.*) Handb. Ent. ii. p. 513. n. 1 (1838); (?) Tepp. Tr. R. Soc. S. Austral. xvii. p. 124 (1893). — Australia, Papua.
*1 *a*. **S. Regina, Sauss.** (*Pan. R.*) Mém. Soc. Genève, xvii. p. 167, pl. 1. f. 24 (1864). — Java, Borneo, Billiton, India.
‖*Panesthia Morio, Brunn.* Syst. Blatt. p. 392 (1865).
**2. **S. Passaloides, Walk.** (*Pan. P.*) Cat. Blatt. B. M. p. 22. n. 9 (1868). — Ceylon.
*S. Ceylonica, Brunn.* Ann. Mus. Genova. xxxiii. p. 46 (1893).
?*Pan. Rufa, Walk.* l. c. p. 23. n. 11 (1868), *larva.*
3. **S. Erythronota, Bol.** Ann. Soc. Ent. France, 1897, p. 301. — Trichinopoly.
4. **S. Ternatensis, Brunn.** l. c. p. 47 (1893). — Ternate.
4 *a*. **S. Dux, Kirb.** Ann. Nat. Hist. (7) xi. p. 408 (1903). — Obi.
5. **S. Amboinica, Brunn.** l. c. p. 47 (1893). — Amboina.
*Pan. Morio*, var. *Minor*, pt., *Brunn.* Syst. Blatt. p. 392 (1865).
*6. **S. Rugulata, Sauss.** Rev. Suisse Zool. iii. p. 304 (1895). — Java.
7. **S. Foveolata, Sauss.** l. c. (1895). — Macassar.

### Genus 188. **Microdina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 409 (1903).

| | |
|---|---|
| *1. **M. Forceps, Sauss.** (*Panesthia F.*) Mém. Soc. Genève, xx. p. 207, pl. 3. f. 21 (1869). | Pondicherry, Nilgiris. |
| *Salganea Forceps, Sauss.* Rev. Suisse Zool. iii. p. 303 (1895). | |
| *Microdina Forceps, Kirb.* l. c. p. 409 (1903). | |

### Genus 189. **Cæparia.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877).

| | |
|---|---|
| *1. **C. Saussurii, Wood-Mason,** (*Panesthia S.*) J. Asiatic Soc. Bengal, xlv. (2) p. 190 (1876); Ann. Nat. Hist. (4) xix. p. 118 (1877). | Sikkim. |
| ‖*Pan. Mandarinea, ♀, Sauss.* Mém. Soc. Genève, xx. p. 286, pl. 3. f. 23 (1870). | |

### Genus 190. **Dicellonotus.** (*Type* no. 3.)

Butl. Ann. Nat. Hist. (5) ix. p. 387 (1882).

| | |
|---|---|
| 1. **D. Monstruosus, Wood-Mason,** (*Panesthia Monstruosa*) J. Asiatic Soc. Bengal, xlv. (2) p. 189 (1876); Ann. Nat. Hist. (4) xix. p. 117 (1877). | S. India. |
| 2. **D. Panteli, Bol.** (*Pan. P.*) Ann. Soc. Ent. France, 1897, p. 301. | Trichinopoly. |
| **3. **D. Lucanoides, Butl.** l. c. p. 387, p. 384. f. 1 (1882). | S. India. |
| **4. **D. Morsus, Butl.** l. c. p. 388 (1882). | id. |
| **5. **D. Lævis, Kirb.** Ann. Nat. Hist. (7) xi. p. 409 (1903). | Animalli Hills. |
| **6. **D. Insularis, Kirb.** l. c. p. 410 (1903). | Beuru. |

### Genus 191. **Panesthia.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 130 (1839); Burm. Handb. Ent. ii. p. 513 (1838); Brunn. Syst. Blatt. p. 390 (1865); Sauss. Rev. Suisse Zool. iii. p. 306 (1895).

| | |
|---|---|
| 1. **P. Ferrugin[e]ipes, Brunn.** Ann. Mus. Genova, xxxiii. p. 53 (1893); (?) Bol. Ann. Soc. Ent. France, 1897, p. 302. | Trichinopoly (?). |
| **2. **P. Quinquedentata, Kirb.** Ann. Nat. Hist. (7) xi. p. 411 (1903). | Nilgiris. |
| *3. **P. Æthiopis, Stoll,** (*Blatta Æ.*) Spectres, Blattes, p. 3, pl. 1 D. f. 3 (1813).<br>*P. Æthiopis, Kirb.* l. c. p. 412 (1903). | Philippines. |
| *4. **P. Javanica, Serv.** Ann. Sci. Nat. xxii. p. 38 (1831); Ins. Orth. p. 131, pl. 2. f. 5 (1839); Brunn. Syst. Blatt. p. 393, pl. 13. f. 58 A–E (1865); Sauss. Mém. Soc. Genève, xx. p. 286 (1869); (?) Sauss. Rev. Suisse Zool. iii. p. 312. n. 3 (1895); Kirb. l. c. p. 411 (1903).<br>*P. Affinis, Burm.* l. c. ii. p. 513. n. 3 (1838).<br>*P. Quadrimaculata, Walk.* Cat. Blatt. B. M. p. 21. n. 8 (1868), *larva.* | Java, Borneo, Philippines, Burma, Malacca. |
| **5. **P. Ruficeps, Kirb.** l. c. p. 412 (1903). | Christmas I. |
| *6. **P. Saussurii, Stål,** (Efv. Vet.-Akad. Förh. xxxiv. (10) p. 37 (1877) 0·108; Sauss. Rev. Suisse Zool. iii. p. 312. n. 4 (1895). 0·129. | Philippines. |
| *7. **P. Angustipennis, Ill.** (*Blatta A.*) Mag. Insekt. i. p. 185. n. 15 (1801).<br>*Panesthia A., Brunn.* l. c. p. 395. n. 4 (1865); Sauss. l. c. p. 312. n. 5 (1895).<br>*P. Æthiops, Walk.* l. c. p. 20. n. 1 (1868). | Sumatra, Borneo, Philippines, Amboina&c. |
| 8. **P. Nigrita, Stoll,** (*Blatta N.*) l. c. p. 3, pl. 2 D. f. 6 (1813). | Hab. —— ? |
| *9. **P. Cribrata, Sauss.** Rev. Zool. (2) xvi. p. 346 (1864).<br>*P. Cribata, Sauss.* Rev. Suisse Zool. iii. p. 313. n. 6 (1895). | Australia. |
| 10. **P. Stellata, Sauss.** l. c. p. 313. n. 7 (1895). | Sikkim. |
| 11. **P. Antennata, Brunn.** Ann. Mus. Genova, xxxiii. p. 50 (1893). | Burma. |

| | |
|---|---|
| 12. **P. Incerta, Brunn.** l. c. (1893) ; Sauss. l. c. p. 314. n. 9 (1895). | Burma. |
| 13. **P. Serrata, Sauss.** l. c. p. 315. n. 10 (1895). | India. |
| *14. **P. Lævicollis, Sauss.** Mém. Soc. Genève, xxiii. p. 151 (1872) ; Rev. Suisse Zool. iii. p. 315. n. 11 (1895). 0 - 12 | Australia. |
| 15. **P. Nicobarensis, Sauss.** Rev. Suisse Zool. iii. p. 316. n. 12 (1895). | Nicobar I. |
| *16. **P. Brevipennis, Brunn.** l. c. xxxiii. p. 51 (1893). | Amboina. |
| *17. **P. Quadriglumis, Sauss.** l. c. p. 316. n. 14. pl. 9. f. 3 (1895). | Australia. |
| **18. **P. Lata, Walk.** l. c. p. 24. n. 13 (1868). | Lord Howe Island. |
| *19. **P. Lobipennis, Brunn.** l. c. xxxiii. p. 51 (1893). | Ceylon. |
| *20. **P. Serratissima, Brunn.** Syst. Blatt. p. 394. n. 3 (1865). | Ternate. |
| 21. **P. Kheili, Bol.** Act. Soc. Españ. 1898. p. 138. | New Guinea. |
| 22. **P. Nigricans, Kirb.** l. c. (7) xii. p. 381 (1903). | Macassar. |
| ‖*P. Nigrita, Sauss.* l. c. p. 317. n. 17 (1895). | |
| 23. **P. Puncticollis, Stål,** l. c. xxxiv. (10) p. 37 (1877). Oefv. Vet.-Akad. Forh., (10), P.32 (1877) - 0 - 108 | Philippines. |
| 24. **P. Sinuata, Sauss.** l. c. p. 318. n. 19 (1895). | Singapore. |
| *25. **P. Biglumis, Sauss.** l. c. p. 319. n. 21 (1895). | Sikkim ; Java(ead. ?) |
| 26. **P. Flavipennis, Wood-Mason,** J. Asiatic Soc. Bengal. xlv. (2) p. 190 (1876) ; Ann. Nat. Hist. (4) xix. p. 117 (1877). | Naga Hills, Brahmaputra. |
| 27. **P. Ornata, Sauss.** Mém. Soc. Genève, xxiii. p. 152, pl. 10. f. 54 (1872). | Java, China (?). |
| **28. **P. Regalis, Walk.** Cat. Blatt. B. M. p. 21. n. 7 (1868). | Silhet, Assam. |
| *P. Bengalica, Brunn.* Ann. Mus. Genova, xxxiii. p. 52 (1893). | |
| 29. **P. Transversa, Burm.** Handb. Ent. ii. p. 513. n. 4 (1838) ; Brunn. l. c. xxxiii. p. 51 (1893) ; Sauss. Rev. Suisse Zool. iii. p. 321. n. 25 (1895). | Java, Burma. |
| 30. **P. Tepperi, Kirb.** l. c. (7) xi. p. 412 (1903). | Port Darwin. |
| ‖*P. Transversa, Tepp.* Tr. R. Soc. S. Austral. xvii. p. 125 (1893). | |

| | |
|---|---|
| **31. **P. Plagiata, Walk.** Ann. Nat. Hist. (3) iv. p. 220 (1859).<br>‖ *P. Transversa, Brunn.* Syst. Blatt. p. 395 (1865).<br>*P. Inermis, Brunn.* Ann. Mus. Genova, xxxiii. p. 52 (1893). | Ceylon. |
| **32. **P. Morosa, Kirb.** l. c. p. 412 (1903). | Animalli Hills |
| 33. **P. Integra, Brunn.** l. c. xxxiii. p. 53 (1893). | India. |
| 34. **P. Mandarinea, Sauss.** Mém. Soc. Genève, xvii. p. 168, pl. 1. f. 25 (1864). | China. |
| **35. **P. Hilaris, Kirb.** l. c. p. 413 (1903). | Sandakan. (Br. M. |
| **36. **P. Necrophoroides, Walk.** Cat. Blatt. B. M. p. 22. n. 10 (1868). | Tenasserim. |
| 37. **P. Bramina, Sauss.** Rev. Suisse Zool. iii. p. 322. n. 29 (1895). | Johore. |
| 38. **P. Morio, Burm.** l. c. p. 513. n. 1 (1838). | N. Guinea,<br>Australia. |
| *39. **P. Australis, Brunn.** Syst. Blatt. p. 396 (1865) ; Tepp. l. c. xvii. p. 125 (1893). | Australia. |
| 40. **P. Perfecta, Kirb.** l. c. p. 414 (1903).<br>‖ *P. Australis, Sauss.* l. c. p. 323. n. 30 (1895). | New South Wales. |
| *41. **P. Wallacei, Wood-Mason,** ll. cc. xlv. (2) p. 189 (1876) ; (4) xix. p. 117 (1877).<br>*P. Walacei, Sauss.* l. c. p. 323. n. 31 (1895). | Singapore,<br>Malacca,<br>Malabar. |
| 42. **P. Celebica, Brunn.** Ann. Mus. Genova, xxxiii. p. 53 (1893). | N. Celebes. |
| *43. **P. Birmanica, Brunn.** l. c. p. 54 (1893). | Tenasserim. |
| **44. **P. (?) Conica, Walk.** l. c. p. 23. n. 12 (1868). | Java. |

## Genus 192. **Hemipanesthia.**

Sauss. Rev. Suisse Zool. iii. p. 327 (1895).

| | |
|---|---|
| 1. **H. Kraussiana, Sauss.** (*Panesthia K.*) Mém. Soc. Genève, xxiii. p. 150 (1872).<br>*H. Kraussiana, Sauss.* Rev. Suisse Zool. iii. p. 328. pl. ix. f. 6 (1895). | Melbourne. |

### Genus 193. **Miopanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 323 (1895).

| | |
|---|---|
| 1. **M. Bigibbosa, Sauss.** l. c. p. 324, pl. 9. f. 1 (1895). | Sikkim<br>Khasia Hills |
| 2. **M. Stenotarsis, Sauss.** l. c. p. 325, pl. 9. f. 2 (1895). | Java. |
| 3. **M. Discoidalis, Sauss.** l. c. p. 326 (1895). | id. |

### Genus 194. **Mylacrina.**

Kirb. Ann. Nat. Hist. (7) xi. p. 414 (1903).

| | |
|---|---|
| **1. **M. Wrayi, Kirb.** l. c. (1903). | Perak. |

### Genus 195. **Heteroplana.**

Kirb. Ann. Nat. Hist. (7) xi. p. 415 (1903).

| | |
|---|---|
| **1. **H. Thomsonii, Kirb.** l. c. (1903). | Louisiade I. |

### Genus 196. **Geoscapheus.** (*Type* no. 2.)

Tepp. Tr. R. Soc. S. Austral. xvii. p. 67 (June, 1893).
*Plana*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 46 (Sept. 1893); Sauss. Rev. Suisse Zool. iii. p. 326 (1895). (*Type* no. 1.)

| | |
|---|---|
| 1. **G. Dilatatus, Sauss.** (*Panesthia Dilatata*) Rev. Zool. (2) xvi. p. 346 (1864); Mém. Soc. Genève, xx. p. 285 (1869). (Mel Orth. I, p. 165) - x.<br>*Plana Dilatata*, *Sauss.* Rev. Suisse Zool. iii. p. 326 (1895). | Queensland. |
| 2. **G. Robustus, Tepp.** l. c. p. 68 (1893).<br>*Plana Robusta*, *Sauss.* l. c. p. 327 (1895). | Australia. |
| 3. **G. Giganteus, Tepp.** l. c. xviii. p. 176 (1894). | N. Queensland. |

### Genus 197. **Macropanesthia.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. iii. p. 328 (1895).

| | |
|---|---|
| 1. **M. Rhinoceros, Sauss.** l. c. p. 329. pl. 9. f. 4 (1895). | Queensland (Bowen). |
| 2. **M. Muelleri, Sauss.** l. c. f. 5 (1895). | C. Australia. |

## FAM. IV.

# MANTIDÆ.

## SUBFAM. I.

## AMORPHOSCELINÆ.

### Genus 1. **Paraoxypilus.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 153 (1871).

*Phthersigena*, *Stål*, Œfv. Vet.-Akad. Förh. xxviii. p. 400 (1871). (*Type* no. 5.)

*1. **P. Kraussii, Sauss.** (*Haania K.*) Mém. Soc. Genève, xxiii. p. 75. pl. 9. f. 26 (1872); Wood-Mason, Mant. p. 2 (1889). Australia.

2. **P. Lobifrons, Stål,** Bihang Svenska Akad. iv. (10) p. 8 (1877). Queensland.

*3. **P. Tasmaniensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 227 (1870); Mém. Soc. Genève, xxi. p. 155, pl. 6. ff. 49, 49 A, 50 (1871). Tasmania.

*4. **P. Verreauxii, Sauss.** ll. cc. p. 227 (1870); p. 157 (1871). id.

5. **P. Conspersus, Stål,** (*Phthersigena Conspersa*) Œfv. Vet.-Akad. Förh. xxviii. p. 401 (1871). Cape York.

### Genus 2. **Discothera.**

Bonnet & Finot, Bull. Soc. Ent. France, (6) iv. p. xxvi (1884); Rev. Sci. Nat. Montpellier, (3) iv. p. 202 (1885).

1. **D. Tunetana, Bonnet & Finot,** ll. cc. p. xxvi (1884); p. 202, pl. 7. ff. 1–6 (1885). Tunis.

### Genus 3. **Amorphoscelis.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 401 (1871); Wood-Mason, Cat. Mant. p. 4 (1889).

1. **A. Annulipes, Karsch,** Ent. Nachr. xviii. p. 145 (1892); Berlin. Ent. Zeitschr. xxxix. p. 269, pl. 19. f. 6 (1894). Cameroons.

| | |
|---|---|
| 2. **A. Laxeretis, Karsch,** Berlin. Ent. Zeitschr. xxxix. p. 270 (1894). | Togo. |
| 3. **A. Annulicornis, Stål,** l. c. p. 401 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 21 (1882); Cat. Mant. p. 4, ff. 1–3 (1889). | India. |
| *4. **A. Pellucida, Westw.** Rev. Mant. p. 28 (1889). | Ceyl., Sing.,<br>Australia. |
| 5. **A. Costalis, Westw.** l. c. (1889). | Dorey. |

### Genus 4. **Compsothespis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxiii. p. 64 (1872).

| | |
|---|---|
| 1. **C. Anomala, Sauss.** l. c. pl. 7. f. 13 (1872). | Cape. |
| 2. **C. Falcifera, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 280 (1901). | Galla Land. |
| 3. **C. Tumidiceps, Bol.** An. Soc. Españ. xix. p. 303 (1890). | Philippines. |
| 4. **C. Australiensis, Wood-Mason,** Cat. Mant. p. 7, f. 4 (1889). | Australia. |

## SUBFAM. II.

## EREMIAPHILINÆ.

### Genus 5. **Metallyticus.** (*Type* no. 1.)

Westw. Zool. Journn. v. p. 441 (1837).

*Metalleutica, Burm.* Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 265 (1871); Wood-Mason, Cat. Mant. p. 9 (1889).

| | |
|---|---|
| *1. **M. Splendidus, Westw.** l. c. p. 442, pl. 22. f. 1 (1837).<br>*Metalleutica Splendida, Burm.* l. c. p. 527. n. 1 (1838); Sauss. l. c. p. 268 (1871).<br>*M. Splendidus*, var. *Viridi-auratus, Westw.* Rev. Mant. p. 1 (1889). | Malabar,<br>Singapore,<br>Sumatra,<br>&c. |
| *2. **M. Violacea, Burm.** (*Metalleutica V.*) l. c. p. 527. n. 2 (1838); Charp. Orth. pl. 3 (1841); Sauss. l. c. p. 267 (1871).<br>*3. Metalleutica Vitripennis, Burm.* l. c. n. 3 (1838). | Java,<br>Sumatra. |

| | |
|---|---|
| *Mantis Chalybea*, *Serv.* Ins. Orth. p. 202 (1839).<br>‖*Metalleutica Splendida*, *Haan*, Temminck, Verhandel., Orth. p. 83 (1842).<br>*M. Splendidus*, var., *Westw.* Zool. Journ. v. p. 442 (1837); Brit. Cycl. Nat. Hist. p. 359, fig. (1837).<br>*M. Splendidus*, var. *Purpureus*, *Westw.* Rev. Mant. p. 1 (1889). | |
| *3. **M. Semiæneus, Westw.** l. c. p. 28, pl. 14. f. 3 (1889); Shelf. Zoologist, (4) vii. p. 299 (1903). | Sarawak. |

### Genus 6. **Chæteessa.** (*Type* no. 3.)

Burm. Handb. Ent. ii. p. 527 (1838); Sauss. Miss. Mex., Orth. p. 230 (1870); Mém. Mex., Mant. p. 9 (1871).

*Chætessa*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 52 (1869).

‖*Hoplophora*, *Perty*, Del. Anim. Art. p. 126 (1833); Westw. Mod. Classif. Ins. pp. 412, 413 note (1839).

| | |
|---|---|
| *1. **C. Caudata, Sauss.** Miss. Mex., Orth. p. 230 (1870); Mém. Mex., Mant. p. 11 (1871); Westw. Rev. Mant. p. 1, pl. 14. f. 1 (1889). | Brazil. |
| *2. **C. Valida, Perty,** (*Hoplophora V.*) l. c. p. 126, pl. 25. f. 6 (1833).<br>*C. Valida*, *Sauss.* Mém. Mex., Mant. p. 13 (1871). | id. |
| *3. **C. Filata, Burm.** l. c. p. 528 (1838); Sauss. l. c. p. 13 (1871). | id. |

### Genus 7. **Mantoida.** (*Type* no. 4.)

Newm. Ent. Mag. v. p. 178 (1838); Westw. Mod. Classif. Ins. i. p. 413 & note (1839). (*Type* no. 4.)

*Annia*, *Stål*, Bihang Svenska Akad. iv. (10) p. 10 (1877). (*Type* no. 5.)

| | |
|---|---|
| **1. **M. Maya, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 125, pl. 10. ff. 26, 27 (1894). | Yucatan. |
| *2. **M. Tenuis, Perty,** (*Hoplophora T.*) Del. Anim. Art. p. 127, pl. 25. f. 7 (1833).<br>*Chæteessa Tenuis*, *Sauss.* Mém. Mex., Mant. p. 15 (1871). | Brazil. |

| | |
|---|---|
| *M. Luteola, Westw.* Rev. Mant. p. 28. pl. 14. f. 14 (1889); Sharp. Cambridge Nat. Hist., Ins. i. p. 251. f. 111 (1895). | |
| 3. **M. Fulgidipennis, Westw.** l. c. p. 28, pl. 14. f. 9 (1889). | Amazons. |
| 4. **M. Nitida, Newm.** l. c. p. 179 (1838). | Para. |
| 5. **M. Brunneriana, Sauss.** (*Chateessa B.*) l. c. p. 14 (1871). | Brazil. |
| 6. **M. Burmeisteri, Gieb.** (*Chateessa B.*) Zeitschr. ges. Naturw. xx. p. 316 (1862). | Brazil (N. Freiburg). |
| *Annia Burmeisteri, Wood-Mason,* Cat. Mant. p. 11 (1889). | |

### Genus 8. **Charieis.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 36.

| | |
|---|---|
| 1. **C. Peeli, Burr,** l. c. p. 37, pl. 2. f. 4 (1900). | Somali Land. |

### Genus 9. **Eremiaphila.** (*Type* no. 6.)

Lef. Ann. Soc. Ent. France, iv. p. 468 (1835); Serv. Ins. Orth. p. 209 (1839); Sauss. Mém. Soc. Genève, xxi. p. 244 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 145 (1902).

| *Eremophila, Burm.* Handb. Ent. ii. p. 524 (1838).

| | |
|---|---|
| *1. **E. Typhon, Lef.** l. c. p. 499, pl. 12. f. 5 (1835); Sauss. l. c. p. 247, pl. 7. f. 55 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). | Egypt. |
| *Eremophila Ehrenbergii, Burm.* l. c. p. 525. n. 6 (1838). | |
| **2. **E. Rotundipennis** (*Bates, MS.*), **Kirb.,** n. n. | id. |
| *E. Typhon,* var., *Sauss.* l. c. p. 248 (1871). | |
| ‖ *E. Typhon, Westw.* Rev. Mant. p. 28, pl. 14. f. 11 (1890). | |
| *2 *a*. **E. Petit[i], Lef.** l. c. p. 500 (1835); Sauss. l. c. p. 265 (1871), *larva.* | id. |
| 3. **E. Audouin[i], Lef.** l. c. p. 482, pl. 12. ff. 1, 1 *a*, *b* (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 248 (1871). | id. |
| *Eremophila Audouini, Burm.* l. c. p. 525. n. 1 (1838). | |
| 4. **E. Marchali, Reiche & Fairmaire,** Ferret & Galinier, Voy. Abyssinie, iii. p. 424. pl. 27. f. 5 (1847); Sauss. l. c. p. 248 (1871). | Abyssinia. |

| | |
|---|---|
| *5. **E. Cerisy[i], Lef.** l. c. p. 481, pl. 13. ff. 1, 1 *a*, *b* (1835); Serv. l. c. p. 211 (1839); Sauss. l. c. p. 249 (1871). | Egypt,<br>Arabia. |
| 6. **E. Gene[i], Lef.** l. c. p. 486, pl. 12. ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 212, pl. 3. f. 8 (1839); Sauss. l. c. p. 250 (1871); Jacobs. & Bianki, l. c. p. 145 (1902). | Lebanon. |
| *Eremophila Genei, Burm.* l. c. p. 525. n. 2 (1838). | |
| *7. **E. Burmeisteri, Sauss.** l. c. p. 252 (1871). | Arabia. |
| ‖ *Eremophila Zetterstedtii, Burm.* l. c. p. 525. n. 3 (1838). | |
| **8. **E. Turcica, Westw.** l. c. p. 29, pl. 14. f. 2 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 253, f. 144 (1895); Jacobs. & Bianki, l. c. p. 145 (1902). | Baghdad. |
| 9. **E. Denticollis, Luc.** Rev. Zool. (2) vii. p. 103 (1855); Sauss. l. c. p. 252 (1871); Vosseler, Zool. Jahrb. Syst. xvi. p. 347 (1902). | Algeria. |
| 10. **E. Moreti, Bol.** An. Soc. Españ. xv. p. 513 (1886). | W. Sahara. |
| *11. **E. Arabica, Sauss.** l. c. p. 254, pl. 7. f. 56 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 22 (1882); Jacobs. & Bianki, l. c. p. 145 (1902). | Jeddah,<br>Quetta,<br>N.W. India. |
| *12. **E. Somalica, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 276 (1902). | Somali Land. |
| 13. **E. Numida, Sauss.** l. c. xxiii. p. 6 (1872); Vosseler, l. c. p. 349 (1902). | Algeria. |
| 14. **E. Luxor[i], Lef.** l. c. p. 491, pl. 13. ff. 2, 2 *a*, *b* (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. xxi. p. 256 (1871). | Egypt (Luxor). |
| 15. **E. Bove[i], Lef.** l. c. p. 492, pl. 12. ff. 4, 4 *a*, *b* (1835); Serv. l. c. p. 213 (1839); Sauss. l. c. p. 257 (1871). | Suez. |
| *16. **E. Hebraica, Lef.** l. c. p. 501 (1835); Sauss. l. c. p. 258 (1871). | Egypt. |
| ——, *Savigny*, Descr. Égypte, Orth. pl. 2. f. 4 (1809). | |
| *17. **E. Lefebvrii, Brunn.** (*Eremophila L.*) l. c. p. 525. n. 5 (1839). | id. |
| *E. Lefebvrii, Sauss.* l. c. p. 264 (1871). | |
| 18. **E. Spinulosa, Krauss,** Jahresh. Ver. Naturk. Württemb. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 525. pl. 7. ff. 1, 1 A–D (1896). | Algeria. |

| | |
|---|---|
| 19. **E. Kheych[i], Lef.** l. c. p. 498 (1835).<br>*E. Kheychi, Sauss.* l. c. p. 262 (1871). | Egypt. |
| 20. **E. Savigny[i], Lef.** l. c. p. 494 (1835); Sauss. l. c. p. 259 (1871).<br>——, *Savigny*, l. c. Orth. pl. 2. f. 3 (1809). | id. |
| 21. **E. Hedenborgii, Stål,** (*Eremophila H.*) (Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871).<br>*E. Hedenborgii, Sauss.* l. c. xxiii. p. 5 (1872). | Nubia. |
| 22. **E. Dentata, Sauss.** l. c. xxi. p. 264 (1871).<br>‖*Eremophila Bovei, Burm.* l. c. p. 525. n. 4 (1838). | Egypt. |
| 23. **E. Barbara, Bris.** Bull. Soc. Ent. France, (3) ii. p. lxx (1854); Sauss. l. c. p. 262 (1871); Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 234, f. 1 (1902). | Algeria. |
| 24. **E. Brevipennis, Sauss.** l. c. p. 259 (1871).<br>——, *Savigny*, l. c. pl. 2. f. 6 (1809). | Egypt. |
| 25. **E. Anubis, Lef.** l. c. p. 501 (1835); Sauss. l. c. p. 260 (1871).<br>——, *Savigny*, l. c. pl. 2. f. 2 (1809). | id. |
| *26. **E. Khamsin[i], Lef.** l. c. p. 496, pl. 13. f. 3 (1835); Sauss. l. c. p. 260 (1871). | id.,<br>Suez. |
| 27. **E. Hralil[i], Lef.** l. c. p. 497 (1835); Sauss. l. c. p. 261 (1871). | Egypt. |
| 28. **E. Nilotica, Sauss.** l. c. p. 262 (1871).<br>——, *Savigny*, l. c. pl. 2. f. 1 (1809).<br>*E. Hralil* (?), *Lef.* l. c. p. 497, pl. 11. ff. 1, 3–10 (1835). | id. |
| 29. **E. Sabulosa, Sauss.** l. c. p. 263 (1871). | Suez. |
| 30. **E. Aristidis, Luc.** Bull. Soc. Ent. France, (5) x. p. lxxv (1880). 0-7916. | id. |
| 31. **E. Zetterstedt[ii], Lef.** l. c. p. 489, pl. 12. ff. 3, 3 *a*, *b* (1835); Serv. l. c. p. 212 (1839); Sauss. l. c. p. 253 (1871). | id.,<br>Arabia. |

## Genus 10. **Heteronutarsus.**

Lef. Ann. Soc. Ent. France, iv. p. 501 (1835).
*Heteronychotarsus, Sauss.* Mém. Soc. Genève, xxi. p. 242 (1871).

| | |
|---|---|
| 1. **H. Ægyptiacus, Lef.** l. c. p. 503, pl. 13 B. ff. 1–9 (1835).<br>*Heteronychotarsus Ægyptiacus, Sauss.* l. c. p. 243 (1871).<br>——, *Savigny*, Desc. Égypte, Orth. pl. 2. f. 5 (1809), *larva* (?). | Egypt<br>(Fayum). |

## Genus 11. **Theopompa.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

| | |
|---|---|
| 1. **T. Ophthalmica, Oliv.** (*Mantis Ophtalmica*) Encycl. Méth., Ins. vii. p. 637. n. 62 (1792).<br>‖*Mantis Oratoria*, *Stoll*, Spectres, Mantes, p. 19, pl. 6. f. 23 (1813).<br>*Mantis Grisea*, *Licht.* Trans. Linn. Soc. Lond. vi. p. 29 note (1802). | Malabar. |
| *2. **T. Burmeisteri, Haan,** (*Mantis B.*) Temminck, Verhandelingen, Orth. p. 80, pl. 16. ff. 3, 4 (1842). | Java, Borneo. |
| *3. **T. Servillei, Haan,** (*Mantis S.*) l. c. p. 81, pl. 16. ff. 5, 6 (1842).<br>(?) *Humbertiella Ophthalmica*, ♂, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 224 (1869); Mém. Soc. Genève, xxi. p. 25 (1871). | Java, &c., Malacca. |
| 4. **T. Tosta, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |
| *5. **T. Blanchardi, Wood-Mason,** Cat. Mant. p. 62 (1891).<br>‖*Mantis Ophthalmica*, *Blanch.* Voy. Pôle Sud, iv. p. 354, pl. 1. f. 6 (1853).<br>‖*Humbertiella Ophthalmica*, ♀, *Sauss.* ll. cc. p. 224 (1870); pp. 24, 274 (1871).<br>‖*Humbertiella Servillei*, *Sauss.* Mém. Soc. Genève, xxiii. p. 17 (1872). | Amboina, Ceram. |
| 6. **T. Cambodjensis, Westw.** Rev. Mant. p. 29 (1889). | Cambodia. |
| **7. **T. Nigropicta, Westw.** l. c. p. 29, pl. 2. f. 6 (1889). | Australia. |
| *8. **T. Heterochroa, Gerst.** (*Humbertiella H.*) Mitth. Ver. Vorpomm. xiv. p. 80 (1883).<br>*Theopompa Heterochroa*, *Westw.* l. c. p. 29, pl. 2. ff. 4, 7 (1889). | Cameroons, Fernando Po. |
| **9. **T. Westwoodii, Kirb.** Ann. Nat. Hist. (7) xiii. p. 81 (1904). | Gold Coast, Ashanti. |
| 10. **T. Aurivillii, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 3, ff. 3–5 (1900). | Cameroons. |
| 11. **T. Angusticollis, Sjöst.** l. c. p. 5 (1900). | Congo. |

### Genus 12. **Humbertiella.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Soc. Genève, xxi. p. 19 (1871).

| | |
|---|---|
| *1. **H. Indica, Sauss.** ll. cc. p. 62 (1869): p. 23, pl. 4. f. 6 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 5 (1889); Wood-Mason, Cat. Mant. pl. 1. f. 5 (1891); Bol. Ann. Soc. Ent. France, 1897, p. 303. | India. |
| 2. **H. Assimilata, Wood-Mason,** (*Theopompa A.*) l. c. pl. 1. ff. 2, 4 (1891). | id. (?). |
| *3. **H. Septentrionum, Wood-Mason,** (*Theopompa S.*) l. c. p. 64, pl. 1. f. 3 (1891). | Assam, Travancore. |
| *4. **H. Ceylonica, Sauss.** ll. cc. p. 62 (1869); p. 22, pl. 4. f. 5 (1871); Westw. l. c. p. 30, pl. 2. f. 1 (1889). | Ceylon. |
| *Theopompa Taprobanarum, Wood-Mason,* l. c. p. 62, pl. 1. f. 1 (1891). | |
| *5. **H. Ocularis, Sauss.** Mém. Soc. Genève, xxiii. p. 16 (1872); Kirb. Ann. Nat. Hist. (7) xiii. p. 82 (1904). | Borneo, Singapore. |
| *Theopompa Ocularis, Wood-Mason,* l. c. pl. 1. ff. 6, 7 (1891). | |
| *Theopompa Disparilis, Westw.* l. c. p. 29, pl. 13. ff. 2, 3 (1889). | |
| 6. **H. Semirufula, Westw.** (*Hapalomantis S.*) l. c. p. 37, pl. 1. f. 1, pl. 13. f. 8 (1889). | Sarawak. |
| 7. **H. Fuliginosa, Westw.** (*Hapalomantis F.*) l. c. p. 37, pl. 13. f. 6 (1889). | Aru. |
| **8. **H. (?) Brunneri, Kirb.** l. c. p. 83 (1904). | Lombok. |

### Genus 13. **Elæa.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 22 (1877).

| | |
|---|---|
| 1. **E. Perloides, Sauss.** (*Humbertiella P.*) Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Mém. Soc. Genève, xxi. p. 21, pl. 4. ff. 4, 4 *a* (1871). | Senegal. |
| *2. **E. Somalica, Schulth.** Ann. Mus. Genova, xxxix. p. 170 (1898). | Somali. |
| *3. **E. Consobrina, Sauss.** (*Humbertiella C.*) l. c. p. 23 (1871). | India, Singapore. |

### Genus 14. **Tarachodes.** (*Type* no. 13.)

Burm. Handb. Ent. ii. p. 528 (1838).
*Chiropus*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869). (*Type* no. 2.)
*Ariusia*, *Stål*, Bihang Svenska Akad. iv. (10) p. 12 (1877). (*Type* no. 6.)

| | |
|---|---|
| *1. **T. Irrorata, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 79 (1883). | W. Africa (GoldCoast) |
| 2. **T. Dives, Sauss.** (*Chiropus D.*) l. c. p. 61 (1869); Mém. Soc. Genève, xxi. p. 16, pl. 4. ff. 1, 1 A (1871). | Benguela; Senegal (eadem?). |
| 2 *a.* **T. Dissimulator, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 23 (1882); Cat. Mant. p. 29, ff. 20, 21 (1889). | Cameroons. |
| *3. **T. Afzelii, Stål,** (*Chiropacha A.*) Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871). | Sierra Leone. |
| ‖ *Chiropus Dives*, *Westw.* Rev. Mant. p. 3, pl. 14. f. 15 (1889). | |
| 4. **T. Oxycephala, Gerst.** l. c. xiv. p. 77 (1883). | Ogowe. |
| 4 *a.* **T. Maculisternum, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 6 (1900). | W. Africa (Itoki). |
| *5. **T. Pantherina, Gerst.** Arch. Nat. xxxv. p. 208 (1869); Von der Decken, Reisen Ost-Afrika, iii. (2) p. 11, pl. 1. f. 5 (1873). | Zanzibar, B.E. Africa. |
| 6. **T. Conspersa, Stål,** (*Ariusia C.*) Bihang Svenska Akad. iv. (10) p. 16 (1877). | Damara Land. |
| 7. **T. Obtusiceps, Stål,** (*Chiropacha O.*) Œfv. Vet.-Akad. Förh. xxviii. p. 396 (1871). | Nubia. |
| 8. **T. Insidiator, Wood-Mason,** ll. cc. p. 22 (1882); p. 28 (1889). | Nyasa. |
| *9. **T. Æstuans, Sauss.** Ann. Mus. Genova, xxxv. p. 91 (1895). | Somali. |
| *T. Media*, *Schulth.* Ann. Mus. Genova, xxxix. p. 171 (1898). | |
| *10. **T. Modestior, Schulth.** Bull. Soc. Vaud. xxxv. p. 192 note (1899). | id. |
| ‖ *Chiropacha Modesta*, *Schulth.* Zool. Jahrb. viii. Syst. p. 69 (1894). | |
| ‖ *T. Modesta*, *Schulth.* Ann. Mus. Genova, xxxix. p. 173 (1898). | |
| *T. Schulthessi*, *Rehn.* Proc. Acad. Sci. Philad. liii. p. 279 (1901). | |

| | |
|---|---|
| *11. **T. Smithi, Rehn,** l. c. p. 278 (1901). | Somali. |
| *12. **T. Perloides, Burm.** l. c. p. 529 (1838).<br>♀. *Chiropacha Maura, Stål,* Œfv. Vet.-Akad. Förh. xv. p. 168 (1856).<br>(?) *Mantis Nympha, Stoll,* Spectres, Mantes, p. 11, pl. 4. f. 13 (1813). | Cape, Natal, &c. |
| *13. **T. Sancta, Sauss.** (*Chiropus S.*) Mém. Soc. Genève, xxi. p. 269 (1871).<br>‖ *Chiropus Insidiator, Kirb.* Dist. Ins. Transvaal. p. 34, f. 1 (1902). | Natal, Transvaal. |

### Genus 15. **Achlæna.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 149 (1892).

| | |
|---|---|
| 1. **A. Cryptochroma, Karsch,** l. c. p. 150 (1892); Berl. Ent. Zeitschr. xxxix. p. 271, pl. 19. f. 2 (1894). 0-144 | Cameroons. |
| **2. **A. Lucubrans, Burch.** (*Mantis L.*) Travels S. Africa, i. p. 465 (1822).<br>*Tarachodes Lucubrans, Westw.* Rev. Mant. p. 29, pl. 6. f. 2 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 249 (1895). | S. Africa (Gariep R.; Deelfontein) |

### Genus 16. **Chiropacha.**

Charp. Germ. Zeitschr. Ent. iii. p. 288 (1841); Orth. pl. 15 (1842); Sauss. Mém. Soc. Genève, xxi. p. 15 (1871).

| | |
|---|---|
| 1. **C. Gilva, Charp.** ll. cc. p. 288 (1841); pl. 15 (1842). | Egypt. |

### Genus 17. **Galepsus.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 13 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 149 (1895).

*Lygdamia, Stål,* l. c. p. 14 (1877). (*Type* no. 3.)

| | |
|---|---|
| 1. **G. Capitatus, Sauss.** (*Chiropacha Capitata*) Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Mém. Soc. Genève, xxi. p. 18, pl. 4. f. 2 (1871).<br>*Lygdamia Capitata, Stål,* l. c. p. 17 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 586 (1899). | Zanzibar, Delagoa Bay. |
| 2. **G. Tenuis, Stål,** l. c. p. 17 (1877). | W. Africa. |

| | |
|---|---|
| *3. **G. Meridionalis, Sauss.** (*Chiropacha M.*) l. c. xxiii. p. 10, pl. 9. f. 19 (1872).<br>‖*Lygdamia Capitata*, *Westw.* Rev. Mant. p. 3, pl. 14. ff. 6, 7 (1889).<br>♂. *Chiropacha Lenticularis*, *Sauss.* l. c. p. 11, pl. 9. f. 18 (1872).<br>*Lygdamia Lenticularis*, *Stål*, l. c. p. 17 (1877). | Natal, Transvaal. |
| 4. **G. Modesta, Gerst.** (*Tarachodes M.*) Arch. f. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen Ost-Afrika, iii. (2) p. 11 (1873). | Zanzibar. |
| 5. **G. Madagascariensis, Serv.** (*Mantis M.*) Ins. Orth. p. 204 (1839). | Madagascar |
| 5 *a*. **G. Hova, Sauss. & Zehntn.** l. c. p. 151, pl. 7. f. 8 (1895). | id. |

## Genus 18. **Paralygdamia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 152 (1895).

| | |
|---|---|
| 1. **P. Madecassa, Sauss. & Zehntn.** l. c. p. 53, pl. 7. f. 9 (1895). | Madagascar |

## Genus 19. **Pyrgomantis.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. (1) p. 210 (1869); Von der Decken, Reisen, Ins. p. 17 (1873); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. pp. 177, 272 (1871).

| | |
|---|---|
| *1. **P. Nasuta, Thunb.** (*Mantis N.*) Nov. Spec. Ins. iii. p. 62 (1784).<br>*P. Nasuta*, *Sauss.* Mém. Soc. Genève, xxi. p. 272, pl. 7. f. 57 (1871); Wood-Mason, Cat. Mant. p. 32, ff. 22, 23 (1889).<br>*Mantis Capensis*, *Gmel.* Syst. Nat. i. (4) p. 2055. n. 46 (1788); Oliv. Enc. Méth., Ins. vii. p. 634. n. 47 (1792).<br>*P. Singularis*, *Gerst.* ll. cc. p. 210 (1869); p. 18, pl. 1. ff. 8, 8 *b* (1873); Sauss. ll. cc. p. 223 (1870); p. 177 (1871); Westw. Rev. Mant. p. 3, pl. 14. ff. 4, 5 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 142 (1895). | S. & E. Africa. |
| **2. **P. Jonesi, Kirb.** Ann. Nat. Hist. (7) xiii. p. 83 (1904). | Nigeria. |

## Genus 20. **Didymocorypha.**

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 221 (1877).
*Pyrgocotis*, *Stål*, Bihang Svenska Akad. iv. (10) p. 14 (1877).

| | |
|---|---|
| *1. **D. Lanceolata, Fabr.** (*Mantis L.*) Suppl. Ent. Syst. p. 191 (1798).<br>*D. Ensifera*, *Wood-Mason*, l. c. p. 222 (1877); Journ. Asiatic Soc. Bengal, li. p. 24 (1882); Cat. Mant. p. 34, ff. 24, 25 (1889).<br>*Pyrgocotis Gracilipes*, *Stål*, l. c. p. 17 (1877). | India, Ceylon. |

## Genus 21. **Orthodera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 529 (1838).
*Bolidena*, *Blanch.* Voy. Pôle Sud, iv. p. 356 (1853). (*Type* no. 3.)

| | |
|---|---|
| **1. **O. Ministralis, Fabr.** (*Mantis M.*) Syst. Ent. p. 277. n. 18 (1775); Oliv. Enc. Méth., Ins. vii. p. 630. n. 20 (1792).<br>*O. Prasina*, *Burm.* l. c. p. 530. n. 1 (1838); Brancs. Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 246, pl. 7. f. 5 *b* (1896).<br>*Mantis Rubrocoxata*, *Serv.* Ins. Orth. p. 203 (1839).<br>*O. Laticollis*, *Brancs.* l. c. f. 5 *a* (1896). | Australia. |
| *2. **O. Novæ-Zealandiæ, Colenso,** (*Mantis N.*) Trans. N. Zeal. Inst. xiv. p. 277 (1882).<br>*Tenodera Intermedia*, *Huds.* Manual N. Zeal. Ent. p. 109, pl. 17. f. 2 (1892). | N. Zealand. |
| *3. **O. Hobsonii, Le Guill.** (*Mantis H.*) Rev. Zool. 1841, p. 293. n. 6; Blanch. l. c., Orth. pl. 1. f. 7 (1853).<br>♂. *Mantis Gunnii*, *Le Guill.* l. c. n. 7 (1841).<br>*Bolidena Hobsonii*, *Blanch.* l. c. p. 356 (1853). | Tasmania (Hobart Town). |
| *4. **O. Marginata, Sauss.** Mém. Soc. Genève, xxiii. p. 8, pl. 8. f. 1 (1872). | Swan River. |
| 5. **O. Burmeisteri, Wood-Mason,** Cat. Mant. p. 21 (1889). | New Guinea. |
| 5 *a*. **O. Longicollis, Brancs.** l. c. xix.–xx. p. 61, pl. 1. f. 6 (1897). | id. |

### Genus 22. **Orthoderella.**

Giglio-Tos. Boll. Mus. Torino, xii. (302) p. 13 (1897).

| | |
|---|---|
| 1. **O. Ornata, Giglio-Tos,** l. c. (1897). | Bolivia. |

## SUBFAM. III.

## CHŒRADODINÆ.

### Genus 23. **Chœradodis.** (*Type* no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 206 (1839); Sauss. Mém. Soc. Genève, xxi. p. 13 (1871); Mém. Mex., Mant. p. 16 (1871).

*Craurusa, Burm.* Handb. Ent. ii. p. 542 (1838). (*Type* no. 1.)

| | |
|---|---|
| 1. **C. Strumaria, Linn.** (*Gryllus (Mantis) Strumarius*) Syst. Nat. (ed. x.) i. p. 426. n. 10 (1758).<br>*Mantis Strumaria, Fabr.* Syst. Ent. p. 276. n. 8 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 38 (1792).<br>*C. Strumaria, Wood-Mason,* Journ. Asiatic Soc. Bengal, liii. p. 239, f. 5 (1885); Cat. Mant. p. 13, f. 9 (1889); Westw. Rev. Mant. p. 3, pl. 8. f. 1 (1889).<br>(Mer. Ins. Sur. pl. 27; Rœs. Ins. Bel. ii. Locusta Indica, p. 17, pl. 3.)<br>‖*Mantis Cancellata, Licht.* Trans. Linn. Soc. Lond. vi. p. 25. n. 17 (1802); Stoll, Spectres, Mantes, p. 35, pl. 11. f. 42 (1813); Burm. l. c. p. 542. n. 50 (1838).<br>*C. Cancellata, Serv.* Ins. Orth. p. 206 (1839); Sauss. Mém. Mex., Mant. p. 19 (1871). | Surinam, Cayenne. |
| *2. **C. Peruviana, Serv.** l. c. p. 207 (1839).<br>‖*C. Rhombicollis, Wood-Mason,* Ann. Nat. Hist. (5) vi. p. 161 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 82 (1880), liii. p. 240, ff. 6, 7 (1885); Cat. Mant. p. 14, ff. 11, 12 (1889); De Borre, C. R. Soc. | Nicaragua to Peru. |

| | |
|---|---|
| Ent. Belge, xxvii. p. cxliv, fig. (1883); Westw. l. c. p. 3. pl. 7. ff. 3, 4 (1889); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 126. n. 1, pl. 9. f. 3 (1894). | ✓ |
| *3. **C. Servillei, Wood-Mason,** ll. cc. p. 161 (1880); p. 83 (1880); p. 238, f. 3, p. 240, f. 8 (1885); p. 12, f. 7, pp. 14, 15, f. 12 (1889); Sauss. & Zehntn. l. c. p. 126. n. 2, pl. 9. ff. 1, 2 (1894). | Central America. |
| 4. **C. Brunneri, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 21 (1882), liii. p. 248, f. 2, p. 241, f. 9 (1885); Cat. Mant. p. 12, f. 6, p. 15, f. 13 (1889). | New Granada. |
| 5. **C. Rhombicollis, Latr.** (*Mantis R.*) Humboldt & Bonpland, Obs. Zool. ii. p. 103, pl. 39. ff. 2, 3 (1833). | Hab. —— ? |
| 5 *a*. **C. Laticollis, Serv.** Ann. Sci. Nat. xxii. p. 51. n. 3 (1831); Ins. Orth. p. 208, pl. 4. f. 2 (1839); Sauss. Mém. Mex., Mant. p. 20 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 16. n. 2 (1877); Wood-Mason, Ann. Nat. Hist. (5) vi. p. 181 (1880); Journ. Asiatic Soc. Bengal, xlix. p. 83. n. 4 (1880), liii. pp. 241, 242, ff. 10, 11 (1885); Cat. Mant. p. 16, ff. 14, 15 (1889); Westw. l. c. p. 3, pl. 8. f. 2 (1889). | Surinam, Ecuador, Peru. |
| ‖ *C. Strumaria, Sauss.* l. c. p. 18 (1871). | |
| 6. **C. Stæli, Wood-Mason,** (*C. Stalii*) ll. cc. p. 162 (1880); p. 83 (1880); p. 242, ff. 12, 13 (1885); p. 17, ff. 16, 17 (1889). | Ecuador. |
| *7. **C. Rhomboidea, Stoll,** (*Mantis R.*) Spectres, Mantes, p. 39, pl. 12. f. 45 (1813). | Surinam, Amazons. |
| *C. Rhomboidea, Wood-Mason,* ll. cc. p. 162 (1880); p. 84 (1880); p. 242 (1885); p. 17 (1889); Westw. l. c. p. 3, pl. 7. f. 1 (1889). | |
| ‖ *Mantis Strumaria, Licht.* l. c. p. 26. n. 18 (1802). | |
| ‖ *C. Strumaria, Stål,* l. c. p. 15. n. 1 (1877). | |
| *C. Hyalina, Serv.* Ann. Sci. Nat. xxii. p. 51. n. 2 (1831). | |
| *8. **C. Cancellata, Fabr.** (*Mantis C.*) Syst. Ent. p. 276. n. 10 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 37 (1792). | India, Ceylon. |

| | |
|---|---|
| *C. Cancellata, Wood-Mason*, Journ. Asiatic Soc. Bengal, liii. p. 238, f. 1, p. 243 (1885); Cat. Mant. p. 12, f. 5, p. 18 (1889); Westw. l. c. p. 3, pl. 7. f. 6 (1889); Sharp, Cambridge Nat. Hist., Ins. i. p. 252, f. 143 (1895).<br>? *C. Squilla, Luc.* Ann. Soc. Ent. France, (5) ii. p. 32 (1872); Westw. l. c. p. 3, pl. 7. ff. 2, 5 (1889). | |
| *9. **C. Squilla, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Mém. Soc. Genève, xxi. p. 13, pl. 1. ff. 3, 3 *a* (1871); Wood-Mason, ll. cc. p. 238, f. 4, pp. 243, 244, ff. 14, 14 (1885); p. 12, f. 8, p. 19, ff. 18, 19 (1889). | Ceylon. |

## SUBFAM. IV.

## MANTINÆ.

### Genus 24. **Hapalopeza.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 23 (1877).

| | |
|---|---|
| **1. **H. Occipitalis, Westw.** Rev. Mant. p. 36, pl. 13. f. 5 (1889). | Hong Kong. |
| *2. **H. Nitens, Sauss.** (*Gonypeta* (*Iridopteryx*) *N.*) Mém. Soc. Genève, xxi. p. 279 (1871).<br>*H. Nitens, Stål*, l. c. p. 48 (1877). | Cambodia. |
| *3. **H. Tigrina, Westw.** l. c. p. 37, pl. 14. f. 13 (1889). | Singapore, Borneo, &c. |
| **4. **H. Maculata, Kirb.** Ann. Nat. Hist. (7) xiii. p. 84 (1904). | Ceylon. |
| 5. **H. Nigricornis, Stål,** l. c. p. 48 (1877). | Malacca. |
| 6. **H. Nilgirica, Wood-Mason,** Cat. Mant. pl. 2. ff. 4, 4 *a*, *b* (1891). | Nilgiris. |

### Genus 25. **Nemotha.**

Wood-Mason, Ann. Nat. Hist. (5) xiii. p. 34 (1884).

| | |
|---|---|
| 1. **N. Metallica, Westw.** (*Mantis M.*) Arc. Ent. ii. p. 51, pl. 62. f. 3 (1845).<br>*N. Metallica, Wood-Mason*, l. c. p. 34 (1884); Westw. Rev. Mant. p. 42 (1889). | Silhet, Assam. |

## Genus 26. **Micromantis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 225 (1870); Mém. Soc. Genève, xxi. p. 30 (1871).

| | |
|---|---|
| 1. **M. Glauca, Sauss.** (*Iridopteryx G.*) Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869).<br>*M. Glauca, Sauss.* Mém. Soc. Genève, xxi. p. 31, pl. 4. f. 9 (1871). | Ceylon. |

## Genus 27. **Compsomantis.**

*Micromantis*, div. *Compsomantis*, *Sauss.* Mém. Soc. Genève, xxiii. p. 23 (1872). [illegible]

| | |
|---|---|
| 1. **C. Crassiceps, Haan,** (*Mantis* (*Oxypilus*) *C.*) Temminck, Verhandel., Orth. p. 87, pl. 17. f. 8 (1842).<br>*Gonypeta Crassipes*, *Sauss.* l. c. xxi. p. 59 (1871).<br>*Micromantis* (*Compsomantis*) *Crassipes*, *Sauss.* l. c. xxiii. p. 23 (1872). [illegible] | Java;<br>Timor<br>(eadem ?).<br>[illegible] |

## Genus 28. **Antissa.**

[illegible] (1871)

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

| | |
|---|---|
| *1. **A. Pulchra, Fabr.** (*Mantis P.*) Mant. Ins. p. 229. n. 34 (1787): Oliv. Enc. Méth., Ins. vii. p. 631. n. 25 (1792).<br>*Mantis Flavicincta*, *Oliv.* l. c. p. 641. n. 11 (1792); Burm. Handb. Ent. ii. p. 531. n. 4 (1838).<br>*Mantis Caffrana*, *Licht.* Trans. Linn. Soc. Lond. vi. p. 31. n. 37 (1802).<br>*Mantis Marginalis*, *Stoll*, Spectres, Mantes, p. 37. pl. 11. f. 13 (1813).<br>*Gonypeta* (*Antissa*) *Marginalis*, *Sauss.* Mém. Soc. Genève, xxiii. p. 32. n. 6 (1872).<br>*Gonypeta* (*Iridopteryx*) *Micans*, *Sauss.* l. c. xxi. p. 194 (1871). | India,<br>Ceylon.<br>(Cape,<br>*errore* ?) |

### Genus 29. **Odontomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 32 (1871).

| | |
|---|---|
| *1. **O. Javana, Sauss.** (*Acromantis J.*) Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870).<br>*Micromantis Javana, Sauss.* Mém. Soc. Genève, xxi. p. 33, pl. 4. f. 11 (1871). | Java,<br>N. India. |
| *2. **O. Planiceps, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 10 (*nec* f. 11, *nec* Gieb.) (1842). | Java,<br>Borneo. |
| 3. **O. Euphrosyne, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |

### Genus 30. **Anaxandra.** [illegible]

Stål, Bihang Svenska Akad. iv. (10) p. 81 (1877).

| | |
|---|---|
| 1. **A. Grammica, Stål,** l. c. p. 87 (1877). | Darjiling. |

### Genus 31. **Iridopteryx.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Soc. Genève, xxi. p. 59 (1871).

| | |
|---|---|
| 1. **I. Infumata, Sauss.** (*Gonypeta* (*Iridopteryx*) *I.*) Mém. Soc. Genève, xxiii. p. 30 (1872).<br>*I. Infumata, Bol.* Ann. Soc. Ent. France, 1897, p. 305. | Egypt (?) |
| *2. **I. Reticulata, Haan,** (*Mantis* (*Oxypilus*) *R.*) Temminck, Verhandel., Orth. p. 87. n. 9, pl. 17. f. 9 (1842).<br>*Mantis Reticulata, Stål,* Eugenie's Resa, Orth. p. 313 (1858). | Java,<br>Singapore.<br>[illegible] |
| 3. **I. Iridipennis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869); Mém. Soc. Genève, xxi. p. 59, pl. 4. f. 14 (1871). | Ceylon. |
| *4. **I. Marmorata, Brunn.** Ann. Mus. Genova, xxxiii. p. 65, pl. 2. f. 20 (1893). | Burma. |
| 5. **I. (?) Irina, Sauss.** (*Gonypeta I.*) ll. cc. p. 244 (1870); p. 56, pl. 6. f. 42 (1871). | Amboina. |

## Genus 32. **Gonypeta.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ; Mém. Soc. Genève, xxi. p. 50 (1871) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

| | |
|---|---|
| *1. **G. Authæmon, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 26 (1882). | Tenasserim. |
| 2. **G. Saussurei, Bol.** (*Iridopteryx S.*) Ann. Soc. Ent. France, 1897, p. 305. | S. India (Madura). |
| 3. **G. Vicina, Bol.** l. c. p. 307 (1897). | Trichinopoly. |
| *4. **G. Punctata, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck. Verhandel.. Orth. p. 85. n. 2, pl. 17. ff. 12, 13 (1842).<br>*G. Punctata, Sauss.* Mém. Soc. Genève, xxi. p. 53 (1871).<br>*G. Humbertiana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869). | Java, Ceylon. |
| 5. **G. Fuliginosa, Thunb.** (*Mantis F.*) Mém. Acad. Pétersb. v. p. 291 (1815).<br>*G. Fuliginosa, Wood-Mason,* Cat. Mant. pl. 2. ff. 6, 6 *a* (1889).<br>♀. *G. Femorata, Sauss.* l. c. p. 230 (1870); Mém. Soc. Genève, xxi. p. 58 (1871). | Ceylon. |
| 6. **G. Aspera, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |
| 7. **G. Malayana, Westw.** Rev. Mant. p. 37, pl. 13. f. 9 (1889). | Batchian, Sula, &c. |
| 8. **G. Benguelæ, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869) ; Mém. Soc. Genève, xxi. p. 57 (1871). | Benguela. |
| 9. **G. Modesta, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 82 (1883). | Cameroons (?). |
| 10. **G. Noctivaga, Krauss,** Verh. zool.-bot. Ges. Wien, li. p. 283 (1901). | S.W. Africa (Windhoek) |
| 11. **G. Punctigera, Stål,** l. c. xxviii. p. 394 (1871). | Caffraria. |

## Genus 33. **Geomantis.**

Pant. An. Soc. Españ. xxv. p. 63 (1896) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

| | |
|---|---|
| 1. **G. Larvoides, Pant.** l. c. p. 67, pl. 1. f. 3 (1896) ; Azam, Bull. Soc. Ent. France, 1898, p. 59 ; Jacobs. & Bianki, l. c. (1902). | Spain, Constantinople, Brussa. |

### Genus 34. **Mantellias.**

Westw. Rev. Mant. p. 38 (1889).

| | |
|---|---|
| *1. **M. Pubicornis, Westw.** l. c. p. 39 (1889). | Amazons. |

### Genus 35. **Mantillica.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

| | |
|---|---|
| *1. **M. Nigricans, Westw.** l. c. pl. 14. f. 16 (1889). | Upper Amazons. |
| *2. **M. Sialidea, Westw.** l. c. p. 39 (1889). | id. (Ega). |

### Genus 36. **Armene.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 146 (1902).

| | |
|---|---|
| 1. **A. Alata, Sauss.** (*Ameles A.*) Mém. Soc. Genève, xxiii. p. 51 (1872); Fedchenko, Reise Turk., Orth. p. 13, pl. 1. ff. 6, 7 (1874); Jacobs. & Bianki, l. c. (1902).<br>*Armene Alata, Stål*, l. c. p. 49 (1877). | Turkestan. |

### Genus 37. **Entella.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 594 (1899).

| | |
|---|---|
| 1. **E. Marginella, Thunb.** (*Mantis M.*) Mém. Acad. Pétersb. v. p. 289 (1815). | Hab. —— ? |
| *2. **E. Nebulosa, Serv.** (*Mantis N.*) Ins. Orth. p. 203 (1839). | S. Africa. |
| *3. **E. Delalandii, Sauss.** (*Gonypeta D.*) Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870); Mém. Soc. Genève, xxi. p. 55, pl. 4. ff. 12, 13 (1871).<br>*E. Delalandii, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 595 (1899). | id. |
| 4. **E. Jucunda, Sauss.** l. c. (1899). | id. |
| 5. **E. Parva, Sauss.** l. c. p. 594 (1899). | id. |
| 6. **E.** (?) **Gracilipes, Sauss.** (*Ameles G.*) Mém. Soc. Genève, xxiii. p. 50 (1872). | id. (?) |

### Genus 38. **Ligaria.** (*Type* no. 1.)

Stål. Bihang Svenska Akad. iv. (10) p. 25 (1877); Sauss. Abhandl. Senckenb. Ges. xxi. p. 596 (1899).

| | |
|---|---|
| 1. **L. Quadrinotata, Stål,** l. c. p. 50 (1877). | Transvaal. |
| 2. **L. Brevicollis, Stål,** l. c. (1877). | id. |
| 3. **L. Trigonalis, Sauss.** l. c. (1899). | S. Africa. |
| 4. **L. Producta, Rehn,** Proc. Acad. Sci. Philadelphia, liii. p. 281 (1901). | Galla Land. |

### Genus 39. **Bolbe.**

Stål, Bihang Svenska Akad. iv. (10) p. 25 (1877).

| | |
|---|---|
| 1. **B. Pygmea, Sauss.** (*Ameles P.*) Mém. Soc. Genève, xxi. p. 299 (1871). | N. Australia |

### Genus 40. **Hapalomantis.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 392 (1871).

| | |
|---|---|
| 1. **H. Orba, Stål,** (*Mantis O.*) l. c. xiii. p. 169 (1856).<br>*H. Orba, Stål,* l. c. xxviii. p. 393 (1871). | Natal. |
| *2. **H. Meridionalis, Sauss.** (*Ameles M.*) Mém. Soc. Genève, xxi. p. 297, pl. 7. f. 63 (1871). | S. Africa. |
| 3. **H. Natalensis, Sauss.** (*Ameles N.*) l. c. p. 299 (1871). | Natal. |
| *4. **H. Debilitata, Westw.** (*Gonypeta D.*) Rev. Mant. p. 37, pl. 14. f. 12 (1889). | id. |

### Genus 41. **Sphæromantis.**

Schulth. Ann. Mus. Genova, xxxix. p. 174 (1898).

| | |
|---|---|
| 1. **S. Spinulosa, Schulth.** l. c. p. 175, pl. 2. ff. 3, 3*a* (1898). | Somali. |

### Genus 42. **Dystacta.**

Sauss. Mém. Soc. Genève, xxi. p. 321 (1871).

| | |
|---|---|
| *1. **D. Alticeps, Schaum,** (*Mantis A.*) Ber. Acad. Berlin. 1853. p. 777. n. 5; Peters' Reise Mossamb. v. p. 113. pl. 7. f. 4 (1852).<br>*Cardioptera Alticeps. Sauss.* l. c. p. 63 (1871). | East & Central Africa. |

*Dystacta Alticeps, Westw.* Rev. Mant. p. 37, pl. 9. f. 8 (1889); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 284 (1901).
♂. *D. Paradoxa, Sauss.* l. c. xxi. p. 323 (1871), xxiii. p. 80, pl. 8. f. 16 (1872); Stål, Bihang Svenska Akad. iv. (10) p. 51 (1877).

## Genus 43. **Chroicoptera.**

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 393 (1871); Bihang Svenska Akad. iv. (10) p. 26 (1877).

1. **C. Vidua, Stål,** (*Mantis V.*) Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856). — Natal.
*Chroicoptera Vidua, Stål,* l. c. xxviii. p. 393 (1871).

## Genus 44. **Tropidomantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 164 (1895).

1. **T. Madagascar[i]ensis, Sauss.** (*Miopteryx M.*) Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève, xxi. p. 124 (1871). — Madagascar
*T. Madagascariensis, Sauss. & Zehntn.* l. c. p. 167, pl. 9. f. 27 (1895).

*2. **T. Tenera, Stål,** (*Mantis T.*) Eugenie's Resa, Ins. p. 314 (1858). [illegible] — Singapore, &c. — Java,
*T. Tenera, Sauss. & Zehntn.* l. c. p. 168 (1895).
*Miopteryx Perla, Westw.* Rev. Mant. p. 38 (1889).
♀. *Mantis (Oxypilus) Planiceps,* ♂, *Haan,* Temminck, Verhandel., Orth. p. 88. n. 11, pl. 17. f. 11 (*nec* 10) (1842).

3. **T. Guttatipennis, Stal,** Bihang Svenska Akad. iv. (10) p. 51 (1877). — India (?).

**4. **T. Iridipennis, Westw.** (*Miopteryx I.*) l. c. p. 38 (1889). — India.

*5. **T. Australis, Sauss. & Zehntn.** l. c. p. 169 (1895). — Queensland, Murray I.

6. **T. Thalassina, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 593 (1899). — Nossi Bé.

### Genus 45. **Platycalymma.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889).

| | |
|---|---|
| 1. **P. Latipennis, Westw.** l. c. p. 40, pl. 10. f. 7 (1889).<br>*Tropidomantis* (*Platycalymma*) *Latipennis*, *Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 169, pl. 9. f. 28 (1895). | Madagascar |
| 2. **P. (?) Madagascariensis, Westw.** l. c. p. 40 (1889). | id. |

### Genus 46. **Enicophlebia.** (*Type* no. 1.)

Westw. Rev. Mant. p. 39 (1889); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 171 (1895).

| | |
|---|---|
| *1. **E. Pallida, Westw.** l. c. p. 39, pl. 1. f. 10 (1889); Sauss. & Zehntn. l. c. p. 172, pl. 9. f. 29 (1895). | Madagascar |
| 2. **E. Hilara, Sauss. & Zehntn.** l. c. p. 174, pl. 9. f. 30 (1895). | id. |
| 3. **E. (?) Tortricoides, Haan,** (*Mantis T.*) Temminck, Verhandelingen, Orth. p. 82, pl. 18. f. 4 (1842); Sauss. & Zehntn. l. c. p. 177 (1895). | Java. |

### Genus 47. **Myrcinus.**

Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877).

| | |
|---|---|
| *1. **M. Tuberosus, Stål,** l. c. p. 46 (1877); Westw. Rev. Mant. p. 30, pl. 2. f. 2 (1889). | Borneo. |

### Genus 48. **Myrcinellus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 15 (1898).

| | |
|---|---|
| 1. **M. Festæ, Giglio-Tos,** l. c. p. 16 (1898). | Ecuador. |

### Genus 49. **Antistia.**

*Ameles*, subg. *Antistia*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876).

*Antistia*, *Stål*, Bihang Svenska Akad. iv. (10) p. 26 (1877).

| | |
|---|---|
| 1. **A. Maculipennis, Stål,** (*Ameles* (*Antistia*) *M.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 69 (1876). | Damara Land. |

### Genus 50. **Yersinia.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 153 (1894).

‖ *Ameles, Sauss.* Mém. Mex., Mant. p. 98 (1871); Miss. Mex., Orth. p. 258 (1872).

| | |
|---|---|
| 1. **Y. Mexicana, Sauss.** (*Acanthops M.*) Rev. Zool. (2) xi. p. 60 (1859).<br>*Ameles Mexicana, Sauss.* Mém. Mex., Mant. p. 99, pl. 1. ff. 14, 14 *a*, 15 (1871); Miss. Mex., Orth. p. 258 (1872).<br>*Y. Mexicana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869); Sauss. & Zehntn. l. c. p. 153 (1894).<br>♀. *Acanthops Aztecus, Sauss.* Rev. Zool. (2) xi. p. 60 (1859). | Mexico. |
| 2. **Y. Solitaria, Scudd.** Canad. Ent. xxviii. p. 209 (1896). | Nebraska. |

### Genus 51. **Ameles.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Mém. Soc. Genève, xxi. p. 100 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877); Bol. Sin. Ortópt. Españ. p. 58 (1876); Brunn. Prodr. Eur. Orth. p. 64 (1882); Fin. Faune France, Orth. p. 89 (1889); Tümp. Geradfl. Mitteleuropas, pp. 211, 212, 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

*Perlamantis, Guér.* Rev. Zool. 1843, p. 42. (*Type* no. 1 *a*.)

| | |
|---|---|
| *1. **A. Abjecta, Cyr.** (*Mantis A.*) Ent. Neap. p. 4, pl. 5. f. 4 (1787 ?).<br>*A. Abjecta, Jacobs. & Bianki*, l. c. p. 147 (1902).<br>*Mantis Spallanzania, Rossi*, Mant. Ins. i. p. 102. n. 226, ii. pl. 5. ff. G, H (1792); Fisch. Orth. Eur. p. 124, pl. 8. ff. 4, 4 *a*, 5 (1853).<br>*A. Spallanzania, Bol.* l. c. p. 59. n. 1, pl. 1. f. 20 (1876); Brunn. l. c. p. 66. n. 2 (1882).<br>*Mantis Nana, Charp.* Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 1 (1838).<br>*Mantis Soror, Serv.* Ins. Orth. p. 200 (1839). | S. Europe,<br>N. Africa,<br>W. Asia. |

| | |
|---|---|
| *Mantis Brevis*, ♀, *Ramb.* Faune Andal. ii. p. 21, pl. 1. f. 5 (1842). | |
| 1 *a.* **A. Alliberti, Guér.** (*Perlamantis A.*) l.c. p. 42 (1843). | Basses Alpes. |
| *2. **A. Decolor, Charp.** (*Mantis D.*) Hor. Ent. p. 90 (1825); Germ. Zeitschr. Ent. iii. p. 289 (1841); Serv. Ins. Orth. p. 200 (1839); Fisch. Waldh. Orth. Ross. p. 104, pl. 2. f. 6 (1846); Fisch. Orth. Eur. p. 125, pl. 8. f. 6 (1853). | S. Europe, N. Africa. |
| *Harpax Decolor, Luc.* Expl. Alg., Zool. iii. p. 9, pl. 1. f. 4 (1849). | |
| *Ameles Decolor, Bol.* l. c. p. 60, pl. 1. f. 21 (1876); Brunn. Prodr. Eur. Orth. p. 65 (1882); Fin. l. c. p. 89, pl. 3. f. 52 (1889); Tümp. l. c. pp. 212, 236 (1900); Jacobs. & Bianki, l. c. p. 147, pl. 2 (1902). | |
| 2 *a.* **A. Minima, Charp.** (*Mantis M.*) l. c. p. 91 (1825); Burm. Handb. Ent. ii. p. 531. n. 2 (1838). | S. Russia. |
| 2 *b.* **A. Pusilla, Eversm.** (*Mantis P.*) Bull. Mosc. xxvii. p. 195 (1854), xxxii. (1) p. 124 (1859). | Kirghis Steppes. |
| *Gongyleta* (?) *Pusilla, Sauss.* Mém. Soc. Genève, xxi. p. 55. n. 4 (1871). | |
| 3. **A. Paui, Bol.** Actas Soc. Españ. 1898, p. 146. | Spain (Morella). |
| *4. **A. Gracilis, Brullé,** (*Mantis G.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 16, pl. 1. f. 4 (1845). | Canaries; Bushire (eadem ?). |

### Genus 52. **Parameles.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 101 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 147 (1902).

| | |
|---|---|
| *1. **P. Picteti, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 72 (1869). | S. Europe, Algeria, Cyprus. |
| *Ameles Picteti, Sauss.* Mém. Soc. Genève, xxi. p. 103 (1871). | |
| *Mantis Nana, Ramb.* Faune Andal. ii. p. 22, pl. 1. f. 3 (1842). | |
| *Harpax Nana, Luc.* Expl. Algér. iii. p. 10 (1849). | |
| *P. Nana, Jacobs. & Bianki,* l. c. p. 148 (1902). | |

| | |
|---|---|
| 1 *a*. **P. Limbata, Brullé,** (*Mantis L.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 76. n. 15, pl. 1. f. 3 (1838). | Canaries. |
| *2. **P. Assoi, Bol.** (*Mantis A.*) An. Soc. Españ. ii. p. 216 (1873) : Sin. Ortópt. Españ. p. 61, pl. 1. f. 22 (1876). | Spain. |
| 3. **P. Brevis, Ramb.** (*Mantis B.* ; ♂ nec ♀) l. c. p. 21, pl. 1. f. 4 (1842). | id.<br>(Grenada). |
| *4. **P. Heldreichi, Brunn.** (*Ameles H.*) Prodr. Eur. Orth. p. 67. n. 3, pl. 3. f. 18 *a*, *b* (1882).<br>*P. Heldreichi, Jacobs. & Bianki*, l. c. p. 147 (1902). | Greece,<br>Asia Minor,<br>Crimea,<br>Odessa. |
| 5. **P. Taurica, Jakovleff,** Rev. Russe d'Ent. iii. pp. 41–43, ff. 1, 2 (1903). | Crimea. |

### Genus 53. **Pseudoyersinia, Kirb.** (n. n.). (*Type* no. 1.)

*Yersinia*, pt., *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

| | |
|---|---|
| 1. **P. Brevipennis, Yers.** (*Mantis B.*) Ann. Soc. Ent. France, (3) viii. p. 511, pl. 10. ff. 36–40 (1860).<br>*Ameles Brevipennis, Sauss.* Mém. Soc. Genève, xxi. p. 102. n. 2 (1871) ; Brunn. Prodr. Eur. Orth. p. 68 (1882) ; Fin. Faune France, Orth. p. 90 (1889). | Hyères. |
| 2. **P. Wagneri, Kitt.** (*Mantis W.*) Bull. Soc. Nat. Mosc. xxii. p. 447, pl. 7. f. 9 (1849).<br>*Yersinia Wagneri, Jacobs. & Bianki*, l. c. p. 148 (1902). | Kirghis Steppes. |
| 3. **P. (?) Aptera, Fuente,** (*Ameles A.*) An. Soc. Españ. xxii. p. 137 (1894). | Spain. |

### Genus 54. **Astollia, Kirb.** (n. n.).

‖ *Stollia, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 55 note (1869).

| | |
|---|---|
| 1. **A. Chloris, Oliv.** (*Mantis C.*) Enc. Méth., Ins. vii. p. 639. n. 2 (1792).<br>*Mantis Prasinana, Licht.* Trans. Linn. Soc. Lond. vi. p. 32. n. 38 (1802).<br>*Mantis Abbreviata, Stoll*, Spectres, Mantes, p. 5, pl. 1. f. 4 (1813). | Surinam. |

### Genus 55. **Litaneutria.**

Sauss. Soc. Ent. vii. p. 123 (1892) ;
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 154 (1894).

| | |
|---|---|
| **1. **L. Ocularis, Sauss.** l. c. p. 124 (1892) ; Sauss. & Zehntn. l. c. p. 154 (1894).<br>*Lithaneutria Ocularis, Sauss. & Zehntn.* l. c. pl. 8. ff. 3, 3 *a–c* (1894). | Mexico. (N. Sonora). |
| 2. **L. Minor, Scudd.** (*Stagmatoptera M.*) Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 24 (1872).<br>*L. Minor, Scudd.* Canad. Ent. xxviii. p. 209 (1896).<br>*Mantis* (?) sp., *Glover*, Ill. N. Amer. Ent., Orth. pl. 13. f. 12 (1872). | Nebraska, Texas, Wyoming, E. U. States. |
| 3. **L. Borealis, Scudd.** l. c. p. 209 (1896). | Nebraska. |
| 4. **L. Obscura, Scudd.** l. c. pp. 209, 210 (1896). | Ariz., Calif. |
| 5. **L. Pacifica, Scudd.** l. c. p. 210 (1896). | N. Calif. |

### Genus 56. **Acontista.** (*Type* no. 4.)

‖*Acontistes, Burm.* Handb. Ent. ii. p. 542 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 85 (1877).

*Acontista, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869) ; Mém. Mex., Mant. p. 31 (1871); Miss. Mex., Orth. p. 236 (1872) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 130 (1894).

| | |
|---|---|
| *1. **A. Perspicua, Fabr.** (*Mantis P.*) Mant. Ins. i. p. 230. n. 36 (1787) ; Oliv. Enc. Méth., Ins. vii. p. 631. n. 27 (1792).<br>*A. Perspicua, Sauss.* Mém. Mex., Mant. p. 33. n. 1 (1871) ; Miss. Mex., Orth. p. 238, pl. 6. f. 18 (1872).<br>*A. Elegans, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 63 (1869).<br>*Mantis Fusca, Oliv.* l. c. p. 635. n. 53 (1792).<br>*Mantis Truncata, Fabr.* Ent. Syst. ii. p. 17. n. 20 (1793) ; Licht. Trans. Linn. Soc. Lond. vi. p. 31. n. 35 (1802) ; Stoll, Spectres, Mantes, p. 9, pl. 3. f. 10 (1813). | Cayenne, Guiana, Surinam. |

| | |
|---|---|
| *A. Truncata, Sauss.* Mém. Mex., Mant. p. 33 (1871) ; Miss. Mex., Orth. p. 237 (1872) ; Sauss. & Zehntn. l. c. p. 133. n. 1 (1894). | |
| *Mantis Multistriata, Serv.* Ins. Orth. p. 199 (1839). | |
| **2. **A. Westwoodi, Sauss. & Zehntn.** l. c. p. 134. n. 2 (1894). Fab. | Amazons (Tapajos, Para) ; Colombia. |
| † *A. Truncata, Westw.* Rev. Mant. p. 45, pl. 9. ff. 1, 3 (1889). | |
| 3. **A. Fuscata, Stoll,** (*Mantis F.*) l. c. p. 57, pl. 19. f. 70 (1813). | Surinam. |
| *4. **A. Concinna, Perty,** (*Mantis C.*) Del. Anim. Art. p. 117, pl. 23. f. 5 (1830) ; Serv. l. c. p. 201 (1839) ; Charp. Orth. pl. 27 (1842). | Brazil. |
| *A. Concinna, Sauss.* Mém. Mex., Mant. p. 38 (1871); Sauss. & Zehntn. l. c. p. 134 (1894). | |
| ‖*Mantis Oratoria, De Geer,* Mém. Ins. iii. p. 410. n. 5, pl. 37. f. 2 (1773). | |
| *Mantis Aurantiaca, Burm.* l. c. p. 531. n. 3 (1838). | |
| *Mantis Tricolor, Burm.* l. c. p. 543. n. 54 (1838). | |
| *Mantis Quadrimaculata, Serv.* l. c. p. 201 (1839). | |
| **5. **A. Eximia, Pascoe,** (*Callimantis E.*) Ann. Nat. Hist. (5) ix. p. 423 (1882). | Para. |
| *A. Paraensis, Sauss. & Zehntn.* l. c. p. 135. n. 4 (1894). | |
| *A. Concinna,* var., *Sauss.* l. c. p. 38 (1871). | |
| **6. **A. Mexicana, Sauss. & Zehntn.** l. c. p. 135. n. 5 (1894); Rehn, Proc. U. S. Nat. Mus. xxvii. p. 562 (1904). | Mexico to Panama. |
| *A. Cordillerae* ♀ (nec ♂), *Sauss.* l. c. p. 34 (1871) ; Miss. Mex., Orth. p. 239 (1872). | |
| **6 *a.* **A. Inquinata, Sauss. & Zehntn.** (*A. Mexicana,* var. *Inquinata*) l. c. p. 136, pl. 6. f. 10 (1894). | Mexico. |
| **6 *b.* **A. Championi, Kirb.,** n. n. | Guatemala. |
| ‖*A. Mexicana,* var. *Quadrimaculata, Sauss. & Zehntn.* l. c. p. 136, pl. 6. f. 8 (1894). | |
| 7. **A. Multicolor, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870) ; Sauss. & Zehntn. l. c. p. 136. n. 6 (1894). | Guadeloupe |

| | |
|---|---|
| **8. **A. Fraterna, Sauss. & Zehntn.** l. c. p. 136. n. 7 (1894). | Costa Rica. |
| 9. **A. Cayennensis, Sauss. & Zehntn.** l. c. n. 8 (1894). | Cayenne. |
| **10. **A. Semirufa, Westw.** l. c. p. 45, pl. 9. f. 2 (1889). | Amazons (Ega). |
| 11. **A. Amœnula, Gerst.** Mitth. Ver. Vorpomm. xx. p. 51 (1889); Sauss. & Zehntn. l. c. p. 137. n. 9 (1894). | Amazons (Pebas). |
| *12. **A. Cordilleræ, Sauss.** l. c. iii. p. 62 (1869): Mém. Mex., Mant. p. 34 (1871) (♂ nec ♀); Miss. Mex., Orth. p. 239, pl. 6. f. 17 (1872) (♂ nec ♀); Sauss. & Zehntn. l. c. p. 137. n. 10 (1894). | Vera Cruz. |
| **13. **A. Vitrea, Sauss. & Zehntn.** l. c. p. 138. n. 11, pl. 6. f. 9 (1894). | Mexico to Panama. |
| *14. **A. Bimaculata, Sauss.** ll. cc. iii. p. 229 (1870); p. 39 (1871); p. 240 (1872): Sauss. & Zehntn. l. c. p. 138. n. 12 (1894). | S. Brazil, Paraguay. |
| 15. **A. Brevipennis, Sauss.** Miss. Mex., Orth. p. 241 (1872); Mém. Soc. Genève, xxiii. p. 21, pl. 9. f. 20 (1872). | Brazil. |

### Genus 57. **Tithrone.**

Stål, Bihang Svenska Akad. iv. (10) p. 42 (1877).

| | |
|---|---|
| *1. **T. Roseipennis, Sauss.** (*Acontista R.*) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870).<br>*T. Roseipennis, Sauss. & Zehntn.* Biol. Centr.-Amer., Orth. i. p. 139. n. 1 (1894). | Guiana. |

### Genus 58. **Archimantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. pp. 38, 237 (1871).

| | |
|---|---|
| *1. **A. Latistylus, Serv.** (*Mantis L.*) Ins. Orth. p. 179 (1839); McCoy, Prodr. Zool. Vict. xiii. pl. 130 (1886).<br>*A. Latystilus, Sauss.* l. c. p. 39 (1871). | Australia. |

*2. **A. Brunneriana, Sauss.** l. c. p. 277 (1871). N. Australia.

**3. **A. Monstrosa, Wood-Mason,** Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 1, 1 *a*, *b*: Westw. Rev. Mant. p. 9, pl. 3. f. 1 (1889). id. (Victoria R.).
*Mantis Fuscoelytris, McCoy,* l. c. text p. 4 (1886).

*4. **A. Armatus, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 76 (1877); Proc. Zool. Soc. Lond. 1878, p. 584, pl. 36, ff. 2, 2 *a*. N. Australia.

*5. **A. Sobrina, Sauss.** l. c. xxiii. p. 26 (1872). Swan River.

## Genus 59. **Pseudomantis.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. p. 34 (1871).

1. **P. (?) Brachyptera, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 586 (1899). S. Africa.

2. **P. (?) Menyharthi, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 246, pl. 7. f. 6 (1896). Zambesi.

*3. **P. Albofimbriata, Stål,** (*Mantis A.*) Eugenie's Resa, Ins. p. 312 (1858). Tasmania.
*P. Albofimbriata, Sauss.* Mém. Soc. Genève, xxi. p. 34, pl. 4. f. 7 (1871).

**4. **P. Victorina, Westw.** Rev. Mant. p. 37, pl. 9. f. 6 (1889). N. Australia.

5. **P. Apicalis, Sauss.** (*Mantis A.*) l. c. xxi. p. 291 (1871), xxiii. p. 48 (1872). Sydney.

## Genus 60. **Omomantis.** (*Type* no. 1.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 588 (1899).

1. **O. Zebrata, Charp.** (*Mantis Z.*) Orth. pl. 39 (1842). S. & E. Africa.
*Pseudomantis Zebrata, Sauss.* Mém. Soc. Genève, xxi. p. 37 (1871).
*Hierodula Suavis, Brancs.* Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 247, pl. 7. f. 7 (1895).
*O. Pardalina, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 589, pl. 37. f. 1 (1899).

| | |
|---|---|
| 2. **O. (?) Fasciata, Thunb.** (*Mantis F.*) Mém. Acad. Pétersb. v. p. 292 (1815). | Hab. ——? |
| 3. **O. (?) Ocellaria, Drury,** (*Mantis O.*) Ill. Exot. Ent. iii. pl. 43. f. 1 (1782).<br>*Mantis (Harpax) Ocellaria, Westw.* ed. Drury, l. c. iii. p. 57, pl. 43. f. 1 (1837); Duncan, Jardine, Nat. Libr., Ins. i. p. 232, pl. 7. f. 3 (1840). | Sierra Leone. |

## Genus 61. **Statilia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 36 (1877).
*Pseudomantis*, pt., *Sauss.* Mém. Soc. Genève, xxi. p. 31 (1871); Mel. C I. P. Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

| | |
|---|---|
| *1. **S. Nemoralis, Sauss.** (*Pseudomantis N.*) Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 35, 275, pl. 4. f. 8, pl. 5. f. 33 (1871).<br>♂. *Mantis Orientalis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870). | Manilla, Japan. |
| *2. **S. Maculata, Thunb.** (*Mantis M.*) Nov. Spec. Ins. iii. p. 61 (1784); Mém. Soc. Pétersb. v. p. 291 (1815); Oliv. Enc. Méth., Ins. vii. p. 634, n. 46 (1792); Haan, Temminck, Verhandel., Orth. p. 77, pl. 18. f. 5 (1842).<br>*S. Maculata, Bol.* Ann. Soc. Ent. France, 1897, p. 309.<br>*Pseudomantis Haani, Sauss.* Mém. Soc. Genève, xxi. pp. 37, 276 (1871), xxiii. p. 24 (1872); Jacobs. & Bianki, l. c. p. 148 (1902). | Japan, China, India, Malacca, Burma, Java, Borneo, Celebes. |

## Genus 62. **Euchomena.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 45 (1871); Sauss. & Zehntn., Grandidier, Hist. Madagascar, Orth. i. p. 177 (1895).

| | |
|---|---|
| *1. **E. Thoracica, Haan,** (*Mantis (Thespis) T.*) Temminck, Verhandel., Orth. p. 94 (1842).<br>*E. Thoracica, Wood-Mason,* Ann. Nat. Hist. (5) i. p. 143 (1878); Journ. Asiatic Soc. Bengal, li. p. 27 (1882). | Java, Borneo, Singapore. |

| | |
|---|---|
| *Mantis Heteroptera, Haan,* l. c. p. 78, pl. 18. f. 1 (nec 2) (1842).<br>*E. Moluccarum, Sauss.* Mém. Soc. Genève, xxiii. p. 27, pl. 8. f. 5 (1872); Sauss. & Zehntn. l. c. p. 179 (1895). | |
| 2. **E. Manillensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 236 (1870): Mém. Soc. Genève, xxi. p. 47, pl. 6. f. 44 (1871). | Manilla. |
| 3. **E. Heteroptera, Haan,** (*Mantis H.*) l. c. p. 78, pl. 18. f. 2 (1842).<br>*E. Heteroptera, Sauss.* Mém. Soc. Genève, xxi. p. 48 (1871).<br>*E. Confusa, Westw.* Rev. Mant. p. 9 (1889). | Sunda Isl., Celebes, Tondano. |
| 4. **E. Macrops, Sauss.** (*Miopteryx* (?) *M.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870),<br>*E.* (?) *Macrops, Sauss.* Mém. Soc. Genève, xxi. p. 48, pl. 6. ff. 43, 43 *a*, *b* (1871). | Cochin China. |
| 5. **E. Madecassa, Sauss.** ll. cc. p. 236 (1870); p. 41, pl. 6. f. 45 (1871); Sauss. & Zehntn. l. c. p. 179, pl. 10. f. 35 (1895). | Madagascar |

## Genus 63. **Stenopyga.** (*Type* no. 1.)

Karsch, Ent. Nachr. xviii. p. 146 (1892). 6 - 3517

| | |
|---|---|
| *1. **S. Extera, Karsch,** l. c. (1892); Berlin. Ent. Zeitschr. xxxix. p. 273, pl. 19. f. 5 (1894). | Cameroons, Gold Coast. |
| 2. **S. Casta, Gerst.** (*Euchomena* (?) *C.*) Mitth. Ver. Vorpomm. xiv. p. 83 (1883). | Fernando Po. |

## Genus 64. **Mesopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 40 (1871).

| | |
|---|---|
| 1. **M. Alata, Sauss.** ll. cc. p. 235 (1870); p. 40, pl. 5. f. 34 (1871). | Manilla, India. |
| *2. **M. Platycephala, Stål,** (*Tenodera P.*) Bihang Svenska Akad. iv. (10) p. 56 (1877); Brunn. Ann. Mus. Geneva, xxxiii. p. 67, pl. 2. f. 21 (1893).<br>*M. Platycephala, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 34 (1882). | N. India, Tenasserim. |

| | |
|---|---|
| 3. **M. Robusta, Wood-Mason,** l. c. p. 36 (1882). | S. Andamans (?). |
| 4. **M. Fasciata, Oliv.** (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 6 (1792); Burm. l. c. p. 534. n. 23 (1838). | Java. |
| *Mantis Leptelytra, Licht.* Trans. Linn. Soc. Lond. vi. p. 20. n. 3 (1802). | |
| [illegible] *Mantis Attenuata, Stoll,* Spectres, Mantes, p. 13, pl. 5. f. 16 (1813). | |
| *Mantis Exsiccata, Serv.* Ins. Orth. p. 176 (1839). | [illegible] |

## Genus 65. **Tenodera.** (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 94, 292 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 148 (1902).

| | |
|---|---|
| 1. **T. Limbalicollis, Karsch,** Ent. Nachr. xviii. p. 7 (1892). | Cameroons (Kribi). |
| *2. **T. Capitata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. pp. 95, 293 (1871). | E. Africa, Congo (eadem ?). |
| *3. **T. Herbacea, Serv.** (*Mantis H.*) Ins. Orth. p. 177 (1839); Haan, Temminck, Verhandel., Orth. p. 72 (1842). | Senegal, Nyassa. |
| *T. Herbacea, Sauss.* Mém. Soc. Genève, xxi. pp. 98, 295 (1871). | |
| *4. **T. Costalis, Blanch.** (*Mantis C.*) Voy. Pôle Sud, Zool. iv. p. 353 (1853). | Ceram, Celebes, Ind., Siam, Java, &c. |
| ‖ *Mantis Fusca, Blanch.* l.c., Orth. pl. 2. ff. 1, 2 (1853). | |
| ‖ *Mantis Superstitiosa, Serv.* l.c. p. 176 (1839). | |
| ‖ *T. Superstitiosa,* var. *a, Sauss.* l. c. p. 296 (1871). | |
| ? *Mantis Religiosa, Stoll,* Spectres, Mantes, p. 63, pl. 21. f. 80 (1813). | |
| *5. **T. Superstitiosa, Fabr.** (*Mantis S.*) Spec. Ins. i. p. 348. n. 17 (1781); Oliv. Enc. Méth., Ins. vii. p. 632. n. 34 (1792). | Africa, Asia, Australia. |
| *T. Superstitiosa, Sauss.* l. c. pp. 99, 296 (1871); Shelford, Zoologist, (4) vii. pp. 293–303 (1903). | |
| 6. **T. Madagascariensis, Sauss. & Zehntn.** (*T. Superstitiosa* var. *Madagascariensis*) Grandidier, Hist. Madagascar, Orth. p. 207, pl. 9. f. 26 (1895). | Madagascar |
| 7. **T. Brevipennis, Sauss.** l. c. p. 297 (1871). | Africa (?). |

| | |
|---|---|
| *8. **T. Aridifolia, Stoll,** (*Mantis A.*) Spectres, Mantes. p. 65, pl. 22. f. 82 (1813); Serv. l. c. p. 178 (1839).<br>*T. Aridifolia, Sauss.* l. c. pp. 97, 294 (1871); Jacobs. & Bianki, l. c. p. 149 (1902).<br>*Mantis Chloreudeta, Burm.* l. c. p. 535. n. 24 (1839).<br>♂. *T. Angustipennis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869). | China, Japan, India, Java, &c. |
| 9. **T. Sinensis, Sauss.** (*T. Aridifolia*, var. *Sinensis*) Mém. Soc. Genève, xxi. p. 295, pl. 7. f. 62 (1871). | Ningpo. |
| *10. **T. Australasiæ, Leach,** (*Mantis A.*) Zool. Misc. i. pl. 34 (1814).<br>*T. Australasiæ, Sauss.* l. c. p. 96 (1871).<br>*Mantis Darchii, Macl.* King's Survey Coasts Austral. ii. p. 454. n. 111 (1827).<br>*Mantis Tessellata, Burm.* l. c. p. 535. n. 25 (1838). | Australia, Tasmania, New Zealand, Ternate, Ceram. N. Guinea. |
| 11. **T. Intermedia, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1869); Mém. Soc. Genève, xxi. p. 98 (1871). | N. Zealand. |

### Genus 66. **Polyspilota.** (*Type* no. 5.)

Burm. Handb. Ent. ii. p. 534 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 86, 286 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

| | |
|---|---|
| 1. **P. Muta, Wood-Mason,** (*Hierodula* (*Sphodromantis*) *M.*) Journ. Asiatic Soc. Bengal, li. p. 30 (1882). | Cameroons. |
| 2. **P. Gasconi, Rochebr.** Bull. Soc. Philom. (7) viii. p. 29 (1884). | Senegambia |
| *3. **P. Validissima, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 89 (1883); Westw. Rev. Mant. p. 12, pl. 10. ff. 4, 5 (1889). | Gold Coast, Ashanti. |
| 4. **P. Insignis, Wood-Mason,** l. c. p. 33 (1882). | Cameroons. |
| *5. **P. Variegata, Oliv.** (*Mantis V.*) Enc. Méth. vii. p. 638. n. 68 (1792); Beauv. Ins. Afr. Amér. p. 62, Orth. pl. 12. f. 4 (1805); Burm. l. c. p. 534. n. 21 (1838).<br>*Mantis Adspersa, Licht.* Trans. Linn. Soc. Lond. vi. p. 30. n. 30 (1802). | Africa, W. Asia, Borneo (eadem ?). |

*Mantis Striata, Stoll*, Spectres, p. 34, pl. 11. f. 41 (1813); Blanch. Hist. Nat. Ins. iii. p. 12. n. 4 (1840); Haan, Temminck, Verhandel. Orth. p. 73. n. 19 (1842).

*P. Striata, Sauss.* l. c. xxi. pp. 87, 198 (1871); Gerst. Mitth. Ver. Vorpomm. xiv. p. 89 (1883).

*6. **P. Pustulata, Stoll,** (*Mantis P.*) l. c. p. 59, pl. 20. f. 73 (1813); Serv. Ins. Orth. p. 186 (1839).
Africa, Madagascar

*P. Pustulata, Sauss.* Mém. Soc. Genève, xxi. pp. 87, 198 (1871).

*Mantis Catenata, Burm.* l. c. p. 534. n. 22 (1838).

*P. Æruginosa*, var. *Viridis, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 592 (1899); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 9 (1900).

*Mantis Varia, Burm.* l. c. p. 534. n. 20 (1838).

*M. Signata, Thunb.* Mém. Soc. Pétersb. v. p. 292 (1815).

*P. Æruginosa, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 205, pl. 8. f. 23 (1895); Jacobs. & Bianki, l. c. p. 149 (1902).

*P. Æruginosa*, var. *Fuscoirrorata, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 592 (1899).

?? *Mantis Æruginosa, Goeze*, Ent. Beytr. ii. p. 35. n. 29 (1778); Oliv. l. c. p. 642. n. 23 (1792); (Seba, Thesaurus, iv. p. 76, pl. 70. ff. 7, 8).

?? *Mantis Rubromaculata, Goeze*, l. c. n. 30 (1778); Oliv. l. c. n. 24 (1792); (Seba, l. c. ff. 9, 10).

*P. Caffra, Westw.* Rev. Mant. p. 35, pl. 11. f. 7 (1889).

*P. Æruginosa*, var. *Prasina, Sauss. & Zehntn.* l. c. p. 206 (1895).

*7. **P. Marginata, Fabr.** (*Mantis M.*) Suppl. Ent. Syst. p. 191 (1798).
Mauritius, Farquhar I.

? *Mantis Variegata, Serv.* l. c. p. 187 (1839).

8. **P. Saussurei, Borm.** Ann. Mus Genova, xvi. p. 209 (1880).
Shoa.

| | |
|---|---|
| 9. **P. Vicina, Serv.** (*Mantis V.*) l. c. p. 187 (1839). | Senegal. |
| 10. **P. Laticollis, Karsch,** Ent. Nachr. xviii. p. 147 (1892); Berlin. Ent. Zeitschr. xxxix. p. 274, pl. 19. f. 3 (1894). | |
| 11. **P. Flavipennis, Karsch,** ll. cc. p. 147 (1892); p. 274, pl. 20. f. 9 (1894). | id. |
| 12. **P. Marmorata, Schulth.** Bull. Soc. Vaud. xxxv. p. 192, pl. 8. f. 2 (1899). | Delagoa Bay. |
| 13. **P. Truncatipennis, Karsch,** ll. cc. p. 147 (1892); p. 193, pl. 20. f. 7 (1894). | Cameroons. |
| 14. **P. Calabarica, Westw.** l. c. p. 35, pl. 11. f. 2 (1889). | OldCalabar. |
| 15. **P. (?) Brunneriana, Sauss.** Mém. Soc. Genève, xxi. p. 286 (1871). | New Caledonia. |

## Genus 67. **Tarachomantis.** (*Type* no. 4*a*.)

Brancs. Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 176 (1893); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 188 (1895).

| | |
|---|---|
| 1. **T. Hova, Sauss. & Zehntn.** (*Hierodula H.*) l. c. p. 189, pl. 7. ff. 12, 13 (1895). | Madagascar |
| 2. **T. Sakalava, Sauss. & Zehntn.** (*Hierodula S.*) l. c. p. 190, pl. 8. f. 18 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 590 (1899). | id. |
| 3. **T. Betsilea, Sauss. & Zehntn.** (*Hierodula B.*) l. c. p. 191, pl. 8. ff. 16, 17 (1895). | id. |
| *4. **T. Caldwellii, Bates,** (*Mantis C.*) Proc. Zool. Soc. Lond. 1863, p. 479.<br>*Hierodula Caldwelli, Sauss. & Zehntn.* l. c. p. 192, pl. 8. f. 21 (1895).<br>*Hierodula Roseinervis, Stål*, Bihang Svenska Akad. iv. (10) p. 58 (1877). | id. |
| 4*a*. **T. Brunneri, Brancs.** l. c. p. 177, pl. 10. f. 1 (1893). | id. |
| *5. **T. Rubiginosa, Sauss. & Zehntn.** (*Hierodula R.*) l. c. p. 194 (1895). | id. |
| *6. **T. Betanimena, Sauss. & Zehntn.** (*Hierodula B.*) l. c. p. 196, pl. 8. f. 19 (1895). | id. |

| | |
|---|---|
| 7. **T. Malagassa, Sauss. & Zehntn.** (*Hierodula M.*) l. c. p. 197, pl. 8. f. 20 (1895); Sauss. l. c. p. 590 (1899). | Madagascar |
| 8. **T.** (?) **Macula, Sauss. & Zehntn.** (*Hierodula M.*) l. c. p. 199, pl. 8. ff. 14, 15 (1895). | id. |

## Genus 68. **Sphodropoda.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 56 (1877).

| | |
|---|---|
| *1. **S. Tristis, Sauss.** (*Mantis T.*) Mém. Soc. Genève, xxi. p. 93 (1871).<br>*S. Tristis, Westw.* Rev. Mant. p. 13, pl. 10. ff. 2, 9 (1889). | Australia, Fiji. |
| 2. **S. Dentifrons, Stål,** (*Hierodula D.*) l. c. p. 56 (1877). | Australia. |
| *3. **S. Quinquedens, Macl.** (*Mantis Q.*) King's Surv. Coasts Austral. ii. p. 454. n. 110 (1827).<br>*Hierodula Quinquedens, Sauss.* l. c. p. 78 (1871); Wood-Mason, Journ. Asiatic Soc. Bengal, li. p. 28 (1882). | id. |

## Genus 69. **Cilnia.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876).

| | |
|---|---|
| *1. **C. Humeralis, Sauss.** (*Cardioptera H.*) Mém. Soc. Genève, xxi. pp. 195, 281 (1871).<br>*C. Humeralis, Stål,* Bihang Svenska Handl. iv. (10) p. 53 (1877); Kirb. Ann. Nat. Hist. (7) iv. p. 349 (1899).<br>*Hierodula Brevipennis, Schulth.* Bull. Soc. Vaud. xxxv. p. 193, pl. 8. f. 3 (1899).<br>*Mantis Latipes, Stal,* l. c. iii. (14) p. 43 (1875).<br>*C. Latipes, Stal,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 71 (1876); Bihang Svenska Akad. iv. (10) p. 53 (1877). | Natal, Transvaal, Nyassa, Delagoa Bay. |

### Genus 70. **Sphodromantis.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 57 (1877); Sauss. & Zehntn. Grandidier, Hist. Madag., Orth. i. p. 185 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 149 (1902).

| | |
|---|---|
| *1. **S. Guttata, Thunb.** (*Mantis G.*) Mém. Acad. Pétersb. v. p. 290 (1815).<br>*Mantis Bioculata, Burm.* Handb. Ent. ii. p. 537. n. 34 (1838).<br>*Hierodula Bioculata, Sauss.* Mém. Soc. Genève, xxi. p. 71, pl. 5. ff. 20, 21 (1871); Bol. Sin. Ortópt. Españ. p. 56 (1876); Brunn. Prodr. Eur. Orth. p. 58, pl. 2. f. 13 (1882); Sauss. & Zehntn. l. c. p. 185, pl. 7. f. 10 (1895).<br>*S. Bioculata, Jacobs. & Bianki*, l. c. p. 149 (1902).<br>‖*Mantis Simulacrum, Serv.* Ins. Orth. p. 184 (1839).<br>Var. *Mantis Bimaculata, Burm.* l. c. p. 537. n. 35 (1838).<br>*Mantis Simulacrum*, var. *Zabou, Serv.* l. c. p. 185 (1839). | Malaga,<br>N. Africa,<br>Somali,<br>W. Asia,<br>Baltistan,<br>Ceylon. |
| 2. **S. Arabica, Wood-Mason,** (*Hierodula* (*Sphodromantis*) *A.*) Journ. Asiatic Soc. Bengal, li. p. 29 (1882).<br>‖*Hierodula Trimacula, Wood-Mason*, Ann. Nat. Hist. (5) i. p. 147 (1878). | Oman. |
| 3. **S. (?) Rudolfæ, Rehn,** (*Sphodropoda R.*) Proc. Acad. Philad. liii. p. 282 (1901). | Lake Rudolf. |
| *4. **S. Lineola, Burm.** (*Mantis L.*) l. c. p. 537. n. 33 (1838).<br>*Hierodula Lineola, Gerst.* Mitth. Ver. Vorpomm. xiv. p. 87 (1883). | W. Africa. |
| *5. **S. Gastrica, Stål,** (*Mantis G.*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858).<br>*Hierodula Gastrica, Sauss. & Zehntn.* l. c. p. 187 (1895).<br>*Hierodula Bicarinata, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. p. 74, pl. 5. f. 22 (1871).<br>*Hierodula* (*Sphodromantis*) *Bicarinata, Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 28 (1882). | S. & E. Africa. |

| | |
|---|---|
| *Mantis* (*Stagmatoptera*) *Kersteni*, *Gerst.* Arch. f. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen Ost-Afrika, Ins. p. 13 (1873). | |
| *6. **S. Christina, Kirb.,** n. n.<br>‖*Mantis Kersteni*, *Stål*, Bihang Svenska Akad. iv. (10) p. 57 (1877).<br>‖*Hierodula Kersteni*, *Sauss.* & *Zehntn.* l. c. p. 187 (1895). | Zanzibar,<br>B.E. Africa. |
| 7. **S. Muta, Wood-Mason,** (*Hierodula* (*Sphodromantis*) *M.*) l. c. p. 30 (1882).<br>*Polyspilota Picta*, *Gerst.* Mitth. Ver. Vorpomm. xiv. p. 88 (1883).<br>‖ *Hierodula Picta*, *Sjöst.* Bihang Svenska Akad. xxv. (4 : 6) p. 13 (1900).<br>*S.* (*Hierodula*) *Coxalis*, *Sauss.* & *Zehntn.* l. c. p. 200, pl. 9. f. 25 (1895). | Cameroons,<br>Gaboon. |
| 8. **S.** (?) **Voelzkowiana, Sauss.** (*Hierodula V.*) Abhandl. Senckenb. Ges. xxi. p. 591, pl. 37. ff. 2–4 (oothcca) (1899). | I. Aldabra. |
| 9. **S. Trimacula, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870); Mém. Soc. Genève, xxi. p. 82, pl. 5. f. 29 (1871). | China (?). |
| *10. **S. Transcaucasica, Brunn.** (*Hierodula T.*) Schneider, Naturw. Beitr. Kaukasusländer, p. 88 (1878); Jacobs. & Bianki, l. c. p. 150 (1902).<br>? *Hierodula Tenuidentata*, *Sauss.* Fedchenko, Reise Turk., Orth. p. 12 (1874). | Baku,<br>Turkestan,<br>Afghanistan<br>(eadem ?). |
| 11. **S. Tenuidentata, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869); Mém. Soc. Genève, xxi. pp. 75, 197, pl. 5. f. 25 (1871); xxiii. p. 40 (1872); Jacobs. & Bianki, l. c. p. 150 (1902). | Malabar,<br>Borneo. |
| **11 *a*. **S. Harpyia, Westw.** (*Hierodula H.*) Rev. Mant. p. 35, pl. 5. f. 3 (1889). | Ceylon. |

## Genus 71. **Arria.**

Stål, Bihang Svenska Akad. iv. (10) p. 20 (1877). o - 574

| | |
|---|---|
| 1. **A. Cinctipes, Stål,** l. c. p. 16 (1877); Wood-Mason, Cat. Mant. p. 50 (1891). | Manipur. |

### Genus 72. **Hierodula.** (*Type* no. 16 *a.*)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève. xxi. p. 65 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 38 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

| | |
|---|---|
| *1. **H. Coarctata, Sauss.** ll. cc. p. 67 (1869); p. 85, pl. 5. f. 24 (1871); (?) Westw. Rev. Mant. p. 34, pl. 4. f. 1 (1889). | India, Australia (eadem?). |
| *2. **H. Latipennis, Brunn.** Ann. Mus. Genova, xxxiii. p. 69, pl. 2. f. 22 (1893). | Burma. |
| *3. **H. Bipapilla, Serv.** (*Mantis B.*) Ins. Orth. p. 188 (1839).<br>*H. Bipapilla, Westw.* Rev. Mant. p. 34, pl. 5. f. 2 (1889); Jacobs. & Bianki, l. c. p. 150 (1902).<br>‖*H. Patellifera, Westw.* l. c. p. 35, pl. 4. f. 5 (1889). | Java, Siam, Lombok, Bouru. |
| *4. **H. Patellifera, Serv.** (*Mantis P.*) l. c. p. 185 (1839).<br>*H. Manillensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870).<br>‖*H. Bipapilla, Sauss.* Mém. Soc. Genève. xxi. pp. 79, 197. pl. 5. ff. 28, 28 (1871). | Java, Philippines. |
| *5. **H. Saussurei, Kirb.**, n. n.<br>4‖*H. Simulacrum, Sauss.* l. c. p. 77, pl. 5. ff. 23, 23 (1871). | China, Loochoo, Moulmein. |
| *6. **H. Dispar, Kirb.** Monograph of Christmas Island, p. 146 (1900). | Christmas I. |
| *7. **H. Raptoria, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. p. 38 (1877). | Philippines. |
| 8. **H. Biroi, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 61, pl. 1. f. 7 (1897).<br>*H. Punctipectus, Brunn.* Abh. Senckenb. Ges. xxiv. p. 212, pl. 16. f. 18 (1898). | N. Guinea, New Britain |
| 9. **H. Timorensis, Haan,** (*Mantis T.*) Temminck, Verhandel., Orth. p. 69 (1842).<br>*H. Timorensis, Sauss.* l. c. xxiii. p. 38, pl. 9. f. 24 (1872); Jacobs. & Bianki. l. c. p. 150 (1902).<br>*H. Robusta, Sauss.* l. c. xxi. p. 73. pl. 6. f. 53 (1871). | Timor, Amboina (eadem?). |

| | |
|---|---|
| *10. **H. Grandis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870) ; Mém. Soc. Genève, xxi. p. 80, pl. 5, ff. 27, 27 (1871). | Silhet,<br>Tenasserim. |
| 11. **H. Multispinulosa, Brunn.** Ann. Mus. Genova, xxxiii. p. 68 (1893). | Burma. |
| *12. **H. Unimaculata, Oliv.** (*Mantis U.*) Enc. Méth. vii. p. 640. n. 9 (1792).<br>‖*Mantis Simulacrum, Licht.* Trans. Linn. Soc. Lond. vi. p. 28. n. 24 (1802) ; Burm. l. c. p. 536. n. 32 (1838).<br>*Mantis Notata, Stoll,* Spectres, Mantes, p. 42*, pl. 12. f. 49 (1813).<br>*H. Notata, Sauss.* Mém. Soc. Genève, xxi. p. 83, pl. 5. ff. 31, 31 (1871) ; Wood-Mason, Ann. Nat. Hist. (5) i. p. 145 (1878). | Coromandel, Bombay, Tonkin. |
| *13. **H. Malaya, Stål,** Bihang Svenska Akad. iv. (10) p. 58 (1877). | Malacca. |
| 14. **H. Heterodera, Westw.** l. c. p. 34 (1889). | Bengal. |
| 15. **H. (?) Vitrea, Stoll,** (*Mantis V.*) l. c. p. 15, pl. 5. f. 19 (1813). | "Surinam." |
| *15*a*. **H. Hybrida, Burm.** (*Mantis H.*) l. c. p. 536. n. 31 (1839) ; Haan, l. c. p. 68. n. 6 (1842).<br>‖*H. Vitrea, Sauss.* Mém. Soc. Genève, xxi. p. 76, pl. 5. f. 26 (1871). | Siam,<br>Malacca,<br>Java,<br>Borneo,<br>Celebes. |
| 15*b*. **H. Novemdentata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869). | Syria (?). |
| 16. **H. Venosa, Oliv.** (*Mantis V.*) l. c. p. 639. n. 73 (1792).<br>*Mantis Conspurcata, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 36 (1796) ; Trans. Linn. Soc. Lond. vi. p. 29. n. 27 (1802).<br>*Mantis Punctata, Stoll,* l. c. p. 49, pl. 16. f. 60 (1813). | Coromandel |
| *16*a*. **H. Membranacea, Burm.** (*Mantis M.*) l. c. p. 536. n. 30 (1838).<br>*H. Membranacea, Sauss.* l. c. xxi. p. 81, pl. 5. f. 32 (1871).<br>‖*H. Birivia, Sauss.* l. c. xxiii. p. 41 (1872) ; Wood-Mason, l. c. (5) i. p. 146 (1878).<br>‖*Stagmatoptera Birivia, Sauss.* Mém. Mex., Mant. p. 89, pl. 1. f. 8 (1871).<br>*Stagmatoptera Veneratoria, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). | India,<br>Ceylon. |

| | |
|---|---|
| *17. **H. Daphne, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |
| **18. **H. Westwoodi, Kirb.,** n. n. | N. India. |
| ‖ *H. Simulacrum, Westw.* l. c. p. 34, pl. 4. f. 2, pl. 6. f. 5 (1889). | |
| 19. **H. Parviceps, Stål,** l. c. p. 38 (1877). | Philippines. |
| 20. **H. Bankæ, Gieb.** (*Mantis B.*) Zeitschr. ges. Naturw. xviii. p. 111 (1861). | Banka. |
| **20*a*. **H. Dyaka, Westw.** l. c. p. 34, pl. 6. f. 4 (1889); Shelford, Zoologist, (4) vii. pp. 293–299 (1903). | Borneo,<br>Sumatra,<br>Celebes. |
| *H. Modesta, Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 213, pl. 17. f. 20 (1898). | |
| *21. **H. Similis, Gieb.** (*Mantis S.*) l. c. p. 111 (1861). | Borneo. |
| *H. Gracilicollis, Stål,* Bihang Svenska Akad. iv. (10) p. 58 (1877). | |
| *H. Stigmata, Brunn.* l. c. p. 214, pl. 17. f. 2 (1898). | |
| *22. **H. Fuscescens, Blanch.** (*Mantis F.*) Voy. Pôle Sud, Zool. iv. p. 354, pl. 1. f. 5 (1853). | Fiji,<br>Solomon Is.<br>(eadem ?). |
| *H. Fuscescens, Sauss.* Mém. Soc. Genève, xxi. p. 81, pl. 5. f. 30 (1871). | |
| 23. **H. Lævicollis, Sauss.** l. c. p. 82 (1871). | Amboina. |
| *24. **H. Ovata, Sauss.** l. c. p. 285, pl. 7. f. 60 (1871). | id.,<br>Ceram. |
| **25. **H. Aruana, Westw.** l. c. p. 35, pl. 4. f. 4 (1889). | Aru. |
| *H. Tertiata, Brunn.* l. c. p. 211, pl. 16. f. 16 (1898). | |
| *26. **H. Everetti, Kirb.,** n. n. | Borneo,<br>Alor. |
| ‖ *H. Notata, Brunn.* l. c. p. 215, pl. 17. f. 22 A (1898). | |
| 27. **H. Reticulata, Brunn.** l. c. p. 214, pl. 17. f. 22 (1898). | Lombok,<br>Sumbawa. |
| 28. **H. Obtusata, Brunn.** l. c. p. 213, pl. 17. f. 19 (1898). | N. Celebes. |
| 29. **H. Atrocoxata, Brunn.** l. c. p. 211. pl. 16. f. 15 (1898). | S. Celebes. |
| 30. **H. Purpurescens, Brunn.** l. c. p. 212, pl. 16. f. 17 (1898). | Minahassa,<br>Celebes. |
| *31. **H. Sternosticta, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 31 (1882). | Australia. |

### Genus 73. **Rhombodera.** (*Type* no. 4.)

Burm. Handb. Ent. ii. p. 536 (1838); Sauss. Mém. Soc. Genève, xxi. p. 68 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 59 (1877).

| | |
|---|---|
| *1. **R. Scutata, Karsch,** Ent. Nachr. xviii. p. 6 (1892). | Angola,<br>E. Africa. |
| *2. **R. Tectiformis, Sauss.** (*Hierodula T.*) Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870); Mém. Soc. Genève, xxi. p. 68. pl. 5. f. 19 (1871).<br>*Hierodula (Rhombodera) Tectiformis, Wood-Mason,* Proc. Zool. Soc. Lond. 1878, p. 580. | |
| *3. **R. Butleri, Wood-Mason,** (*Hierodula (Rhombodera) B.*) l. c. p. 580, pl. 36. ff. 3, 3 *a*, *b* (1878). | N. India. |
| *4. **R. Valida, Burm.** (*Mantis V.*) l. c. p. 536. n. 28 (1838).<br>*Mantis Basalis, Haan,* Temminck, Verhandel., Orth. p. 67 (1842).<br>*Hierodula Basalis, Stål,* l. c. p. 60. n. 21 (1877).<br>*R. Basalis, Westw.* Rev. Mant. p. 33, pl. 5. ff. 4, 5 (1889); Shelford, Zoologist, (4) vii. pp. 294, 299. f. 1 (1903). | Java,<br>Borneo,<br>Malay Peninsula.<br>Australia (?) |
| 5. **R. Saussurii, Kirb.,** n. n.<br>‖*Hierodula Valida, Sauss.* Mém. Soc. Genève, xxi. p. 69, pl. 5. f. 17 (1871). | Amboina. |
| 6. **R. Deflexa, Sauss.** (*Hierodula (Rhombodera) D.*) l. c. p. 283, pl. 7. f. 58 (1871). | Banka. |
| *7. **R. Laticollis, Burm.** (*Mantis L.*) l. c. p. 536. n. 29 (1838); Haan, l. c. p. 67 (1842). | Java,<br>Borneo. |
| *8. **R. Haanii, Kirb.,** n. n.<br>‖*Mantis Valida, Haan,* l. c. p. 66 (1842). | Timor,<br>Sumatra. |
| 9. **R. Medioconstricta, Westw.** l. c. p. 35, pl. 12. f. 4 (1889). | Flores. |
| *10. **R. Fratricida, Wood-Mason,** (*Hierodula (Rhombodera) F.*) l. c. p. 581, pl. 36. ff. 5, 5 *a* (1878). | Malabar,<br>Borneo. |
| *11. **R. Taprobanæ, Wood-Mason,** (*Hierodula T.*) Ann. Nat. Hist. (5) i. p. 146 (1878).<br>*Hierodula (Rhombodera) Taprobanæ, Wood-Mason,* Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 7, 7 *a*. | Ceylon,<br>Java. |

| | |
|---|---|
| 12. **R. Major, Sauss.** (*Hierodula* (*Rhombodera*) *M.*) l. c. xxi. p. 284, pl. 7. f. 59 (1871); xxiii. p. 37, pl. 9. f. 22 (1872). | Ternate, &c. |
| 13. **R. Titania, Stål,** (*Hierodula T.*) l. c. p. 59. n. 19 (1877). | Moluccas. |
| *14. **R. Extensicollis, Serv.** (*Mantis E.*) Ins. Orth. p. 189 (1839). | Java. |
| *Mantis Flava, Haan,* l. c. p. 68 (1842). | |
| *Hierodula* (*Rhombodera*) *Flava, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 31 (1882). | |
| *Mantis Macropsis, Gieb.* Zeitschr. ges. Naturw. xviii. p. 111 (1861). | |
| *Hierodula Macropsis, Sauss.* l. c. xxi. pp. 70, 284, pl. 5. f. 18 (1871). | |
| *Hierodula Rhomboidalis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 233 (1870). | |
| *Hierodula Lingulata, Stål,* l. c. p. 59. n. 18 (1877). | |
| 15. **R. Phryne, Stål,** (*Hierodula* (*Rhombodera*) *P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |
| *16. **R. Pustulifera, Wood-Mason,** (*Hierodula* (*Rhombodera*) *P.*) Proc. Zool. Soc. Lond. 1878, p. 583, pl. 36. ff. 6, 6 *a*. | Australia,<br>Bouru,<br>Obi, Kei. |
| *17. **R. Atricoxis, Wood-Mason,** (*Hierodula* (*Rhombodera*) *A.*) l. c. p. 582, pl. 36. ff. 4, 4 *a*, *b* (1878). | Australia. |
| *Mantis* (*Rhombodera*) *Atricoxis,* var. *Grandis, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 31 (1885). | |
| *18. **R. Tamolana, Brancs.** Jahresh. Ver. Trencsin. Com. xix.-xx. p. 62, pl. 1. f. 8 (1897). | N. Guinea. |
| **19. **R. Pectoralis, Westw.** l. c. p. 33, pl. 1. f. 7 (1889). [illegible] | id.<br>Lizard I. |

## Genus 74. **Mantis.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x,) i. p. 425 (1758); Geoffr. Hist. Ins. i. p. 399 (1762); Latr. Hist. Nat. Crust. Ins. iii. p. 273 (1802), xii. p. 105 (1804); Burm. Handb. Ent. ii. p. 530 (1838); Serv. Ins. Orth. p. 174 (1839); Sauss. Mém. Soc. Genève, xxi. p. 88 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 201 (1895); Brunn. Prodr. Eur. Orth. p. 58 (1882); Tümp. Geradfl. Mitteleurop. p. 235 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 150 (1902).

| | |
|---|---|
| *1. **M. Religiosa, Linn.** (*Gryllus* (*Mantis*) *Religiosus*) l. c. p. 426. n. 5 (1758).<br>——, *Rösel*, Insect. Belust. ii. Locust. Ind. pl. 1 (1749), iv. pl. 12 (1761).<br>*M. Religiosa*, *Sulz.* Gesch. Ins. p. 78, pl. 8. f. 4 (1776); Oliv. Enc. Méth. vii. p. 627. n. 10 (1792); Panz. Faun. Germ. fasc. l. pl. 8 (1798); Latr. l. c. xii. p. 109, pl. 94. f. 3 (1804); Guér. Icon. R. Anim., Ins. p. 327, pl. 52. f. 7 (1829–44); Burm. l. c. p. 535. n. 26 (1838); Serv. l. c. p. 193 (1839); Duncan, Nat. Libr., Ins. i. p. 233, pl. 8 (1840); Fisch. Waldh. Orth. Ross. p. 100, pl. 2. ff. 1, 2 (1846); Fisch. Orth. Eur. p. 129, pl. 2. ff. 6, 7, pl. 8. f. 1 (1853); Kitt. Bull. Mosc. xxii. p. 443, pl. 7. ff. 7, 8 (1849); Sauss. l. c. xxi. p. 91 (1871); Bol. Sin. Ortópt. Españ. p. 57, pl. 1. f. 23 (1876); Brunn. l. c. p. 59 (1882); Gerst. Mitth. Ver. Vorpomm. xiv. p. 86 (1883); Fin. Faune France, Orth. p. 87, pl. 3. f. 50 (1889); Tümp. l. c. p. 235, pl. 16 (1900); Jacobs. & Bianki, l. c. p. 151, pl. 4 (1902).<br>‖*M. Oratoria*, pt., *Fabr.* Syst. Ent. p. 276. n. 14 (1775); Oliv. l. c. p. 628. n. 11 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 28. n. 26 (1802).<br>*M. Maroccana*, *Thunb.* Mém. Acad. Pétersb. v. p. 287 (1815).<br>*M. Striata*, *Fabr.* Ent. Syst. ii. p. 20. n. 30 (1793).<br>*M. Radiata*, *Motsch.* Fisch. Waldh. l. c. p. 101, pl. 2. f. 3 (1846). | S. & Centr. Europe,<br>N. & W. Asia,<br>N. Africa. |
| 1 *a*. **M. Sancta, Fabr.** Mant. Ins. i. p. 228. n. 23 (1787); Oliv. l. c. p. 628. n. 14 (1792); Licht. l. c. p. 30. n. 33 (1802). | S. France. |
| *2. **M. Sacra, Thunb.** l. c. v. p. 289 (1815); Dist. Nat. in Transvaal, p. 258 (1892); Kirb. Ann. Nat. Hist. (7) iv. p. 348 (1899); Sauss. Fedchenko, Reise Turk., Orth. p. 12 (1874); Jacobs. & Bianki, l. c. p. 150 (1902).<br>? ‖ *Mantis Oratoria*, *Stoll*, Spectres, Mantes, p. 53, pl. 17. f. 61 (1813). | Africa,<br>India (?),<br>Borneo (?). |

| | |
|---|---|
| *2 *a*. **M. Pia, Serv.** l. c. p. 193 (1839) ; Stål, Œfv. Vet.-Akad. Förh. p. 391 (1871) ; Kirb. l. c. p. 348 (1899).<br>‖*M. Prasina, Sauss.* Mém. Soc. Genève, xxi. p. 93 (1871).<br>*M. Capensis, Sauss.* l. c. xxiii. p. 46 (1872). | Africa. |
| *3. **M. (?) Prasina, Serv.** l. c. p. 195 (1839) ; Sauss. Abhandl. Senckenb. Ges. xxi. p. 592 (1899) ; Sauss. & Zehntn. l. c. p. 203, pl. 9. f. 24 (1895).<br>*M. Callifera, Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 32 (1882).<br>*M. Emortualis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 68 (1869) ; Mém. Soc. Genève, xxi. p. 89, pl. 5. f. 37 (1871). | Mauritius, Bourbon, Madagascar S. Africa, Sierra Leone. |
| *4. **M. (?) Natalensis, Stål,** Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 391 (1871) ; Sauss. Mém. Soc. Genève, xxi. p. 288 (1871).<br>*M. Viridis, Sauss.* l. c. xxiii. p. 47 (1872) ; Sauss. & Zehntn. l. c. p. 201, pl. 8. f. 22 (1895). | Natal, Madagascar |
| 5. **M. Japonica, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869) ; Mém. Soc. Genève, xxi. p. 90 (1871) ; Jacobs. & Bianki, l. c. p. 151 (1902). | Japan. |
| 6. **M. Mandarinea, Sauss.** l. c. xxi. p. 289, pl. 7. f. 61 (1871) ; Jacobs. & Bianki, l. c. p. 151 (1902). | Ningpo. |
| *7. **M. Nobilis, Brunn.** Ann. Mus. Genova, xxxiii. p. 70, pl. 2. f. 23 (1893). | Bhamo, Sikhim. |
| 8. **M. Octospilota, Westw.** Rev. Mant. p. 35 (1889). | Adelaide. |
| 9. **M. (?) Monochroa, Montr.** Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 79 (1855). | Woodlark I. |

## Genus 75. **Callimantis.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) pp. 39, 61 (1877).

| | |
|---|---|
| 1. **C. Floridana, Scudd.** Canad. Ent. xxviii. p. 210 (1896). | Florida. |
| *2. **C. Antillarum, Sauss.** (*Mantis A.*) Rev. Zool. (2) xi. p. 60 (1859).<br>*Iris Antillarum, Sauss.* Mém. Mex., Mant. p. 105 (1871) ; Miss. Mex., Orth. p. 261, pl. 6. f. 16 (1872). | St. Thomas, Haiti; Brazil (?). |

### (Genus 76. **Stagmomantis.** (*Type* no. 4.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 56, 65 (1869); Mém. Mex., Mant. pp. 28, 42 (1871); Miss. Mex., Orth. pp. 233, 242 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 139 (1894).

| | |
|---|---|
| *1. **S. Nahua, Sauss.** ll. cc. p. 65 (1869); p. 45 (1871); p. 244, pl. 6. ff. 14, 15 (1872). | Mexico, Costa Rica, &c. |
| 2. **S. Vicina, Sauss.** ll. cc. p. 229 (1870); p. 46 (1871); p. 245 (1872). | Guatemala. |
| *3. **S. Heterogamia, Sauss. & Zehntn.** l. c. p. 142. n. 3, pl. 7. ff. 2, 3 (1894). | Panama. |
| 3 *bis.* **S. Theophila, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 563 (1904). | Costa Rica. |
| *4. **S. Carolina, Joh.** (*Gryllus Carolinus*) Amœn. Acad. vi. p. 396. n. 28 (1763).<br>*Gryllus Irroratus, Joh.* l. c. p. 397. n. 29 (1763).<br>*Mantis Irrorata, Oliv.* Enc. Méth., Ins. vii. p. 628. n. 12 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 21 (1802).<br>(?) *Mantis Nebulosa, Thunb.* Mém. Soc. Pétersb. v. p. 288 (1815).<br>*Mantis Carolina, Oliv.* l. c. p. 632. n. 31 (1792); Stoll, Spectres, Mantes, p. 70, pl. 24. f. 91 (1813); Burm. Handb. Ent. ii. p. 538. n. 38 (1838); Pack. Guide Stud. Ins. pp. 574, 575 (1869).<br>*Phasmomantis Carolina, Comst.* Man. Stud. Ins. p. 107, f. 116 (1895).<br>*S. Carolina, Sauss.* Mém. Mex., Mant. p. 47 (1871); Sauss. & Zehntn. l. c. p. 143. n. 4 (1894); Howard, Insect Book, p. 326, f. 215 (1902).<br>(?) *Mantis Fuscata, Weber,* Obs. Ent. p. 97 (1801).<br>*Mantis Conspurcata, Serv.* Ins. Orth. p. 190 (1839).<br>*Mantis Inquinata, Serv.* l. c. p. 191 (1839). | Southern United States, N. Mexico. |
| *5. **S. Tolteca, Sauss.** (*Mantis* (*Stagmatoptera*) *T.*) Rev. Zool. (2) xiii. p. 127 (1861).<br>*S. Tolteca, Sauss. & Zehntn.* l. c. p. 143. n. 5 (1894).<br>*S. Carolina,* var. *Tolteca, Sauss.* Mém. | Texas, Mexico, Central America, Panama. |

| | |
|---|---|
| Mex., Mant. p. 47 (1871); Miss. Mex., Orth. p. 247, pl. 5. f. 5, pl. 6. f. 12 (1872). | |
| 5*a*. **S. Wheelerii, Thom.** (*Mantis W.*) Wheeler, Rep. Expl. Surv. W. 100th Merid. v. Zool. p. 849 (1875). | Colorado(?). |
| *6. **S. Dimidiata, Burm.** (*Mantis D.*) Handb. Ent. ii. p. 539. n. 39 (1838); Berl. Ent. Zeitschr. viii. p. 237 (1864).<br>*Mantis Cuticularis, Serv.* l. c. p. 189 (1839). | Argentine Republic. |
| *7. **S. Ferox, Sauss.** (*Mantis F.*) Rev. Zool. (2) xi. p. 60 (1859).<br>‖*S. Dimidiata*, pt., *Sauss.* Mém. Mex., Mant. p. 48 (1871); Sauss. & Zehntn. l. c. p. 144. n. 6 (1894).<br>*S. Dimidiata*, var. *Ferox*, *Sauss.* Miss. Mex., Orth. p. 248, pl. 5. f. 6 (1872). | Carolina, Texas, Mexico, Cent. Amer. |
| *8. **S. Stollii, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869).<br>(?) *S. Dimidiata*, var. *e. Stollii*, *Sauss.* Mém. Mex., Mant. p. 49 (1871).<br>‖*Mantis Carolina*, *Stoll*, l. c. p. 71, pl. 24. f. 92 (1813). | Georgia, Virginia, Cuba. |
| **9. **S. Fraterna, Sauss. & Zehntn.** l. c. p. 144. n. 7, pl. 9. ff. 7, 8 (1894). | Mex., Guat., Brit. Hond. |
| **10. **S. Maya, Sauss. & Zehntn.** l. c. p. 145. n. 8, pl. 9. ff. 5, 6 (1894). | iid. |
| 11. **S. Cærulans, Sauss. & Zehntn.** l. c. n. 9, pl. 9. f. 9 (1894). | Central America(?). |
| **12. **S. Venusta, Sauss. & Zehntn.** l. c. n. 10. pl. 7. ff. 4, 5 (1894). | Guatemala. |
| *13. **S. Limbata, Hahn,** (*Mantis L.*) Icones, pl. A. f. 2 (1835).<br>*S. Limbata*, *Sauss.* Miss. Mex., Orth. p. 249, pl. 6. f. 11 (1872); Sauss. & Zehntn. l. c. p. 146. n. 11 (1894).<br>*Mantis Cellularis*, *Burm.* Handb. Ent. ii. p. 532. n. 12 (1838).<br>*Mantis Viridimargo*, *Burm.* l. c. n. 13 (1838).<br>*Mantis Latipennis*, *Burm.* l. c. p. 538. n. 37 (1838); Sauss. Mém. Mex., Mant. p. 52 (1871); Westw. Rev. Mant. p. 36, pl. 9. ff. 4, 5 (1889).<br>*Mantis Asteca*, *Sauss.* Rev. Zool. (2) xi. p. 60 (1859). | Mexico. |
| **14. **S. Montana, Sauss. & Zehntn.** l. c. p. 146, pl. 9. f. 4 (1894). | Mexico, Guatemala |

| | |
|---|---|
| *15. **S. Domingensis, Beauv.** (*Mantis D.*) Ins. Afr. Amér. p. 61, pl. 12. f. 2 (1805).<br>*S. Domingensis, Sauss.* Mém. Mex., Mant. p. 50 (1871); Miss. Mex., Orth. p. 245 (1872); Westw. l. c. p. 36, pl. 4. f. 3 (1889); Sauss. & Zehntn. l. c. p. 146. n. 13 (1894); Rehn. l. c. p. 564 (1904).<br>*Mantis Cubaensis, Haan*, Temminck, Verhandel., Orth. p. 74. n. 27 (1842). | Haiti,<br>Cuba. |
| 15 *a*. **S. Albimacula, Burm.** (*Mantis A.*) l. c. p. 534. n. 19 (1838). | Brazil. |
| **16. **S. Androgyna, Sauss. & Zehntn.** l. c. p. 147. n. 14, pl. 7. f. 1 (1894). | British Honduras. |
| 17. **S. (?) Thalassina, Burm.** (*Mantis T.*) l. c. p. 532. n. 8 (1838). | Brazil. |
| 18. **S. (?) Tripunctata, Burm.** (*Mantis T.*) l. c. n. 10 (1838). | Bahia. |
| 19. **S. (?) Conspersa, Burm.** (*Mantis C.*) l. c. p. 534. n. 18 (1838). | B. Aires. |
| 20. **S. (?) Marginata, Beauv.** (*Mantis M.*) l. c. p. 62, Orth. pl. 12. f. 3 (1805). | Haiti. |

### Genus 77. **Melliera.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 123 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 147 (1894).

| | |
|---|---|
| **1. **M. Atopogamia, Sauss.** l. c. p. 123 (1892); Sauss. & Zehntn. l. c. p. 148, pl. 7. ff. 7, 8 (1894). | Mexico,<br>Guatemala,<br>Nicaragua. |
| 2. **M. Major, Sauss.** (*Acontista M.*) Mém. Soc. Genève, xxiii. p. 22 (1872); Miss. Mex., Orth. p. 241 (1872).<br>*M. Major, Sauss. & Zehntn.* l. c. p. 149. n. 2 (1894). | Brazil. |

### Genus 78. **Phasmomantis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém. Soc. Genève, xxi. pp. 42, 278 (1871); Mém. Mex., Mant. p. 54 (1871); Miss. Mex., Orth. p. 251 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 149 (1894).

| | |
|---|---|
| *1. **P. Sumichrasti, Sauss.** (*Mantis (Cardioptera) S.*) Rev. Zool. (2) xiii. p. 126 (1861).<br>*P. Sumichrasti, Sauss.* Mém. Mex., Mant. | Mexico,<br>Texas, Brit. Honduras. |

| | |
|---|---|
| p. 55 (1871); Miss. Mex., Orth. p. 252. pl. 1. ff. 7, 8 (1872); Sauss. & Zehntn. l. c. p. 149. n. 1 (1894).<br>♂. *Mantis Mexicana, Sauss.* Rev. Zool. (2) xiii. p. 127 (1861). | |
| **2. **P. Championi, Sauss. & Zehntn.** l. c. p. 149. n. 2, pl. 7. f. 6 (1894). | Panama. |

## Genus 79. **Oxyothespis.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 234, 239 (1870).
*Oxythespis, Sauss.* Mém. Soc. Genève, xxi. p. 127 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 29 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

| | |
|---|---|
| *1. **O. Senegalensis, Sauss.** ll. cc. p. 239 (1870); p. 128, pl. 6. ff. 41, 41 *a*, *b* (1871). | Senegal, Abyssinia. |
| *2. **O. Granulata, Sauss.** ll. cc. p. 239 (1870); p. 128, pl. 6. ff. 40, 40 *a* (1871). | Senegal, Lagos. |
| 3. **O. Turcomaniæ, Sauss.** Mém. Soc. Genève, xxiii. p. 61 (1872); Fedchenko, Reise Turk., Orth. p. 19, pl. 1. f. 8 (1874); Jacobs. & Bianki, l. c. p. 151 (1902). | Turkestan. |

## Genus 80. **Nanomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. pp. 29, 115, 310 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

| | |
|---|---|
| *1. **N. Australis, Sauss.** l. c. pp. 117, 311, pl. 7. f. 64 (1871). | Australia. |
| 2. **N.** (?) **Snelleni, Sauss.** l. c. p. 313, pl. 7. f. 65 (1871). | Moluccas. |
| *3. **N.** (?) **Albella, Burm.** (*Mantis A.*) Handb. Ent. ii. p. 533. n. 15 (1838).<br>*Miopteryx Lactea, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870); Mém. Soc. Genève, xxi. p. 125. n. 5 (1871). Ref. only.<br>*Miopteryx Albella, Sauss.* l. c. xxiii. p. 72 (1872). | Java, Borneo, Sumatra, Singapore, Manilla. |
| 4. **N.** (?) **Miranda, Westw.** Rev. Mant. p. 19. n. 467 (1889).<br>*Miopteryx Mirandula, Westw.* l. c. p. 38 (1889). | Sumatra. |

| | |
|---|---|
| 5. **N.** (?) **Hemerobius, Stoll,** (*Mantis H.*) Spectres, Mantes, p. 40 (1788); Oliv. Enc. Méth., Ins. vii. p. 638. n. 70 (1792).<br>*Mantis Fenestrata, Stoll*, l. c. pl. 12. f. 46 (1813).<br>*Mantis Neuroptera, Licht.* Trans. Linn. Soc. Lond. vi. p. 31. n. 36 (1802). | Ceylon. |
| 6. **N.** (?) **Fragilis, Westw.** (*Musonia F.*) Rev. Mant. p. 31 (1889). | Sarawak. |
| 7. **N.** (?) **Gilolæ, Westw.** (*Musonia G.*) l. c. (1889). | Gilolo. |
| 8. **N.** (?) **Variipennis, Westw.** (*Musonia V.*) l. c. (1889). | Dorey. |
| 9. **N.** (?) **Bilineata, Westw.** (*Musonia B.*) l. c. (1889). | Sarawak. |

### Genus 81. **Stenomantis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxi. p. 311 (1871).

| | |
|---|---|
| *1. **S. Novæ-Guineæ, Haan,** (*Mantis N.*) Temminck, Verhandel., Orth. p. 76, pl. 17. f. 3 (1842).<br>*Miomantis Novæ-Guineæ, Sauss.* l. c. pp. 121, 308 (1871).<br>*Nanomantis Novæ-Guineæ, Sauss.* l. c. p. 314 (1871). | N. Guinea,<br>Waigiou,<br>Queensland. |
| 1 *a*. **S. Biseriata, Westw.** (*Nanomantis B.*) Rev. Mant. p. 32 (1889). | Rockhampton. |

### Genus 82. **Parathespis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); 0-15
Mém. Soc. Genève, xxi. p. 132 (1871).

| | |
|---|---|
| 1. **P. Humbertiana, Sauss.** ll. cc. p. 71 (1869); xxi. p. 133 (1871); xxiii. p. 63 (1872). | Ceylon. |

### Genus 83. **Hoplocorypha.** (*Type* no. 1.)

Stal, Œfv. Vet.-Akad. Förh. xxviii. p. 388 (1871); Sauss. Mém. Soc. Genève, xxiii. p. 63 (1872); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 208 (1895).

| | |
|---|---|
| *1. **H. Galeata, Gerst.** (*Mantis* (*Danuria*) *G.*) Arch. f. Nat. xxxv. p. 210 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 16 (1873). | Africa. |

| | |
|---|---|
| *Parathespis Galeata*, *Sauss.* l. c. xxi. p. 135 (1871), xxiii. p. 63 (1872). | |
| *Mantis Macra*, *Stål*, l. c. xiii. p. 169. n. 4 (1856). | |
| *H. Macra*, *Stål*, l. c. xxviii. p. 388 (1871); Sauss. & Zehntn. l. c. p. 209 (1895). | |
| 2. **H. Rapax, Sauss.** Ann. Mus. Genova, xvi. p. 211 (1881). | Shoa. |
| 3. **H. Bottegi, Sauss.** l. c. xxxv. p. 91 (1895). | Galla Land. |
| 4. **H. Boromensis, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 247, pl. 7. f. 8 *a–d* (1895). | Zambesi. |
| *5. **H. Grandis, Brancs.** l. c. p. 248, pl. 7. f. 9 *a–c* (1895). | id. |
| 6. **H. Aurita, Sauss. & Zehntn.** l. c. p. 210, pl. 9. f. 34 (1895). | Madagascar |
| 7. **H. Bispina, Sauss. & Zehntn.** l. c. p. 211, pl. 9. f. 33 (1895). | id. |

## Genus 84. **Fulcinea.**

Stål, Bihang Svenska Akad. iv. (10) p. 27 (1877).

| | |
|---|---|
| 1. **F. Alaris, Sauss.** (*Nanomantis A.*) Mém. Soc. Genève, xxi. p. 312 (1871). | Moluccas. |

## Genus 85. **Calidomantis.** (*Type* no. 3.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).
||*Miomantis*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. pp. 225, 228 (1870); Mém. Soc. Genève, xxi. p. 117 (1871); Rev. Suisse Zool. v. pp. 184, 788 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 53 (1877) (*nec Blanch.*).
||*Photina*, *Burm.* Handb. Ent. ii. p. 531 (1838).

| | |
|---|---|
| 1. **C. Armicollis, Karsch,** (*Miomantis A.*) Ent. Nachr. xviii. p. 148 (1892); Berl. Ent. Zeitschr. xxvii. p. 66 (1892), xxxix. p. 275, pl. 19. f. 4 (1894). | Cameroons. |
| 2. **C. Cephalotes, Gerst.** (*Miomantis C.*) Mitth. Ver. Vorpomm. xiv. p. 85 (1883); Sauss. Rev. Suisse Zool. v. p. 187 (1898). | id. |

| | |
|---|---|
| **3. **C. Fenestrata, Fabr.** (*Mantis F.*) Spec. Ins. i. p. 349. n. 13 (1781); Oliv. Enc. Méth., Ins. vii. p. 629. n. 18 (1792); Burm. Handb. Ent. ii. p. 531. n. 5 (1838).<br>*Miomantis Fenestrata, Sauss.* Mém. Soc. Genève, xxi. p. 119 (1871); Rev. Suisse Zool. v. p. 187 (1898).<br>*Mantis Nana, Stoll*, Spectres, Mantes, p. 66, pl. 22. f. 84 (1813).<br>*Mantis Vitrata, Oliv.* Enc. Méth., Ins. vii. p. 639. n. 1 (1792); Serv. Ins. Orth. p. 196 (1839).<br>*Mantis Forficata, Stoll*, l. c. p. 4, pl. 1. f. 2 (1813). | S. & E. Africa. |
| 4. **C. Lutescens, Sjöst.** (*Miomantis L.*) Bihang Svenska Akad. xxv. (4 : 6) p. 15 (1900). | Cameroons. |
| 5. **C. Preussi, Karsch,** (*Miomantis P.*) Berl. Ent. Zeitschr. xxxvii. p. 148 (1892), xxxix. p. 275, pl. 20. ff. 11, 12 (1894). | id. |
| 6. **C. Quadripunctata, Sauss.** (*Miomantis Q.*) Rev. Suisse Zool. v. p. 188 (1898). | S. Africa. |
| *7. **C. Monacha, Fabr.** (*Mantis M.*) Mant. Ins. i. p. 228. n. 21 (1787); Oliv. Enc. Méth., Ins. vii. p. 629. n. 15 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 32 (1802).<br>*Miomantis Monacha, Kirb.* Ann. Nat. Hist. (7) iv. p. 349 (1899). | S. & E. Africa. |
| 8. **C. Coxalis, Sauss.** (*Miomantis C.*) l. c. p. 189 (1898). | S. Africa. |
| *9. **C. Caffra, Sauss.** (*Miomantis C.*) Mém. Soc. Genève, xxi. p. 309 (1871); Rev. Suisse Zool. v. p. 195 (1898). | Natal. |
| 10. **C. Brevipennis, Sauss.** (*Miomantis B.*) Mém. Soc. Genève, xxiii. p. 68 (1872); Rev. Suisse Zool. v. p. 190 (1898). | Cape,<br>Natal,<br>Zanzibar. |
| *11. **C. Menelikii, Borm.** (*Miomantis M.*) Ann. Mus. Genova, xvi, p. 209, fig. (1881), xviii. p. 705 (1883); Sauss. Rev. Suisse Zool. v. p. 191 (1898). | Shoa. |
| 12. **C. Paykullii, Stål,** (*Miomantis P.*) Œfv. Vet.-Akad. Förh. xxviii. p. 392, note (1871); Sauss. l. c. p. 194 (1898). | Senegal (?). |

| | |
|---|---|
| *13. **C. Savignyi, Sauss.** (*Miomantis S.*) Mém. Soc. Genève, xxiii. p. 69, pl. 8. f. 15 (1872); Rev. Suisse Zool. v. p. 190 (1898); Westw. Rev. Mant. p. 37, pl. 10. f. 1 (1889). | Egypt,<br>Nubia,<br>Zululand. |
| 14. **C. Senegalensis, Schulth.** (*Miomantis S.*) Bull. Soc. Vaud. xxxv. p. 196 (1899). | Senegal. |
| *15. **C. Prasina, Burm.** (*Mantis P.*) l. c. p. 543. n. 55 (1838). | Natal. |
| ‖*Mantis Fenestrata*, *Charp.* Orth. pl. 40 (1842). | |
| *Miomantis Semialata*, *Sauss.* Mém. Soc. Genève, xxiii. p. 71, pl. 8. f. 14 (1872); Rev. Suisse Zool. v. p. 191, pl. 9. f. 1 (1898). | |
| *Miomantis Marginalis*, var., *Sauss.* Mém. Soc. Genève, xxi. p. 309 (1871). | |
| 16. **C. Saussurei, Schulth.** (*Miomantis S.*) l. c. p. 195 (1899). | id.,<br>Delagoa B. |
| *17. **C. Pellucida, Sauss.** (*Miopteryx P.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870). | Senegal,<br>S. Africa. |
| *Miomantis Pellucida*, *Sauss.* Mém. Soc. Genève, xxi. p. 119, pl. 5. ff. 38, 39 (1871); Rev. Suisse Zool. v. p. 191 (1898). | |
| 17*a*. **C. Clara, Serv.** (*Mantis C.*) l. c. p. 204 (1839). | Senegal. |
| 18. **C. Nyassensis, Sauss.** (*Miomantis N.*) Rev. Suisse Zool. v. p. 195 (1898). | Nyassa. |
| 19. **C. Scabricollis, Gerst.** (*Miomantis S.*) Mitth. Ver. Vorpomm. xiv. p. 84 (1883); Sauss. l. c. p. 192 (1898). | Gold Coast. |
| *20. **C. Pharaonis, Sauss.** (*Miomantis P.*) l. c. p. 193 (1898). | Egypt. |
| 21. **C. Gracilis, Karsch,** (*Miomantis G.*) Ent. Nachr. xviii. p. 149 (1892), xxxix. p. 275, pl. 20. f. 10 (1894). | Cameroons. |

## Genus 86. **Iris.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Soc. Genève, xxi. p. 105 (1871); Mém. Mex., Mant. p. 104 (1871); Miss. Mex., Orth. p. 261 (1872); Bol. Sin. Ortópt. Esp. p. 63 (1876); Brunn. Prodr. Eur. Orth. p. 60 (1882); Finot, Faune France, Orth. p. 88 (1890); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 151 (1902).

| | |
|---|---|
| *1. **I. Oratoria, Linn.** (*Gryllus* (*Mantis*) *Oratorius*) Syst. Nat. (ed. x.) i. p. 426. n. 6 (1758).<br>*Mantis Oratoria, Linn.* op. cit. (ed. xii.) i. (2) p. 690. n. 6 (1766) (*excl. syn.*); Charp. Hor. Ent. p. 89 (1825); Orth. pl. 16 (1842); Burm. Handb. Ent. ii. p. 540. n. 44 (1838); Serv. Ins. Orth. p. 195 (1839); Fisch. Orth. Eur. p. 127 (1853).<br>*Iris Oratoria, Sauss.* Mém. Soc. Genève, xxi. p. 106 (1871); Fedchenko, Reise Turk., Orth. p. 15 (1874); Bol. l. c. p. 64 (1876); Brunn. l. c. p. 61, pl. 2. f. 15 A, B (1882); Finot, l. c. p. 88, pl. 3. f. 51 (1890); Sharp, Cambridge Nat. Hist., Ins. i. p. 248, f. 140 (1895); Jacobs. & Bianki, l. c. p. 152, pl. 2 (1902).<br>*Mantis Bella, Germ.* Faun. Ins. Eur. fasc. 6, pl. 16 (1817).<br>*Mantis Minima, Charp.* Hor. Ent. p. 91 (1825); Burm. l. c. p. 531. n. 2 (1838); Fisch. Waldh. Orth. Ross. p. 105 (1846).<br>*Mantis Fenestrata, Brullé,* Exp. Morée, p. 84, pl. 29. f. 5 (1832).<br>*Mantis Polystictica, Fisch. Waldh.* l. c. p. 102, pl. 2. f. 4 (1846). | N. Africa,<br>S. Europe,<br>W. Asia. |
| 2. **I. Fasciata, Oliv.** (*Mantis F.*) Enc. Méth., Ins. vii. p. 640. n. 4 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 34 (1802).<br>*Mantis Strigosa, Stoll,* Spectres, Mantes, p. 56, pl. 18. f. 68 (1813).<br>*I. Strigosa, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869); Mém. Mex., Mant. p. 104 (1871). | Surinam,<br>Cayenne. |
| *3. **I. Orientalis, Wood-Mason,** Journ. Asiatic Soc. Bengal, li. p. 32 (1882). | India. |
| 4. **I. Masoni, Westw.** Rev. Mant. p. 32, pl. 1. f. 6 (1889). | id. |
| 5. **I. Rogenhoferi, Sauss.** Mém. Soc. Genève, xxiii. p. 55, pl. 8. f. 9 (1872). | Natal. |

## Genus 87. **Oxyophthalmus.** (*Type* no. 1.)

*Oxyophthalmus, Sauss.* Ann. Soc. Ent. France, (4) i. p. 469 (1861).

*Oxyophthalma, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 59 (1869); Mém. Soc. Genève, xxi. p. 270 (1871), xxiii. p. 12 (1872).

| | |
|---|---|
| 1. **O. Gracilis, Sauss.** Ann. Soc. Ent. France. (4) i. p. 470, pl. 11. f. 1 (1861): Mém. Soc. Genève, xxi. p. 271 (1871). | Ceylon. |
| 2. **O. Engæus, Wood-Mason,** Cat. Mant. p. 37, f. 28 (1889). | Nilgiris. |

## Genus 88. **Paroxyophthalmus.** (*Type* no. 1.)

Wood-Mason, Cat. Mant. p. 38 (1889).

| | |
|---|---|
| 1. **P. Collaris, Sauss.** (*Oxyophthalmus C.*) Mém. Soc. Genève, xxiii. p. 14, pl. 9. f. 17 (1872). | Sennaar. |
| 2. **P. (?) Savatieri, Rochebr.** (*Oxyophthalma S.*) Bull. Soc. Philom. (7) vii. p. 176 (1883). | Senegambia |

## Genus 89. **Episcopus.**

Sauss. Mém. Soc. Genève, xxiii. p. 12 (1872).

| | |
|---|---|
| *1. **E. Chalybeus, Burm.** (*Schizocephala Chalybea*) Handb. Ent. ii. p. 552. n. 2 (1838).<br>*Oxyophthalma Chalybea, Sauss.* l. c. p. 12, pl. 8. ff. 2, 2 *a* (1872).<br>*E. Chalybeus, Wood-Mason,* Journ. Asiatic Soc. Bengal, li. p. 24 (1882); Cat. Mant. p. 38, f. 29 (1889). | S. & E. Africa. |

## Genus 90. **Paraepiscopus.** /

Wood-Mason, Cat. Mant. p. 39 (1889). 0-1607

| | |
|---|---|
| 1. **P. Hampsoni, Wood-Mason,** l. c. p. 40, f. 30 (1889). | Nilgiris. |

### Genus 91. **Dysaules.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 15 (1877); Wood-Mason, Cat. Mant. p. 41 (1889).

| | |
|---|---|
| *1. **D. Longicollis, Stål,** l. c. p. 18 (1877); Wood-Mason, l. c. p. 41, f. 31 (1889).<br>*D. Longicollis*, var. *Brevipennis*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 25 (1882). | India. |
| *2. **D. Himalayanus, Wood-Mason,** Cat. Mant. p. 42, ff. 42, 43 (1889).<br>‖*D. Longicollis*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, li. p. 25 (1882). | N.W. India, Quetta. |

### Genus 92. **Schizocephala.**

Serv. Ann. Sci. Nat. xxii. p. 55 (1831); Ins. Orth. p. 166 (1839); Burm. Handb. Ent. ii. p. 552 (1838); Sauss. Mém. Soc. Genève, xxi. p. 135 (1871).

| | |
|---|---|
| *1. **S. Bicornis, Linn.** (*Gryllus* (*Mantis*) *B.*) Syst. Nat. (ed. x.) i. p. 426. n. 8 (1758); Mus. Ludov. Ulr. p. 116 (1764); Oliv. Enc. Méth., Ins. vii. p. 632. n. 35 (1792).<br>*Mantis Oculata*, *Fabr.* Spec. Ins. i. p. 348. n. 16 (1781); Oliv. l. c. n. 33 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 20. n. 2 (1802); Stoll, Spectres, Mantes, pp. 32, 43, pl. 10. f. 38, pl. 13. f. 53 (1813).<br>*S. Bicornis*, *Burm.* l. c. p. 552. n. 1 (1838); Serv. Ins. Orth. p. 167 (1839); Sauss. l. c. p. 137 (1871); Wood-Mason, Cat. Mant. p. 44, f. 34 (1889).<br>*Mantis Stricta*, *Oliv.* l. c. p. 641. n. 12 (1792).<br>*S. Stricta*, *Serv.* Ann. Sci. Nat. xxii. p. 56 (1831). | Africa,<br>India,<br>China. |

### Genus 93. **Leptocola.** (*Type* no. 1.)

Gerst. Mitth. Ver. Vorpomm. xiv. p. 91 (1883).

| | |
|---|---|
| *1. **L. Gracillima, Gerst.** l. c. p. 92 (1883).<br>*Euchomena Stanleyana*, *Westw.* Rev. Mant. p. 33 (1889). | Cameroons,<br>Congo,<br>Gaboon. |
| *2. **L. Giraffa, Karsch,** Berl. Ent. Zeitschr. xxxix. p. 277 (1894).<br>‖*L. Gracillima*, *Karsch*, Ent. Nachr. xviii. p. 11 (1892). | Cameroons. |
| 3. **L. Lignea, Karsch,** l. c. p. 12 (1892). | Tanganyika. |
| 4. **L. Seriepunctata, Karsch,** l. c. p. 10 (1892). | Chinchoxo. |
| 5. **L. Tenuissima, Karsch,** l. c. p. 146 (1892); Berlin. Ent. Zeitschr. xxxix. p. 276, pl. 19. f. 1 (1894). | Cameroons. |

### Genus 94. **Solygia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 32 (1877).
‖ *Thespis*, *Serv.* Ins. Orth. p. 171 (1839).

| | |
|---|---|
| 1. **S. Sulcatifrons, Serv.** (*Thespis S.*) l. c. p. 171 (1839). | Cape,<br>Senegal. |
| 2. **S. Agrionina, Gerst.** (*Mantis* (*Photina*) *A.*) Arch. Nat. xxxv. p. 209 (1869); Von der Decken, Reisen in Ost-Afrika, Ins. p. 13 (1873). | Zanzibar. |
| **3. **S. (?) Distanti, Kirb.** Ann. Nat. Hist. (7) iv. p. 350 (1899); Dist. Ins. Transv. p. 38, pl. 2. f. 5 (1902). | Transvaal,<br>Zululand. |
| 4. **S. Phthisica, Sauss.** (*Mantis P.*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869); Mém. Mex., Mant. p. 131 (1871). | W. Africa<br>(nec<br>Brazil). |
| 5. **S. (?) Bormantiella, Borm.** (*Thespis B.*) Ann. Mus. Genov. xvi. p. 210 (1881).<br>*Thespis Cormantiella*, *Westw.* Rev. Mant. p. 6 (1889). | Shoa. |

### Genus 95. **Teddia.**

Burr, Bull. Liverpool Mus. ii. p. 42 (1899) ;
Forbes, Nat. Hist. Sokotra, p. 415 (1903).

| | |
|---|---|
| **1. **T. Dioscoris, Burr,** ll. cc. p. 43 (1899) ; p. 416, pl. 25. ff, 3, 3 *a*, *b* (1903). | Sokotra. |

### Genus 96. **Brunneria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869), p. 240 (1870) ;
Mém. Mex., Mant. p. 132 (1871).

| | |
|---|---|
| *1. **B. Subaptera, Sauss.** ll. cc. p. 71 (1869); p. 133, pl. 2. f. 30 (1871). | Argentina. |
| *2. **B. Brasiliensis, Sauss.** ll. cc. p. 240 (1870) ; p. 135, pl. 2. ff. 31, 31*a* (1871). | Brazil. |
| 3. **B. Borealis, Scudd.** Canad. Ent. xxviii. p. 212 (1896). | Texas. |
| 4. **B. (?) Caudata, Sauss.** (*Thespis* (?) *C.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870).<br>*B.* (?) *Caudata, Sauss.* Mém. Mex., Mant. p. 136, pl. 2. f. 32 (1871). | Brazil. |

### Genus 97. **Thespis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 54 (1831) ; Burm. Handb. Ent. ii. p. 533 (1838), *sect. typ.*
*Angela, Serv.* Ins. Orth. p. 171 (1839) ; Sauss. Mém. Mex., Mant. p. 57 (1871) ; Miss. Mex., Orth. p. 271 (1872) ; Sauss. & Zehntn. Biol. Centr. Amer., Orth. i. p. 155 (1894) ; Stål, Bihang Svenska Akad. iv. (10) p. 41 (1877).

| | |
|---|---|
| *1. **T. Purpurascens, Oliv.** (*Mantis P.*) Enc. Méth., Ins. vii. p. 640. n. 7 (1792); Licht. Trans. Linn. Soc. vi. p. 20. n. 4 (1802) ; Burm. l. c. p. 533. n. 17 (1838).<br>*T. Purpurascens, Serv.* Ann. Sci. Nat. xxii. p. 54 (1831).<br>*Mantis Versicolor, Stoll,* Spectres, Mantes, p. 25, pl. 8. f. 28 (1813) ; Blanch. Hist. Ins. iii. p. 13. n. 7 (1841). | S. America. |

| | |
|---|---|
| *Angela Versicolor*, *Sauss.* Mém. Mex., Mant. p. 59 (1871) ; Westw. Rev. Mant. p. 5, pl. 3. ff. 2, 3 (1889).<br>♀. *Mantis Brachyptera*, *Stoll*, l. c. p. 58, pl. 19. f. 71 (1813).<br>*T. Brachyptera*, *Serv.* l. c. p. 173 (1839).<br>*Angela Brachyptera*, *Sauss. & Zehntn.* l. c. p. 156. n. 1 (1894). | |
| 2. **T. Fulgida, Sauss.** (*Angela F.*) Mém. Soc. Genève, xxiii. p. 61 (1872) ; Miss. Mex., Orth. p. 272 (1872) ; Sauss. & Zehntn. l. c. p. 157. n. 2 (1894). | Cayenne. |
| 3. **T. Quinquemaculata, Oliv.** (*Mantis Q.*) l. c. p. 636. n. 57 (1792) ; Stoll, l. c. p. 8, pl. 3. f. 9 (1813) ; Burm. l. c. p. 533. n. 16 (1838).<br>*Angela Quinquemaculata*, *Sauss. & Zehntn.* l. c. p. 157. n. 3 (1894).<br>*Mantis Picta*, *Licht.* l. c. p. 21. n. 5 (1802). | Surinam,<br>Cayenne. |
| **4. **T. Championi, Sauss. & Zehntn.** (*Angela C.*) l. c. p. 158. n. 4 (1894). | Guatemala |
| 5. **T. Miranda, Sauss.** (*Angela M.*) Mém. Mex., Mant. p. 60 (1871) ; Sauss. & Zehntn. l. c. p. 158. n. 6 (1894). | Mexico. |
| *6. **T. Perpulchra, Westw.** (*Angela P.*) l. c. p. 30 (1889); Sauss. & Zehntn. l. c. p. 158. n. 7, pl. 8. f. 1 (1894). | Nicaragua. |
| 7. **T. Trifasciata, Stål,** l. c. p. 62 (1877). | Bahia. |

### Genus 98. **Eremoplana.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

| | |
|---|---|
| *1. **E. Guerini, Reiche & Fairm.** (*Thespis G.*) Ferret & Galinier, Voy. Abyss. iii. p. 422, pl. 27. f. 4 (1847).<br>*E. Guerini*, *Westw.* Rev. Mant. pp. 8, 33, pl. 11. f. 5 (1889).<br>*Iris (Fischeria) Guerini*, *Sauss.* Mém. Soc. Genève, xxi. p. 306 (1871).<br>*Mantis Perfida*, *Guér.* Lefebvre, Voy. Abyss. vi. p. 334, pl. 6. f. 1 (1848). | Abyssinia,<br>E. Africa. |
| 2. **E. Gigas, Sauss.** (*Brunneria G.*) Mitth. Schweiz. Ent. Ges. iii. p. 240 (1869).<br>*Iris (Fischeria) Gigas*, *Sauss.* Mém. Soc. Genève, xxi. p. 307 (1871). | Africa (?). |

| | |
|---|---|
| **3. **E. Microptera, Westw.** l. c. pp. 9, 32, pl. 3. f. 4 (1889). | India. |
| 4. **E.** (?) **Basalis, Westw.** (*Phasmomantis B.*) l. c. pp. 10, 33, pl. 13. f. 4 (1889). | Darjiling. |
| 5. **E. Armata, Haan,** (*Mantis* (*Thespis*) *A.*) Temminck, Verhandel., Orth. p. 95 (1842). | Hab. —— ? |
| 5*a*. **E. Laticeps, Wood-Mason,** (*Fischeria L.*) Ann. Nat. Hist. (4) xviii. p. 337 (1876), (5) i. p. 144 (1878).<br>*Deiphobe Laticeps, Wood-Mason,* Proc. Zool. Soc. Lond. 1878, p. 580, pl. 35.<br>(?) *Mantis Ocellata, Thunb.* Mém. Acad. Pétersb. v. p. 293 (1815). | India. |

## Genus 99. **Deiphobe.**

Stål, Bihang Svenska Akad. iv. (10) p. 33 (1877).

| | |
|---|---|
| *1. **D. Ocellata, Sauss.** (*Thespis O.*) Mém. Soc. Genève, xxi. pp. 130, 306 (1871). | India. |

## Genus 100. **Ischnomantis.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxviii. p. 389 (1871).

| | |
|---|---|
| 1. **I. Fatiloqua, Stål,** (*Mantis F.*) l. c. xiii. p. 168 (1856), xxviii. p. 389 (1871). | Natal. |
| 2. **I. Spinigera, Schulth.** Ann. Mus. Genova, xxxix. p. 176 (1898). | Somali. |
| 3. **I. Media, Rehn,** Proc. Acad. Sci. Philad. liii. p. 284 (1901). | Galla Land. |
| 4. **I. Grandis, Sauss.** (*Phasmomantis G.*) Mitth. Schweiz. Ent. Ges. iii. p. 69 (1869); Mém. Soc. Genève, xxi. p. 43 (1871) ; Mém. Mex., Mant. p. 57 (1871).<br>*Fischeria Grandis, Sauss.* Mém. Soc. Genève, xxiii. p. 60, pl. 1. f. 10 (1872). | Senegal. |

## Genus 101. **Carvilia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876) ; Bihang Svenska Akad. iv. (10) p. 29 (1877).

*Parasphendale, Schulth.* Ann. Mus. Genova, xxxix. p. 177 (1898). (*Type* no. 1.)

| | |
|---|---|
| *1. **C. Vincta, Gerst.** (*Mantis V.*) Arch. f. Naturg. xxxv. p. 209. n. 21 (1859) ; Von | E. Africa. |

| | |
|---|---|
| der Decken, Reisen in Ost-Afrika, Ins. p. 14, pl. 1. f. 6 (1873). | |
| *C. Vincta, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 587 (1899). | |
| **2. **C. Costalis, Kirb.** Ann. Nat. Hist. (7) xiii. p. 85 (1904). | E. Africa. |
| *Mantis Vincta,* var. *a, Gerst.* ll. cc. p. 210 (1859) ; pp. 14, 15 (1873). | |
| 3. **C. Saussurii, Stål,** (*Fischeria* (*Carvilia*) *S.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 70 (1876). | Damara Land. |
| 4. **C. Minor, Schulth.** (*Parasphendale M.*) l. c. p. 177 (1898). | Somali Land. |
| **5. **C. Obscura, Fabr.** (*Mantis O.*) Spec. Ins. i. p. 349. n. 21 (1781). | W. Africa. |

### Genus 102. **Dactylopteryx.**

Karsch, Ent. Nachr. xviii. p. 8 (1892).

| | |
|---|---|
| 1. **D. Flexuosa, Karsch,** l. c. p. 10 (1892). | Gaboon. |

### Genus 103. **Bisanthe.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 72 (1876).

| | |
|---|---|
| 1. **B. Pulchripennis, Stål,** (*Mantis P.*) Bihang Svenska Akad. iii. (14) p. 43 (1875). | Damara Land. |
| *B. Pulchripennis, Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 72 (1876). | |
| 2. **B. Ornatipennis, Bol.** Ann. Soc. Ent. France, 1893, p. 174. | W. Africa. |

### Genus 104. **Fischeria.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869) ; Mém. Soc. Genève, xxi. pp. 106, 300 (1870) ; Brunn. Prodr. Eur. Orth. p. 64 (1882) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 153 (1902).

| | |
|---|---|
| *1. **F. Bætica, Ramb.** (*Mantis B.*) Faune Andalusie, ii. p. 19, pl. 1. ff. 1, 2 (1839) ; Luc. Expl. Alg. iii. p. 11 (1849) ; Fisch. Orth. Eur. p. 128, pl. 8. ff. 2, 3 (1853). | S. Europe, N. Africa, W. Asia. |

| | |
|---|---|
| *Iris Bætica*, *Sauss.* Mém. Soc. Genève, xxi. pp. 108, 302 (1871). | |
| *Iris* (*Fischeria*) *Bætica*, *Bol.* Sin. Ortópt. Españ. p. 64 (1876). | |
| *F. Bætica*, *Sauss.* Fedchenko, Reise Turk., Orth. p. 16 (1874); Jacobs. & Bianki, l. c. p. 153 (1902). | |
| *Mantis Pallasii*, *Fieb.* Lotos, iii. p. 95. n. 3 (1858). | |
| *2. **F. Syriaca, Sauss.** (*Iris S.*) Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869). | Syria. |
| 3. **F. Caucasica, Sauss.** (*Iris C.*) Mém. Soc. Genève, xxi. p. 110 (1871). | Caucasus,<br>W. Asia. |
| *F. Caucasica*, *Sauss.* Fedchenko, Reise Turk., Orth. p. 17 (1874); Jacobs. & Bianki, l. c. p. 153 (1902). | |
| *4. **F. Fraterna, Sauss.** (*Iris F.*) Mém. Soc. Genève, xxi. p. 109 (1871). | India,<br>Arabia. |

### Genus 105. **Bolivaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877); Brunn. Prodr. Eur. Orth. p. 62 (1882); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 152 (1902).

| | |
|---|---|
| 1. **B. Brachyptera, Pall.** (*Mantis B.*) Reise, ii. p. 728. n. 81 (1773); Goeze, Ent. Beytr. ii. p. 32. n. 19 (1778); Fisch. Waldh. Orth. Ross. p. 103, pl. 5. f. 3 (1846). | S.E. Europe<br>N. Africa,<br>W. Asia. |
| *Iris Brachyptera*, *Sauss.* Mém. Soc. Genève, xxi. p. 112 (1871). | |
| *Mantis Commutata*, *Fieb.* Lotos, iii. p. 95. n. 4 (1853). | |
| *Iris Pallasii*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 65 (1869). | |
| *Mantis Mesomelas*, *Oliv.* Enc. Méth., Ins. vii. p. 635. n. 54 (1792). | |
| *Mantis Nympha*, *Stoll*, Spectres, Mantes, p. 10, pl. 4. f. 12 (1813). | |
| *Coptopteryx*(?) *Stollii*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870). | |
| *Coptopteryx* (?) *Mesomelas*, *Sauss.* Mém. Mex., Mant. p. 68 (1871). | |

| | |
|---|---|
| *Fischeria Brachyptera, Sauss.* Fedchenko, Reise Turk., Orth. p. 18 (1874). | |
| *B. Brachyptera, Brunn.* l. c. p. 62, pl. 2. f. 16 (1882); Jacobs. & Bianki, l. c. p. 152 (1902). | |
| 2. **B. Moseri, Sauss.** (*Iris M.*) Mém. Soc. Genève, xxi. p. 114 (1871). | Samarcand. |
| *Fischeria Moseri, Sauss.* Fedchenko, l. c. p. 18 (1874). | |
| *B. Moseri, Jacobs. & Bianki,* l. c. p. 152 (1902). | |
| 3. **B. Dolichoptera, Schulth.** Zool. Jahrb. Syst. viii. p. 71 (1894). | Somali Land. |

### Genus 106. **Sphendale.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) p. 34 (1877).

| | |
|---|---|
| 1. **S. Infuscata, Sauss.** (*Phasmomantis I.*) Mitth. Schweiz. Ent. Ges. iii. p. 235 (1870); Mém. Soc. Genève, xxi. p. 44 (1871). | India. |
| *Iris (Fischeria) Infuscata, Sauss.* Mém. Soc. Genève, xxi. p. 303 (1871). | |
| *S. Infuscata, Bol.* Ann. Soc. Ent. France, 1897, p. 312. | |
| *2. **S. Xanthoptera, Oliv.** (*Mantis X.*) Enc. Méth., Ins. vii. p. 637. n. 61 (1792). | id. |
| *Mantis Ochroptera, Licht.* Trans. Linn. Soc. Lond. vi. p. 29. n. 29 (1802). | |
| *Mantis Nympha, Stoll,* Spectres, Mantes, p. 19, pl. 6. f. 22 (1813). | |
| *S. Xanthoptera, Kirb.* Ann. Nat. Hist. (7) xiii. p. 85 (1904). | |
| **3. **S. Robusta, Kirb.** l. c. p. 86 (1904). | Nepal. |
| 4. **S. (?) Brunneri, Sauss.** (*Iris (Fischeria) B.*) l. c. p. 304 (1871). | Himalaya. |

### Genus 107. **Gonatista.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 54 (1869); Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 230 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 40 (1877).

| | |
|---|---|
| *1. **G. Grisea, Fabr.** (*Mantis G.*) Ent. Syst. ii. p. 22. n. 40 (1793).<br>*G. Grisea, Sauss.* Mém. Mex., Mant. p. 23 (1871); Miss. Mex., Orth. p. 231, pl. 5. ff. 1, 2 (1872).<br>*Mantis Reticulata, Thunb.* Mém. Acad. Pétersb. v. p. 288 (1815).<br>*Mantis Phryganoides, Serv.* Ins. Orth. p. 198 (1839).<br>*Mantis Bifasciata, Haan,* Temminck, Verhandel., Orth. p. 78 (1842).<br>*G. Cubensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869). | N. America, Cuba, Jamaica, &c. |
| 2. **G. Trifasciata, Haan,** (*Mantis T.*) l. c. p. 77 (1842).<br>*G.* (?) *Trifasciata, Sauss.* Mém. Mex., Mant. p. 27 (1871). | Brazil. |

### Genus 108. **Majanga.** (*Type* no. 2.)

Wood-Mason, Cat. Mant. pl. 1. f. 8 (1891).
*Pantelica, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 159 (1895).

| | |
|---|---|
| 1. **M. Tricolor, Sauss. & Zehntn.** (*Pantelica T.*) l. c. p. 162, pl. 9. f. 32 (1895). | Madagascar |
| 2. **M. Basilaris, Westw.** (*Epaphrodita B.*) Rev. Mant. p. 45, pl. 1. f. 2 (1889).<br>*Pantelica Basilaris, Sauss. & Zehntn.* l. c. p. 163 (1895).<br>*M. Basilaris, Wood-Mason,* l. c. pl. 1. ff. 8, 8 *a*, *b* (1891). | id. |

### Genus 109. **Hagiomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 158 (1894).

| | |
|---|---|
| 1. **H. Ornata, Stoll,** (*Mantis O.*) Spectres, Mant. p. 57, pl. 19. f. 69 (1813).<br>*Mantis Ornata, Serv.* Ins. Orth. p. 192 (1839).<br>*Gonatista Ornata, Sauss.* Mém. Mex., Mant. p. 25 (1871); Westw. Rev. Mant. p. 4, pl. 13. f. 7 (1889). | "India," "Cape," Cayenne, Bolivia, Ega (eadem?). |
| *2. **H. Superba, Gerst.** (*Liturgusa S.*) Mitth. Ver. Vorpomm. xx. p. 53 (1889). | Peru, Ega. |

| | |
|---|---|
| 3. **H. Lutescens, Guér. & Perch.** (*Mantis L.*) Gen. Ins., Orth. pl. 3 (1835).<br>*Liturgousa Lutescens, Sauss.* l. c. p. 103 (1871). | Cayenne. |
| 4. **H. Nubeculosa, Gerst.** (*Liturgusa N.*) l. c. p. 54 (1889). | Ega. |
| 5. **H. Surinamensis, Sauss.** (*Liturgousa S.*) Miss. Mex., Orth. p. 260 (1872). | Surinam. |

## Genus 110. **Liturgousa.** (*Type* no. 3.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 55 (1869); Mém. Mex., Mant. p. 100 (1871); Miss. Mex., Orth. p. 259 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 157 (1895).

| | |
|---|---|
| *1. **L. Annulipes, Serv.** (*Mantis A.*) Ins. Orth. p. 199 (1839); (?) Charp. Orth. pl. 28 (1843).<br>*L. Annulipes, Sauss.* Mém. Mex., Blatt. p. 102 (1871); Westw. Rev. Mant. p. 4, pl. 2. f. 3 (1889). | Cayenne,<br>Brazil. |
| 2. **L. Lichenalis, Gerst.** Mitth. Ver. Vorpomm. xx. p. 52 (1889). | Peru. |
| *3. **L. Cayennensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 62 (1869); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 159 (1894). | Cayenne,<br>Panama,<br>Amazons. |
| **4. **L. Maya, Sauss. & Zehntn.** (*L. Cayennensis*, var. *Maya*) l. c. p. 160 (1894). | Mex., Guat.,<br>Brazil. |
| 5. **L. Mesopoda, Westw.** l. c. p. 30, pl. 13. f. 10 (1889). | Cayenne. |
| 6. **L. Malagassa, Sauss. & Zehntn.** Grandidier, Hist. Madagascar, Orth. i. p. 157, pl. 9. f. 31 (1895). | Madagascar |

## Genus 111. **Coptopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); o-15. Mém. Mex., Mant. p. 61 (1871); Miss. Mex., Orth. p. 263 (1872).

| | |
|---|---|
| *1. **C. Crenaticollis, Blanch.** (*Mantis C.*) Gay, Hist. Chile, Zool. vi. p. 22. n. 2 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 225. n. 2 (1863).<br>*C. Crenaticollis, Sauss.* Mém. Mex., Mant. | Chile,<br>Patagonia,<br>Argentina,<br>Uruguay. |

| | |
|---|---|
| p. 63 (1871); Miss. Mex., Orth. p. 264, pl. 6. ff. 19, 20 (1872). | |
| *C. Claraziana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869). | |
| *2. **C. Argentina, Burm.** (*Mantis A.*) Berlin. Ent. Zeitschr. vii. p. 234 (1864). | Argentina, Brazil. |
| *C. Argentina, Sauss.* Mém. Mex., Mant. p. 66 (1871); Miss. Mex., Orth. p. 266, pl. 6. f. 21, E, A (1872). | |
| 3. **C. Gayi, Blanch.** (*Mantis G.*) l. c. p. 21. n. 1, pl. 1. f. 5 (1852). | Chile, Argentina. |
| *C. Gayi, Sauss.* ll. cc. p. 65 (1871); p. 265, pl. 6. f. 13 (1872); Giglio-Tos, Bull. Mus. Torino, ix. (184) p. 4 (1894). | |
| 4. **C. (?) Gymnopyga, Burm.** (*Mantis G.*) Handb. Ent. ii. p. 541. n. 48 (1838). | Brazil. |
| 5. **C. (?) Grisea, Phil.** (*Mantis G.*) l. c. p. 225. n. 3 (1863). | Chile. |
| *C.* (?) *Grisea, Sauss.* Mém. Mex., Orth. p. 67 (1871). | |

## Genus 112. **Euryderes.**

Brancs. Jahresh. Ver. Trencsin. Com. xix.–xx. p. 63 (1897).

| | |
|---|---|
| 1. **E. Anisitsi, Brancs.** l. c. p. 64, pl. 1. f. 9 (1897). | Paraguay. |

## Genus 113. **Macromantis.** (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 77 (1871); Miss. Mex., Orth. p. 270 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 150 (1894).

*Pentacantha, Stål,* Œfv. Vet.-Akad. Förh. xxviii. p. 400 (1872). (*Type* no. 3.)

| | |
|---|---|
| *1. **M. Ovalifolia, Stoll,** (*Mantis O.*) Spectres, Mantes, p. 58, pl. 19. f. 72 (1813); Burm. Handb. Ent. ii. p. 541. n. 49 (1838). | Guiana. |
| *Cardioptera Ovalifolia, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870). | |
| *M. Ovalifolia, Sauss.* Mém. Mex., Mant. p. 78, pl. 1. f. 4 (1871). | |
| **2. **M. Nicaraguæ, Sauss. & Zehntn.** (*M. Ovalifolia,* var. *Nicaragua*) l. c. p. 150 (1894). | Nicaragua. |

| | |
|---|---|
| 3. **M. Hyalina, De Geer,** (*Mantis H.*) Mém. Ins. iii. p. 410. n. 4, pl. 37. f. 1 (1773); Stoll. l. c. p. 60, pl. 20. f. 75 (1813).<br>*M. Hyalina, Sauss.* Mém. Mex., Blatt. p. 79 (1871); Miss. Mex., Orth. p. 270 (1872). | Surinam. |

### Genus 114. **Metriomantis.** (*Type* no. 1.)

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 151 (1894).

| | |
|---|---|
| *1. **M. Cupido, Sauss.** (*Cardioptera C.*) Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 71 (1871); Miss. Mex., Orth. p. 267, pl. 6. ff. 9, 9 A (1872).<br>*M. Cupido, Sauss. & Zehntn.* l. c. p. 152. n. 1 (1894). | Brazil (Ceara). |
| 2. **M. Biramosa, Sauss. & Zehntn.** l. c. n. 2 (1894). | Brazil. |
| 3. **M. Ovata, Sauss. & Zehntn.** l. c. n. 3 (1894). | Cayenne. |

### Genus 115. **Photina.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 531 (1838);
Stål, Bihang Svenska Akad. iv. (10) p. 63 (1877).

| | |
|---|---|
| *1. **P. Vitrea, Burm.** (*Mantis V.*) l. c. p. 532. n. 7 (1838); Charp. Zeitschr. Ent. iii. p. 289 (1841).<br>*Cardioptera Vitrea, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 231 (1870); Mém. Mex., Mant. p. 72, pl. 1. f. 3 (1871); Miss. Mex., Orth. p. 269, pl. 6. f. 10 (1872).<br>*Mantis Pellucida, Serv.* Ins. Orth. p. 191 (1839).<br>*Cardioptera Translucida, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869). | Brazil. |
| 1 *a*. **P. Reticulata, Burm.** (*Mantis R.*) l. c. p. 541. n. 46 (1839).<br>*Cardioptera Burmeisteri, Westw.* Rev. Mant. p. 15. n. 5 (1889). | id. |
| 1 *b*. **P. Amplipennis, Stål,** l. c. p. 64. n. 3 (1877).<br>*Cardioptera Vitrea*, ♀, *Sauss.* Mém. Mex., Mant. p. 73, pl. 1. f. 2 (1871). | id., Guiana. |

2. **P. Breviceps, Stål,** l. c. p. 64. n. 4 (1877). — Rio Janeiro.

3. **P. Gracilipes, Kirb.** Ann. Nat. Hist. (7) xiii. p. 86 (1904). — Para (?).
   ‖*Cardioptera Reticulata, Sauss.* l. c. p. 196 (1871).

4. **P. (?) Vitripennis, Sauss.** (*Cardioptera V.*) Miss. Mex., Orth. p. 268 (1872). — Cayenne.

### Genus 116. **Ardesca.**

Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877). o-574.

1. **A. Vitreola, Stål,** l. c. p. 63 (1877). 574 — Colombia.

### Genus 117. **Hicetia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 152 (1894).

1. **H. Goeldiana, Sauss. & Zehntn.** l. c. p. 153 (1894). — Rio Janeiro.

## SUBFAM. V.

## MIOPTERYGINÆ.

### Genus 118. **Miopteryx.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 55, 64 (1869); Mém. Soc. Genève, xxi. p. 122 (1871); Mém. Mex., Mant. p. 110 (1871); Miss. Mex., Orth. p. 277 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 162 (1894).

*1. **M. Ciliata, Stål,** (*Mantis C.*) Eugenie's Resa, Ins. p. 313 (1858). — Rio Janeiro.
   *M. Phryganea, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869).
   *M. Ciliata, Sauss.* Mém. Mex., Mant. p. 111, pl. 2. f. 21 (1871).

**2. **M. Rustica, Fabr.** (*Mantis R.*) Spec. Ins. i. p. 350. n. 27 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 22 (1792). — Patagonia, Brazil (eadem ?).
   *M. Rustica, Sauss.* l. c. p. 112 (1871); Miss. Mex., Orth. p. 277 (1872).
   *M. Perloides, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 64 (1869).

| | |
|---|---|
| 3. **M. Argentina, Sauss.** l. c. p. 237 (1870). | Argentina. |
| 4. **M. Brunneri, Sauss.** Mém. Mex., Mant. p. 113 (1871). | Brazil (N. Freiburg). |
| 5. **M. Granadensis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 237 (1870) : Sauss. & Zehntn. l. c. p. 162 (1894). | Bogota. |
| 6. **M. Grandis, Westw.** Rev. Mant. p. 38 (1889). | Brazil (?). |
| 7. **M. Livida, Serv.** (*Thespis L.*) Ins. Orth. p. 172 (1839).<br>*M. Livida, Sauss.* Mém. Mex., Mant. p. 172 (1871). | Brazil. |
| 8. **M. (?) Stigmatica, Burm.** (*Mantis S.*) Handb. Ent. ii. p. 532. n. 6 (1838).<br>*M. (?) Stigmatica, Sauss.* l. c. p. 177 (1871).<br>*Miomantis* (?) (*Stagmomantis ?*) *Stigmatica, Westw.* Rev. Mant. p. 18. n. 448 (1889). | id. |

## Genus 119. **Pseudomiopteryx.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 228 (1870) ; Mém. Mex., Mant. p. 107 (1871) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 163 (1894).

| | |
|---|---|
| 1. **P. Spinifrons, Sauss.** ll. cc. p. 228 (1870) ; p. 108, pl. 2. ff. 20, 20 *a* (1871). | Brazil. |
| **2. **P. Infuscata, Sauss. & Zehntn.** l. c. p. 163, pl. 9. ff. 10–12 (1894) ; Rehn, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904). | Mexico, Cent. Amer.<br>Bogota. |
| 3. **P. Bogotensis, Sauss.** ll. cc. p. 228 (1870) : p. 109 (1871) : Sauss. & Zehntn. l. c. p. 164 (1894). | |

## Genus 120. **Bantia.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 180 (1894).

| | |
|---|---|
| 1. **B. Marmorata, Sauss. & Zehntn.** l. c. p. 180 (1894). | Rio Janeiro. |
| 2. **B. Pygmæa, Sauss.** (*Oligonyx Pygmea*) Miss. Mex., Orth. p. 274 (1872).<br>*B. Pygmæa, Stål,* l. c. p. 64 (1877) : Sauss. & Zehntn. l. c. p. 180 (1894). | Brazil. |

## Genus 121. **Astape.**

Stål, Bihang Svenska Akad. iv. (10) p. 44 (1877).

| | |
|---|---|
| 1 *a*. **A. Denticollis, Stål,** l. c. p. 65 (1877). | Hab. ——? |

Paramusonia Rehn is correct name.

## Genus 122. **Musonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (10) pp. 45, 66 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 164 (1894).

*Paramusonia, Rehn*, Proc. U.S. Nat. Mus. xxvii. p. 566 (1904). (*Type* no. 3.)

| | |
|---|---|
| 1. **M. Major, Sauss. & Zehntn.** l. c. p. 165. n. 1. pl. 10. ff. 17–19 (1894). | S. America. |
| *2. **M. Conspersa, Sauss.** (*Thespis C.*) Mitth. Schweiz. Ent. Ges. iii. p. 238 (1870); Mém. Mex., Mant. p. 130, pl. 2. ff. 29, 29 *a* (1871). | id. |
| 3. **M. Cubensis, Sauss.** (*Thespis C.*) ll. cc. p. 70 (1869); p. 127, pl. 2. ff. 29, 29 *a* (1871); Sauss. & Zehntn. l. c. p. 165. n. 2 (1894). | Cuba. |
| 4. **M. Vicina, Sauss.** (*Thespis V.*) Miss. Mex., Orth. p. 276 (1872). | Colombia. |
| 5. **M. Infumata, Serv.** (*Mantis I.*) Ins. Orth. p. 173 (1839).<br>*Oligonyx* (?) *Infumata, Sauss.* Mém. Mex., Orth. p. 124. n. 5 (1871). | Brazil. |
| **6. **M. Femorata, Sauss. & Zehntn.** l. c. p. 166. n. 3, pl. 10. ff. 20, 21 (1894). | Nicaragua. |

## Genus 123. **Galapagia.**

Scudd. Bull. Mus. Harvard Coll. xxv. p. 7 (1893).

| | |
|---|---|
| *1. **G. Solitaria, Scudd.** l. c. p. 8. pl. 1. ff. 2, 3 (1893). | Galapagos Isl. |

Musonia Stål is correct name.

## Genus 124. **Mionyx.** (*Type* no. 4.)

Sauss. Soc. Ent. vii. p. 122 (1892); Sauss. & Zehntn. Biol Centr.-Amer., Orth. i. p. 166 (1894).

*Musonia, bb & aa. Stål*, Bihang Svenska Akad. iv. (10) pp. 63, 64 (1877).

| | |
|---|---|
| **1. **M. Rapax, Sauss. & Zehntn.** l. c. p. 167. n. 1 (1894).<br>*Musonia Rapax, Sauss. & Zehntn* l. c. pl. 10. ff. 22-25 (1894) | Costa Rica. |

**2. **M. Ferus, Sauss. & Zehntn.** l. c. p. 167. n. 2 (1894). Panama.
*M. Fera, Sauss. & Zehntn.* l. c. pl. 10. ff. 15, 16 (1894).

**3. **M. Sævus, Sauss. & Zehntn.** l. c. p. 167. n. 3 (1894). id.
*M. Sæva, Sauss. & Zehntn.* l. c. pl. 10. ff. 12–14 (1894).

4. **M. Lineativentris, Stål,** (*Musonia L.*) Bihang Svenska Akad. iv. (10) p. 66. n. 3 (1877). id., Colombia.
*M. Lineativentris, Sauss. & Zehntn.* l. c. p. 168. n. 4 (1894).

5. **M. Dohrnianus, Sauss. & Zehntn.** l. c. p. 168. n. 5 (1894). Guatemala.
*M. Dohrniana, Sauss. & Zehntn.* l. c. pl. 9. f. 16 (1894).

*6. **M. Surinamus, Sauss.** (*Thespis Surinama*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869); Mém. Mex., Mant. p. 129 (1871). Surinam, W. Indies.
*Musonia Surinama, Stål,* l. c. p. 66. n. 2 (1877).

## Genus 125. **Thesprotia.** (*Type* no. 3.)

Stål, Bihang Svenska Akad. iv. (10) p. 45 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 169 (1894).

1. **T. Vidua, Sauss. & Zehntn.** l. c. p. 170. n. 1 (1894). S. America.
*Oligonyx Subhyalina,* var., *Sauss.* Mém. Mex., Orth. p. 125 (1871).

*2. **T. Subhyalina, Sauss.** (*Oligonyx S.*) Mitth. Schweiz. Ent. Ges. iii. p. 239 (1870); Mém. Mex., Mant. p. 124. n. 6, pl. 2. ff. 27, 27 *a* (1871). Amazons.

*3. **T. Filiformis, Sauss.** (*Oligonyx F.*) ll. cc. p. 71 (1869); p. 123, pl. 2. ff. 26, 26 *a* (1871). id.
*T. Filiformis, Westw.* Rev. Mant. p. 31, pl. 3. f. 5 (nec 6) (1889).

4. **T. Macilenta, Sauss. & Zehntn.** l. c. p. 170. n. 4 (1894). Brazil.

5. **T. Fuscipennis, Sauss. & Zehntn.** l. c. p. 171. n. 5 (1894). Rio Janeiro.

### Genus 126. **Bactromantis.** (*Type* no. 1.)

Scudd. Canad. Ent. xxviii. p. 213 (1896).

| | |
|---|---|
| *1. **B. Virga, Scudd.** l. c. (1896). | Florida. |
| **2. **B. Toltecus, Sauss. & Zehntn.** (*Oligonyx T.*) Biol. Centr.-Amer., Orth. i. p. 175. n. 6 (1894). | Mexico. |
| 3. **B. (?) Parvula, Goeze,** (*Mantis P.*) Ent. Beytr. ii. p. 34. n. 25 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 19 (1792) (Seba, Thes. iv. pl. 68. ff. 13–16). | Hab. —— ? |

### Genus 127. **Oligonyx.** (*Type* no. 5.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 58 (1869); Mém. Mex. Mant. p. 117 (1871); Miss. Mex., Orth. p. 273 (1872); Soc. Ent. vii. p. 122 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 171 (1894).

| | |
|---|---|
| 1. **O. Brunneri, Sauss.** Mém. Mex., Mant. p. 119 (1871). | Colombia. |
| 2. **O. Uhleri, Stål,** Bihang Svenska Akad. iv. (10) p. 66 (1877). | Louisiana. |
| 3. **O. Scudderi, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 239 (1870); Mém. Mex., Mant. p. 121, pl. 2. ff. 24, 24 *a* (1871). | Georgia (?). |
| 4. **O. Graminis, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 90 (1877). | Florida. |
| 5. **O. Parva, Drury,** (*Mantis P.*) Ill. Exot. Ent. ii. pl. 39. f. 5 (1773); Oliv. Enc. Méth. vii. p. 634. n. 48 (1792); Burm. Handb. Ent. ii. p. 533. n. 14 (1838).<br>*Mantis Minuta, Goeze,* Ent. Beytr. ii. p. 28. n. 1 (1778).<br>*Miopteryx* (?) *Minuta, Sauss.* Mém. Mex., Mant. p. 116. n. 2 (1871). | S. America. |
| **6. **O. Mexicanus, Sauss. & Zehntn.** l. c. p. 172. n. 1, pl. 9. ff. 13–15 (1894). | Mexico, Guatemala. |
| 7. **O. Bollianus, Sauss. & Zehntn.** l. c. p. 173. n. 2, pl. 9. f. 17 (1894). | Texas, New Mexico |
| **8. **O. Striolatus, Sauss. & Zehntn.** l. c. n. 3, pl. 9. ff. 18–22 (1894). | Guatemala. |
| **9. **O. Punctulatus, Sauss. & Zehntn.** l. c. p. 174. n. 4, pl. 9. ff. 23–25 (1894). | Mexico. |
| **10. **O. Tessellatus, Sauss. & Zehntn.** l. c. n. 5. pl. 9. ff. 26–31 (1894). | id. |

### Genus 128. **Harpagonyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 175 (1894).

| | |
|---|---|
| **1. **H. Gryps, Sauss. & Zehntn.** l. c. p. 176. n. 1, pl. 8. ff. 4, 4 *a*, *b* (1894). | Mexico, Guatemala. |
| 2. **H. Dohrnianus, Sauss. & Zehntn.** l. c. n. 2 (1894). | Guatemala. |
| **3. **H. Maya, Sauss. & Zehntn.** l. c. p. 176 (1894). | Mexico. |
| 4. **H. Carlottæ, Rehn,** Proc. U.S. Nat. Mus. xxvii. p. 568 (1904). | Costa Rica. |

### Genus 129. **Spanionyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 177 (1894).

| | |
|---|---|
| *1. **S. Bicornis, Sauss.** (*Oligonyx B.*) Mitth. Schweiz. Ent. Ges. iii. p. 71 (1869); Mém. Mex., Mant. p. 122 (1871); Miss. Mex., Orth. p. 274, pl. 6. ff. 22, 22 *a*, *b* (1872).<br>*S. Bicornis, Sauss. & Zehntn.* l. c. p. 177. n. 1 (1894). | Mexico. |
| **2. **S. Bidens, Sauss. & Zehntn.** l. c. n. 2, pl. 10. ff. 1–3 (1894); Rehn, Proc. U.S. Nat. Mus. xxvii. p. 569 (1904). | Honduras. |
| *3. **S. Filum, Licht.** (*Mantis F.*) Trans. Linn. Soc. Lond. vi. p. 19. n. 1, pl. 2. f. 2 (1802); Charp. Germar, Zeitschr. Ent. v. p. 289 (1844).<br>*Oligonyx Filum, Sauss.* Mém. Mex., Mant. p. 125. n. 7 (1871). | Surinam, Trinidad. |

### Genus 130. **Thrinaconyx.** (*Type* no. 1.)

Sauss. Soc. Ent. vii. p. 122 (1892);
Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 178 (1894).

| | |
|---|---|
| **1. **T. Fumosus, Sauss. & Zehntn.** l. c. p. 179. n. 1, pl. 10. ff. 4–10 (1894). | Panama. |
| 2. **T. Kirschianus, Sauss. & Zehntn.** l. c. n. 2, pl. 10. f. 11 (1894). | Colombia. |

## SUBFAM. VI.

## CREOBOTRINÆ.

### Genus 131. **Acromantis.** (*Type* no. 2.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 229 (1870); Mém. Soc. Genève, xxi. pp. 61, 324 (1871); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 153 (1902).

| | |
|---|---|
| *1. **A. Japonica, Westw.** Rev. Mant. p. 43 (1889); Jacobs. & Bianki, l. c. p. 154 (1902). | Japan. |
| *2. **A. Oligoneura, Haan,** (*Mantis O.*) Temminck, Verhandel., Orth. p. 90, pl. 18. f. 6 (1842).<br>*A. Oligoneura, Sauss.* Mém. Soc. Genève, xxi. p. 62, pl. 4. ff. 10, 10 *a* (1871); Westw. Rev. Mant. p. 43 (1889).<br>*A. Formosa, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 230 (1870). | India, Java, Borneo, Sumatra, Celebes. |
| *3. **A. Parvula, Westw.** l. c. p. 43, pl. 10. f. 6 (1889). | Borneo. |
| *4. **A. Hesione, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 38 (1877). | Philippines. |
| 5. **A. Australis, Sauss.** Mém. Soc. Genève, xxi. p. 325, pl. 7. f. 68 (1871). | Waigiou. |
| 6. **A. Aruana, Westw.** l. c. p. 43, pl. 11. f. 3 (1889). | Aru, &c., N. Guinea. |
| *7. **A. Borneensis, Haan,** (*Mantis B.*) l. c. p. 91 (1842).<br>*A. Borneensis, Westw.* l. c. p. 43, pl. 6. f. 8 (1889). | Borneo. |
| 8. **A.** (?) **Subcornuta, Westw.** l. c. p. 43, pl. 12. f. 3 (1889). | Natal. |

### Genus 132. **Ambivia.**

Stål, Bihang Svenska Akad. iv. (10) p. 88 (1877).

| | |
|---|---|
| *1. **A. Popa, Stål,** l. c. (1877); Westw. Rev. Mant. p. 22, pl. 11. f. 6 (1889). | India. |

## Genus 133. **Deroplatys.** (*Type* no. 1 *a*.)

Westw. Mod. Classif. Ins. i. p. 430 (1839); Jardine's Nat. Library, Intr. Ent. p. 234 (1840); Arc. Ent. i. p. 33 (1841); Sauss. Mém. Soc. Genève, xxi. p. 164 (1871).

| | |
|---|---|
| 1. **D. Cordata, Fabr.** (*Mantis C.*) Ent. Syst. Suppl. p. 190 (1798). | Hab. —— ? |
| *1 *a*. **D. Desiccata, Westw.** Mod. Classif. Ins. i. p. 430 (1839); Arc. Ent. i. p. 33, pl. 9. f. 3 (1841); Shelf. Zool. (4) vii. pp. 295, 296, 304 (1903).<br>*Mantis* (*Deroplatys*) *Desiccata, Westw.* Nat. Libr., Intr. Ent. p. 234, pl. 9 (1840); Haan, Temminck, Verhandel., Orth. p. 91 (1842).<br>*Mantis Palliata, Haan*, l. c. pl. 16, ff. 1, 2 (1842).<br>*D. Arida, Westw.* Arc. Ent. i. p. 34, pl. 9. f. 1 (1841). | Malacca,<br>Java,<br>Borneo,<br>Sumatra. |
| *2. **D. Trigonodera, Westw.** Rev. Mant. p. 40, pl. 8. f. 5 (1889). | Burma. |
| ♂. ♀ 3. **D. Lobata, Guér.** (*Chæradodis L.*) Mag. Zool., Ins. 1838, p. 69, pl. 134. o-648,<br>*D. Lobata, Westw.* Arc. Ent. i. p. 34, pl. 9. f. 4 (1841). | Hab. —— ? |
| *4. **D. Angustata, Westw.** l. c. f. 2 (1841); Rev. Mant. p. 41 (1889).<br>*Mantis* (*Deroplatys*) *Rhombica*, ♂, *Haan*, l. c. p. 92, pl. 17. f. 1 (1842). | Java,<br>Borneo,<br>Sumatra. |
| 5. **D. Brunneri, Kirb.** (n. n.).<br>‖ *D. Rhombica, Brunn.* Obs. Color. Ins. p. 11, pl. 8. f. 95 (1897). | Sunda Isl. |
| *6. **D. Rhombica, Haan,** (*Mantis* (*R.*) *Rhombica*, ♀) l. c. f. 2 (1842). | Borneo, &c. |
| 7. **D. Sarawaca, Westw.** Rev. Mant. p. 40, pl. 8. f. 3 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 243, 252, f. 135 (1895). | Sarawak. |
| *8. **D. Siccifolium, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 240 (1870); Mém. Soc. Genève, xxi. p. 166 (1871); Westw. Rev. Mant. p. 44, pl. 9. f. 11 (1889). | Malacca,<br>Borneo. |
| **9. **D. Shelfordi, Kirb.** Zool. (4) vii. p. 304; Shelf. l. c. pp. 296, 298 (1903). | Sarawak. |

| | |
|---|---|
| 10. **D. Horrifica, Westw.** l. c. p. 40, pl. 8. f. 4 (1889). | Burma. |
| *11. **D. Truncata, Guér.** (*Choeradodis T.*) Delessert, Souv. Inde, Ins. p. 65, pl. 15 (1843).<br>*D. Truncata, Westw.* l. c. p. 23. pl. 8. f. 6 (1889). | Malacca. |

## Genus 134. **Brancsikia.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 216 (1895).

| | |
|---|---|
| *1. **B. Freyi, Brancs.** (*Deroplatys F.*) Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 178, pl. 4. f. 3 (1893).<br>*B. Freyi, Sauss. & Zehntn.* l. c. p. 217, pl. 10. ff. 36, 37 (1895). | Madagascar |

## Genus 135. **Metilia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

| | |
|---|---|
| *1. **M. Integra, Stål,** l. c. p. 89 (1877); Westw. Rev. Mant. p. 45, pl. 9. f. 9 (1889). | Brazil. |

## Genus 136. **Acanthops.** (*Type* no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 164 (1839); Burm. Handb. Ent. ii. p. 551 (1838); Sauss. Mém. Mex., Mant. p. 139 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877). 0-574.

| | |
|---|---|
| *1. **A. Godmani, Sauss. & Zehntn.** Biol. Centr.-Amer., Orth. i. p. 181, pl. 6. f. 3 (1894). | British Honduras. |
| *2. **A. Falcataria, Goeze,** (*Mantis F.*) Ent. Beytr. ii. p. 36. n. 36 (1788); Olivier, Enc. Méth., Ins. vii. p. 642. n. 30 (1792) (Seba, Thes. iv. pl. 76. ff. 1–4).<br>*Mantis Fuscifolia, Oliv.* l. c. p. 636. n. 55 (1792).<br>*A. Fuscifolius, Burm.* l. c. p. 552 (1838).<br>*Mantis Sinuata, Stoll,* Spectres, Mantes, p. 12, pl. 1. f. 11 (1813); ? Kirb. Tran., | S. America. |

Linn. Soc. xii. p. 74 (1818); Charp. Germar. Zeitschr. Ent. i. p. 375 (1839). iii. p. 299 (1841); Orth. pl. 29 (1845).

*A. Sinuata, Sauss.* l. c. p. 141 (1871); Stål, l. c. p. 90. n. 1, pl. 1. f. 3 (1877).

*A. Mortuifolia, Serv.* Ins. Orth. p. 166, pl. 6. f. 1 (1839); Brunn. Obs. Color. Ins. p. 11, pl. 8. f. 96 (1897).

3. **A. Erosa, Serv.** l. c. p. 165, pl. 4. ff. 1, 1 *a, b* (1839). — Brazil, Iquitos.

*A. Contorta, Gerst.* Mitth. Ver. Vorpomm. xx. p. 56 (1888).

*4. **A. Erosula, Stål,** l. c. p. 90. n. 3 (1877). — Para, Ega.

*A. Angulifera, Westw.* Rev. Mant. p. 45, pl. 13. f. 1. (1889).

*5. **A. Falcata, Stål,** l. c. p. 90. n. 2 (1877). — N. Granada.

6. **A. Adusta, Gerst.** l. c. p. 57 (1888). — Iquitos.

7. **A. Brunneri, Sauss.** l. c. p. 144 (1871). — Surinam.

8. **A. Tuberculata, Sauss.** (*A. Tuberculatus*) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870). — Cayenne, Costa Rica.

*A. Tuberculata, Sauss.* Mém. Mex., Mant. p. 146, pl. 1. f. 16 (1871); Rehn. Proc. U.S. Nat. Mus. xxvii. p. 570 (1904).

## Genus 137. **Decimia.**

Stål, Bihang Svenska Akad. iv. (10) p. 84 (1877).

*1. **D. Tessellata, Charp.** (*Acanthops T.*) Germar, Zeitschr. Ent. iii. p. 302 (1841); Orth. pl. 30 (1845); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870); Mém. Mex., Mant. p. 143 (1871). — Brazil, Bolivia.

## Genus 138. **Pseudocanthops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).

*Pseudacanthops, Sauss.* Mém. Mex., Mant. p. 178 (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 91 (1877).

*Paracanthops, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870); Mém. Mex., Mant. p. 147 (1871).

1. **P. Cælebs, Sauss.** (*Hymenopus C.*) Mitth. Schweiz. Ent. Ges. iii. p. 73 (1869). — Mexico.

*P. Cælebs, Sauss.* Mém. Mex., Mant. p. 148.

| | |
|---|---|
| pl. 1. ff. 17, 17 *a* (1871); Miss. Mex., Orth. p. 279 (1872); Sauss. & Zehntn. l. c. p. 182 (1894). | |
| *2. **P. Spinulosa, Sauss.** (*Paracanthops S.*) Mitth. Schweiz. Ent. Ges. iii. p. 243 (1870).<br>*P. Spinulosa, Sauss.* Mém. Mex., Mant. p. 150, pl. 1. f. 18 (1871). | Cayenne |
| 3. **P. (?) Angulata, Licht.** (*Mantis A.*) Trans. Linn. Soc. Lond. vi. p. 33. n. 43 (1802).<br>*P. (?) Angulata, Sauss.* Mém. Mex., Mant. p. 151 (1871). | Surinam. |

### Genus 139. **Antemna.**

Stål. Bihang Svenska Akad. iv. (10) p. 83 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 182 (1894).

| | |
|---|---|
| 1. **A. Rapax, Stål,** l. c. p. 88 (1877); Sauss. & Zehntn. l. c. p. 182 (1894). | Chiriqui. |

### Genus 140. **Phyllomantis.**

Sauss. Soc. Ent. vii. p. 124 (1892); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 183 (1894).

| | |
|---|---|
| **1. **P. Laurifolia, Sauss.** l. c. p. 124 (1892); Sauss. & Zehntn. l. c. p. 183, pl. 6. ff. 6, 7 (1894). | Panama. |

### Genus 141. **Epaphrodita.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 52 (1831); Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871); Miss. Mex., Orth. p. 280 (1872).

| | |
|---|---|
| *1. **E. Musarum, Beauv.** (*Mantis M.*) Ins. Afr. Amér. p. 111, Orth. pl. 13. f. 3 (1805); Burm. Handb. Ent. ii. p. 537. n. 36 (1838).<br>*E. Musarum, Serv.* Ins. Orth. p. 205 (1839); Sauss. Mém. Mex., Mant. p. 152 (1871). | Haiti. |
| 1 *a*. **E. Undulata, Sauss.** (*Phyllocrania U.*) Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870); Mém. Soc. Genève, xxi. p. 176, pl. 6. ff. 54, 54 *a* (1871). | Santa Lucia. |
| *2. **E. Dentifrons, Sauss.** Miss. Mex., Orth. p. 281 (1872). | Haiti, Cuba. |

### Genus 142. **Toxodera.**

Serv. Ann. Soc. Ent. France, vi. p. 27 (1837); Ins. Orth. p. 168 (1839); Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 321 (1889).

| | |
|---|---|
| 1. **T. Denticulata, Serv.** ll. cc. p. 28, pl. 2 (1837); p. 169, pl. 5 (1839); Wood-Mason, l. c. p. 323 (1889); Sharp, Cambridge Nat. Hist., Ins. i. pp. 253, 254, f. 145 (1895). | Java. |

### Genus 143. **Toxoderopsis.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 317 (1889).

| | |
|---|---|
| 1. **T. Curtipes, Westw.** (*Toxodera* (*Paradanuria*) *C.*) Rev. Mant. p. 41, pl. 1. f. 4 (1889).<br>*T. Curtipes, Wood-Mason*, l. c. p. 319 (1889). | Bombay. |
| 2. **T. Taurus, Wood-Mason,** l. c. p. 320 (1889). | Sind, Orissa. |

### Genus 144. **Paratoxodera.**

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 324 (1889).

| | |
|---|---|
| 1. **P. Cornicollis, Wood-Mason,** l. c. p. 325 (1889). | Java. |

### Genus 145. **Oxypilus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 50 (1831); Ins. Orth. p. 155 (1839); Burm. Handb. Ent. ii. p. 526 (1838); Sauss. Mém. Soc. Genève, xxi. p. 168 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 21 (1877); Wood-Mason, Cat. Mant. p. 50 (1891).

| | |
|---|---|
| 1. **O. Annulatus, Serv.** Ann. Sci. Nat. xxii. p. 50 (1831); Burm. l. c. p. 526 (1838); Wood-Mason, l. c. p. 51, pl. 2. f. 1 *a–c* (1891).<br>*Oxypila Annulata, Serv.* l. c. p. 156, pl. 3. f. 5 (1839). | Senegal. |

| | |
|---|---|
| *2. **O. Nasutus, Fabr.** (*Mantis Nasuta*) Mant. Ins. i. p. 229. n. 32 (1787); Oliv. Enc. Méth., Ins. vii. p 630. n. 23 (1792): Licht. Trans. Linn. Soc. Lond. vi. p. 25. n. 16 (1802). | S. & E. Afr. |
| *Gongylus Nasuta, Thunb.* Mém. Soc. Pétersb. v. p. 295 (1815). | |
| *O. Capensis, Sauss.* Mém. Soc. Genève, xxi. p. 169, pl. 6. ff. 52, 52 *a* (1871). | |
| ‖ *O. Annulatus, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870). | |
| **3. **O. Strigipennis, Westw.** Rev. Mant. p. 44, pl. 9. f. 7, pl. 12. f. 1 (1889). | Natal. |
| 4. **O. Brunnerianus, Sauss.** Mém. Soc. Genève, xxi. p. 171 (1871). | Nubia. |
| *5. **O. (?) Vigilax, Westw.** Rev. Mant. p. 44, pl. 10. f. 8 (1889). | Ega. |

### Genus 146. **Oxypiloidea.**

Schulth. Ann. Mus. Genova, xxxix. p. 178 (1898); Bull. Soc. Vaud. xxxv. p. 198 (1899).

| | |
|---|---|
| *1. **O. Lobata, Schulth.** Ann. Mus. Genova, xxxix. p. 179, pl. 2. ff. 4, 4 *a* (1898). | Somali, B.E. Africa. |

### Genus 147. **Panurgica.**

Karsch, Stett. Ent. Zeit. lvii. p. 243 (1896).

| | |
|---|---|
| *1. **P. Duplex, Karsch,** l. c. p. 244 (1896). | W. Africa. |

### Genus 148. **Junodia.**

Schulth. Bull. Soc. Vaud. xxxv. p. 197 (1899).

| | |
|---|---|
| 1. **J. Amœna, Schulth.** l. c. p. 198, pl. 7. ff. 3, 3 *a–c* (1899). | Delagoa Bay. |

### Genus 149. **Sibylla.** (*Type* no. 1.)

Stål. Œfv. Vet.-Akad. Förh. xiii. p. 168 (1856); Bihang Svenska Akad. iv. (10) p. 20 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 173, 331 (1871), xxiii. p. 80 (1872).

| | |
|---|---|
| *1. **S. Pretiosa, Stål,** Œfv. Vet.-Akad. Förh. xiii. p. 168. n. 1 (1856): Sauss. l. c. xxi. p. 332. pl. 7. ff. 69, 69 *a* (1871): | Natal, Transvaal, Zomba. |

Kirb. Ann. Nat. Hist. (7) iv. p. 351 (1899); Distant, Ins. Transvaal. p. 39, f. 2 (1902).

♂. *S. Fuscospursa, Stål,* l. c. n. 2 (1856).

2. **S. Pannulata, Karsch,** Berl. Ent. Zeitschr. xxxix. p. 277 (1894). Cameroons.

3. **S.** (?) **Polyacantha, Gerst.** Mitth. Ver. Vorpomm. xx. p. 49 (1888). Congo.

## Genus 150. Triænocorypha.

Wood-Mason, Ann. Nat. Hist. (6) v. p. 439 (1890); Cat. Mant. p. 59 (1891).

1. **T. Dohertyi, Wood-Mason,** ll. cc. p. 440, pl. 17 B (1890); p. 60 (1891). Perak.

## Genus 151. Ceratomantis.

Wood-Mason, Proc. Asiatic Soc. Bengal, 1876, p. 175; Ann. Nat. Hist. (4) xviii. p. 507 (1876); Cat. Mant. p. 52 (1891).

1. **C. Saussurii, Wood-Mason,** ll. cc. p. 175 (1876); p. 507 (1876); p. 53, pl. 2. ff. 3, 3 *a–c* (1891). Pegu.

*Oxypilus Saussurii, Wood-Mason,* Proc. Asiatic Soc. Bengal, 1879, p. 259.

## Genus 152. Pachymantis. (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxi. p. 158 (1871): Wood-Mason, Cat. Mant. p. 56 (1891).

1. **P. Phyllopus, Haan,** (*Mantis* (*Oxypilus*) *P.*) Temminck, Verhandel., Orth. p. 84, pl. 16. f. 7 (1842). Java.

2. **P. Bicingulata, Haan,** (*Mantis* (*Oxypilus*) *B.*) l. c. p. 86, pl. 17. ff. 6, 7 (1842). Sumatra.

*P. Bicingulata, Wood-Mason,* l. c. p. 57, pl. 2. ff. 2, 2 *a, b* (1891).

*Oxypilus Bicingulatus, Wood-Mason,* Proc. Asiatic Soc. Bengal, 1879, p. 251.

*P. Biangulata, Sauss.* l. c. (1871).

| | |
|---|---|
| *3. **P. Sarawaca, Westw.** (*Hestias S.*) Rev. Mant. p. 44, pl. 11. f. 1 (1889).<br>*Hestiasula Sarawaca, Shelf.* Zoologist, (4) vii. pp. 296–302, f. 2 (1903). | Sarawak.<br>Penang. |
| *4. **P. Inermis, Wood-Mason,** (*Hestias I.*) Proc. Asiatic Soc. Bengal, 1879, p. 258; Westw. l. c. p. 44, pl. 9. f. 12 (1889). | Naga Hills. |
| 5. **P. Castetsi, Bol.** Ann. Soc. Ent. France, 1897, p. 313, pl. 10. f. 9. | S. India. |
| 6. **P. Amœna, Bol.** l. c. p. 314 (1897). | id. |
| 7. **P. Rogenhoferi, Sauss.** l. c. xxiii. p. 77, pl. 9. f. 27 (1872). | Moluccas (?). |

### Genus 153. **Hestiasula.** (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxi. p. 329 (1871).
*Hestias, Wood-Mason.* Proc. Asiatic Soc. Bengal, 1876, p. 175, 1879, p. 257.

| | |
|---|---|
| *1. **H. Brunneriana, Sauss.** l. c. p. 330 (1871).<br>*Hestias Brunneriana, Wood-Mason,* l. c. 1876, p. 175. | India. |
| *2. **H. Nitida, Brunn.** (*Pachymantis N.*) Ann. Mus. Genova, xxxiii. p. 72, pl. 2. f. 24 (1893). | Tenasserim. |
| *3. **H. Pictipes, Wood-Mason,** (*Hestias P.*) Proc. Asiatic Soc. Bengal, 1879, p. 258. | |

### Genus 154. **Gonypetyllis.**

Wood-Mason, Cat. Mant. pl. 2 (1891).

| | |
|---|---|
| 1. **G. Semuncialis, Wood-Mason,** l. c. figs. 5, 5 *a*, *b* (1891). | India (?). |

### Genus 155. **Parairidopteryx.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

| | |
|---|---|
| 1. **P. Confusus, Sauss.** (*Haania C.*) l. c. n. 1 (1871).<br>♂. *Mantis* (*Oxypilus*) *Lobiceps*, ♀, *Haan*, Temminck, Verhandel., Orth. pp. 85, 86, pl. 17. f. 5 (1842). | Sumatra. |

### Genus 156. **Haania.**

Sauss. Mém. Soc. Genève, xxi. p. 159 (1871).

| | |
|---|---|
| 1. **H. Lobiceps, Haan,** (*Mantis* (*Oxypilus*) *L.*) Temminck, Verhandel., Orth. p. 85, pl. 17. f. 4 (1842). | Sumatra. |

### Genus 157. **Sigerpes.** (*Type* no. 3.)

Wood-Mason, Proc. Asiatic Soc. Bengal, 1879, p. 259.

| | |
|---|---|
| 1. **S. Tridens, Sauss.** (*Sibylla T.*) Mém. Soc. Genève, xxiii. p. 81, pl. 9. ff. 29, 29 *a* (1872).<br>*S. Tridens, Westw.* Rev. Mant. p. 23, pl. 12. f. 8 (1889). | Zanzibar, Mozambique. |
| 2. **S. Mortuifolia, Sauss.** (*Sybilla M.*) Abhandl. Senckenb. Ges. xxi. p. 597 (1899). | "Tropical Africa." |
| **3. **S. Occidentalis, Wood-Mason,** l. c. p. 259 (1879). | Sierra Leone. |

### Genus 158. **Phyllothelys.** (*Type* no. 1.)

Wood-Mason, Proc. Ent. Soc. London, 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 206 (188~~4~~). /5

| | |
|---|---|
| **1. **P. Westwoodi, Wood-Mason,** (*Phyllocrania W.*) Proc. Asiatic Soc. Bengal, 1876, p. 176 ; Ann. Nat. Hist. (4) xviii. p. 507 (1876).<br>*P. Westwoodii, Wood-Mason,* Proc. Ent. Soc. Lond. 1877, p. xviii ; Journ. Asiatic Soc. Bengal, liii. p. 207, pl. 12. ff. 1, 2 (1885) ; Westw. Rev. Mant. p. 44, pl. 1. f. 3, pl. 6. f. 6 (1889). | Naga Hills, Bhutan. |
| 2. **P. Paradoxum, Wood-Mason,** Journ. Asiatic Soc. Bengal, liii. p. 209, pl. 12. f. 3 (1885). | Burma. |

### Genus 159. **Ceratocrania.**

Westw. Rev. Mant. p. 46 (1889).

| | |
|---|---|
| *1. **C. Macra, Westw.** l. c. pl. 11. f. 9 (1889).<br>*Phyllothelys Macra, Dohrn,* Stett. Ent. Zeit. lv. p. 129, pl. 5. ff. 5, 6 (1894). | Borneo. |

### Genus 160. **Phyllocrania.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 548 (1838); Sauss. Mém. Soc. Genève, xxi. pp. 174, 326 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 220 (1895).

| | |
|---|---|
| *1. **P. Paradoxa, Burm.** l. c. p. 549 (1838); Westw. Arc. Ent. ii. p. 51 note (1845); Kirb. Ann. Nat. Hist. (7) iv. p. 40 (1899); Distant, Ins. Transvaal. p. 40, f. 3 (1903).<br>‖*P. Insignis, Sauss.* l. c. p. 327 (1871). | S. & E. Afr. |
| *2. **P. Insignis, Westw.** l. c. p. 51, pl. 12. f. 1 (1845); Rev. Mant. p. 12, f. 7 (1889); Sauss. l. c. pp. 174, 328 (1871). | W. Africa. |
| 3. **P. Illudens, Sauss. & Zehntn.** l. c. p. 221, pl. 10. f. 39 (1895). | Madagascar |

### Genus 161. **Parablepharis.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 223 (1870); Mém. Soc. Genève, xxi. p. 171 (1871).

| | |
|---|---|
| *1. **P. Kuhlii, Haan,** (*Mantis* (*Blepharis*) *K.*) Temminck, Verhandel., Orth. p. 93, pl. 18. f. 3 (1842).<br>*Parablepharis Kuhlii, Sauss.* l. c. p. 172 (1871). | Java. |

### Genus 162. **Creoboter.** (*Type* no. 1 *a.*)

Serv. Ins. Orth. p. 160 (1839); Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).

*Creobotra, Sauss.* Mém. Soc. Genève, xxi. p. 143 (1871); Rev. Suisse Zool. v. p. 200 (1897); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215 (1898).

| | |
|---|---|
| *1. **C. Urbana, Fabr.** (*Mantis U.*) Syst. Ent. p. 278. n. 19 (1775); Oliv. Enc. Méth. vii. p. 630. n. 21 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 23 (1802).<br>*Harpax Urbana, Burm.* Handb. Ent. ii. p. 550. n. 1 (1838). | India,<br>China. |

| | |
|---|---|
| *Mantis (Harpax) Urbana*, ♂, *Haan*, Temminck, Verhandel., Orth. p. 89 (1842). | |
| *C. Urbanus*, *Jacobs. & Bianki*, l. c. p. 154 (1902). | |
| *C. Urbana*, *Sauss.* Mém. Soc. Genève, xxi. p. 144 (1871). | |
| 1 *a*. **C. Discifera, Serv.** (*Mantis D.*) Ins. Orth. p. 161 (1839). | Java. |
| ‖*Mantis Gemmata*, *Serv.* l. c. p. 160 (1839). | |
| ‖*C. Lobata*, *Stål*, l. c. p. 86 (1877). | |
| ‖*C. Urbana*, *Brunn.* Obs. Color. Ins. p. 9, pl. 6. f. 71 (1897); Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 23 (1898). | |
| *2. **C. Gemmata, Stoll,** (*Mantis G.*) Spectres, Mantes, p. 71, pl. 24. f. 93 (1813). | "America,"<br>Java. |
| **3. **C. Signifer, Walk.** (*Harpax S.*) Ann. Nat. Hist. (3) iv. p. 220 (1859). | Ceylon. |
| *4. **C. Apicalis, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 73 (1869); Mém. Soc. Genève, xxi. pp. 146, 317 (1871). | N. India. |
| *5. **C. Fuscoareata, Sauss.** ll. cc. p. 242 (1870); p. 147, pl. vi. ff. 46, 46 *a* (1871). | Siam. |
| *6. **C. Granulicollis, Sauss.** ll. cc. p. 242 (1870); p. 147 (1871). | Penang. |
| 7. **C. Meleagris, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877). | Philippines. |
| 8. **C. Episcopalis, Stål,** Bihang Svenska Akad. iv. (10) p. 86 (1877). | Borneo. |
| 9. **C. Brunneri, Kirb.** (n. n.). | Sumatra. |
| ‖*C. Sumatrana*, *Brunn.* Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 24 (1898). | |
| **10. **C. Cattulus, Westw.** Rev. Mant. p. 42, pl. 9. f. 10 (1889). | Java. |
| 11. **C. Sumatrana, Haan,** (*Mantis (Harpax) S.*) l. c. p. 89, pl. 17. ff. 14, 15 (1842). | Sumatra. |
| 12. **C. Lævicollis, Sauss.** ll. cc. p. 242 (1870); p. 146 (1871). | Java. |
| *13. **C. Pictipennis, Wood-Mason,** Proc. Zool. Soc. Lond. 1878, p. 585, pl. 36. f. 8. | Ceylon. |

## Genus 163. **Helvia.**

Stål, Bihang Svenska Akad. iv. (10) p. 80 (1877).

| | |
|---|---|
| 1. **H. Cardinalis, Stål,** l. c. p. 86 (1877); Sauss. Rev. Suisse Zool. v. p. 200 (1897). | Malacca. |

## Genus 164. **Mystipola.**

Sauss. Rev. Suisse Zool. v. p. 201 (1898).

| | |
|---|---|
| 1. **M. Compressicollis, Sauss.** l. c. (1898); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 19 (1900). | W. Africa. |

## Genus 165. **Bomistria.**

Sauss. Rev. Suisse Zool. v. pp. 202, 789 (1898).

| | |
|---|---|
| *1. **B. Lunata, Sauss.** l. c. pp. 203, 789 (1898).<br>*Chlinidonoptera Lunata, Sjöst.* Bihang Svenska Akad. xxv. (4 : 6) p. 20, pl. 1. f. 6 (1900). | Gaboon, Cameroons, Gold Coast. |

## Genus 166. **Chlidonoptera.**

Karsch, Ent. Nachr. xviii. p. 150 (1892); Berlin. Ent. Zeitschr. xxxvii. p. 68 (1892); Sauss. Rev. Suisse Zool. v. p. 789 (1898).

| | |
|---|---|
| 1. **C. Vexillum, Karsch,** ll. cc. p. 150 (1892); xxxvii. p. 68 (1892), xxxix. p. 279, pl. 20. f. 13 (1894); Sauss. l. c. p. 789 (1898); Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 20 (1900). | Cameroons, Congo. |
| 2. **C.** (?) **Pavonina, Burm.** (*Mantis P.*) Handb. Ent. ii. p. 540. n. 42 (1838).<br>*Stagmatoptera Pavonina, Sauss.* Mém. Soc. Genève, xxi. p. 61 (1871). | S. Africa. |

### Genus 167. **Theopropus.** (*Type* no. 1.)

Sauss. Rev. Suisse Zool. v. p. 204 (1898).

| | |
|---|---|
| *1. **T. Elegans, Westw.** (*Blepharis E.*) Griffith. Animal Kingd. xv. p. 190, pl. 78. f. 3 (1832).<br>*Creobotra Elegans, Sauss.* Mém. Soc. Genève, xxi. p. 145 (1871); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 215, pl. 17. f. 25 (1898).<br>*T. Elegans, Sauss.* Rev. Suisse Zool. v. p. 205, pl. 9. f. 3 (1898); Shelf. Zoologist, (4) vii. pp. 297–303 (1903). | Tenasserim,<br>Java,<br>Borneo. |
| 2. **T. Præcontatrix, Sauss.** l. c. p. 205 (1898). | Java. |

### Genus 168. **Pseudocreobotra.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 211 (1870); Mém. Soc. Genève, xxi. p. 148 (1871); Rev. Suisse Zool. v. p. 206 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 78 (1877).

| | |
|---|---|
| *1. **P. Ocellata, Beauv.** (*Empusa O.*) Ins. Afr. Amér. p. 110, Orth. pl. 13. f. 2 (1805).<br>*Harpax Ocellata, Burm.* Handb. Ent. ii. p. 550. n. 2 (1838); Gerst. Mitth. Ver. Vorpomm. xiv. p. 95 (1883).<br>*P. Ocellata, Sauss.* Mém. Soc. Genève, xxi. p. 148, pl. 6. ff. 47, 47 *a*, *b* (1871); Stål, l. c. p. 85. n. 1 (1877). | W. Africa,<br>Ruwenzori. |
| *2. **P. Wahlbergi, Stål,** l. c. p. 85. n. 2 (1877); Kirb. Distant, Ins. Transvaal. p. 40, f. 4 (1902).<br>‖*Harpax Ocellata, Serv.* Ins. Orth. p. 158 (1839).<br>‖*P. Ocellata, Sauss.* l. c. xxi. p. 317 (1871); Brunn. Obs. Color. Ins. pp. 7, 8, pl. 6. f. 70, *a–c* (1897). | S. & E.<br>Africa. |
| 3. **P. Amaræ, Rehn,** Proc. Acad. Nat. Sci. Philadelphia, liii. p. 286 (1901). | Galla<br>Land. |

## Genus 169. **Callibia.**

Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877); Sauss. Rev. Suisse Zool. v. p. 207 (1898).

*Anastira*, *Gerst.* Mitth. Ver. Vorpomm. xiv. p. 97 (1883).

| | |
|---|---|
| *1. **C. Diana, Stoll,** (*Mantis D.*) Spectres, Mantes, p. 74, pl. 25. f. 100 (1813).<br>*Anastira Diana*, *Gerst.* l. c. (1883).<br>*Harpax Pictipennis*, *Serv.* Ins. Orth. p. 160 (1839). | "E. Indies," Cayenne, Ega, Pernambuco. |

## Genus 170. **Hymenopus.**

Serv. Ann. Sci. Nat. xxii. p. 46 (1831); Burm. Handb. Ent. ii. p. 549 (1838); Sauss. Mém. Soc. Genève, xxi. p. 142 (1871); Rev. Suisse Zool. v. p. 208 (1898).

*Hymenopa*, *Serv.* Ins. Orth. p. 162 (1839).

| | |
|---|---|
| *1. **H. Coronatus, Oliv.** (*Mantis Coronata*) Enc. Méth. vii. p. 638. n. 69 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 14 (1802).<br>*H. Coronatus*, *Burm.* l. c. p. 549 (1838); Sauss. Rev. Suisse Zool. v. p. 209 (1898).<br>*Hymenopa Coronata*, *Serv.* Ins. Orth. p. 163 (1839).<br>*Mantis Bicornis*, *Stoll*, Spectres, Mantes, p. 38, pl. 11. f. 44 (1813).<br>*H. Bicornis*, *Wood-Mason*, Proc. Zool. Soc. London, 1878, p. 786; Annandale, P. Z. S. Lond. 1900, pp. 839–848, ff. 1, 2 (1901); Shelf. Zoologist, (4) vii. pp. 299–304 (1903). | India, Borneo, &c. |

## Genus 171. **Parymenopus.**

Wood-Mason, Ann. Nat. Hist. (6) v. p. 437 (1890); Sauss. Rev. Suisse Zool. v. p. 209 (1898).

| | |
|---|---|
| 1. **P. Davisoni, Wood-Mason,** l. c. pl. 17 A, *a–c* (1890); Sauss. l. c. (1898). | Singapore. |

## Genus 172. **Harpagomantis.** (*Type* no. 9.)

Kirb. Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 40 (1902).

‖*Harpax*, *Serv.* Ann. Sci. Nat. xxii. p. 49 (1831); Ins. Orth. p. 157 (1839); Burm. Handb. Ent. ii. p. 550 (1838); Sauss. Mém. Soc. Genève, xxi. p. 151 (1871); Rev. Suisse Zool. v. p. 210 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877)

*Australomantis*, *Rehn*, Canad. Ent. xxxiii. p. 271 (1901).

*1. **H. Tricolor, Linn.** (*Gryllus* (*Mantis*) *T.*) Syst. Nat. (ed. x.) i. p. 426. n. 9 (1758). — S. Africa.

*Mantis Tricolor*, *Fabr.* Syst. Ent. p. 276. n. 9 (1775); Herbst, Fuessly, Archiv. Ins. p. 188, pl. 51. f. 4 (1786); Oliv. Enc. Méth., Ins. vii. p. 632. n. 36 (1792).

*Gryllus Tricolor*, *Linn.* Mus. Ludov. Ulr. p. 117 (1764).

*Harpax Tricolor*, *Serv.* Ins. Orth. p. 158 (1839); Sauss. ll. cc. p. 151 (1871); p. 210 (1898); Stål, l. c. p. 85 (1877); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 69 (1897).

|| *Mantis Lobata*, *Fabr.* Spec. Ins. i. p. 350. n. 28 (1781); Oliv. Enc. Méth., Ins. vii. p. 630. n. 24 (1792); Licht. Trans. Linn. Soc. Lond. p. 25. n. 15 (1802); Stoll, Spectres, Mantes, p. 29, pl. 9. f. 33, p. 41*, pl. 12. f. 48 (1813).

*Harpax Lobata*, *Burm.* l. c. p. 551. n. 4 (1838).

|| *Mantis Cornuta*, *Oliv.* Enc. Méth., Ins. vii. p. 641. n. 13 (1792).

*Harpax Cornuta*, *Burm.* l. c. p. 551. n. 3 (1838).

*Mantis Quadricornis*, *Stoll*, l. c. p. 42*, pl. 12. f. 50 (1813).

*Harpax Spinocula*, *Serv.* l. c. p. 159, pl. 3. f. 6 (1839).

‖*Harpax Coronata*, *Westw.* Rev. Mant. p. 20. n. 505 (1889).

(?) *Mantis Paradoxa*, *Goeze*, Ent. Beytr. ii. p. 35. n. 33 (1788); Oliv. l. c. p. 642. n. 27 (1792) (Seba, Thes. iv. pl. 73. ff. 9, 10).

| | |
|---|---|
| *2. **H. Discolor, Stål,** (*Harpax D.*) l. c. p. 85 (1877); Sauss. Rev. Suisse Zool. v. p. 210 (1898). | Caffraria, Transvaal. |

### Genus 173. **Pseudoharpax.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 241 (1870); Mém. Soc. Genève, xxi. p. 150 (1871); Rev. Suisse Zool. v. p. 211 (1898); Stål, Bihang Svenska Akad. iv. (10) p. 79 (1877).

| | |
|---|---|
| *1. **P. Virescens, Serv.** (*Harpax V.*) Ins. Orth. p. 162, pl. 3. f. 7 (1839); Sauss. Mém. Soc. Genève, xxi. p. 150, pl. 6. ff. 48, 48 *a* (1871). | W. Africa, Abyssinia. |

### Genus 174. **Galinthias.** (*Type* no. 1)

Stål, Bihang Svenska Akad. iv. (10) pp. 79, 86 (1877); Sauss. Rev. Suisse Zool. v. p. 318 (1898).

| | |
|---|---|
| *1. **G. Amœna, Sauss.** (*Harpax A.*) Mém. Soc. Genève, xxi. p. 318 (1871).<br>*G. Amœna, Westw.* Rev. Mant. p. 21. n. 510, pl. 10. ff. 3, 10 (1889); Brunn. Obs. Color. Ins. p. 7, pl. 6. f. 68 (1897). | Natal, Cape, Zanzibar. |
| 2. **G. Hyalina, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 598 (1899). | Delagoa Bay. |

### Genus 175. **Otomantis.** (*Type* no. 1.)

Bol. An. Soc. Españ. xix. p. 304 (1890).
*Acanthomantis, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 212 (1895). (*Type* no. 3.)

| | |
|---|---|
| *1. **O. Scutigera, Bol.** l. c. p. 305, pl. 1. f. 3 (1890).<br>*Acanthomantis Africana, Sauss. & Zehntn.* l. c. p. 215 (1895). | Delagoa Bay. |

| | |
|---|---|
| 2. **O. Rendalli, Kirb.** (*Acanthomantis R.*) Ann. Nat. Hist. (7) iv. p. 352 (1899); Distant, Ins. Transvaal. p. 41, pl. 2. f. 6 (1902). | Fort Johnston. |
| 3. **O. Aurita, Sauss. & Zehntn.** (*Acanthomantis A.*) l. c. p. 213, pl. 10. f. 38 (1895). | Madagascar |

## SUBFAM. VII.

## VATINÆ.

### Genus 176. **Cardioptera.**

Burm. Handb. Ent. ii. p. 540 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 66 (1869); Mém. Mex., Mant. p. 68 (1871); Miss. Mex., Orth. p. 267 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 43 (1877).

| | |
|---|---|
| *1. **C. Brachyptera, Burm.** (*Mantis B.*) Handb. Ent. ii. p. 541. n. 47 (1838).<br>*Mantis Sublobata, Serv.* Ins. Orth. p. 180 (1839); Charp. Germar, Zeitschr. Ent. iii. p. 290 (1841); Orth. pl. 37 (1845).<br>*C. Sublobata, Sauss.* Mém. Mex., Mant. p. 75 (1871).<br>♂. *Mantis Pilipes, Serv.* l. c. p. 192 (1839). | Brazil. |

### Genus 177. **Oxyops.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 56 (1869); Mém. Mex., Mant. p. 41 (1871); Miss. Mex., Orth. i. p. 253 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 189 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

| | |
|---|---|
| *1. **O. Rubicunda, Stoll,** (*Mantis R.*) Spectres, Mantes, p. 73, pl. 25. f. 96 (1813).<br>*O. Rubicunda, Sauss.* Mém. Mex., Mant. p. 41 (1871); Miss. Mex., Orth. p. 254 | Guiana, Brazil. |

| | |
|---|---|
| (1872) ; Sauss. & Zehntn. l. c. p. 189. n. 1 (1894); Stål, l. c. p. 71. n. 1 (1877); Westw. Rev. Mant. p. 15. n. 378, pl. 6. f. 3 (1889). | |
| *Stagmatoptera Diluta*, ♂ (nec ♀), *Sauss.* Mém. Mex., Mant. p. 87, pl. 1. f. 6 (1871). | |
| 2. **O. Dubiosa, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 18 (1898). | Ecuador. |
| 3. **O. Acutipennis, Stål,** l. c. p. 71. n. 2 (1877). | Peru. |
| 4. **O. Media, Stål,** l. c. n. 3 (1877). | Brazil. |
| 5. **O. Obtusa, Stål,** l. c. p. 72. n. 4 (1877). | id. |
| 6. **O. Icterica, Sauss. & Zehntn.** l. c. p. 190. n. 2 (1894). | S. America. |
| 7. **O. Borellii, Giglio-Tos,** l. c. xii. (302) p. 15 (1897). | Bolivia. |
| 8. **O. Paraguayensis, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 64, pl. 1. f. 10 (1898). | Paraguay. |

### Genus 178. **Pseudoxyops.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894).

| | |
|---|---|
| 1. **P. Perpulchra, Westw.** (*Stagmatoptera P.*) Rev. Mant. p. 36, pl. 11. f. 8 (1889). | Ega. |

### Genus 179. **Parastagmatoptera.** (*Type* no. 1.)

Sauss. Mém. Mex., Mant. p. 83 (1871) ; Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 188 (1894) ; Stål, Bihang Svenska Akad. iv. (10) p. 68 (1877).

| | |
|---|---|
| 1. **P. Flavoguttata, Serv.** (*Mantis F.*) Ins. Orth. p. 183 (1839). | Cayenne. |
| *1 *a*. **P. Unipunctata, Burm.** (*Mantis U.*) Handb. Ent. ii. p. 540. n. 43 (1838) ; Berlin. Ent. Zeitschr. viii. p. 238 (1864). | Brazil, Buenos Aires. |
| 2. **P. Ciliata, Stål,** (*Mantis C.*) Eugenie's Resa, Orth. p. 313 (1858). | Rio Janeiro. |
| **3. **P. Serricornis, Kirb.** (n. n.). (*Mantis Serricornis, Bates,* MS.) [*Stagmatoptera Flavoguttata, Sauss.* l. c. p. 84, pl. 1. f. 5 (1871) ; Miss. Mex., Orth. p. 256 (1872). | Santarem. |

| | |
|---|---|
| ‖*P. Unipunctata, Sauss. & Zehntn.* l. c. p. 188. n. 1 (1894). | |
| ‖*P. Flavoguttata, Westw.* Rev. Mant. p. 16. n. 392, pl. 6. f. 1 (1889). | |
| 4. **P. Tessellata, Sauss. & Zehntn.** l. c. p. 188. n. 2 (1894). | Cayenne. |
| **5. **P. Lobipes, Redt.** Proc. Zool. Soc. Lond. 1892, p. 206, pl. 15. f. 8; Brunn. op. cit. 1893, p. 605, pl. 52. f. 4; Sauss. & Zehntn. l. c. p. 189. n. 3 (1894). | W. Indies: St. Vincent, Grenada. |
| 6. **P. (?) Simulacrum, Fabr.** (*Mantis S.*) Ent. Syst. ii. p. 21. n. 34 (1793). | America. |
| 7. **P. (?) Diluta, Stoll,** (*Mantis D.*) Spectres, Mantes, p. 66, pl. 22. f. 83 (1813). | Surinam. |
| *Stagmatoptera Diluta*, ♀, *Sauss.* ll. cc. p. 87 (1871); p. 256 (1872). | |

### Genus 180. **Stagmatoptera.** (*Type* no. 10.)

Burm. Handb. Ent. ii. p. 537 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 67 (1869); Mém. Soc. Genève, xxi. p. 64 (1871); Mém. Mex., Mant. p. 80 (1871); Miss. Mex., Orth. p. 255 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 185 (1894); Grandidier, Hist. Madagascar, Orth. i. p. 223 (1895); Stål, Bihang Svenska Akad. iv. (10) pp. 68, 72 (1877).

| | |
|---|---|
| *1. **S. Biocellata, Sauss.** ll. cc. p. 67 (1869); p. 96 (1871); p. 257 (1872). | Brazil. |
| 2. **S. Supplicaria, Burm.** (*Mantis S.*) l. c. p. 542. n. 52 (1838). | Guiana, Brazil. |
| ‖*Mantis Hyalina, Burm.* l. c. p. 532. n. 11 (1838). | |
| ‖*Mantis Precaria, Licht.* Trans. Linn. Soc. Lond. vi. p. 26. n. 16 (1802); Stoll, Spectres, Mantes, p. 51, pl. 17. f. 62 (1813). | |
| *Mantis Flavipennis, Serv.* Ins. Orth. p. 182 (1839). | |
| *S. Supplicaria, Sauss.* Mém. Mex., Mant. p. 94. n. 8, pl. 1. ff. 11, 11 (1871). | |
| 3. **S. Hyaloptera, Perty,** (*Mantis H.*) Delectus Anim. Art. p. 117, pl. 23. f. 6 (1832). | Amazons, Cayenne. |
| *S. Hyaloptera, Sauss.* l. c. p. 95, pl. 1. f. 12 (1871); Miss. Mex., Orth. p. 257 (1872). | |

| | |
|---|---|
| *4. **S. Luna, Serv.** (*Mantis L.*) l. c. p. 183 (1839). | Argentine Republic. |
| *5. **S. Predicatoria, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870).<br>*S. Prædicatoria, Sauss.* Mém. Mex., Mant. p. 92, pl. 1. f. 10 (1871); (?) Westw. Rev. Mant. p. 16. n. 386, pl. 4. f. 6 (1889).<br>‖*Mantis Rogatoria, Burm.* l. c. p. 540. n. 41 (1838). | Brazil. |
| 6. **S. Binotata, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 341 (1869). | Napo (?). |
| **7. **S. Septentrionalis, Sauss. & Zehntn.** l. c. p. 186, pl. 8. f. 2 (1894). | Panama, Trinidad. |
| *8. **S. Minor, Sauss. & Zehntn.** (*S. Septentrionalis*, var. *Minor*) l. c. p. 187 (1894). | Colombia, Venezuela. |
| 9. **S. Pia, Sauss. & Zehntn.** l. c. p. 187. n. 2 (1894). | Brazil. |
| *10. **S. Præcaria, Linn.** (*Gryllus* (*Mantis*) *Præcarius*) Syst. Nat. (ed. x.) i. p. 426. n. 7 (1758).<br>*Gryllus Mantis Precarius, Linn.* Mus. Ludov. Ulr. p. 114 (1764).<br>*Mantis Precaria, De Geer,* Mém. Ins. iii. pp. 406, 407. n. 3, pl. 37. ff. 4, 8, 9 (1773); Herbst, Fuessly, Arch. Ins. p. 186, pl. 50. f. 1 (1786); Oliv. Enc. Méth., Ins. vii. p. 628. n. 13 (1792); Beauv. Ins. Afr. Amér. p. 61, Orth. pl. 12. f. 1 (1805); Hahn, Icon. Orth., Mant. t. A. f. 1 (1836); Serv. Ins. Orth. p. 181 (1839).<br>*Mantis Præcaria, Burm.* l. c. p. 539. n. 40 (1838); Berlin. Ent. Zeitschr. viii. p. 236. n. 1 (1864).<br>*S. Precaria, Brunn.* Obs. Color. Ins. p. 3, pl. 2. f. 22 *a* (1897).<br>*S. Flavipennis, Brunn.* l. c. f. 22, *b* (1897).<br>*Mantis Cubitata, Goeze,* Ent. Beytr. ii. p. 34. n. 27 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 21 (1792) (Seba, Thes. iv. pl. 69. ff. 3, 4).<br>*Mantis Obsecraria, Licht.* Trans. Linn. Soc. vi. p. 28. n. 25 (1802).<br>*Mantis Ocellata, Oliv.* l. c. p. 639. n. 77 (1792). | S. America. |

| | |
|---|---|
| *Mantis Annulata, Stoll*, Spectres, Mantes, p. 55. pl. 18. f. 66 (1813). | |
| *S. Annulata, Sauss.* l. c. p. 91, pl. 1. ff. 9, 9 (1871) ; Miss. Mex., Orth. p. 256. n. 4 (1872) ; Sauss. & Zehntn. l. c. p. 187. n. 3 (1894). | |
| *Mantis Rogatoria, Stoll*, l. c. p. 73, pl. 25. f. 95 (1813). | |
| 11. **S. Femoralis, Sauss. & Zehntn.** l. c. p. 187. n. 4 (1894). | Cayenne. |
| ?*Mantis Precaria, Müll.* Naturs. Linn., Ins. i. p. 413, pl. 9. f. 3 (1774). | |
| 12. **S. Indicator, Oliv.** (*Mantis I.*) l. c. p. 641. n. 16 (1792). | Surinam. |
| *Mantis Bodegutica, Licht.* l. c. p. 26. n. 20 (1802). | |
| *Mantis Sancta, Stoll*, l. c. p. 52, pl. 17. f. 63 (1813) ; Burm. l. c. p. 542. n. 51 (1838). | |
| 12 *a*. **S. Pagana, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 232 (1870). | Bogota. |
| ‖*S. Sancta, Sauss.* Mém. Mex., Mant. p. 88, pl. 1. f. 7 (1871). | |
| 12 *b*. **S. Costalis, Burm.** (*Mantis C.*) l. c. p. 532. n. 9 (1838). | Brazil. |
| 13. **S. Insatiabilis, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 572 (1904). | Costa Rica. |
| 14. **S. Abdominalis, Oliv.** (*Mantis A.*) l. c. p. 640. n. 8 (1792). | Surinam. |
| *Mantis Birivia, Stoll*, l. c. p. 28, pl. 9. f. 31 (1813) ; Burm. l. c. p. 541. n. 45 (1838). | |
| *S. Birivia, Sauss. & Zehntn.* l. c. p. 186 (1894). | |
| *Mantis Urbana, Licht.* l. c. p. 27. n. 23 (1802). | |
| 15. **S. Freyi, Brancs.** (*Hierodula (Sphodromantis) F.*) Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 177, pl. 9. ff. 1, 1 *a* (1892). | Madagascar |
| *S. Freyi, Sauss. & Zehntn.* Grandidier, Hist. Madagascar, Orth. i. p. 224, pl. 6. ff. 1, 2 (1895). | |
| *16. **S. Acutipennis, Westw.** (*Hierodula A.*) Rev. Mant. p. 34, pl. 1. f. 8 (1889). | id. |
| *S. Acutipennis, Sauss. & Zehntn.* l. c. p. 228, pl. 7. f. 5 (1895). | |
| *S. Grandidieri, Sauss. & Zehntn.* l. c. p. 226, pl. 7. ff. 3, 4 (1895). | |

### Genus 181. **Heterovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 85 (1872); Miss. Mex., Orth. p. 289 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

| | |
|---|---|
| 1. **H. Pardalina, Sauss.** ll. cc. p. 85, pl. 9. f. 32 (1871); p. 289 (1872). | Brazil. |

### Genus 182. **Zoolea.**

Serv. Ins. Orth. p. 154 (1839); Sauss. Mém. Mex., Mant. pp. 156, 160 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

|| *Vates*, *Stål*, Bihang Svenska Akad. iv. (10) pp. 69, 73 (1877).

| | |
|---|---|
| *1. **Z. Lobipes, Oliv.** (*Mantis L.*) Enc. Méth. vii. p. 637. n. 65 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 9 (1802); Charp. Germar, Zeitschr. Ent. v. p. 294 (1844).<br>*Empusa Lobipes*, *Guér.* Icon. R. Anim., Ins. p. 327, pl. 52. f. 5 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 172, pl. 104. f. 5 (1832); Duncan, Nat. Libr., Ins. i. p. 237, pl. 10. f. 2 (1840).<br>*Theoclytes Lobipes*, *Serv.* Ins. Orth. p. 254 (1839).<br>*Mantis Macroptera*, *Stoll*, Spectres, Mantes, p. 26, pl. 8. f. 30 (1813).<br>*Vates Macropterus*, *Burm.* Handb. Ent. ii. p. 544. n. 3 (1838); Charp. Orth. pls. 25, 26 (1842).<br>*Z. Macroptera*, *Sauss.* Mém. Mex., Mant. p. 161 (1871).<br>*Vates Orbus*, *Burm.* l. c. p. 544. n. 2 (1838). | "Tranquebar," Brazil, Guiana. |

### Genus 183. **Phyllovates, Kirb.** (n. n.). (*Type* no. 1.)

*Theoclytes* (2$^{\text{me}}$ subdiv.), *Serv.* Ins. Orth. p. 153 (1839), *nec sect. typ.*

|| *Theoclytes*, *Sauss.* Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60

(1869); Mém. Mex., Mant. p. 172 (1871); Miss. Mex., Orth. p. 292 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 190 (1894); Stål, Bihang Svenska Akad. iv. (10) p. 69 (1877).

| | |
|---|---|
| *1. **P. Chlorophæa, Blanch.** (*Mantis C.*) Mag. Zool., Ins. pl. 135 (1836).<br>*Theoclytes* (?) *Chlorophæa, Serv.* l. c. p. 153 (1839); Sauss. Mém. Mex., Mant. p. 173 (1871); Miss. Mex., Orth. p. 292, pl. 5. ff. 4, 4 *a* (1872); Sauss. & Zehntn. l. c. p. 191. n. 1 (1894).<br>*Theoclytes Azteca, Sauss.* Rev. Zool. (2) xi. p. 61 (1859).<br>*Theoclytes Mexicana, Sauss.* l. c. (2) xiii. p. 127 (1861). | N. & Centr. America. |
| **1 *a*. **P. Cornuta, Sauss. & Zehntn.** (*Theoclytes Chlorophæa*, var. *Cornuta*) l. c. p. 191 (1894). | Guatemala. |
| **2. **P. Maya, Sauss. & Zehntn.** (*Theoclytes M.*) l. c. p. 192. n. 2 (1894).<br>*Theoclytes Chlorophæa*, var., *Sauss. & Zehntn.* l. c. pl. 10. f. 33 (1894). | Mexico. |
| *3. **P. Brevicornis, Stål,** (*Pseudovates B.*) l. c. p. 74 (1877). | Colombia, Brazil. |
| 4. **P. Cingulata, Drury,** (*Mantis C.*) Ill. Ex. Ent. ii. pl. 49. f. 2 (1773); Oliv. Enc. Méth., Ins. vii. p. 635. n. 49 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 27. n. 22 (1802).<br>*Mantis Bidens, Haan*, Temminck, Verhandel., Orth. p. 79 (1842).<br>*Theoclytes Cingulata, Sauss. & Zehntn.* l. c. p. 192. n. 3 (1894).<br>‖*Mantis Hyalina, Fabr.* Syst. Ent. p. 277. n. 16 (1775); Oliv. Enc. Méth., Ins. vii. p. 629. n. 17 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 30. n. 3 (1802). | Jamaica. |
| 5. **P. Stolli, Sauss. & Zehntn.** (*Mantis S.*) l. c. p. 192. n. 4 (1894).<br>‖*Mantis Cingulata, Stoll*, Spectres, Mantes, p. 28, pl. 9. f. 32 (1813); Burm. Handb. Ent. ii. p. 542. n. 53 (1838); Serv. l. c. p. 197 (1839).<br>*Theoclytes Cingulata, Sauss.* Mém. Mex., Mant. p. 174 (1871); Miss. Mex., Orth. p. 293 (1872). | Guiana, Brazil. |

| | |
|---|---|
| *6. **P. Parallela, Haan,** (*Mantis P.*) l. c. p. 79 (1842).<br>*Theoclytes Parallela, Sauss.* ll. cc. p. 176, pl. 2. f. 33 (1871); p. 294 (1872); Sauss. & Zehntn. l. c. p. 193. n. 5 (1894).<br>*Theoclytes Surinamensis, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869); Mém. Mex., Mant. pl. 1. f. 19 (1871). | Guiana. |
| *7. **P. Spinicollis, Sauss. & Zehntn.** (*Theoclytes S.*) l. c. p. 193. n. 6, pl. 6. f. 2 (1894). | Brazil. |
| 8. **P. Iheringi, Sauss. & Zehntn.** (*Theoclytes I.*) l. c. p. 193. n. 7 (1894). | R. Grande do Sol. |
| *9. **P. Minor, Sauss.** (*Theoclytes M.*) Mém. Soc. Genève, xxiii. p. 85, pl. 9. f. 33 (1872); Miss. Mex., Orth. p. 294 (1872). | Brazil. |
| 9 *a*. **P. Parvulus, Westw.** (*Theoclytes* (*Vates*) *P.*) Rev. Mant. p. 46 (1889). | id. |

### Genus 184. **Pseudovates.** (*Type* no. 1.)

Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 60, 221 (1869, 1870); Stål, Bihang Svenska Akad. iv. (10) pp. 69, 74 (1877); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 190, 194 (1894).

| | |
|---|---|
| *1. **P. Tolteca, Sauss.** (*Theoclytes T.*) Rev. Zool. (2) xi. p. 61 (1859).<br>*Vates Tolteca, Sauss.* Mém. Mex., Mant. p. 167 (1871); Miss. Mex., Orth. p. 291, pl. 5. ff. 3, 3 *a–c* (1872); Sauss. & Zehntn. l. c. p. 194. n. 1 (1894). | Mexico. |
| *2. **P. Paraensis, Sauss.** (*Vates P.*) Mém. Mex., Mant. p. 168 (1871); Sauss. & Zehntn. l. c. p. 195. n. 2, pl. 6. f. 1, pl. 10. ff. 28, 29 (1894). | Para, Mexico. |
| 3. **P. Bidens, Fabr.** (*Mantis B.*) Syst. Ent. p. 227. n. 17 (1775); Oliv. Enc. Méth., Ins. vii. p. 629. n. 19 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 24. n. 13 (1802).<br>*Vates Bidens, Sauss.* l. c. p. 169, pl. 2. ff. 35, 35 *a* (1871).<br>*P. Consobrina, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870). | Brazil. |
| 4. **P. Longicollis, Stål,** l. c. p. 74 (1877).<br>*Vates Longicollis, Sauss. & Zehntn.* l. c. p. 195. n. 3 (1894). | Mexico. |

### Genus 185. **Vates.** (*Type* no. 2 *b.*)

Burm. Handb. Ent. ii. p. 543 (1838); Sauss. Mitth. Schweiz. Ent. Ges. iii. pp. 53, 60, 221 (1869, 1870); Mém. Mex., Mant. pp. 156, 162 (1871); Miss. Mex., Orth. p. 286 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. pp. 184, 194 (1894).

*Theoclytes, Serv.* Ins. Orth. p. 150 (1839). (*Type* no. 2 *b.*)

| | |
|---|---|
| *1. **V. Pectinata, Sauss.** Mém. Mex., Mant. p. 163, pl. 2. f. 34 (1871); Sauss. & Zehntn. l. c. p. 196. n. 4, pl. 6. ff. 4, 5, pl. 10. ff. 30–32 (1894). | Mexico. |
| 2. **V. Foliata, Licht.** (*Mantis F.*) Trans. Linn. Soc. Lond. vi. p. 24. n. 11 (1802). | "Bengal." |
| *Mantis Subfoliata, Stoll,* Spectres, Mantes, p. 55, pl. 18. f. 67 (1813). | |
| *Vates Subfoliata, Sauss.* l. c. p. 166 (1871). | |
| 2 *a.* **V. Sphingicornis, Stoll,** (*Mantis S.*) l. c. p. 59, pl. 20. f. 74 (1813). | "Amboina." |
| 2 *b.* **V. Lobata, Fabr.** (*Mantis L.*) Ent. Syst., Suppl. p. 190 (1798). | Cayenne,<br>Brazil. |
| ‖ *Empusa Hyalina, Charp.* Silbermann, Rev. Ent. iii. p. 316 (1835); Charp. Germar, Zeitschr. Ent. i. p. 372 (1839); Charp. Orth. pl. 2 (1841). | |
| *V. Cnemidotus, Burm.* l. c. p. 543. n. 1 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 295 (1841). | |
| ‖ *Theoclytes Foliata, Serv.* l. c. p. 151 (1839). | |
| ‖ *V. Sphingicornis, Sauss.* l. c. p. 164 (1871). | |
| ‖ *V. Subfoliata, Sauss. & Zehntn.* l. c. p. 196. n. 5 (1894). | |
| 3. **V. Denticulata, Sauss.** Mitth. Schweiz. Ent. Ges. iii. p. 222 (1870). | Surinam. |
| 4. **V. Pectinicornis, Stål,** (*Theoclytes P.*) Bihang Svenska Akad. iv. (10) p. 73 (1877). | Panama. |
| *V. Pectinicornis, Sauss. & Zehntn.* l. c. p. 197. n. 6 (1894). | |
| 5. **V. Serraticornis, Stål,** (*Theoclytes S.*) l. c. p. 73 (1877). | N. Granada. |

6. **V. Amazonicus, Westw.** (*Theoclytes A.*) Rev. Mant. p. 46 (1889). — Amazons.
*V. Amazonica, Sauss. & Zehntn.* l. c. p. 197. n. 7 (1894).

7. **V. Annectens, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 85 (1900). — Mexico.

8. **V. Townsendi, Rehn,** Proc. U. S. Nat. Mus. xxvii. p. 573 (1904). — id.
*Vates sp., Rehn,* Trans. Amer. Ent. Soc. xxvii. p. 221 (1904).

### Genus 186. **Hagiotata.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 197 (1894).

**1. **H. Hofmanni, Sauss. & Zehntn.** l. c. p. 197, pl. 8. f. 5 (1894). — Brazil.

### Genus 187. **Stenophylla.**

Westw. Arc. Ent. ii. p. 52 (1845); Sauss. Mém. Mex., Mant. p. 154 (1871); Miss. Mex., Orth. p. 282 (1872); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 184 (1894).

1. **S. Cornigera, Westw.** l. c. pl. 62. f. 2 (1845); Rev. Mant. p. 45 (1889); Sauss. ll. cc. p. 155 (1871); p. 283 (1872); Mém. Soc. Genève, xxiii. p. 82, pl. 9. f. 30 (1872); Sharp, Cambridge Nat. Hist., Ins. i. pp. 257, 258, f. 147 (1895). — Brazil.

### Genus 188. **Stenovates.**

Sauss. Mém. Soc. Genève, xxiii. p. 84 (1872);
Miss. Mex., Orth. p. 286 (1872).

1. **S. Pantherina, Sauss.** ll. cc. p. 84, pl. 9. ff. 31, 31 *a* (1872): p. 287 (1872): Brunn. Ann. Mus. Genova, xxxiii. p. 74 (1893). — "C.Amer.," White Nile.

### Genus 189. **Heterochæta.** (*Type* no. 1.)

Westw. Arc. Ent. i. p. 162 (1845);
Sauss. Mém. Soc. Genève, xxi. pp. 140, 164 (1871).

1. **H. Tenuipes, Westw.** (*Toxodera T.*) Ann. Nat. Hist. (1) viii. p. 272 (1841). — Senegal.

*Toxodera (Heterochæta) Tenuipes, Westw.* Arc. Ent. i. p. 162, pl. 41 (1845).
*H. Tenuipes, Westw.* Rev. Mant. p. 41 (1889).

**2. **H. Orientalis, Kirb.** Ann. Nat. Hist. (7) xiii. p. 87 (1904). — E. Africa.
(?) *H. Tenuipes, Gerst.* Mitth. Ver. Vorpomm. xiv. p. 94 (1883).

### Genus 190. Pseudochæta.

Kirb. Ann. Nat. Hist. (7) xiii. p. 87 (1904).

**1. **P. Strachani, Kirb.** l. c. p. 88 (1904). | Lagos.

### Genus 191. Severinia.

Finot, Ann. Soc. Ent. Belg. xlvi. p. 433 (1902).

1. **S. Lemoroi, Finot,** (*Heterochæta L.*) Bull. Soc. Ent. France, 1893, p. xxix; Ann. Soc. Ent. Belg. xlvi. p. 432 (1902). | Algeria.

### Genus 192. Heterochætula. (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 308 (1889).

1. **H. Fissispinis, Wood-Mason,** l. c. p. 309 (1889). — Mysore.
2. **H. Tricolor, Wood-Mason,** (*Heterochæta T.*) Ann. Nat. Hist. (4) xviii. p. 441 (1876). — Calcutta, Orissa.

### Genus 193. Paradanuria. (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 220 (1877); Journ. Asiatic Soc. Bengal, lviii. p. 314 (1889).

*1. **P. Orientalis, Wood-Mason,** Ann. Nat. Hist. (4) xix. p. 220 (1877). — India.
*Toxodera (Paradanuria) Orientalis, Westw.* Rev. Mant. p. 41, pl. 12. f. 9 (1889).

2. **P. Parvula, Westw.** (*Toxodera (Paradanuria) P.*) l. c. p. 41 (1889). | Hab. —— ?
3. **P. Fortnumi, Westw.** (*Toxodera (Paradanuria) F.*) l. c. p. 41, pl. 8. f. 7 (1889). | N. Australia.

### Genus 194. Euthyphleps.

Wood-Mason, Journ. Asiatic Soc. Bengal, lviii. p. 315 (1889).

1. **E. Rectivenis, Wood-Mason,** l. c. p. 317 (1889). | N.W. Himalayas.

### Genus 195. **Æthalochroa.** (*Type* no. 1.)

Wood-Mason, Ann. Nat. Hist. (4) xix. p. 308 (1877); Journ. Asiatic Soc. Bengal, lviii. p. 310 (1889).

*Arsacia*, *Stål*, Bihang Svenska Akad. iv. (10) p. 70 (1877).

*Arteria*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 74 (1893).

| | |
|---|---|
| 1. **Æ. Ashmoliana, Westw.** (*Vates Ashmolianus*) Ann. Nat. Hist. (1) viii. p. 271 (1841); Arc. Ent. ii. p. 52 note (1845). | India. |
| *Popa* (?) *Aschmoliana*, *Sauss.* Mém. Soc. Genève, xxi. p. 161 (1871). | |
| *Æ. Ashmoliana*, *Wood-Mason*, ll. cc. p. 308 (1877); p. 312 (1889); Westw. Rev. Mant. p. 46, pl. 12. f. 6 (1889). | |
| *Æ. Ashmoliana*, var. *Simplicipes*, *Wood-Mason*, Proc. Zool. Soc. Lond. 1878, p. 584. | Bombay, N. India. |
| *Æ. Ashmoliana*, var. *Insignis*, *Wood-Mason*, l. c. (1878). | |
| 2. **Æ. Affinis, Wood-Mason,** Journ. Asiatic Soc. Bengal, lviii. p. 313 (1889). | Sind. |
| 3. **Æ. Spinipes, Wood-Mason,** l. c. (1889). | Karachi. |

### Genus 196. **Pseudempusa.**

Brunn. Ann. Mus. Genova, xxxiii. p. 73 (1893).

| | |
|---|---|
| 1. **P. Pinnapavonis, Brunn.** l. c. p. 75, pl. 2. f. 25 (1893); Obs. Color. Ins. p. 5, pl. 4. f. 50 (1897). | Burma. |

### Genus 197. **Popa.** (*Type* no. 2.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. pp. 386, 397 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mém. Soc. Genève, xxi. pp. 140, 160 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 229 (1895).

| | |
|---|---|
| *1. **P. Undata, Fabr.** (*Mantis U.*) Ent. Syst. ii. p. 19. n. 28 (1793). | Tranquebar, Bombay : |
| (?) *Mantis Undata*, *Charp.* Orth. pl. 38 (1841). | S. Africa (?) |
| *2. **P. Spurca, Stål,** ll. cc. p. 169 (1856), p. 387 (1871). | S. & E. Africa, |
| [*Theoclytes* (?) *Undata*. *Serv.* Ins. Orth. p. 152 (1839). | Madagascar |

*P. Undata, Sauss.* l. c. xxiii. p. 79 (1872); Sauss. & Zehntn. l. c. p. 233 (1895).
*P. Undata*, var. *Pallida, Sauss. & Zehntn.* l. c. p. 234 (1895).

3. **P. Batesi, Sauss. & Zehntn.** l. c. p. 230 (1895). — Madagascar
*P. Undata*, pt., *Bates*. Proc. Zool. Soc. Lond. 1863, p. 480.

### Genus 198. **Macrodanuria.** (*Type* no. 1.)

Sjöst. Bihang Svenska Akad. xxv. (4 : 6) p. 22 (1900).

*1. **M. Phasmoides, Sjöst.** l. c. p. 23, pl. 1. ff. 1, 2 (1900). — Congo.

2. **M. Elongata, De Borre** (*Danuria E.*) Ann. Soc. Ent. Belg. xxvii. p. 76 (1883). — S. Guinea.

*3. **M. Bolauana, Sauss.** (*Danuria B.*) Mitth. Schweiz. Ent. Ges. iii. p. 70 (May, 1869). — E. Africa.
*Danuria Bolauana, Sauss.* Mém. Soc. Genève, xxi. p. 162 (1871).
*Mantis* (*Danuria?*) *Superciliaris, Gerst.* Arch. Naturg. xxxv. p. 210. n. 25 (1869); Von der Decken's Reisen in Ost-Afrika, Ins. p. 15, pl. 1. ff. 7, 7 *a*, *b* (1873).
*Danuria* (?) *Caffra, Westw.* Rev. Mant. p. 42, pl. 1. f. 5 (1889).

### Genus 199. **Danuria.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xiii. p. 169 (1856), xxviii. p. 387 (1871); Bihang Svenska Akad. iv. (10) p. 70 (1877); Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 57 (1869); Mém. Soc. Genève, xxi. pp. 161, 319 (1871); Karsch, Ent. Nachr. xv. p. 270 (1889).
*Danirura, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 70 (1869).

*1. **D. Thunbergi, Stål,** ll. cc. p. 169 (1856), p. 387 (1871); Sauss. Mém. Soc. Genève, xxi. pp. 163, 320, pl. 7. ff. 66, 67 (1871); Karsch, l. c. p. 273 (1889); (?) Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 228 (1895). — S. & E. Africa, Madagascar (eadem ?).

*2. **D. Buchholzi, Gerst.** Mitth. Ver. Vorpomm. xiv. p. 93 (1883). — W. Africa.

| | |
|---|---|
| 3. **D. Gracilis, Schulth.** (*Popa G.*) Ann. Mus. Genova, xxxix. p. 180 (1898).<br>*D. Gracilis, Schulth.* Bull. Soc. Vaud. xxxv. p. 200 note (1899). | Somali Land. |
| *4. **D. Impannosa, Karsch,** l. c. p. 274 (1889). | Nubia. |
| *5. **D. Serratodentata, Karsch,** l. c. p. 274 (1889). | Congo, Angola. |

### Genus 200. **Danuriella.**

Westw. Rev. Mant. p. 42 (1889) ; Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 235 (1895).

| | |
|---|---|
| 1. **D. Irregularis, Westw.** l. c. p. 42, pl. 1. f. 9 (1889) ; Sauss. & Zehntn. l. c. p. 236, pl. 7. ff. 6, 7 (1895). | Madagascar |

### Genus 201. **Phitrus.**

Karsch, Ent. Nachr. xviii. p. 149 (1892).

| | |
|---|---|
| 1. **P. Lobulipes, Karsch,** l. c. (1892) ; Berlin. Ent. Zeitschr. xxxix. p. 279, pl. 20. f. 8 (1894). | Cameroons. |

## SUBFAM. VIII.

## EMPUSINÆ.

### Genus 202. **Gongylus.** (*Type* no. 1.)

Thunb. Mém. Pétersb. v. p. 220 (1815) ; Burm. Handb. Ent. ii. p. 545 (1838) ; Sauss. Mém. Soc. Genève, xxi. p. 185 (1871); Stål, Bihang Svenska Akad. iv. (10) p. 75 (1877).

| | |
|---|---|
| *1. **G. Gongylodes, Linn.** (*Gryllus Mantis G.*) Syst. Nat. (ed. x.) i. p. 426. n. 4 (1758) ; Mus. Ulr. p. 112 (1764).<br>——, *Rœsel*, Ins. Belust. ii. Locusta Indica, pl. 7. ff. 1–3 (1749).<br>*Mantis Gongylodes, Fabr.* Syst. Ent. p. 275. n. 6 (1775) ; Drury, Ill. Exot. Ent. i. pl. 50. f. 2 (1773) ; Oliv. Enc. Méth., Ins. vii. p. 626. n. 7 (1792) ; Licht. Trans. Linn. Soc. Lond. vi. p. 21. n. 6 (1802) ; | India, Ceylon. |

| | |
|---|---|
| Stoll, Spectres, Mantes, p. 46, pl. 16. ff. 58, 59 (1813); Brullé, Hist. Nat. Ins. ix. p. 78, pl. 6. f. 2 (1835).<br>*G. Gongylodes, Thunb.* l. c. p. 294 (1815); Sauss. l. c. xxi. p. 185 (1871); Sharp, Cambridge Nat. Hist., Ins. i. pp. 254–256, f. 146 (1895).<br>*Empusa Gongylodes, Burm.* l. c. p. 545. n. 1 (1838); Serv. Ins. Orth. p. 141 (1839); Duncan, Nat. Libr., Ins. i. p. 235, pl. 10. f. 1 (1840).<br>♂. *Mantis Flabellicornis, Fabr.* Ent. Syst. ii. p. 16. n. 16 (1793); Licht. l. c. p. 22. n. 7 (1802); Stoll, l. c. p. 49, pl. 17. f. 61 (1813). | |
| *2. **G. Trachelophyllus, Burm.** (*Empusa Trachelophylla*) l. c. p. 545. n. 2 (1838).<br>*G. Trachelophyllus, Sauss.* l. c. xxi. p. 186 (1871), xxiii. p. 86, pl. 9. f. 34 (1872). | India,<br>Ceylon. |

## Genus 203. **Empusa.** (*Type* no. 6.)

Illiger, Käfer Preuss. p. 499 (1798); Latr. Gen. Crust. Ins. iii. p. 90 (1807); Serv. Ann. Sci. Nat. xxi. p. 47 (1831); Ins. Orth. p. 140 (1839); Burm. Handb. Ent. ii. pp. 544, 546 (1838); Fisch. Waldh. Orth. Ross. p. 94 (1846); Fisch. Orth. Eur. p. 131 (1853); Sauss. Mém. Soc. Genève, xxi. p. 186 (1871); Bol. Sin. Ortópt. Españ. p. 65 (1876); Stål, Bihang Svenska Akad. iv. (10) p. 26 (1877); Brunn. Prodr. Eur. Orth. p. 69 (1882); Finot, Faune France, Orth. p. 91 (1890); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 154 (1902).

*Ampusa, Ramb.* Faune And. ii. p. 17 (1842).

| | |
|---|---|
| 1. **E. Pectinata, Dru.** (*Mantis P.*) Ill. Exot. Ent. i. pl. 50. f. 1 (1773).<br>‖ *E. Pennicornis, Westw.* ed. Drury, l. c. (1837). | "Jamaica." |
| *1 *a*. **E. Egena, Charp.** (Germar, Zeitschr. Ent. iii. p. 298 (1841); Fisch. Waldh. l. c. p. 97, pl. 1. f. 7 (1846); Fisch. l. c. p. 132 (1853); Sauss. l. c. p. 189 (1871); Bol. l. c. p. 66, pl. 1. f. 24 *a*, *b* (1876); Brunn. l. c. p. 70 (1882); Finot, l. c. p. 91, pl. 3. f. 53 (1890).<br>‖ *Mantis Pauperata, Rossi*, Faune Etr. i. p. 258 (1783); Cyr. Ent. Neap. pl. 6. f. 1, pl. 8. f. 1 (1797). | S. Europe,<br>N. Africa,<br>W. Asia. |

| | |
|---|---|
| ‖*E. Pauperata*, *Charp.* Hor. Ent. p. 87; Burm. l. c. p. 547. n. 6 (1838); Serv. Ins. Orth. p. 145 (1839); Fisch. l. c. p. 135 (1853). | |
| ‖*Ampusa Pauperata*, *Ramb.* l. c. p. 17 (1842) | |
| ‖*Mantis Pectinicornis*, *Cyr.* l. c. pl. 9. f. 5 (1797); Stoll, Spectres, Mantes, p. 30, pl. 9. f. 34 (1813). | |
| *Empusa Stollii*, *Sauss.* l. c. p. 188 (1871). | |
| *E. Brachyptera*, *Fisch. Waldh.* l. c. p. 97, pl. 1. f. 8 (1846). | |
| *E. Europæa*, *Fieb.* Lotos, iii. p. 96. n. 1 (1853). | |
| *E. Occidentalis*, *Fisch.* l. c. p. 133 (1853). | |
| ??*Mantis Clavata*, *Goeze*, Ent. Beytr. ii. p. 34. n. 24 (1778); Oliv. Enc. Méth., Ins. vii. p. 642. n. 18 (1792) (Seba, Thesaurus, iv. pl. 68. ff. 11, 12). | |
| ??*Mantis Tricornis*, *Goeze*, l. c. n. 26, pl. 69. ff. 1, 2 (1778); Oliv. l. c. n. 20 (1792) (Seba, l. c. pl. 69. ff. 1, 2). | |
| ??*Mantis Spuria*, *Goeze*, l. c. p. 37. n. 39 (1778); Oliv. l. c. n. 33 (1792) (Seba, l. c. pl. 76. ff. 13, 14). | |
| *E. Tricornis*, *Jacobs. & Bianki*, l. c. p. 155 (1902). | |
| *2. **E. Hedenborgi, Stål,** l. c. p. 77 (1877). | Nubia. |
| ‖*E. Pectinicornis*, *Burm.* l. c. p. 546. n. 4 (1838). | |
| *3. **E. Fasciata, Brullé,** Expl. Morée, Ins. p. 83, pl. 6. f. 4 (1836); Fisch. l. c. p. 133 (1853); Brunn. l. c. p. 70, pl. 3. f. 19 (1882); Jacobs. & Bianki, l. c. p. 155 (1902). | Balkan Peninsula, W. Asia, Egypt. |
| 4. **E. Unicornis, Joh.** (*Gryllus U.*) Amœn. Acad. vi. p. 396. n. 27 (1764). | China. |
| *Mantis Pectinicornis*, *Linn.* Syst. Nat. (ed. xii.) i. (2) p. 691. n. 10 (1767); Fabr. Syst. Ent. p. 276. n. 12 (1775); Oliv. l. c. p. 632. n. 32 (1792). | |
| *5. **E. Pennicornis, Pall.** (*Mantis P.*) Reise, ii. p. 728. n. 80 (1773); Goeze, Ent. Beytr. ii. p. 31. n. 18 (1778); Oliv. l. c. p. 635. n. 50 (1792). | S.E. Russia, W. Asia. |
| *E. Pennicornis*, *Sauss.* l. c. p. 188. n. 5 (1871); Brunn. l. c. p. 71 (1882); Jacobs. & Bianki, l. c. p. 155 (1902). | |

| | |
|---|---|
| *Mantis Pallasiana, Oliv.* l. c. p. 637. n. 66 (1792).<br>‖*Mantis Pectinicornis, Licht.* Trans. Linn. Soc. Lond. vi. p. 22. n. 8 (1802).<br>*E. Orientalis, Burm.* l. c. p. 546. n. 5 (1838); Fisch. Waldh. l. c. p. 97, pl. 1. f. 6 (1846); Fisch. l. c. p. 132 (1853).<br>‖*E. Pauperata, Kitt.* Bull. Soc. Mosc. xxii. p. 443 (1849).<br>(?) *Gongylus Pennatus, Thunb.* Mém. Soc. Pétersb. v. p. 294 (1815).<br>(?) *Gongylus Marginatus, Thunb.* l. c. (1815). | |
| **6. **E. Pauperata, Fabr.** (*Mantis P.*) Spec. Ins. i. p. 346. n. 9 (1781); Herbst, Fuessly, Arch. Ins. p. 187, pl. 51. f. 1 (1786); Oliv. l. c. p. 627. n. 8 (1792); Licht. l. c. p. 24. n. 12 (1802); Stoll, l. c. p. 33, pl. 10. f. 40 (1813).<br>*E. Humbertiana, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 60 (1869).<br>‖*E. Unicornis, Sauss.* Mém. Soc. Genève, xxi. p. 189 (1871). | India, Ceylon. |
| 7. **E. Guttulus, Thunb.** (*Gongylus G.*) l. c. p. 294 (1815). | Hab. —— ? |
| *7 *a*. **E. Binotata, Serv.** Ins. Orth. p. 143 (1839).<br>‖*Mantis Pectinicornis, Stoll,* l. c. p. 30, pl. 9. f. 35 (1813).<br>‖*E. Fronticornis, Burm.* l. c. p. 546. n. 3 (1838); Sauss. Mém. Soc. Genève, xxi. p. 86 (1871). | S. Africa. |
| 8. **E. Dolosa, Serv.** l. c. p. 143 (1839). | Senegal. |
| 9. **E. Servillii, Sauss.** l. c. xxiii. p. 88. n. 3 (1872); Sauss. & Zehntn. l. c. p. 240 (1895).<br>‖*E. Fronticornis, Serv.* l. c. p. 144 (1839). | Hab. —— ? |

## Genus 204. **Hemiempusa.**

Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 242 (1895).

| | |
|---|---|
| *1. **H. Fronticornis, Stoll,** (*Mantis F.*) Spectres, Mantes, p. 63, pl. 21. f. 79 (1813).<br>*Empusa Capensis, Burm.* Handb. Ent. ii. p. 547. n. 7 (1838); Sauss. Mém. Soc. Genève, xxiii. p. 88 (1872). | S. & E. Africa. |

| | |
|---|---|
| *Idolomorpha (Hemiempusa) Capensis, Sauss. & Zehntn.* l. c. p. 242, pl. 10. f. 43 (1895). | |
| *Vates Wahlbergi, Stål,* Œfv. Vet.-Akad. Förh. xiii. p. 167 (1856). | |
| *Empusa Wahlbergi, Stål,* l. c. xxviii. p. 382 (1871); Sauss. l. c. p. 88 (1872). | |
| *Empusa Purpuripennis, Serv.* Ins. Orth. p. 145 (1839). | |
| *Mantis Nympha, Stoll,* l. c. p. 72, pl. 24. f. 94 (1813). | |

## Genus 205. **Hypsicorypha.**

Krauss, Zool. Anz. xv. p. 166 (1892); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 240 (1895).

| | |
|---|---|
| 1. **H. Juliæ, Krauss,** l. c. p. 166 (1892); Rebeur-Paschwitz, Berlin. Ent. Zeitschr. xl. p. 265, pl. 2. ff. 1–5 (1895). | Teneriffe. |

## Genus 206. **Idolomorpha.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 547 (1838); Sauss. Mém. Soc. Genève, xxi. p. 191 (1871); Sauss. & Zehntn. Grandidier, Hist. Madagascar, Orth. i. p. 241 (1895).

| | |
|---|---|
| *1. **I. Lateralis, Burm.** (*Empusa L.*) l. c. p. 547. n. 8 (1838). | W. Africa. |
| 2. **I. Defoliata, Serv.** (*Empusa D.*) Ins. Orth. p. 147 (1839). | Senegal. |
| (?) *I. Defoliata, Sauss.* l. c. p. 191 (1871). | |
| 3. **I. Spinifrons, Sauss.** (*Empusa S.*) Rev. Zool. (2) xi. p. 61 (1859). | id. |
| *I. Spinifrons, Sauss.* Mitth. Schweiz. Ent. Ges. iii. p. 61 (1869); Sauss. & Zehntn. l. c. p. 241, pl. x. f. 42 (1895). | |
| 4. **I. Sagitta, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 25 (1900). | Congo. |
| 5. **I. Longifrons, Sauss.** l. c. p. 224 (1870); Mém. Soc. Genève, xxi. p. 193 (1871); Sauss. & Zehntn. l. c. p. 244 (1895). | Tunis. |
| 6. **I. Gracilis, Burm.** (*Empusa G.*) l. c. p. 547. n. 9 (1838). | Hab. —— ? |

| | |
|---|---|
| *7. I. **Dentifrons, Sauss. & Zehntn.** l. c. p. 244 (1895); Sauss. Abhandl. Senckenb. Ges. xxi. p. 599 (1899). | Zanzibar, Kilimanjaro |
| **8. I. **Madagascariensis, Westw.** Rev. Mant. p. 46, pl. 6. f. 7 (1889); Sauss. & Zehntn. l. c. p. 242, pl. 10. f. 41 (1895). | Madagascar |

## Genus 207. **Blepharodes.**

Bol. An. Soc. Españ. xix. p. 303 (1890).

| | |
|---|---|
| 1. **B. Candelarius, Bol.** l. c. p. 306, pl. 1. f. 4 (1890). | Mogadixo. |
| 2. **B. (?) Cornuta, Schulth.** (*Blepharis C.*) Zool. Jahrb. Syst. viii. p. 72, pl. 4. f. 1 (1895) ; Ann. Mus. Genova, xxxix. p. 18 (1898). | Somali Land. |
| 3. **B. (?) Kotschyi, Schulth.** l. c. p. 72 (1895). | Sennaar. |

## Genus 208. **Blepharopsis.**

Rehn, Canad. Ent. xxxiv. p. 316 (1902).

‖*Blepharis*, *Serv.* Ann. Sci. Nat. xxii. p. 47 (1831) ; Ins. Orth. p. 148 (1839) ; Burm. Handb. Ent. ii. p. 547 (1838) ; Sauss. Mém. Soc. Genève, xxi. pp. 179, 181 (1871) ; Stål, Bihang Svenska Akad. iv. (10) p. 76 (1877) ; Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 155 (1902).

| | |
|---|---|
| *1. **B. Mendica, Fabr.** (*Mantis M.*) Syst. Ent. p. 275. n. 7 (1775); Oliv. Enc. Méth., Ins. vii. p. 627. n. 9 (1792); Licht. Trans. Linn. Soc. Lond. vi. p. 23. n. 10 (1802) ; Stoll, Spectres, Mantes, p. 41*, pl. 12. f. 47 (1813) ; Brullé, Hist. Nat. Ins. ix. p. 77, pl. 6. f. 1 (1835).<br>*Blepharis Mendica*, *Burm.* l. c. p. 548 (1838); Serv. l. c. p. 149 (1839) ; Sauss. l. c. p. 181 (1871); Jacobs. & Bianki, l. c. p. 155 (1902).<br>*Mantis Marmorata*, *Oliv.* l. c. p. 641. n. 10 (1792). | N. Africa, W. Asia. |

### Genus 209. **Idolum.**

Sauss. Mitth. Schweiz. Ent. Ges. iii. p. 53 (1869); Mém. Soc. Genève, xxi. p. 182 (1871).

*1. **I. Diabolicum, Sauss.** ll. cc. pp. 60, 223 (1869–1870); p. 183, pl. 5. ff. 36, 36 *a* (1871); Westw. Rev. Mant. p. 26, pl. 5. f. 1 (1889): Sharp, Proc. Cambridge Soc. Nat. Hist. x. p. 175, pl. 2 (1899); Shelf. Zoologist, (4) vii. p. 298 (1903). — E. Africa.

*I. Diabroticum, Shelf.* l. c. p. 295 note (1903).

## FAM. V.

# PHASMIDÆ.

## SUBFAM. I.

## LONCHODINÆ.

### Genus 1. **Stælonchodes.** (*Type* no. 7.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 372 (1904).
*Lonchodes*, pt., *Gray* (*nec sect. typ.*). Syn. Phasm. p. 19 (1835); Stål, Rec. Orth. iii. pp. 8, 64 (1875).

| | |
|---|---|
| **1. **S. Praon, Westw.** (*Lonchodes P.*) Cat. Phasm. p. 41. n. 110, pl. 6. ff. 3, 3 *a–c* (1859). | Ceylon. |
| **2. **S. Porus, Westw.** (*Lonchodes P.*) l. c. p. 42. n. 113. pl. 7. ff. 9, 9 *a* (1859): Wood-Mason, Proc. Asiatic Soc. Bengal. 1877, p. 162; Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 40.<br>*Lopaphus Porus, Wood-Mason,* Journ. Asiatic Soc. Bengal, xlvi. p. 348 (1877). | Upper Tenasserim. |
| **3. **S. Nigropunctatus, Kirb.** (*Lonchodes N.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 453 (1896). | Lizard I. |
| 4. **S. Sinkiebensis, Wood-Mason,** (*Bacteria S.*) Journ. Asiatic Soc. Bengal, xlvi. p. 343 (1879). | Sumatra.<br>Sinkieb I. |
| *5. **S. Sarawaca, Westw.** (*Bacteria S.*) l. c. p. 31. n. 89, pl. 25. ff. 1, 1 *a*, 2, 2 *a*, *b* (1859). | Sarawak. |
| 6. **S. Steira, Westw.** (*Lonchodes S.*) l. c. p. 40. n. 108, pl. 23. ff. 5, 5 *a* (1859). | Amboina. |
| *7. **S. Geniculatus, Gray,** (*Lonchodes G.*) l. c. p. 19 (1835); Westw. l. c. p. 37. n. 101 (1859).<br>*Phasma* (*Bacteria*) *Geniculosum. Westw.* Cab. Orient. Ent. p. 80, pl. 39. f. 4 (1848). | Penang.<br>Prince of Wales I. |
| 8. **S. Forcipatus, Bates,** (*Lonchodes F.*) Trans. Linn. Soc. Lond. xxv. p. 338 (1865). | Celebes. |

| | |
|---|---|
| **9. **S. Stomphax, Westw.** (*Lonchodes S.*) Cat. Phasm. p. 38. n. 104, pl. 4. f. 8 (1859). | Hong Kong. |
| 10. **S. Tagalicus, Stål,** (*Lonchodes T.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877). | Philippines. |
| 11. **S. Dispar, Bates,** (*Lonchodes D.*) l. c. p. 337 (1865). | Sarawak. |
| **12. **S. Catori, Kirb.** (*Lonchodes C.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 454 (1896). | Sandakan. |
| 13. **S. Nodosus, Haan,** (*Phasma* (*Bacteria*) *Nodosum*, ♂) Temminck, Verhandel., Orth. p. 133, pl. 11. f. 3 (1842).<br>*Lonchodes Nodosus*, ♂, *Westw.* l. c. p. 37. n. 100 (1859). | Java, Timor. |
| **14. **S. Trollius, Westw.** (*Lonchodes T.*) l. c. p. 40. n. 109, pl. 23. ff. 1, 1 *a* (1859). | Philippines. |
| **15. **S. Confucius, Westw.** (*Lonchodes C.*) l. c. p. 46. n. 124, pl. 7. ff. 2, 2 *a*, 3, 3 *a* (1859). | China. |
| 16. **S. Asperatus, Bates,** (*Lonchodes A.*) l. c. p. 339 (1865). | Darjiling. |
| **17. **S. Batesii, Kirb.** (*Lonchodes B.*) l. c. p. 452 (1896). | Bouru (?). |
| *18. **S. Hæmatomus, Westw.** (*Lonchodes H.*) l. c. p. 39. n. 106, pl. 24. ff. 8, 8 *a* (1859). | Sarawak. |
| **19. **S. Myrina, Westw.** (*Lonchodes M.*) l. c. p. 38. n. 105, pl. 24. ff. 7, 7 *a* (1859). | N. India. |
| **20. **S. Virgatus, Kirb.** (*Lonchodes V.*) l. c. p. 452 (1896). | Bouru (?). |
| 21. **S. Alluaudi, Bol.** (*Lonchodes A.*) Ann. Soc. Ent. France, 1895, p. 372. | Seychelles. |
| 22. **S. Sechellensis, Bol.** (*Lonchodes S.*) l. c. p. 373 (1895). | id. |
| 23. **S. Denticauda, Bates,** (*Lonchodes D.*) l. c. p. 336 (1865). | Ceylon. |
| **24. **S. Gracillimus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 373 (1904). | Tonkin. |
| **25. **S. Baucis, Westw.** (*Bacteria B.*) l. c. p. 21. n. 56, pl. 8. f. 8 (1859).<br>*L. Baucis*, *Wood-Mason*, l. c. xlvi. p. 349, pl. 2. f. 2 (1877). | Assam, &c. |

### Genus 2. **Greenia.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

| | |
|---|---|
| *1. **G. Furcata, Bates,** (*Lonchodes Furcatus*) Trans. Linn. Soc. Lond. xxv. p. 335. pl. 44. ff. 5, 6 (1865).<br>‖*Lonchodes Praon*, ♀, *Sauss.* Mém. Soc. Genève, xx. p. 302, pl. 2. ff. 6, 6 *a* (1870). | Ceylon. |

### Genus 3. **Thrasyllus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

| | |
|---|---|
| 1. **T. Macilentus, Stål,** l. c. (1877). | Philippines. |

### Genus 4. **Chondrostethus.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 455 (1896).

| | |
|---|---|
| **1. **C. Woodfordi, Kirb.** l. c. pl. 39. ff. 1, 1 *a*, 2, 2 *a* (1896). | Solomon Isl. |

### Genus 5. **Mithrenes.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

| | |
|---|---|
| 1. **M. Asperulus, Stål,** l. c. p. 40 (1877). | Philippines. |
| **2. **M. (?) Whiteheadi, Kirb.** (*Lonchodes W.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 451 (1896). | Luzon. |

### Genus 6. **Phraortes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

| | |
|---|---|
| *1. **P. Elongata, Thunb.** (*Phasma E.*) Mém. Soc. Pétersb. v. p. 299 (1815) : Westw. Cat. Phasm. p. 183. n. 4 (1859).<br>*P. Elongatus, Stål*, l. c. p. 64 (1875).<br>*Phasma (Bacteria) Niponense*, *Haan.* Temminck, Verhandel., Orth. p. 134 (1842).<br>*Lonchodes Niponensis*, *Westw.* l. c. p. 46. n. 123 (1859). | Japan. |
| 2. **P. Mikado, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 40. | Yokohama. |

### Genus 7. **Periphetes.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).

| | | |
|---|---|---|
| **1. | **P. Graniferum, Westw.** (*Phasma G.*) Cat. Phasm. p. 35. n. 97, pl. 3. f. 4 (1859). | Philippines. |
| 2. | **P. (?) Duivenbodei, Kaup,** (*Lonchodes D.*) Berlin. Ent. Zeitschr. xv. p. 30, pl. 2. f. 3 (1871). | Celebes,<br>Menado. |

### Genus 8. **Mnesilochus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 39 (1877).

| | | |
|---|---|---|
| 1. | **M. Capreolus, Stål,** l. c. (1877). | Philippines. |
| 2. | **M. Hædulus, Stål,** l. c. (1877). | id. |

### Genus 9. **Carausius.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 8 (1875).

| | | |
|---|---|---|
| 1. | **C. Strumosus, Stål,** l. c. p. 64 (1875). | Java. |
| 2. | **C. Macer, Stål,** l. c. p. 65 (1875). | id. |
| 3. | **C. Mercurius, Stål,** C. R. Soc. Ent. Belg. xx. p. lxii (1877). | Hab. —— ? |
| 4. | **C. Bracatus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 42. | Siam. |
| 5. | **C. Mammatus, Rehn,** l. c. p. 44 (1904). | Obi. |
| 6. | **C. Obiensis, Rehn,** l. c. p. 46 (1904). | id. |
| 7. | **C. (?) Granulatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 81, pl. 2. f. 26 (1893). | Tenasserim. |

### Genus 10. **Myronides.** (*Type* no. 3.)

Stål, Rec. Orth. iii. pp. 8, 63 (1875).

| | | |
|---|---|---|
| **1. | **M. Crishna, Westw.** (*Lonchodes C.*) Cat. Phasm. p. 44. n. 117, pl. 24. f. 9 (1859). | Java. |
| **2. | **M. Bootanicus, Westw.** (*Lonchodes B.*) l. c. p. 43. n. 115, pl. 26. f. 8 (1859).<br>*Lopaphus Bootanicus, Wood-Mason,* Journ. Asiatic Soc. Bengal, xlvi. p. 348, pl. 2. f. 1 (1877). | Bootan,<br>Naga Hills. |

| | |
|---|---|
| **3. **M. Pfeifferæ, Westw.** (*Lonchodes P.*) l. c. p. 44. n. 118, pl. 5. f. 6 (1859).<br>*M. Pfeifferæ, Stål,* l. c. p. 63. n. 1 (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 451 (1896). | Amboina,<br>Ceram. |
| 4. **M. Kaupii, Stål,** l. c. p. 63. n. 2 (1875). | Moluccas. |
| 5. **M. Filum, Sharp,** Willey, Zool. Results, p. 81, pl. 7. f. 1 (1898). | New Britain. |
| 6. **M. Ashmeadi, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 38. | Siam. |
| 7. **M. Binodis, Sharp,** l. c. p. 82, pl. 7. f. 2 (1898). | New Britain. |
| 8. **M. Bituber, Sharp,** l. c. p. 82 (1898). | id. |
| 9. **M. Simplex, Sharp,** l. c. (1898). | id. |
| 10. **M. Sordidus, Sharp,** l. c. p. 83 (1898). | id. |
| 11. **M. Ramulus, Sharp,** l. c. pl. 7. f. 3 (1898). | id. |

### Genus 11. **Lonchodes.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 19 (1835); Westw. Cat. Phasm. p. 36 (1859); Sauss. Mém. Soc. Genève, xx. p. 299 (1870); Stål, Bihang Svenska Akad. iii. (14) p. 7 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 373 (1904).

*Dixippus, Stål,* Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 3.)

| | |
|---|---|
| **1. **L. Brevipes, Gray,** l. c. p. 19. n. 1 (1835); Westw. l. c. p. 36. n. 99 (1859).<br>♀. *L. Pterodactylus, Gray,* l. c. n. 3 (1835). | Malabar,<br>Singapore. |
| **2. **L. Sodalis, Kirb.** (*Dixippus S.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 459 (1896). | N. Borneo (Baram). |
| *3. **L. Uniformis, Westw.** (*Phasma (Lonchodes) Uniforme*) Cab. Orient. Ent. p. 79, pl. 39. f. 3 (1848).<br>*L. Uniformis, Westw.* Cat. Phasm. p. 37. n. 102 (1859).<br>*Dixippus Uniformis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 42. | Prince of Wales I.,<br>Singapore. |
| *4. **L. Sumatranus, Haan,** (*Phasma Sumatranum*) Temminck, Verhandel., Orth. pl. 13. f. 6 (1842).<br>*Dixippus Sumatranus, Rehn,* l. c. p. 41 (1904).<br>*Phasma (Bacteria) Nodosum,* ♀, *Haan,* l. c. p. 133 (1842).<br>*L. Nodosus,* ♀, *Westw.* l. c. p. 37. n. 100 (1859). | Sumatra.<br>Borneo. |

| | |
|---|---|
| **5. **L. Cornutus, Kirb.** (*Dixippus C.*) l. c. p. 459 (1896). | Hong Kong. |
| 6. **L. Verrucifer, Wood-Mason,** Proc. Asiatic Soc. Bengal, 1876, p. 95; Journ. Asiatic Soc. Bengal, xlv. p. 47, pl. 11 (1876). | Andaman Islands. |
| 7. **L. Godama, Wood-Mason,** Proc. Asiatic Soc. Bengal, 1877, p. 162. | Upper Tenasserim. |
| **8. **L. (?) Beecheyi, Gray,** (*Bacillus B.*) Syn. Phasm. p. 21 (1835); Westw. l. c. p. 12. n. 28 (1859). | Sandwich Isl. (?). |
| **9. **L. Shiva, Westw.** (*Bacteria S.*) l. c. p. 32. n. 90, pl. 8. f. 6 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 342, pl. 2. f. 3 (1877). | N. India. |
| **10. **L. (?) Viridis, Kirb.** Ann. Nat. Hist. (7) xiii. p. 373 (1904). | Tonkin. |

### Genus 12. **Hermagoras.** (*Type* no. 5.)

Stål, Rec. Orth. iii. p. 8 note (1875); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 456 (1896).

*Prisomera*, pt., *Gray*, Syn. Phasm. p. 15 (1835); Brunn. Ann. Mus. Genov. xxxiii. p. 81 (1893).

| | |
|---|---|
| 1. **H. Verrucosus, Haan,** (*Phasma (Acanthoderus) Verrucosum*) Temminck, Verhandel., Orth. p. 136, pl. 14. f. 1 (1842).<br>*Prisomera Verrucosum*, *Westw.* Cat. Phasm. p. 48. n. 128 (1859). | Sumatra. |
| **2. **H. Cristatus, Kirb.** l. c. p. 457 (1896). | N. Borneo (Baram). |
| **3. **H. Hosei, Kirb.** l. c. pl. 40. ff. 1, 1 *a* (1896). | id. |
| 4. **H. Foliopeda, Oliv.** (*Mantis F.*) Enc. Méth. vii. p. 638. n. 72 (1792).<br>*Phasma Latipes*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 15 (1796); Trans. Linn. Soc. Lond. vi. p. 11. n. 6 (1802).<br>*Phasma Femorata*, *Stoll*, Spectres, Mantes, p. 44, pl. 14. f. 54 (1813).<br>*Bacteria Femorata*, *Burm.* Handb. Ent. ii. p. 565. n. 5 (1838).<br>*Prisomera Femoratum*, *Gray*, Syn. Phasm. p. 15 (1835); Westw. l. c. p. 47. n. 125 (1859). | Amboina. |

*5. **H. Personatus, Bates,** (*Lonchodes P.*) Trans. Linn. Soc. Lond. xxv. p. 336, pl. 44. f. 7 (1862). Bouru.

6. **H. Valgus, Wood-Mason,** (*Lonchodes V.*) Ann. Nat. Hist. (4) xix. p. 487 (1877). Perak.

## Genus 13. **Prisomera.**

Gray, Syn. Phasm. p. 15 (1835);
Westw. Cat. Phasm. p. 47 (1859).

**1. **P. Spinicollis, Gray,** l. c. p. 16 (1835). Ceylon.
*Prisomera Spinicolle, Westw.* l. c. p. 47. n. 126 (1859).

## Genus 14. **Sthenobœa.** (*Type* no. 7.)

Stål, Rec. Orth. iii. pp. 10, 68 (1875);
Bihang Svenska Akad. iii. (14) p. 8 (1875).

**1. **S. Cyllabacus, Westw.** (*Lonchodes C.*) Cat. Phasm. p. 45. n. 120, pl. 6. f. 4 (1859). Ceylon.

1 *a*. **S. (?) Flavicornis, Bates,** (*Lonchodes F.*) Trans. Linn. Soc. Lond. xxv. p. 333 (1865). id.

**2. **S. Taprobanæ, Westw.** (*Lonchodes T.*) l. c. p. 41. n. 111, pl. 6. f. 6, pl. 24. f. 12 (1859); (?) Sauss. Rev. Zool. (2) xx. p. 66. n. 13 (1868); Mém. Soc. Genève, xxi. p. 304, pl. 2. ff. 7, 7 *a. b* (1870). id.

2 *a*. **S. (?) Auscultator, Bates,** (*Lonchodes A.*) l. c. p. 334 (1865). id.

**3. **S. Amaurops, Westw.** (*Lonchodes A.*) l. c. p. 43. n. 116, pl. 24. f. 10 (1859). Sarawak.

**4. **S. Tuberculata, Kirb.** Trans. Linn. Soc. Lond., Zool. (2) vi. p. 462 (1896). id.

*5. **S. Phyllopus, Haan,** (*Phasma* (*Acanthoderus*) *P.*) Temminck, Verhandel., Orth. p. 135, pl. 12. f. 5 (1842). Java, Malacca.
*Acanthoderus Phyllopus, Westw.* l. c. p. 50. n. 137 (1859).

*6. **S. Bifoliata, Haan,** (*Phasma* (*Acanthoderus*) *Bifoliatum*) l. c. p. 136, pl. 14. f. 2 (1842). Sumatra: W. Africa (*errore ?*).
*Prisomera Bifoliatum, Westw.* l. c. p. 47. n. 127 (1859).

| | |
|---|---|
| 7. **S. Malaya, Stål,** Rec. Orth. iii. p. 68 (1875). | Malacca. |
| 8. **S. (?) Canna, Haan,** (*Phasma* (*Bacteria*) *C.*) l. c. p. 101 (1842).<br>*Bacteria Canna*, *Westw.* l. c. p. 21. n. 54 (1859). | Cape. |

### Genus 15. **Phasgania.** (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 461 (1896).

| | |
|---|---|
| 1. **P. Crawangensis, Haan,** (*Phasma Crawangense*) Temminck, Verhandel., Orth. pl. 13. f. 1 (1842).<br>*Phasma* (*Bacteria*) *Nematodes*, ♀, *Haan*, l. c. p. 132 (1842).<br>*Lonchodes Nematodes*, ♀, *Westw.* Cat. Phasm. p. 42. n. 112 (1859). | Java. |
| **2. **P. Everetti, Kirb.** l. c. p. 461, pl. 40. ff. 2, 2 *a* (1896). | N.W. Borneo. |
| **3. **P. Insularis, Kirb.** (*Dixippus* (?) *I.*) l. c. p. 460 (1896). | Thursday Island. |
| 4. **P. (?) Squeleton, Oliv.** (*Mantis S.*) Enc. Méth., Ins. vii. p. 639. n. 74 (1792).<br>*Phasma Sceleton*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 17 (1796) ; Trans. Linn. Soc. Lond. vi. p. 10. n. 5 (1802).<br>*Phasma Simplex*, *Stoll*, Spectres, Phasmes, p. 45, pl. 14. f. 55 (1813).<br>*Bacteria Simplex*, *Gray*, Syn. Phasm. p. 17 (1835) ; Burm. Handb. Ent. ii. p. 565. n. 4 (1838) ; Westw. l. c. p. 23. n. 60 (1859). | China. |

### Genus 16. **Oxyartes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 18, 73 (1875).

| | |
|---|---|
| *1. **O. Despectus, Westw.** (*Phasma* (*Acanthoderus*) *Despectum*) Cab. Orient. Ent. p. 80, pl. 39. f. 5 (1848).<br>*Anophelepis Despecta*, *Westw.* Cat. Phasm. p. 68. n. 179, pl. 3. f. 6 (1859).<br>*Anophelepis Despecta*, var. *Cresphontes*, *Westw.* l. c. f. 1 (1859). | Silhet. |

| | |
|---|---|
| 2. **O. Ceylonicus, Sauss.** (*Anophelepis Ceylonica*) Rev. Zool. (2) xx. p. 67. n. 18 (1868); Mém. Soc. Genève, xx. p. 298, pl. 2. f. 5 (1870). | Ceylon. |
| **3. **O. Lamellatus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 374 (1904). | Tonkin. |

### Genus 17. **Neohirasea.**

Rehn. Proc. Acad. Nat. Sci. Philad. 1904, p. 84.

| | |
|---|---|
| 1. **N. Japonicus, Haan,** (*Phasma* (*Acanthoderus*) *Japonicum*) Temminck. Verhandel., Orth. p. 135, pl. 12. f. 4 (1842).<br>*Acanthoderus Japonicus*, *Westw.* Cat. Phasm. p. 50. n. 136 (1859). | Japan. |

### Genus 18. **Menexenus.** (*Type* no. 6.)

Stål, Rec. Orth. pp. 18, 33 (1875).
*Menexus*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 81 (1893).

| | |
|---|---|
| *1. **M. Lacertinus, Westw.** (*Phasma* (*Acanthoderus*) *Lacertinum*) Cab. Orient. Ent. p. 80, pl. 39. f. 6 (1848).<br>*Acanthoderus Lacertinus*, *Westw.* Cat. Phasm. p. 49. n. 133 (1859). | Assam, Bootan. |
| **2. **M. Mimas, Westw.** (*Acanthoderus M.*) l. c. p. 55. n. 150, pl. 1. f. 3 (1859). | Ceylon. |
| *3. **M. Luteoviridis, Westw.** (*Phasma* (*Lonchodes*) *Luteoviride*) Cab. Orient. Ent. p. 78, pl. 38. f. 7 (1848).<br>*Lonchodes Luteoviridis*, *Westw.* Cat. Phasm. p. 38. n. 103 (1859). | Assam, Sikkim. |
| 4. **M. Bicoronatus, Westw.** (*Phasma* (*Acanthodera*) *Bicornuta*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848).<br>*Acanthoderus Bicoronatus*, *Westw.* Cat. Phasm. p. 50. n. 134 (1859). | Himalayas. |
| 5. **M. Semiarmatus, Westw.** (*Phasma* (*Acanthodera*) *Semiarmata*) Cab. Orient. Ent. p. 15, pl. 7. f. 2 (1848).<br>*Acanthoderus Semiarmatus*, *Westw.* Cat. Phasm. p. 50. n. 135 (1859). | id. |

### Genus 19. **Promachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 17, 73 (1875) :
Bihang Svenska Akad. iii. (14) p. 9 (1875).

| | |
|---|---|
| **1. **P. Wallacei, Westw.** (*Acanthoderus W.*) Cat. Phasm. p. 181. n. 468. pl. 40. ff. 7, 8 (1859). | Aru. |
| **2. **P. (?) Lætus, Kirb.** Ann. Nat. Hist. (7) xiii. p. 375 (1904). | Tonkin. |
| *3. **P. Doreyanus, Bates,** (*Lonchodes D.*) Trans. Linn. Soc. Lond. xxv. p. 332 (1865). | N. Guinea (Dorey). |
| 4. **P. Servillei, Montr.** (*Bacteria S.*) Ann. Phys. Lyon, vii. p. 80 (1855) ; Westw. l. c. p. 182. n. 1 (1859).<br>*Acanthoderus Servillei, Westw.* l. c. p. 58. n. 159 (1859). | Woodlark I. |
| 5. **P. Austeni, Wood-Mason,** (*Lonchodes A.*) Journ. Asiatic Soc. Bengal, xliv. p. 216 (1875), xlvi. p. 343, pl. 3. f. 4 (1877). | Assam. |
| *6. **P. Hispa, Bates,** (*Lonchodes H.*) l. c. p. 333 (1865). | N. Guinea, Salwatty. |
| 7. **P. Hystrix, Kaup,** (*Acanthoderus* (?) *H.*) Berlin. Ent. Zeitschr. xv. p. 32, pl. 2. f. 4 (1871). | Aru. |
| **7 *a*. **P. Insularis, Kirb.** l. c. (6) iv. p. 231 (1889). | Louisiades (Sudest I.). |
| **8. **P. Sordidus, Kirb.** Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463, pl. 40. ff. 4, 4 *a* (1896). | Thursday I. |
| **9. **P. Spinosus, Kirb.** Ann. Nat. Hist. (6) iv. p. 230 (1889). | Louisiades (Rossel I.). |
| 10. **P. Rachis, Sauss.** (*Acanthoderus R.*) Rev. Zool. (2) xx. p. 64 (1868) ; Mém. Soc. Genève, xx. p. 295 (1870).<br>*Acanthoderus Rhachis, Sauss.* l. c. pl. 3. ff. 10, 10 *a* (1870). | New Caledonia. |
| * 11. **P. Rosarius, Perch.** (*Bacteria Rosaria*) Gen. Ins., Orth. pl. 5 (1838 ?). O~3013<br>*Acanthoderus Rosarius, Westw.* l. c. p. 56. n. 151 (1859). | South America (?). |
| **12. **P. (?) Bicolor, Kirb.** l. c. (7) xiii. p. 377 (1904). | Tonkin. |

On P. 317 Vol II Kirby gives 1835 as date for P. olymita, which stands next this sp. 1838 is nearer right, as it is pl. V of a VI part work.

## SUBFAM. II.

## BACTRICIINÆ.

### Genus 20. **Bactricia.** (*Type* no. 1.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 463 (1896).
*Scaphegyna*, *Karsch*, Ent. Nachr. xxiv. pp. 364, 366 (1898). (*Type* no. 1.)

| | |
|---|---|
| **1. **B. Trophinus, Westw.** (*Bacteria T.*) Cat. Phasm. p. 30. n. 85, pl. 5. f. 5 (1859).<br>*B. Trophinus*, *Kirb.* l. c. p. 463, pl. 39. ff. 3, 3 *a*, 4, 4 *a* (1896).<br>♀. *Bacteria Bituberculata*, *Westw.* l. c. p. 180. n. 467 (1859). | Natal, Mozambique. |
| *2. **B. Calametum, Bates,** (*Phibalosoma C.*) Trans. Linn. Soc. Lond. xxv. p. 341 (1865). | Caffraria, Natal. |
| **3. **B. Ridleyi, Kirb.** Ann. Nat. Hist. (7) xiii. p. 429 (1904). | Singapore. |

## SUBFAM. III.

## BACILLINÆ.

### Genus 21. **Baculum.** (*Type* no. 14.)

Sauss. Mém. Soc. Genève, xx. p. 292 (1870).
*Clitumnus*, *Stål*, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. pp. 9, 66 (1875). (*Type* no. 4.)
*Entoria*, *Stål*, Rec. Orth. iii. p. 15 (1875). (*Type* no. 8.)

| | |
|---|---|
| **1. **B. Stilpnus, Westw.** (*Lonchodes S.*) Cat. Phasm. p. 39. n. 107, pl. 25. f. 8 (1859). | N. India, Java. |
| **2. **B. Stilpnoides, Kirb.** (*Clitumnus S.*) Proc. Zool. Soc. Lond. 1888, p. 547 (1889); Mon. Christmas I. p. 147, pl. 12. f. 1 (1900). | Christmas I |
| 3. **B. Russellii, Bates,** (*Lonchodes R.*) Trans. Linn. Soc. Lond. xxv. p. 339 (1865). | Darjiling. |

| | |
|---|---|
| *4. **B. Nematodes, Haan,** (*Phasma (Bacteria) N.*, ♂) Temminck, Verhandel., Orth. p. 132, pl. 11. f. 6 (1842).<br>(?) *Lonchodes Nematodes*, ♂, *Westw.* l. c. p. 42. n. 112, pl. 5. f. 7 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 261, f. 148 (1895). | Sumatra,<br>Singapore<br>(eadem ?). |
| 5. **B. Subnematodes, Gieb.** (*Bacteria S.*) Zeitschr. ges. Naturw. xviii. p. 113 (1861). | Java. |
| 6. **B. Phalangodes, Bates,** (*Lonchodes P.*) l. c. p. 337 (1865). | Batchian. |
| 7. **B. Regulus, Westw.** (*Bacillus R.*) l. c. p. 8. n. 19, pl. 22. f. 5 (1859). | India. |
| 8. **B. Denticorne, Stal,** (*Entoria Denticornis*) Rec. Orth. iii. p. 72 (1875). | Philippines. |
| 9. **B. Westwoodii, Wood-Mason,** (*Bacillus W.*) Journ. Asiatic Soc. Bengal, xlii. p. 50, pl. 6. f. 3 (1873).<br>*Lonchodes Westwoodii, Wood-Mason*, l. c. xliv. p. 215 (1875), xlvi. p. 342 (1877).<br>*Entoria Spinicornis, Stål*, l. c. p. 72 (1875). | India,<br>Andamans,<br>Nicobar. |
| 10. **B. Bilobatum, Brunn.** (*Entoria* (?) *Bilobata*) Ann. Mus. Genova, xxxiii. p. 90, pl. 3. f. 30* (1893). | Bhamo. |
| 11. **B. Grallator, Bates,** (*Lonchodes G.*) Trans. Linn. Soc. Lond. xxv. p. 334 (1865). | Ceylon. |
| **12. **B. Pseudoporus, Westw.** (*Lonchodes P.*) l. c. p. 42. n. 114, pl. 4. f. 6 (1859); Sauss. Mém. Soc. Genève, xx. p. 300 (?) ♀, p. 301, pl. 2. f. 30 (1870).<br>*Clitumnus Pseudoporus, Brunn.* Ann. Mus. Genova, xxxiii. p. 89 (1893).<br>*Bacillus (Ramulus) Humberti, Sauss.* Ann. Soc. Ent. France, (4) i. p. 472 (1861). | id.,<br>Tenasserim. |
| 13. **B. Rusticus, Stål,** (*Clitumnus R.*) Œfv. Vet.-Akad. Förh. xxxiv. p. 40 (1877). | Philippines. |
| **14. **B. Cuniculus, Westw.** (*Bacillus C.*) l. c. p. 9. n. 21, pl. 6. f. 2 (1859); Sauss. Mém. Soc. Genève, xx. pl. 2. ff. 2, 2*a* (1870).<br>*Bacillus Cunicularis, Sauss.* l. c. p. 292 (1870). | Ceylon,<br>India,<br>Java<br>(eadem ?). |
| **15. **B. Amathia, Westw.** (*Bacillus A.*) l. c. p. 11. n. 25, pl. 23. f. 9 (1859). | N. India. |

| | |
|---|---|
| 16. **B. Scytale, Bates,** (*Bacillus S.*) l. c. p. 328, pl. 44. f. 9 (1865). | Ceylon. |
| 17. **B. Artemis, Westw.** (*Bacillus* (?) *A.*) l. c. p. 10. n. 24, pl. 26. f. 9 (1859).<br>*Bacillus Patellifer, Bates,* l. c. p. 328 (1865).<br>*Bacillus* (*Baculum*) *Artemis, Wood-Mason,* Journ. Asiatic Soc. Bengal, xlii. p. 51, pl. 6. ff. 1, 2 (1873). | N. India. |
| 18. **B. Insignis, Wood-Mason,** (*Bacillus* (*Baculum*) *I.*) l. c. p. 51, pl. 5. ff. 1, 2 (1873).<br>*Lonchodes Insignis, Wood-Mason,* Ann. Nat. Hist. (4) xii. p. 348 (1873); Proc. Asiatic Soc. Bengal, 1873, p. 149. | id. |
| 19. **B. Penthesilea, Wood-Mason,** (*Bacillus* (*Baculum*) *P.*) Journ. Asiatic Soc. Bengal, xlii. p. 52, pl. 5. f. 5 (1873). | Bhutan. |
| 20. **B. Furcillatus, Wood-Mason,** (*Bacillus* (*Baculum*) *F.*) l. c. p. 54, pl. 5. f. 6 (1873). | id. |
| 21. **B. Lævigatus, Wood-Mason,** (*Bacillus L.*) l. c. p. 49, pl. 5. f. 4 (1873). | Assam. |
| 22. **B. Oxytenes, Wood-Mason,** (*Bacillus O.*) l. c. p. 48, pl. 5. f. 3 (1873). | Pegu. |
| 23. **B. Ramosum, Sauss.** Rev. Zool. (2) xiii. p. 127 (1861).<br>*Bacillus* (*Baculum*) *Ramosus, Sauss.* Ann. Mus. Genova, xx. p. 294 (1870). | Brazil (?). |

## Genus 22. **Ramulus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xx. p. 291 (1870).

| | |
|---|---|
| 1. **R. Carinulatus, Sauss.** (*Bacillus C.*) Rev. Zool. (2) xx. p. 33 (1868): Mém. Soc. Genève, xx. p. 291, pl. 2. f. 1 (1870). | Ceylon (?). |
| 2. **R. Ceylonicus, Sauss.** (*Lonchodes C.*) ll. cc. p. 66 (1868); p. 301 (1870). | Ceylon. |
| **3. **R. Humilis, Westw.** (*Bacillus H.*) Cat. Phasm. p. 7. n. 14, pl. 2. f. 7 (1859). | id. |
| **4. **R. Viridis, Gray,** (*Bacteria V.*) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 32. n. 91 (1859). | Sandwich Isl. (?). |

### Genus 23. **Gratidia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 14 (1875); Brunn. Ann. Mus. Genova xxxiii. p. 88 (1893); Karsch, Ent. Nachr. xviii. pp. 365. 370 (1898).

| | |
|---|---|
| 1. **G. Sansibara, Stål,** l. c. p. 70 (1875); Karsch, l. c. pp. 372–375 (1898).<br>*G. Sansibarica, Schulth.* Ann. Mus. Genova, xxxix. p. 182 (1898). | E. Africa. |
| 2. **G. Brunneri, Kirb.** (n. n.).<br>‖ *G. Sansibarica, Brunn.* l. c. p. 93, pl. 4. f. 33 *a–c* (1893). | Pegu. |
| 3. **G. Verruculosa, Brunn.** l. c. p. 94 (1893). | Rangoon. |
| 4. **G. Bituberculata, Redt.** Wien. Ent. Zeit. viii. p. 26 (1889). | Turcomania. |
| **5. **G. Hyphereon, Westw.** (*Bacillus H.*) l. c. p. 9. n. 22, pl. 6. f. 1 (1859). | Ceylon. |

### Genus 24. **Paraclitumnus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 91 (1893).

| | |
|---|---|
| 1. **P. Lineatus, Brunn.** l. c. p. 91, pl. 4. f. 31 *a–c* (1893). | Burma.<br>Ceylon. |
| 2. **P. Concisus, Brunn.** l. c. p. 92 (1893). | Tenasserim. |
| 3. **P. Productus, Brunn.** l. c. (1893). | Pegu. |
| **4. **P. Alauna, Westw.** (*Bacillus A.*) Cat. Phasm. p. 10. n. 23, pl. 23. f. 6 (1859). | N. India. |
| *5. **P. Filiformis, Herbst,** (*Mantis F.*) Fuessly, Arch. Ent. p. 187, pl. 51. ff. 2, 3 (1786). | id. |
| **6. **P. Indica, Gray,** (*Bacteria I.*) Syn. Phasm. p. 17 (1835).<br>*Bacillus Indicus, Westw.* Cat. Phasm. p. 7. n. 16, pl. 22. f. 1 (1859). | India. |
| 7. **P. Fuscilineatus, Wood-Mason,** (*Bacillus F.*) Journ. Asiatic Soc. Bengal, xlii. p. 46, pl. 5. f. 7 (1873). | Punjab. |
| 8. **P. Hispidulus, Wood-Mason,** (*Bacillus H.*) l. c. p. 47, pl. 7. ff. 2, 3 (1873). | Andamans. |
| 9. **P. Beroe, Westw.** (*Bacillus B.*) l. c. p. 8. n. 18, pl. 22. f. 2 (1859). | India. |

10. **P.** (?) **Javanus, Haan,** (*Phasma* (*Bacillus*) *Javanum*) Temminck. Verhandel.. Orth. p. 138, pl. 15. f. 8 (1842). — Java.
*Bacillus Javanus, Westw.* Cat. Phasm. p. 7. n. 17 (1859).

### Genus 25. **Hyrtacus.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 10 (1875).
*Candovia, Stål,* Rec. Orth. iii. p. 12 (1875). (*Type* no. 1.)

*1. **H. Cœnosa, Gray,** (*Bacteria C.*) Ent. Austral. p. 17, pl. 2. f. 2 (1833); Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 33. n. 93. pl. 27. f. 2 (1859). — Australia.
*Bacteria Fragilis, Gray,* ll. cc. p. 22, pl. 7. f. 1 (1833); p. 18 (1835).
2. **H. Frenchi, Wood-Mason,** (*Bacteria F.*) Ann. Nat. Hist. (4) xx. p. 74 (1877). — id.
*3. **H. Eutrachelia, Westw.** (*Bacteria E.*) l. c. p. 32. n. 92. pl. 24. f. 11 (1859). — id.
**4. **H. Peridromes, Westw.** (*Bacillus P.*) l. c. p. 13. n. 33, pl. 8. f. 2 *b, c* (1859). — id.
5. **H. Tuberculatus, Stål,** Rec. Orth. iii. p. 67 (1875). — id.
6. **H. Carinatus, Kirb.** Distant, Ins. Transvaal. p. 46, pl. 2. ff. 3, 4 (1900). — Transvaal.
7. **H. Lancettifer, Brancs.** Jahresh. Trencsin. Com. xv. p. 179, pl. 9. f. 2 (1893). — Madagascar

### Genus 26. **Brachyrtacus.**

Sharp, Willey, Zool. Results, p. 81 (1898).

1. **B. Celatus, Sharp,** l. c. pl. 7. f. 4 (1898). — New Britain.

### Genus 27. **Rhamphophasma.**

Brunn. Ann. Mus. Genova, xxxiii. pp. 88, 92 (1893).

1. **R. Modestum, Brunn.** l. c. p. 93, pl. 4. f. 32 (1893). — Burma.

## Genus 28. **Macynia.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875);
Karsch, Ent. Nachr. xxiv. p. 366 (1898).

| | |
|---|---|
| 1. **M. Labiata, Thunb.** (*Mantis L.*) Nov. Spec. Ins. iii. p. 61 (1784); Oliv. Enc. Méth., Ins. vii. p. 634. n. 45 (1792).<br>*Phasma Labiata, Thunb.* Mém. Acad. Pétersb. v. p. 299 (1815); Westw. Cat. Phasm. p. 183. n. 7 (1859).<br>*M. Labiata, Stål*, l. c. p. 103. n. 3 (1875). | Africa (?). |

## Genus 29. **Macella.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 13 (1875).

| | |
|---|---|
| * * 1. **M. Souchongia, Westw.** (*Bacillus S.*) Cat. Phasm. p. 11. n. 26, pl. 7. f. 8 (1859). | China. |
| 2. **M. Dentata, Stål,** l. c. p. 70 (1875). | Cochin Ch. |
| 3. **M. Caulodes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 80. | Siam. |

## Genus 30. **Phthoa.** (*Type* no. 2.)

Karsch, Ent. Nachr. xxiv. pp. 365, 368 (1898).

| | |
|---|---|
| * * 1. **P. Stellenboschus, Westw.** (*Bacillus S.*) Cat. Phasm. p. 5. n. 11, pl. 2. f. 4 (1859). | Cape. |
| * 2. **P. Prolixa, Karsch,** l. c. p. 369, fig. (1898). | E. Africa. |
| * * 3. **P. Annulata, Westw.** (*Bacillus Annulatus*) l. c. p. 14. n. 36, pl. 7. f. 6 (1859). | Cape. |
| 4. **P. Graminea, Bates,** (*Bacillus Gramineus*) Trans. Linn. Soc. Lond. xxv. p. 326, pl. 44. f. 4 (1866).<br>*Macynia Graminea, Stål*, Rec. Orth. iii. p. 103 (1875). | Natal. |
| 5. **P. Hispanicus, Bol.** An. Soc. Españ. vii. p. 423, pl. 4. ff. 2, 2*a* (1878); Brunn. Prodr. Eur. Orth. p. 77 (1882).<br>*Bacillus Gallicus*, pt., *Bol.* Sin. Ortópt. Españ. pp. 68, 295, pl. 2. f. 1 (1876). | Spain. |

| | |
|---|---|
| 6. **P. Angolensis, Bol.** (*Bacillus A.*) Jorn. Sci. Lisboa, (2) i. p. 89 (1889). | Angola. |
| **7. **P. Ægyptiaca, Gray,** (*Bacteria Æ.*) Syn. Phasm. p. 18 (1835).<br>*Bacillus Ægyptiacus, Westw.* l. c. p. 4. n. 7 (1859). | Egypt. |

### Genus 31. **Parabacillus.** (*Type* no. 1.)

Caud. Ent. News, xiv. p. 314 (1903); Proc. U. S. Nat. Mus. xxvi. p. 865 (1903).

| | |
|---|---|
| 1. **P. Coloradus, Scudd.** (*Bacillus C.*) Proc. Davenport Acad. Sci. ix. p. 21, pl. 1. f. 4 (1902); Psyche, vi. p. 372 (1903).<br>*Bacillus Carinatus, Scudd.* Psyche, vi. p. 372 (1903).<br>*P. Coloradus, Caud.* ll. cc. p. 314 (1903); p. 865, pl. 57. f. 1, pl. 58. f. 1 (1903). | Western United States. |
| 2. **P. Palmeri, Caud.** (*Bacillus C.*) Ent. News, xiii. p. 274 (1902). | Mexico. |

### Genus 32. **Bacillus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Serv. Ann. Sci. Nat. xxii. p. 64 (1831); Ins. Orth. p. 255 (1839); Gray, Syn. Phasm. p. 20 (1835); Burm. Handb. Ent. ii. p. 561 (1838); Fisch. Orth. Eur. p. 139 (1853); Sauss. Mém. Soc. Genève, xx. p. 290 (1870); Stål, Bihang Svenska Akad. ii. (17) pp. 5, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. p. 61 (1875); Bol. Sin. Ortópt. Españ. p. 68 (1876); Brunn. Prodr. Eur. Orth. p. 73 (1882); Fin. Faune France, Orth. p. 93 (1889); Tümp. Geradfl. Mitteleurop. p. 236 (1900); Jacobs. & Bianki, Prem. i Lozhn. Ross. Imp. p. 160 (1902).

‖*Phasma, Ill.* Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Cuv. Règne Anim. iii. p. 374 (1817).

| | |
|---|---|
| 1. **B. Redtenbacheri, Padew.** Glasnik Narav. Drůst. xi. p. 20 (1899); Tümp. l. c. p. 236 (1900); Jacobs. & Bianki, l. c. p. 160 (1902). | Croatia. |
| *2. **B. Rossia, Rossi,** (*Mantis R.*) Faun. Etr. i. p. 259, ii. pl. 8. f. 1 (1790), (ed. 2) p. 447, pl. 8. f. 1 (1795); Mant. Ins. i. p. 102 (1792); Fabr. Ent. Syst. ii. p. 13. n. 4 (1793). | S. Europe. Algeria. |

| | |
|---|---|
| *Phasma Rossia*, *Fabr.* Suppl. Ent. Syst. p. 187 (1798). | |
| *B. Rossia*, *Gray*, Syn. Phasm. p. 20 (1835): Serv. Ins. Orth. p. 256 (1839). | |
| *Phasma Rossium*, *Charp.* Hor. Ent. p. 93 (1825). | |
| *B. Rossii*, *Serv.* Ann. Sci. Nat. xxii. p. 65 (1831); Burm. l. c. p. 561. n. 1 (1838); Fisch. l. c. p. 139, pl. 8. ff. 9, 9 *a*, *b*, ff. 10, 10 *a–c* (1853); Westw. Cat. Phasm. p. 3. n. 1 (1859); Brunn. l. c. p. 74, pl. 3. f. 20 A, B (1882); Finot, l. c. p. 93, pl. 3. ff. 54–56 (1889); Azam, Bull. Soc. Ent. France, 1898, p. 60; Tümp. l. c. p. 236, pl. 15 (1900). | |
| ‖*Mantis Filiformis*, *Cyr.* Ent. Neap. pl. 5. f. 1, pl. 7. f. 1 (1787); Petagn. Inst. Ent. i. p. 307 (1792). | |
| ‖*B. Filiformis*, *Jacobs. & Bianki*, l. c. p. 160, pl. 3 (1902). | |
| 3. **B. Lobipes, Luc.** Expl. Alg., Ins. p. 12, pl. 1. f. 5 (1849); Westw. l. c. p. 4. n. 4 (1859). | Algeria. |
| *4. **B. Tripolitanus, Haan,** (*Phasma* (*Bacillus*) *Tripolitanum*) Temminck, Verhandel., Orth. p. 101 note, pl. 15. f. 3 (1842). | Tripoli,<br>Sicily. |
| *B. Tripolitanus*, *Westw.* l. c. p. 4. n. 2 (1859). | |
| *5. **B. Atticus, Brunn.** l. c. p. 75 (1882); Jacobs. & Bianki, l. c. p. 161 (1902). | Athens. |
| *6. **B. Gallicus, Charp.** (*Phasma Gallicum*) Hor. Ent. p. 94 (1825). | S. Europe. |
| *B. Gallicus*, *Serv.* Ann. Sci. Nat. xxii. p. 65 (1831); Gray, l. c. p. 20 (1835); Burm. l. c. p. 561. n. 2 (1838); Fisch. l. c. p. 141, pl. 8. ff. 11, 11 *a*, *b* (1853); Bol. l. c. p. 68 (1876); Brunn. l. c. p. 76. n. 3 (1882); Fin. l. c. p. 94, pl. 3. ff. 57, 58 (1889); Jacobs. & Bianki, l. c. p. 161 (1902). | |
| *B. Granulatus*, *Brullé*, Expéd. Morée, Ent. p. 84, pl. 29. f. 6 (1832); Hist. Nat. Ins. ix. p. 110, pl. 9. f. 1 (1835); Gray, l. c. p. 20 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. l. c. p. 4. n. 3 (1859). | |
| *B. Rossius*, *Ramb.* Faune Andal. ii. p. 24 (1842). | |

| | |
|---|---|
| 7. **B. Algericus, Pant.** An. Soc. Españ. xix. p. 394 (1890). | Oran. |
| 8. **B. (?) Tranquebaricus, Westw.** l. c. p. 7. n. 15 (1859).<br>*Phasma Nympha, Stoll*, Spectres, Phasmes, p. 33, pl. 10. f. 39 (1813). | Tranquebar. |
| 9. **B. (?) Inermis, Thunb.** (*Phasma I.*) Mém. Soc. Pétersb. v. p. 300 (1815); Westw. l. c. p. 183. n. 6 (1859). | Hab. —— ? |

### Genus 33. **Linocerus.**

Gray, Syn. Phasm. p. 19 (1835).

| | |
|---|---|
| 1. **L. Gracilis, Gray,** l. c. p. 20 (1835); Burm. Handb. Ent. ii. p. 562 (1838).<br>*Bacillus (Linocerus) Gracilis, Westw.* Cat. Phasm. p. 12. n. 27 (1859). | China. |

### Genus 34. **Bathycharax.**

Kirb. Ann. Nat. Hist. (6) xviii. p. 259 (1896).
*Batycharax*, *Karsch*, Ent. Nachr. xxiv. p. 366 (1898).

| | |
|---|---|
| **1. **B. Granulatus, Kirb.** l. c. pl. 12. f. 9 (1896). | W. Africa, Ogowe. |

### Genus 35. **Leptynia.** (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 385 (1890); Caud. Ent. News, xiv. p. 314 (1903).

| | |
|---|---|
| 1. **L. Attenuata, Pant.** l. c. p. 402 (1890). | Spain. |
| 2. **L. Kœnigi, Krauss,** Wien. Ent. Zeit. xi. p. 147 (1892). | Tunis. |

### Genus 36. **Paraclonaria.** (*Type* no. 3.)

Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

| | |
|---|---|
| 1. **P. Longelaminata, Schulth.** Ann. Mus. Genova. xxxix. p. 182. pl. 2. ff. 5. 5*a* (1898). | Somali Land. |

| | |
|---|---|
| 2. **P. Affinis, Schulth.** l. c. p. 183, pl. 2. ff. 6, 6 *a* (1898). | Somali Land. |
| 3. **P. Hamuligera, Schulth.** l. c. p. 184, pl. 2. ff. 7, 7 *a* (1898). | id. |
| 4. **P. Postrostrata, Karsch,** (*Gratidia P.*) Ent. Nachr. xxiv. p. 378 (1893).<br>*P. Postrostrata, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 83. | Mombasa. |

## Genus 37. **Phalces.**

Stål, Rec. Orth. iii. pp. 62, 102 (1875).

| | |
|---|---|
| *1. **P. Longiscaphum, Haan,** (*Phasma* (*Bacillus*) *L.*) Temminck, Verhandel., Orth. p. 101 note (1842).<br>*Bacillus Longiscaphum, Westw.* Cat. Phasm. p. 5. n. 8 (1859).<br>*Bacillus Coccyx. Westw.* l. c. p. 6. n. 12. pl. 7. f. 5 (1859). | S. Africa. |

## Genus 38. **Burria.** (*Type* no. 1.)

Brunn. Proc. Zool. Soc. Lond. 1900, p. 37.

| | |
|---|---|
| 1. **B. Longixipha, Brunn.** l. c. p. 38, pl. 2. f. 6 (1900). | Somali Land. |
| 2. **B. Farinosa, Brunn.** l. c. p. 38 (1900). | id. |

## Genus 39. **Camax.**

Karsch, Ent. Nachr. xxiv. p. 380 (1898).

| | |
|---|---|
| 1. **C. Acutus, Karsch,** l. c. (1898). | Mombasa. |

## Genus 40. **Maransis.** (*Type* no. 1.)

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

| | |
|---|---|
| 1. **M. Mozambicus, Westw.** (*Bacillus M.*) Cat. Phasm. p. 179. n. 464 (1859). | Mozambique. |
| 2. **M. Trilineata, Stål,** (*Macynia T.*) Rec. Orth. iii. p. 103 (1875). | Transvaal. |

| | |
|---|---|
| *3. **M. Aspericollis, Bates,** (*Bacillus A.*) Trans. Linn. Soc. Lond. xxv. p. 327 (1866). | Natal. |
| *M. Aspericollis, Kirb.* Distant, Ins. Transvaal. p. 48 (1902). | |
| 4. **M. Rufolineatus, Schulth.** Bull. Soc. Vaud. xxxv. p. 200. pl. 7. f. 4 (1899). | Delagoa Bay. |

### Genus 41. **Clonaria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 5, 13 (1875), iii. (14) p. 9 (1875); Rec. Orth. iii. pp. 14, 71 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 89 (1893).

| | |
|---|---|
| **1. **C. Natalis, Westw.** (*Bacillus N.*) Cat. Phasm. p. 6. n. 13. pl. 23. ff. 7, 8 (1859). | Natal. |
| 2. **C. Abdul, Westw.** (*Bacillus A.*) l. c. p. 4. n. 6 (1859). | Nubia, Arabia. |
| ‖*Bacillus Gracilis, Burm.* Handb. Ent. ii. p. 561. n. 3 (1838). | |
| **3. **C. Gracilipes, Westw.** (*Bacillus G.*) l. c. p. 5. n. 9, pl. 8. f. 5 (1859). | Sierra Leone. |
| 4. **C. Gueinzii, Bates,** (*Bacillus G.*) Trans. Linn. Soc. Lond. xxv. p. 327, pl. 44. f. 14 *a* (1865). | Natal. |
| 5. **C. Arcuata, Karsch,** (*Gratidia A.*) Ent. Nachr. xxiv. pp. 372, 375 (1898). | E. Africa. |
| *6. **C. Inclinata, Karsch,** (*Gratidia I.*) l. c. pp. 372, 375 (1898). | id. (Usambara). |
| 7. **C. Fissa, Karsch,** (*Gratidia F.*) l. c. pp. 372, 375 (1898). | E. Africa. (Burungi). |
| 8. **C. Bifurcata, Karsch,** (*Gratidia B.*) l. c. pp. 373, 378 (1898). | Nyasa. |
| 9. **C. Forcipata, Karsch,** (*Gratidia F.*) l. c. pp. 373, 378 (1898). | Victoria Nyanza. |
| *10. **C. Schaumi, Karsch,** (*Gratidia S.*) l. c. pp. 373, 378 (1898). | Mozambique. |
| ‖*Bacillus Gracilis, Schaum,* Peters' Reise Mossamb. v. p. 114 (1862). | |
| 11. **C. Arida, Karsch,** (*Gratidia A.*) l. c. pp. 374, 378 (1898). | E. Africa. |
| 12. **C. Talea, Karsch,** (*Gratidia T.*) l. c. pp. 374, 378 (1898). | id. |
| 13. **C. Evanescens, Karsch,** (*Gratidia E.*) l. c. pp. 374, 378 (1898). | id. |

| | |
|---|---|
| 14. **C. Prodigiosa, Karsch,** (*Gratidia P.*) l. c. pp. 374, 378 (1898). | Mombasa.<br>Kilimanjaro |
| 15. **C. Leprosus, Gerst.** (*Bacillus L.*) Arch. Naturg. xxxv. p. 211 (1870); Von der Decken, Reisen in Ost-Afrika, Ins. p. 19 (1873).<br>*Gratidia Leprosa, Karsch,* l. c. pp. 375, 380 (1898). | Mombasa,<br>Usambara. |
| 16. **C. Prolata, Karsch,** (*Gratidia P.*) l. c. pp. 375, 380 (1898). | Usambara. |
| 17. **C. Capensis, Serv.** (*Bacillus C.*) Ins. Orth. p. 257 (1839); Westw. l. c. p. 5. n. 10 (1859).<br>*Phasma (Bacillus) Capense, Haan,* Temminck, Verhandel., Orth. p. 137 (1842). | Cape. |
| 18. **C. Trivittata, Gerst.** (*Bacillus Trivittatus*) Mitth. Ver. Vorpomm. xiv. p. 98 (1883). | Gold Coast. |
| 19. **C. Buchholzi, Gerst.** (*Bacillus B.*) l. c. p. 99 (1883). | Cameroons. |
| 20. **C. Æstuans, Sauss.** (*Bacteria (Bacunculus) Æ.*) Ann. Soc. Ent. France, (4) i. p. 474, pl. 11. f. 2 (1861). | Old<br>Calabar. |
| 21. **C. (?) Lineata, Gray,** (*Bacteria L.*) Syn. Phasm. p. 17 (1835); Westw. l. c. p. 30. n. 86 (1859). | Sierra<br>Leone. |

### Genus 42. **Arphax.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 14 (1875); Rec. Orth. iii. pp. 37, 84 (1875).

| | |
|---|---|
| *1. **A. Australis, Charp.** (*Bacillus A.*) Orth. pl. 57 (1845); Westw. Cat. Phasm. p. 12. n. 30 (1859). | Australia. |
| **2. **A. Dolomedes, Westw.** (*Bacillus D.*) l. c. p. 13. n. 31, pl. 5. f. 4 (1859). | id. |
| **3. **A. (?) Brunneus, Gray,** (*Bacillus B.*) Ent. Austral. p. 22, pl. 7. f. 3 (1833); Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562. n. 5 (1838); Westw. Cat. Phasm. p. 12. n. 29 (1859).<br>*Phasma (Bacillus) Brunneum, Gray,* Ent. Austral. p. 28 (1833). | id., Swan<br>River. |

## Genus 43. **Echetlus.**

Stål, Bihang Svenska Akad. ii. (17) p. 6 (1875).

**1. **E. Peristhenes, Westw.** (*Bacillus P.*) Cat. Phasm. p. 13. n. 32. pl. 7. f. 1. pl. 8. f. 2 (1859). — Australia.

## Genus 44. **Acanthoderus.**

Gray, Syn. Phasm. p. 14 (1835); Westw. Cat. Phasm. p. 48 (1859); Stål, Rec. Orth. p. 49 note (1875).

1. **A. Spinosus, Gray,** (*Phasma* (*Bacteria?*) *Spinosum*) Trans. Ent. Soc. Lond. i. p. 46 (1834). — Australia (Swan River).
   *A. Spinosus, Gray,* Syn. Phasm. p. 15 (1835); Westw. l. c. p. 48. n. 129 (1859).

## Genus 45. **Clitarchus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 34 (1875); Bihang Svenska Akad. iii. (14) p. 13 (1875); Hutt. Trans. N. Zeal. Inst. xxx. p. 162 (1898), xxxi. p. 54 (1899).

**1. **C. Hookeri, White,** (*Bacillus H.*) Voy. 'Erebus' & 'Terror,' Ins. p. 24, pl. 6. f. 6 (1846); Westw. Cat. Phasm. p. 14. n. 35 (1859); Hutt. Cat. Orth. N. Zealand, p. 74 (1881). — N. Zealand.
   *C. Hookeri, Hutt.* Trans. N. Zealand Inst. xxx. p. 163 (1898), xxxi. p. 54 (1899).

*2. **C. Coloreus, Col.** (*Bacillus C.*) Trans. N. Zeal. Inst. xvii. p. 151 (1885). — id.
   *C. Coloreus, Hutt.* ll. cc. p. 163 (1898), p. 55 (1899).

3. **C. Reductus, Hutt.** l. c. xxxi. p. 55 (1899). — id.

*4. **C. Læviusculus, Stål,** Rec. Orth. iii. p. 82 (1875); Hutt. l. c. xxx. p. 163 (1898), xxxi. p. 56 (1899). — id.

### Genus 46. **Macracantha, Kirb.** (n. n.). (*Type* no. 1.)

*Clitarchus, sect.* B. *Hutt.* Trans. N. Zealand Inst. xxx. p. 164 (1898).

‖*Acanthoderus, Hutt.* l. c. xxxi. p. 56 (1899).

**1. **M. Prasinus, Westw.** (*Acanthoderus P.*) Cat. Phasm. p. 49. n. 132, pl. iii. f. 2 (1859); Hutt. Cat. N. Zeal. Orth. p. 77 (1881); Hutt. Trans. N. Zeal. Inst. xxxi. p. 56 (1899). — N. Zealand.

*Bacillus Atroarticulus, Col.* Trans. N. Zeal. Inst. xvii. p. 154 (1885).

2. **M. Suteri, Hutt.** (*Acanthoderus S.*) l. c. xxxi. p. 56 (1899). — id.

‖*Acanthoderus Geisovii, Hutt.* l. c. xxx. p. 165 (1898).

3. **M. Geisovii, Kaup,** (*Bacillus G.*) Proc. Zool. Soc. Lond. 1866, p. 578; Hutt. Cat. N. Zeal. Orth. p. 75 (1881). — id.

4. **M. Fasciatus, Hutt.** (*Acanthoderus F.*) Trans. N. Zeal. Inst. xxxi. p. 58 (1899). — id.

### Genus 47. **Argosarchus.** (*Type* no. 1.)

Hutt. Trans. N. Zeal. Inst. xxx. p. 165 (1898), xxxi. p. 58 (1899).

**1. **A. Spiniger, White,** (*Acanthoderus S.*) Voy. 'Erebus' & 'Terror,' Ins. p. 24 (1846); Westw. Cat. Phasm. p. 48. n. 130 (1859); Hutt. Cat. N. Zeal. Orth. p. 76 (1881). — N. Zealand.

*A. Spiniger, Alfk.* Abhandl. nat. Ver. Bremen, xvii. p. 143 (1901).

*Bacillus Filiformis, Col.* Trans. N. Zeal. Inst. xvii. p. 153 (1885).

♀. *Acanthoderus Horridus, White,* l. c. p. 24, pl. 5. f. 4 (1846); Westw. l. c. p. 49. n. 131 (1859); Hutt. l. c. p. 76 (1881); Huds. Man. N. Zeal. Ent. p. 110, pl. 19 (1892).

*A. Horridus, Hutt.* Trans. N. Zeal. Inst. xxx. p. 165 (1898), xxxi. p. 59 (1899).

*Bacillus Gerhardii, Kaup,* Proc. Zool. Soc. Lond. 1866, p. 577; Hutt. Cat. N. Zeal. Orth. p. 75 (1881).

| | |
|---|---|
| 1 *a*. **A. Minimus, Col.** (*Bacillus M.*) l. c. xvii. p. 153 (1885). | N. Zealand. |
| 2. **A. Sylvaticus, Col.** (*Bacillus S.*) l. c. xiv. p. 278 (1882).<br>*A. Sylvaticus, Hutt.* Trans. N. Zeal. Inst. xxx. p. 166 (1898). | id. |

### Genus 48. **Medaura.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 69 (1875); Brunn. Ann. Mus. Genova, xxxiii. pp. 89, 94 (1893).

*Menaka*, *Wood-Mason*, Journ. Asiatic Soc. Bengal, xlvi. p. 342 (1877). (*Type* no. 1.)

| | |
|---|---|
| 1. **M. Scabriusculus, Wood-Mason,** (*Bacillus S.*) l. c. xlii. p. 55, pl. 7. f. 1 (1873).<br>*Menaka Scabriuscula*, *Wood-Mason*, l. c. xlvi. p. 342 (1877).<br>*Sthenobœa* (*Medaura*) *Brunneri*, *Stål*, l. c. p. 69 (1875). | Silhet. |
| 2. **M. Stæli, Brunn.** (*M. Ståli*) l. c. p. 94, pl. 4. f. 34 (1893). | Pegu. |
| **3. **M. (?) Darnis, Westw.** (*Bacillus D.*) Cat. Phasm. p. 8. n. 20, pl. 23. ff. 2, 3 (1859). | Sarawak. |
| 4. **M. (?) Makassarinus, Westw.** (*Bacillus M.*) l. c. p. 179. n. 465 (1859). | Macassar. |

### Genus 49. **Manduria.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (10) p. 40 (1877).

| | |
|---|---|
| **1. **M. Systropedon, Westw.** (*Lonchodes S.*) Cat. Phasm. p. 44. n. 119, pl. 3. f. 8 (1859). | Philippines. |

### Genus 50. **Hemipachymorpha, Kirb.** (n. n.).

N. g. sub *Pachymorpha*, Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

| | |
|---|---|
| **1. **H. Omphale, Westw.** (*Pachymorpha* (?) *O.*) Cat. Phasm. p. 16. n. 40. pl. 2. f. 5 (1859). | S. Africa. |

### Genus 51. **Pachymorpha.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 21 (1835); Serv. Ins. Orth. p. 258 (1839); Westw. Cat. Phasm. p. 15 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 8 (1875); Rec. Orth. iii. p. 11 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893); Hutt. Trans. N. Zeal. Inst. xxx. p. 161 (1898), xxxi. p. 52 (1899).

| | |
|---|---|
| *1. **P. Squalida, Gray,** (*Bacillus Squalidus*) Ent. Austral. p. 18, pl. 3. f. 2 (1833).<br>*P. Squalida, Gray*, Syn. Phasm. p. 21 (1835); Burm. Handb. Ent. ii. p. 562 (1838); Westw. l. c. p. 15. n. 37 (1859). | Australia. |
| 2. **P. Pasithoe, Westw.** (*Bacillus P.*) l. c. p. 15 (1859).<br>*P. Squalida*, var., *Westw.* l. c. pl. 22. f. 4 (1859). | id. |
| 3. **P. Simplicipes, Serv.** l. c. p. 259 (1839).<br>*P.* (?) *Simplicipes, Westw.* l. c. p. 15. n. 38 (1859). | id. |
| 4. **P. Novæ-Guineæ, Kaup,** Berlin. Ent. Zeitschr. xv. p. 26 (1871). | N. Guinea. |
| **5. **P. Hystriculea, Westw.** l. c. p. 16. n. 39, pl. 1. f. 4 (1859); Hutt. l. c. xxxi. p. 52 (1899).<br>*Bacillus Hystriculea, Hutt.* Cat. N. Zeal. Orth. p. 75 (1881). | N. Zealand. |
| 6. **P. Salebrosa, Hutt.** Trans. N. Zeal. Inst. xxxi. p. 52 (1899).<br>‖*P. Hystriculea, Hutt.* l. c. xxx. p. 162 (1898). | id. |
| 7. **P. Annulata, Hutt.** l. c. xxx. p. 162 (1898), xxxi. p. 53 (1899). | id. |
| 8. **P. Acornuta, Hutt.** l. c. xxxi. p. 53 (1899). | id. |

### Genus 52. **Parapachymorpha.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 95 (1893).

| | |
|---|---|
| 1. **P. Nigra, Brunn.** l. c. p. 96, pl. 1. f. 35 *a, b* (1893). | Burma. |
| 2. **P. Spinosa, Brunn.** l. c. f. 36 (1893). | id. |

### Genus 53. **Charnidas.** \ m

Stål, Rec. Orth. iii. p. 56 note (1875).

| | |
|---|---|
| **1. **C. Cerberus, Westw.** (*Anisomorpha* (?) *C.*) Cat. Phasm. p. 19. n. 50, pl. 1. f. 6 (1859). | Ceylon. |

## SUBFAM. IV.

## DIAPHOMERINÆ.

### Genus 54. **Hesperophasma.** (*Type* no. 2.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901).
‖ *Phantasis, Sauss.* (*nec Thoms.*) Miss. Mex., Orth. p. 188 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec. Orth. iii. pp. 19, 73 (1875).

| | |
|---|---|
| **1. **H. Planulum, Westw.** (*Phasma P.*) Cat. Phasm. p. 34. n. 95, pl. 1. f. 7 (1859). | S. Domingo. |
| 2. **H. Saussurei, Bol.** (*Phantasis S.*) Mém. Soc. Zool. France, i. p. 136 (1888).<br>*Phantasis Planula, Sauss.* l. c. p. 188 (1872). | Cuba. |
| 3. **H. Lyratum, Bol.** (*Phasma Lyrata*) l. c. p. 137 (1888). | id. |
| **4. **H. Vittatum, Westw.** (*Anophelepis Vittata*) l. c. p. 69. n. 181 (1859).<br>*Phantasis Vittata, Sauss.* l. c. p. 189 (1872). | Mexico. |
| **5. **H. (?) Scythrus, Westw.** (*Anophelepis S.*) l. c. p. 68. n. 180, pl. 2. f. 3 (1859).<br>*Phantasis Scythrus, Sauss.* l. c. p. 190 (1872). | id. |

### Genus 55. **Lamponius.**

Stål, Rec. Orth. iii. pp. 19, 73 (1875).

| | |
|---|---|
| 1. **L. Guerini, Sauss.** (*Pygirhynchus G.*) Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 169, pl. 3. ff. 13, 13 *a* (1872). | Guadeloupe |

### Genus 56. **Caulonia.** (*Type* no. 2.)

Stål. Bihang Svenska Akad. iii. (14) p. 10 (1875); Rec. Orth. iii. pp. 20, 74 (1875).
‖ *Ceroys, Sauss.* Miss. Mex., Orth. p. 166 (1872).

| | |
|---|---|
| 1. **C. Rhabdota, Westw.** (*Ceroys R.*) Cat. Phasm. p. 61. n. 169, pl. 22. f. 6 (1859). | Colombia. |
| 2. **C. Bigibbus, Rehn,** (*Ceroys B.*) Proc. Acad. Nat. Sci. Philad. 1904, p. 48. | Nicaragua,<br>Costa Rica. |
| 3. **C. Bifolia, Stål,** Rec. Orth. iii. p. 74 (1875). | Colombia. |
| 4. **C. Columbina, Westw.** (*Ceroys C.*) l. c. p. 62. n. 170, pl. 24. f. 1 (1859). | id. |
| 5. **C. Thestylis, Westw.** (*Bacteria T.*) l. c. p. 29. n. 83, pl. 24. f. 2 (1859). | id. |
| 6. **C. Molita, Westw.** (*Bacteria M.*) l. c. n. 82, pl. 24. f. 3 (1859). | id. |
| 7. **C. Tolima, Westw.** (*Acanthoderus T.*) l. c. p. 56. n. 156, pl. 24. f. 5 (1859). | id. |
| 8. **C. Senticosa, Giglio-Tos,** Boll. Mus. Torino. xiii. (311) p. 28 (1898). | Ecuador. |
| 9. **C. Conradi, Giglio-Tos,** l. c. p. 30 (1898). | id. |
| 10. **C. Poeyi, Bol.** Mém. Soc. Zool. France, i. p. 137 (1888). | Cuba. |
| 11. **C. Triedrica, Bol.** l. c. p. 138 (1888). | id. |
| **12. **C. Spinosissima, Kirb.** Trans. Linn. Soc. Lond., Zool. (2) vi. p. 464, pl. 40. ff. 5, 5 *a* (1896). | Archidona. |
| **13. **C. (?) Iphiclus, Westw.** (*Pygirhynchus I.*) l. c. p. 58. n. 163, pl. 2. f. 2 (1859).<br>*C. Iphiclus, Bol.* Ann. Soc. Ent. France, (6) x. p. 138 (1890). | Colombia,<br>Venezuela. |
| 14. **C. Capreolus, Kaup,** (*Ceroys C.*) Berlin. Ent. Zeitschr. xv. p. 34 (1871). | Mexico. |
| 15. **C. (?) Quindensis, Goud.** (*Bacteria Q.*) Mag. Zool. 1843, Ins. no. 125, p. 5.<br>*Acanthoderus Quindensis, Westw.* l. c. p. 57. n. 158, pl. 25. ff. 3, 4 (1859). | N. Granada. |

### Genus 57. **Parobrimus.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 205 (1896).

| | |
|---|---|
| 1. **P. Immanis, Scudd.** (*Acanthoderus I.*) l. c. xii. p. 340 (1869). | Peru. |
| *2. **P. (?) Laciniatus, Westw.** (*Ceroys L.*) Thes. Ent. Oxon. p. 174. pl. 32. f. 4 (1874). | Nicaragua. |

### Genus 58. **Libethra.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 20, 74 (1875).

| | |
|---|---|
| **1. **L. Ignavus, Westw.** (*Ceroys I.*) Cat. Phasm. p. 61. n. 168. pl. 4. f. 7 (1859). | Tapajos. |
| 2. **L. Nisseri, Stal,** l. c. p. 74 (1875). | Colombia. |
| 3. **L. Ramale, Giglio-Tos,** Boll. Mus. Torino. xiii. (311) p. 27 (1898). | Ecuador. |
| 4. **L.** (**?**) **Palmes, Giglio-Tos,** l. c. p. 28 (1898). | id. |
| 5. **L. Strigiventris, Westw.** (*Bacteria S.*) l. c. p. 28. n. 79. pl. 24. f. 6 (1859). | Colombia. |
| 6. **L. Sutoria, Stål,** l. c. p. 75 (1875). | Bogota. |

### Genus 59. **Sermyle.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 23, 77 (1875).

| | |
|---|---|
| 1. **S. Mexicanus, Sauss.** (*Acanthoderus M.*) Rev. Zool. (2) xx. p. 62 (1868).<br>*Ceroys Mexicanus, Sauss.* Miss. Mex., Orth. p. 167, pl. 4. ff. 17, 17 *a* (1872).<br>*S. Mexicana, Stål,* l. c. p. 76 (1875). | Mexico. |
| 2. **S. Saussurii, Stål,** l. c. p. 77 (1875). | id. |
| 3. **S. Physconia, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 51. | Costa Rica. |
| 4. **S. Azteca, Sauss.** (*Bacteria A.*) Rev. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 155, pl. 3. ff. 9, 9 *a* (1872). | Mexico. |
| 5. **S. Linearis, Sauss.** (*Ceroys L.*) Rev. Zool. (2) xx. p. 65 (1888); Miss. Mex., Orth. vi. p. 168, pl. 4. ff. 16, 16 *a* (1872). | S. America. |

### Genus 60. **Pseudosermyle.** (*Type* no. 1.)

Caud. Proc. U. S. Nat. Mus. xxvi. p. 867 (1903).

| | |
|---|---|
| 1. **P. Arbuscula, Rehn,** (*Sermyle A.*) Canad. Ent. xxxiv. p. 273 (1902).<br>*P. Arbuscula. Caud.* l. c. p. 868, pl. 57. f. 3, pl. 58. f. 4 (1903). | California (San Diego). |
| 2. **P. Truncata, Caud.** l. c. p. 869. pl. 58. ff. 3, 3 *a*, *b* (1903). | Arizona, California. |
| 3. **P. Strigata, Scudd.** (*Sermyle S.*) Proc. Davenport Acad. viii. p. 94, pl. 1. f. 3 (1900); Caud. l. c. p. 870, pl. 56. f. 3, pl. 58. f. 8 (1903). | Texas. |

| | |
|---|---|
| 4. **P. Stramineus, Scudd.** (*Bacunculus S.*) l. c. ix. p. 20, pl. 1. f. 1 (1902).<br>*P. Stramineus, Caud.* l. c. p. 871, pl. 58. f. 2 (1903). | New Mexico. |
| 5. **P. Banksii, Caud.** l. c. p. 871 (1903). | Texas. |
| 6. **P. Strigiceps, Kaup,** (*Diapheromera S.*) Berlin. Ent. Zeitschr. xv. p. 28 (1871). | Mexico. |
| *7. **P. Tridens, Burm.** (*Bacteria T.*) Handb. Ent. ii. p. 567. n. 13 (1838); Westw. Cat. Phasm. p. 27. n. 75 (1859): Sauss. Miss. Mex., Orth. p. 157 (1872): Rehn, Trans. Amer. Ent. Soc. xxvii. p. 87 (1900). | id. |

### Genus 61. **Pseudobacteria.** (*Type* no. 1.)

Sauss. Miss. Mex., Orth. p. 157 (1872).

| | |
|---|---|
| **1. **P. Crudelis, Westw.** (*Bacteria C.*) Cat. Phasm. p. 24. n. 65 (1859).<br>*Bacteria Antillarum, Sauss.* Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 157 (1872). | Guadeloupe, Dominica. |
| 2. **P. Yersiniana, Sauss.** (*Bacteria Y.*) ll. cc. p. 65 (1868); p. 158 (1872). | Porto Rico. |
| 3. **P. Cubaensis, Haan,** (*Phasma (Bacteria) Cubaense*) Temminck, Verhandel., Orth. p. 101 (1842).<br>*Bacteria Cubaense, Westw.* l. c. p. 26. n. 68 (1859).<br>*Bacteria Cubaensis, Sauss.* Miss. Mex., Orth. p. 159 (1872).<br>*Bacunculus Cubensis, Bol.* Mém. Soc. Zool. France, i. p. 139 (1888). | Cuba. |

### Genus 62. **Diapheromera.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 18 (1835); Westw. Cat. Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875); Rec. Orth. iii. p. 21 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 873 (1903).

| | |
|---|---|
| *1. **D. Femorata, Say,** (*Spectrum Femoratum*) Long's 2nd Exped. St. Peter's River, i. p. 297 (1824); Amer. Ent. iii. p. 37, pl. 27 (1828); Leidy, Proc. Acad. Nat. Sci. Philad. iii. p. 80 (1846).<br>*B. Femorata, Harr.* Ins. Inj. Veget. p. 119 (1841), ed. 3, pp. 146. 147, f. 67 | N. America. |

| | |
|---|---|
| (1862); Caud. l. c. p. 874, pl. 57. f. 4, pl. 58. f. 6 (1903); Howard, Insect Book, pp. 323–325 (1902); Scudd. Psyche, ix. p. 189 (1901). | |
| *D. Sayi, Gray,* l. c. p. 18 (1835); Westw. l. c. p. 20. n. 51 (1859); Sauss. Miss. Mex., Orth. p. 165 (1872). | |
| *Bacteria Sayi, Burm.* Handb. Ent. ii. p. 566. n. 10 (1838); Charp. Orth. pl. 4 (1841). | |
| *Bacteria Linearis, Gosse,* Lett. Alabama. p. 275 (1859). | |
| 2. **D. Velii, Walsh,** Proc. Ent. Soc. Philad. iii. p. 410 (1861); Scudd. l. c. p. 189 (1901). | S. United States, Mexico. |
| *D. Veliei, Caud.* l. c. p. 876, pl. 58. f. 5 (1903). | |
| 3. **D. Arizonensis, Caud.** l. c. p. 877 (1903). | Arizona. |
| 4. **D. Carolina, Scudd.** l. c. p. 188 (1901); Caud. l. c. p. 877 (1903). | N. Carolina. |
| 5. **D. Mesillana, Scudd.** l. c. p. 189 (1901); Caud. l. c. p. 878 (1903). | New Mexico. |
| 6. **D. (?) Bidens, Kaup,** Berlin. Ent. Zeitschr. xv. p. 28 (1871). | Mexico. |
| 7. **D. Beckeri, Kaup,** l. c. p. 27 (1871). | id. |
| 8. **D. Calcarata, Burm.** (*Bacteria C.*) l. c. p. 566. n. 11 (1838). | id. |
| *D. Calcarata, Westw.* l. c. p. 20. n. 52 (1859); Sauss. l. c. p. 164, pl. 3. ff. 5, 5 *a* (1872); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 50. | |
| 9. **D. Faunus, Westw.** (*Bacteria F.*) l. c. p. 28. n. 78 (1859). | S. America. |
| ‖*Bacteria Viridis, Burm.* l. c. p. 568. n. 18 (1838). | |
| **10. **D. (?) Saussurii, Kirb.** Ann. Nat. Hist. (6) iii. p. 501 (1889). | Dominica. |

## Genus 63. **Megaphasma.**

Caud. Proc. U. S. Nat. Mus. xxvi. p. 878 (1903).

| | |
|---|---|
| 1. **M. Denticrus, Stål,** (*Diapheromera D.*) Rec. Orth. iii. p. 76 (1875); Scudd. Psyche, ix. p. 187 (1901); Harper's Mag. lxxxviii. p. 456, f. 1 (1894). | Southern United States. |
| *M. Denticrus, Caud.* l. c. p. 878, pl. 57. ff. 2, 2 *a*, *b* (1903). | |

## SUBFAM. V.

## BACTERIINÆ.

### Genus 64. **Heteronemia.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 19 (1835).
‖*Bacunculus*, *Sauss.* Miss. Mex., Orth. p. 154 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 7, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 23 (1875); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872 (1903).

| | |
|---|---|
| **1. **H. Mexicana, Gray,** l. c. p. 19 (1835).<br>*Bacteria Mexicana*, *Westw.* Cat. Phasm. p. 25. n. 67 (1859); Sauss. Rev. Zool. (2) xx. p. 357 (1868); Miss. Mex., Orth. p. 152, pl. 3. ff. 10, 11, 11 *a* (1872).<br>*Bacteria Tolteca*, *Sauss.* Rev. Zool. (2) xi. p. 62 (1859). | Mexico. |
| 2. **H. Ignava, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 54. | Costa Rica. |
| *3. **H. Striata, Burm.** (*Bacteria S.*) Handb. Ent. ii. p. 567. n. 14 (1838); Westw. l. c. pp. 28, 180. n. 76 (1859); Sauss. Miss. Mex., Orth. p. 156, ff. 7, 8, 8 *a* (1872). | Mexico. |
| 4. **H. Tenuescens, Scudd.** (*Bacunculus T.*) Proc. Davenport Acad. viii. p. 95, pl. 1. f. 1 (1900); Caud. Proc. U. S. Nat. Mus. xxvi. p. 872, pl. 56. ff. 1, 2 (1903). | Florida. |
| *5. **H. Hastata, Burm.** (*Bacteria H.*) l. c. p. 567. n. 11 (1838); Westw. l. c. pp. 23, 179. n. 61 (1859). | Ega. |
| 6. **H. Olmeca, Sauss.** (*Bacteria O.*) l. c. p. 156 (1872). | Mexico. |
| 7. **H. Festæ, Giglio-Tos,** (*Bacunculus F.*) Boll. Mus. Torino, xiii. (311) p. 22 (1898). | Ecuador. |
| 8. **H. Festuca, Giglio-Tos,** (*Bacunculus F.*) l. c. p. 24 (1898). | id. |
| *9. **H. Mimus, Giglio-Tos,** (*Bacunculus M.*) l. c. p. 25 (1898). | id. |
| 10. **H. Sarmentum, Giglio-Tos,** (*Bacunculus S.*) l. c. (1898). | id. |
| 11. **H. Palea, Giglio-Tos,** (*Bacunculus P.*) l. c. p. 26 (1898). | id. |

12. **H. Fallax, Giglio-Tos,** (*Bacunculus F.*) l. c. p. 26 (1898). Ecuador.
13. **H. Gramen, Giglio-Tos,** (*Bacunculus G.*) l. c. (1898). id.
14. **H. Nodosus, Giglio-Tos,** (*Bacunculus N.*) l. c. p. 27 (1898). id.
15. **H. Laticauda, Bates,** (*Bacteria L.*) Trans. Linn. Soc. Lond. xxv. p. 329. pl. 44. f. 11 *a* (1865). Ega.
16. **H. Amazonica, Bates,** (*Bacteria A.*) l. c. p. 330 (1865). id.
17. **H. Culmus, Bates,** (*Bacteria C.*) l. c. p. 331 (1865). Brazil.
18. **H. Cacica, Kaup,** (*Bacteria C.*) Berlin. Ent. Zeitschr. xv. p. 28 (1871). Mexico.
19. **H. Arampes, Kaup,** (*Bacteria A.*) l. c. p. 30 (1871). Brazil.

**20. **H. Samouellii, Gray,** (*Bacteria S.*) l. c. p. 43 (1835); Westw. l. c. p. 33. n. 94 (1859). Hab. —— ?

**21. **H. Tenuis, Westw.** (*Bacteria T.*) l. c. p. 31. n. 88, pl. 8. f. 1 (1859). Hab. —— ?

## Genus 65. **Bacunculus.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 566 (1838);
Westw. Cat. Phasm. p. 26 (1859).

*1. **B. Phyllopus, Gray,** (*Prisomera* (?) *P.*) Syn. Phasm. p. 16 (1835). Chile.
*Bacteria* (*Bacunculus*) *Phyllopoda, Westw.* l. c. p. 180. n. 71 (1859).
*Bacteria Spatulata, Burm.* l. c. p. 566. n. 9 (1838).
*Bacteria* (*Bacunculus*) *Spatulata, Westw.* l. c. pp. 26, 179. n. 71 (1859).
*B. Spatulatus. Bol.* Viaje al Pacif., Neur. y Ortópt. p. 27 (1884).

2. **B. Foliacea, Blanch.** (*Bacteria F.*) Gay, Hist. Chile, Zool. vi. p. 26 (1852); Westw. l. c. p. 26. n. 70 (1859). id.
3. **B. Chilensis, Westw.** l. c. p. 180. n. 466 (1859). id.
‖ *Bacteria Spatulata, Blanch.* l. c. p. 25. pl. 1. f. 6 (1852).
4. **B. Unifoliatus, Phil.** (*Bacteria Unifoliata*) Stettin. Ent. Zeit. xxvi. p. 64 (1865). id., Valdivia.

### Genus 66. **Oreophœtes.**

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56.

| | |
|---|---|
| 1. **O. Peruana, Sauss.** (*Bacteria P.*) Rev. Zool. (2) xx. p. 65. n. 11 (1868); Miss. Mex., Orth. p. 160, pl. 3. ff. 12, 12 *a* (1872). | Peru. |

### Genus 67. **Dyme.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 24 (1875).

| | |
|---|---|
| 1. **D. Bifrons, Stål,** l. c. p. 77 (1875); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 56. | Peru. |
| *2. **D. Muricata, Burm.** (*Bacteria M.*) Handb. Ent. ii. p. 564. n. 2 (1838); Westw. Cat. Phasm. pp. 23, 179. n. 59 (1859). | Para. |
| **3. **D. Emesa, Westw.** (*Bacteria E.*) l. c. p. 30. n. 87, pl. 5. f. 3 (1859). | Hab. —— ? |
| 4. **D. Serricauda, Bates,** (*Bacteria S.*) Trans. Linn. Soc. Lond. xxv. p. 331, pl. 44. f. 13 *a* (1865). | Ega. |
| 5. **D. Sakai, Bates,** (*Bacteria S.*) l. c. p. 332, pl. 44. f. 1 (1865). | id. |

### Genus 68. **Bostra.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875); Rec. Orth. iii. p. 24 (1875).

| | |
|---|---|
| **1. **B. Turgida, Westw.** (*Bacteria T.*) Cat. Phasm. p. 28. n. 80, pl. 8. ff. 4, 9 (1859). | Venezuela. |
| 2. **B. Dorsuaria, Stål,** Rec. Orth. iii. p. 79 (1875). | Chiriqui. |
| 3. **B. Exigua, Scudd.** (*Bacteria E.*) Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875). | Peruvian Andes. |
| 4. **B. Incompta, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 57. | Costa Rica. |
| 5. **B. Remiformis, Rehn,** l. c. p. 58 (1904). | id. |

### Genus 69. **Oncotophasma.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 59.

1. **O. Martini, Griff.** (*Bostra M.*) Boll. Mus. Torino, xi. (236) p. 10, fig. (1896). Colombia, Costa Rica.
2. **O. Podagrica, Stal,** (*Bostra P.*) Rec. Orth. iii. p. 79 (1875). Panama.

### Genus 70. **Clonistria.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) pp. 6, 13 (1875), iii. (14) p. 10 (1875); Rec. Orth. iii. p. 25 (1875).

1. **C. Bartholomæa, Stål,** ll. cc. ii. (17) p. 16 (1875), iii. p. 80 (1875). W. Indies (St. Barth.).

*2. **C. Linearis, Dru.** (*Mantis L.*) Ill. Exot. Ent. i. pl. 50. f. 3 (1773). Antigua, St. Lucia, Montserrat, Grenada, & St. Vincent.
 *Bacteria Linearis, Gray,* Syn. Phasm. p. 17 (1835); Westw. Cat. Phasm. p. 24. n. 64 (1859).
 (?) *C. Linearis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 60.
 *Pseudobacteria Longiceps, Kirb.* Ann. Nat. Hist. (6) iii. p. 503 (1889).

**3. **C. Haita, Westw.** (*Bacteria H.*) l. c. p. 25. n. 66, pl. 25. ff. 5, 6 (1859). Haiti.
 *Bacteria Dryas, Westw.* l. c. p. 27. n. 74 (1859).
 ‖*Bacteria Spinosa, Burm.* Handb. Ent. ii. p. 567. n. 12 (1838).

4. **C. Comis, Bates,** (*Bacteria C.*) Trans. Linn. Soc. Lond. xxv. p. 330, pl. 44. f. 12 *b* (1865). Bogota.

5. **C. Gracilis, Burm.** (*Bacteria G.*) Handb. Ent. ii. p. 567. n. 15 (1838); Westw. l. c. p. 28. n. 77 (1859). La Guayra.

*6. **C. Calamus, Fabr.** (*Mantis C.*) Ent. Syst. ii. p. 13. n. 3 (1793). S. America, W. Indies.
 *Phasma Calamus, Fabr.* l. c. Suppl. p. 187. n. 3 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 4 (1802).
 *Bacteria Calamus, Gray,* l. c. p. 17 (1835); Westw. Cat. Phasm. p. 20. n. 53 (1859).

## Genus 71. **Tersomia.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 431 (1904).

| | |
|---|---|
| **1. **T. Brasiliensis, Kirb.** l. c. p. 432 (1904). | Iguarassu. |

## Genus 72. **Bactridium.**

Sauss. Rev. Zool. (2) xx. p. 66 (1868); Mém. Soc. Genève, xx. p. 305 (1869); Stål, Rec. Orth. iii. pp. 30, 82 (1875).

| | |
|---|---|
| 1. **B. Coulonianum, Sauss.** ll. cc. p. 66 (1868); p. 306, pl. 2. ff. 8, 8 *a*, 9, 9 *a* (1869). | Australia(?)<br>Chili (?). |

## Genus 73. **Abrachia.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (6) iii. p. 503 (1889); Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

| | |
|---|---|
| 1. **A. Phyllocephala, Westw.** (*Acanthoderus Phyllocephalus*) Cat. Phasm. p. 58. n. 160 (1859).<br>*Phibalosoma Phyllocephalum, Westw.* l. c. p. 73. n. 188, pl. 33. f. 1 (1859).<br>‖ *Bacteria Aurita, Burm.* Handb. Ent. ii. p. 565. n. 7 (1838). | Brazil. |
| 2. **A. Extensa, Bates,** (*Phibalosoma Extensum*) Trans. Linn. Soc. Lond. xxv. p. 340 (1865). | id. (?). |
| **3. **A. Brevicornis, Kirb.** ll. cc. p. 504 (1889); p. 475 (1896). | Theresopolis |
| 4. **A. Longimana, Sauss.** (*Bacteria L.*) Rev. Zool. (2) xi. p. 61 (1859).<br>*Phibalosoma Longimanum, Sauss.* Miss. Mex., Orth. p. 177, pl. 4. f. 20 (1872). | Bahia. |
| 5. **A. Emortualis, Sauss.** (*Bacteria E.*) Rev. Zool. (2) xi. p. 61 (1859).<br>*Phibalosoma Emortuale, Sauss.* Miss. Mex., Orth. p. 175, pl. 4. ff. 21, 21 *a* (1872). | id. |
| 6. **A. Clinteria, Westw.** (*Bacteria C.*) Cat. Phasm. p. 27. n. 73, pl. 25. f. 9 (1859); *Bactridium Clinteria, Giglio-Tos,* Boll. Mus. Torino, xv. (377) p. 2 (1900). | Brazil. |

### Genus 74. **Calynda.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 24 (1875).

1. **C. Bicuspis, Stål,** l. c. p. 78 (1875): Redtenbacher, Proc. Acad. Nat. Sci. Philad. 1904, p. 57. Chiriqui.

**2. **C. Cyphus, Westw.** (*Bacteria C.*) Cat. Phasm. p. 24. n. 63, pl. 7. f. 7 (1859). W. Indies, St. Vincent, Grenada.
‖*Phasma Cornutum, Guild.* Trans. Linn. Soc. Lond. xiv. p. 137, pl. 6 (1825).

*3. **C. Ceratosceleton, Oliv.** (*Mantis Keratosqueleton*) Enc. Méth., Ins. vii. p. 639. n. 75 (1792). S. America, W. Indies.
*Phasma Cornutum, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 16 (1796); Trans. Linn. Soc. Lond. vi. p. 10. n. 3 (1802).
*Phasma Bicornis, Stoll,* Spectres, Phasmes. p. 46, pl. 15. ff. 57, 57 A (1813).
*Bacteria Bicornis, Gray,* Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 566. n. 8 (1838); Westw. l. c. p. 23. n. 62 (1859).

### Genus 75. **Canuleius.**

Stål, Rec. Orth. iii. p. 53 (1875).

**1. **C. Euterpinus, Westw.** (*Acanthoderus E.*) Cat. Phasm. p. 56. n. 155 (1859). Brazil.
*Bacteria Euterpina, Sauss.* Miss. Mex., Orth. p. 161 (1872).
*C. Euterpinus, Stål,* l. c. p. 94 (1875).
‖*Bacteria Spinosa, Gray,* Syn. Phasm. p. 43 (1835).
*Bacteria Spinigera, Sauss.* Rev. Zool. (2) xi. p. 62 (1859).

2. **C. (?) Bicornis, Thunb.** (*Phasma B.*) Mém. Acad. Pétersb. v. p. 298 (1815); Westw. l. c. p. 183. n. 9 (1859). Hab. —— ?

### Genus 76. **Phanocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 28, 81 (1875).

1. **P. Burkartii, Sauss.** (*Bacteria B.*) Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 151, pl. 3. f. 6 (1872). Mexico.
♂. ‖*Bacteria Cornuta, Sauss.* Rev. Zool. (2) xiii. p. 128 (1861).

| | |
|---|---|
| 2. **P. Ætolus, Westw.** (*Bacteria Æ.*) Cat. Phasm. p. 27. n. 72, pl. 22. f. 3 (1859).<br>*Phibalosoma Ætolus, Sauss.* Miss. Mex., Orth. p. 174 (1872). | Mexico. |
| 3. **P. Sartoriana, Kaup,** (*Bacteria S.*) Berlin. Ent. Zeitschr. xv. p. 29 (1871). | id. |
| **4. **P. Curvipes, Redt.** Proc. Zool. Soc. Lond. 1892, p. 207, pl. 15. f. 9. | W. Indies.<br>St. Vincent. |

### Genus 77. **Ceroys.** (*Type* no. 4.)

Serv. Ins. Orth. p. 262 (1835); Westw. Cat. Phasm. p. 59 (1859).

*Cladomorphus*, pt., *Gray*, Syn. Phasm. p. 15 (1835); Stål, Bihang Svenska Akad. ii. (17) pp. 13, 94 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 53, 94 (1875), *nec sect. typ.*

| | |
|---|---|
| 1. **C. Cornutus, Burm.** (*Acanthoderus C.*) Handb. Ent. ii. p. 569. n. 4 (1838); Westw. Cat. Phasm. p. 56. n. 153 (1859).<br>*Bacteria Cornuta, Sauss.* Rev. Zool. (2) xx. p. 65 (1868); Miss. Mex., Orth. p. 161, pl. 4. ff. 14, 14 *a* (1872). | W. Indies.<br>St. Thomas. |
| 2. **C. Baculus, Sauss.** (*Bacteria B.*) ll. cc. (2) xi. p. 61 (1859); p. 163, pl. 4. ff. 15, 15 *a*, *b* (1872). | S. America. |
| 3. **C. Cyrtocnemis, Bates,** (*Bacteria C.*) Trans. Linn. Soc. Lond. xxv. p. 329, pl. 44. f. 10 (1865). | Ega. |
| **4. **C. Perfoliatus, Gray,** (*Cladomorphus P.*) Syn. Phasm. p. 15 (1835).<br>*Acanthoderus Perfoliatus, Burm.* Handb. Ent. ii. p. 569. n. 1 (1838).<br>*C. Perfoliatus, Serv.* Ins. Orth. p. 263 (1839); Westw. l. c. p. 59. n. 164 (1859). | Brazil. |
| 5. **C. Ramulus, Giglio-Tos,** (*Bacunculus R.*) Boll. Mus. Torino, xiii. (311) p. 21 (1898). | Ecuador. |
| 6. **C. Borellii, Giglio-Tos,** (*Bacunculus B.*) l. c. p. 22 (1898). | id. |
| 7. **C. Multispinosus, Serv.** l. c. p. 264 (1839); Westw. l. c. p. 59. n. 165 (1859). | Brazil. |

| | |
|---|---|
| 8. **C. Oryx, Westw.** (*Acantholerus O.*) l. c. p. 56. n. 152 (1859).<br>‖ *Acanthoderus Scabrosus, Burm.* Handb. Ent. ii. p. 569. n. 3 (1838). | Brazil. |
| 9. **C. Vigilans, Westw.** (*Acanthoderus V.*) l. c. p. 56. n. 151 (1859).<br>‖ *Acanthoderus Auritus, Burm.* l. c. p. 569. n. 2 (1838). | id. |
| 10. **C. Scops, Kaup,** (*Acanthoderus S.*) Berlin. Ent. Zeitschr. xv. p. 32 (1871). | id. |
| 11. **C. Coronatus, Thunb.** (*Phasma Coronata*) Mém. Soc. Pétersb. v. p. 299 (1815); Westw. l. c. p. 183. n. 8 (1859). | Hab. ——? |

## Genus 78. **Bacteria.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 446 (1825); Gray, Syn. Phasm. p. 16 (1835); Burm. Handb. Ent. ii. p. 563 (1838); Serv. Ins. Orth. p. 223 (1839); Haan, Temminck, Verhandel., Orth. p. 132 (1842); Westw. Cat. Phasm. p. 20 (1859); Sauss. Miss. Mex., Orth. p. 151 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 6, 14 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 29 (1875).

| | |
|---|---|
| *1. **B. Baculus, Oliv.** (*Mantis B.*) Enc. Méth., Ins. vii. p. 138. n. 71 (1792).<br>*Phasma Arumatia, Stoll*, Spectres, Phasmes, p. 41, pl. 13. f. 51 (1813).<br>*B. Arumatia, Gray*, l. c. p. 16 (1835); Serv. l. c. p. 223 (1839). | Surinam, British Guiana, Cayenne. |
| *2. **B. Remphan, Westw.** l. c. p. 22 (1859).<br>*B. Arumatia*, var., *Westw.* l. c. pl. 23. ff. 4, 4 *a* (1859). | Venezuela, Ecuador. |
| **3. **B. Simplicitarsis, Gray,** l. c. p. 43 (1835); Westw. l. c. p. 21. n. 55 (1859).<br>‖ *Phasma Filiformis, Stoll*, l. c. p. 64. pl. 22. f. 81 (1813).<br>*Phasma Filiforme, Licht.* Trans. Linn. Soc. Lond. vi. p. 9. n. 1, pl. 1. f. 1 (1802). | Jamaica, Antigua, &c. |
| 4. **B. Ferula, Fabr.** (*Mantis F.*) Ent. Syst. ii. p. 12. n. 2 (1793).<br>*Phasma Ferula, Fabr.* Suppl. Ent. Syst. | W. Indies. |

p. 187. n. 2 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 10. n. 2 (1802).
*B. Ferula*, *Burm.* l. c. p. 564. n. 3 (1838).
‖ *B. Arumatia*, *Westw.* l. c. p. 22. n. 57 (1859).

5. **B.** (?) **Filiformis, Fabr.** (*Mantis Filiformes*) Mant. Ins. i. p. 227. n. 1 (1787). S. America.
*Mantis Filiformis*, *Fabr.* Ent. Syst. ii. p. 12. n. 1 (1793).
*Phasma Filiformis*, *Fabr.* Suppl. Ent. Syst. p. 106. n. 1 (1798).
*B. Filiformis*, *Westw.* l. c. p. 22. n. 58 (1859).

6. **B. Nigripes, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 278 (1875). Peruvian Andes.

7. **B. Granulicollis, Blanch.** Gay. Hist. Chil., Zool. vi. p. 26 (1851); Westw. l. c. p. 26. n. 69 (1859). Chili.

### Genus 79. **Phibalosoma.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 42 (1835); Westw. Cat. Phasm. p. 71 (1859); Sauss. Miss. Mex., Orth. p. 172 (1872); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875); Rec. Orth. iii. p. 28 (1875).

*Cladomorphus*, pt., *Gray*, l. c. p. 15 (1835); Serv. Ins. Orth. p. 224 (1839).

*1. **P. Phyllinus, Gray,** (*Cladomorphus P.*) l. c. p. 15 (1835); Serv. l. c. p. 225 (1839). Brazil.
♂. *P. Lepelletieri*, *Gray*, l. c. p. 42 (1835).
*P. Lepeletierii*, *Westw.* l. c. p. 72. n. 186 (1859); Sauss. l. c. p. 180 (1872).
*Cladoxerus Phyllinus*, *Burm.* Handb. Ent. ii. p. 571. n. 1 (1838); Charp. Orth. pls. 34, 35 (1845); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 61.
(?) *Bacteria Calamus*, ♀, *Burm.* l. c. p. 564. n. 1 (1838).

2. **P. Rubispinosa, Serv.** (*Bacteria R.*) l. c. p. 224 (1839); Westw. l. c. p. 30. n. 84 (1859). Cayenne.

**3. **P. Dilatipes, Gray,** (*Cladomorphus D.*) l. c. p. 15 (1835). Brazil.
*P. Lepeletieri*, *larva*, *Westw.* l. c. p. 72 (1859).

| | |
|---|---|
| *P. Lepeletierii*, var. *Dilatipes*, *Sauss.* l. c. p. 181 (1872). | |
| 4. **P. Rubus, Sauss.** (*Cladoxerus R.*) Rev. Zool. (2) xiii. p. 128 (1861).<br>*P. Lepeletierii*, var. *Rubus*, *Sauss.* Miss. Mex., Orth. p. 181 (1872). | Brazil (Bahia). |
| 5. **P. Coronata, Stål,** Rec. Orth. iii. p. 80 (1875). | Brazil. |

## Genus 80. **Xylodus.**

Sauss. Rev. Zool. (2) xi. p. 62 (1859); Miss. Mex., Orth. p. 182 (1872).

| | |
|---|---|
| 1. **X. Adumbratus, Sauss.** Rev. Zool. (2) xi. p. 62 (1859).<br>*Phibalosoma Adumbratum*, *Sauss.* Miss. Mex., Orth. p. 182, pl. 4. ff. 19, 19 *a*, *b* (1872). | Porto Rico. |

## Genus 81. **Cladomorphus.**

Gray, Syn. Phasm. p. 15 (1835).

| | |
|---|---|
| 1. **C. Ceratocephalus, Gray,** l. c. (1835).<br>*Phibalosoma Ceratocephalum*, *Westw.* Cat. Phasm. p. 72. n. 187, pl. 36. f. 2 (1859). | Brazil. |

## Genus 82. **Cladoxerus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 59 (1831); Ins. Orth. p. 254 (1839); Gray, Syn. Phasm. p. 42 (1835); Burm. Handb. Ent. ii. p. 571 (1838).

| | |
|---|---|
| *1. **C. Gracilis, St.-Farg. & Serv.** l. c. p. 445 (1825); Serv. ll. cc. p. 59 (1831); p. 255, pl. 7 (1839); Gray, l. c. p. 42 (1835); Burm. l. c. p. 572. n. 2 (1838).<br>*Phibalosoma Gracilis*, *Westw.* Cat. Phasm. p. 77. n. 200 (1859). | Brazil. |
| **2. **C. Cryphaleus, Westw.** (*Phibalosoma C.*) l. c. p. 78. n. 201, pl. 11. f. 5 (1859). | id. |

| | |
|---|---|
| 3. **C. Longipes, Gray,** l. c. p. 42 (1835).<br>*Phibalosoma Longipes, Westw.* l. c. p. 78. n. 202 (1859). | Demerara. |
| **4. **C. Ditomus, Westw.** (*Phibalosoma D.*) l. c. p. 78. n. 203, pl. 13. f. 1 (1859). | Brazil. |
| **5. **C. Ploiaria, Westw.** (*Phibalosoma P.*) l. c. p. 79. n. 204, pl. 13. f. 4 (1859). | Central America(?). |
| 6. **C. Cubensis, Sauss.** (*Phybalosoma C.*) Rev. Zool. (2) xx. p. 67 (1868).<br>*Phibalosoma Cubense, Sauss.* Miss. Mex., Orth. p. 179, pl. 4. ff. 22, 22 *a* (1872).<br>*Bacteria Cubensis, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 62. | Cuba. |
| **7. **C. Phantasma, Westw.** (*Phasma P.*) l. c. p. 126. n. 331, pl. 12. f. 5 (1859). | Tapajos. |
| **8. **C. Valgius, Westw.** (*Phasma V.*) l. c. p. 126. n. 330, pl. 10. f. 3 (1859). | Hab. —— ? |
| **9. **C. Puppeius, Westw.** (*Phasma P.*) l. c. p. 125. n. 329, pl. 10. f. 1 (1859). | Tapajos. |

## SUBFAM. VI.

## PHRYGANISTRIINÆ.

### Genus 83. **Phryganistria.**

Stål, Bihang Svenska Akad. ii. (17) pp. 7, 14 (1875), iii. (14) p. 7 (1875); Rec. Orth. iii. p. 6 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 81 (1893).

| | |
|---|---|
| *1. **P. Sarmentosa, Westw.** (*Bacteria S.*) Cab. Orient. Ent. p. 65, pl. 32. f. 1 (1848).<br>♂. *Bacteria Virgea, Westw.* l. c. p. 66, pl. 32. f. 2 (1848).<br>*Lonchodes Virgeus, Westw.* Cat. Phasm. p. 46. n. 122 (1859).<br>*P. Sarmentosa, Stal,* Rec. Orth. p. 63 (1875). | Sylhet. |

### Genus 84. **Sadyattes.**

Stål, Rec. Orth. iii. p. 44 (1875).

| | |
|---|---|
| 1. **S. Borrii, Stål,** l. c. p. 88 (1875). | Hab. —— ? |

### Genus 85. **Pharnacia.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 40 (1877).
*Phryganistria*, div. *a. Stål*, Rec. Orth. iii. p. 63 (1875).

| | |
|---|---|
| **1. **P. Serratipes, Gray,** (*Cladoxerus S.*) Syn. Phasm. p. 42 (1835).<br>*Phibalosoma Serratipes, Westw.* Cat. Phasm. p. 75. n. 192 (1859).<br>♀. *Bacteria Acanthopus, Burm.* Handb. Ent. ii. p. 565. n. 6 (1838).<br>*Phasma* (*Cladoxerus*) *Acanthopus, Haan*, (♂; an ♀?) Temminck. Verhandel., Orth. p. 131 (1842).<br>*Phibalosoma Acanthopus, Westw.* (♂; an ♀?) l. c. p. 74. n. 190 (1859).<br>(?) *Phibalosoma Acanthopus, Wood-Mason*, Proc. Asiatic Soc. Bengal. 1877. p. 161. | Malabar, Penang, Singapore, Java. |
| *1 *a.* **P. Maxima, Bates,** (*Phibalosoma Maximum*) Trans. Linn. Soc. Lond. xxv. p. 341 (1865).<br>*P. Serratipes, Kirb.* Trans. Linn. Soc. Lond., Zool. (2) vi. p. 450 (1896). | Sumatra, Sarawak. |
| 2. **P. Annamallayanum, Wood-Mason,** (*Phibalosoma A.*) l. c. p. 161 (1877); Journ. Asiatic Soc. Bengal. xlvi. p. 346 (1877). | S. India. |
| 3. **P. Ponderosa, Stål,** l. c. p. 40 (1877); (?) Kirb. l. c. p. 451 (1896). | Philippines. |
| **4. **P. Feruloides, Westw.** (*Lonchodes F.*) Cat. Phasm. p. 45. n. 121, pl. 6. f. 5 (1859). | id., Java (eadem ?). |

### Genus 86. **Tirachoidea.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

| | |
|---|---|
| 1. **T. Cantori, Westw.** (*Phibalosoma C.*) Cat. Phasm. p. 74. n. 191, pl. 37. f. 1, pl. 38. f. 1 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904. p. 70. | Malacca, Siam. |
| *1 *a.* **T. Tirachus, Westw.** (*Phibalosoma T.*) l. c. p. 75. n. 194, pl. 37. f. 3 (1859). | Assam. |
| 2. **T. Westwoodi, Wood-Mason,** (*Phibalosoma W.*) Journ. Asiatic Soc. Bengal. xliv. p. 216 (1875), xlvi. p. 347. pl. 3. f. 1 (1877). | id. |

| | |
|---|---|
| **3. **T. Hypharpax, Westw.** (*Phibalosoma H.*) l. c. p. 75. n. 193, pl. 13. f. 6 (1859); Kaup, Berlin. Ent. Zeitschr. xv. p. 37 (1871). | Ceylon. |

### Genus 87. **Lopaphus.**

Westw. Cat. Phasm. p. 99 (1859); Sauss. Mém. Soc. Genève, xx. p. 312 (1870); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 347 (1877).

*Phasma*, group 15, *Haan*, Temminck, Verhandel., Orth. p. 125 (1842).

| | |
|---|---|
| 1. **L. Brachypterus, Haan,** (*Phasma Brachypterum*) l. c. p. 125, pl. 13. f. 2 (1842).<br>*L. Brachypterus, Westw.* l. c. p. 99. n. 254 (1859). | Sumatra. |
| 2. **L.** (??) **Hellotis, Westw.** l. c. p. 101. n. 259, pl. 40. f. 1 (1859). | Borneo. |
| 3. **L.** (?) **Hadrillus, Westw.** l. c. p. 100. n. 258, pl. 28. f. 4 (1859). | Sarawak. |

### Genus 88. **Phænopharos.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 433 (1904).

| | |
|---|---|
| **1. **P. Struthioneus, Westw.** (*Lopaphus S.*) Cat. Phasm. p. 101. n. 260, pl. 34. f. 3 (1859). | Singapore. |

## SUBFAM. VII.

## PALOPHINÆ.

### Genus 89. **Hermarchus.** (*Type* no. 3.)

Stål, Rec. Orth. iii. p. 45 (1875); Bihang Svenska Akad. iii. (14) p. 17 (1875).

| | |
|---|---|
| **1. **H. Apollonius, Westw.** (*Phibalosoma A.*) Cat. Phasm. p. 181. n. 469, pl. 40. f. 4 (1859).<br>*Phibalosoma Pythonius*, ♂, *Westw.* l. c. p. 73. n. 189, pl. 35. f. 3 (1859). | Fiji. |

2. **H. Novæ-Britanniæ, Wood-Mason,** Ann. Nat. Hist. (4) xx. p. 75 (1877). New Britain.

**3. **H. Pythonius, Westw.** (*Phibalosoma P.*, ♀) l. c. p. 73. n. 189, pl. 12. f. 1 (1859); Sauss. Miss. Mex., Orth. pl. 3. ff. 1–3. details (1872). Fiji.

4. **H.** (?) **Trigonus, Thunb.** (*Phasma Trigona*) Mém. Soc. Pétersb. v. p. 300 (1815); Westw. l. c. p. 183. n. 5 (1859). Hab. —— ?

## Genus 90. **Tæniosoma.**

Bol. Act. Soc. Esp. 1897, p. 30.

1. **T. Sanchezi, Bol.** l. c. pp. 31, 32, fig. (1897). Philippines.

## Genus 91. **Diagoras.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

1. **D. Ephialtes, Stål,** l. c. (1877). Palau.

## Genus 92. **Cranidium.**

Burm. Handb. Ent. ii. p. 574 (1838); Westw. Arc. Ent. ii. p. 49 (1845).

*Diapherodes*, pt., *Burm.* l. c. p. 573 (1838); Brunn. Ann. Mus. Genova, xxxiii. p. 83 (1893).

*1. **C. Gibbosum, Burm.** (*Diapherodes Gibbosa*) l. c. p. 575. n. 3 (1838); Sauss. Miss. Mex., Orth. p. 187 (1872). Brazil.
*Monandroptera* (?) *Gibbosa, Westw.* Cat. Phasm. p. 80. n. 209 (1859).
*Diapherodes* (*Cranidium*) *Serricollis, Westw.* Arc. Ent. ii. p. 49, pl. 61. f. 1 (1845).

**2. **C.** (?) **Pumilio, Westw.** (*Diapherodes* (*Cranidium*) *P.*) l. c. p. 50, pl. 61. f. 2 (1845). Jamaica.
*Monandroptera Pumilio, Westw.* Cat. Phasm. p. 80. n. 208 (1859).

## Genus 93. **Hirtuleius.**

Stål, Rec. Orth. iii. p. 29 (1875).

1. **H. Læviceps, Stål,** l. c. p. 81 (1875). Brazil.

### Genus 94. **Pterinoxylus.** (*Type* no. 2.)

Serv. Ins. Orth. p. 226 (1839); Westw. Cat. Phasm. p. 89 (1859); Stål, Rec. Orth. p. 29 (1875).

1. **P. Eucnemis, Burm.** (*Haplopus E.*) Handb. Ent. ii. p. 577. n. 2 (1838). — Brazil.
*P. Difformipes, Westw.* l. c. p. 90. n. 231, pl. 36. f. 1 (1859).

2. **P. Difformipes, Serv.** l. c. p. 227 (1839). — id.

**3. **P. Crassus, Kirb.** Ann. Nat. Hist. (6) iii. p. 502 (1889). — Dominica.

### Genus 95. **Diapherodes.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 33 (1835); Burm. Handb. Ent. ii. p. 573 (1838); Haan, Temminck, Verhandel., Orth. p. 109 (1842); Westw. Cat. Phasm. p. 84 (1859); Sauss. Miss. Mex., Orth. p. 163 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 11 (1875); Rec. Orth. iii. p. 31 (1875).

*1. **D. Gigantea, Gmel.** (*Mantis G.*) Syst. Nat. i. (4) p. 2055. n. 49 (1788). — St. Vincent, Guadeloupe.
‖*Mantis Gigas, Drury,* Ill. Exot. Ent. ii. pl. 50 (1773).
‖*D. Gigas, Gray,* l. c. p. 33 (1835); Westw. l. c. p. 84. n. 215 (1859).
*Mantis Angulata, Fabr.* Ent. Syst. ii. p. 13. n. 5 (1793).
*Phasma Angulata, Fabr.* l. c. Suppl. p. 187. n. 5 (1798).
*Phasma Angulatum, Licht.* Trans. Linn. Soc. Lond. vi. p. 11. n. 8 (1802).
*D. Angulata, Burm.* l. c. p. 574. n. 2 (1838).
‖*Cyphocrana Cornuta, St.-Farg. & Serv.* Enc. Méth., Ins. x. p. 445 (1825).

*2. **D. Christopheri, Westw.** l. c. p. 84. n. 217. pl. 33. f. 4 (1859). — St. Kitts.

3. **D. (?) Venustula, Serv.** (*Platycrana V.*) Ins. Orth. p. 242 (1839). — Cuba.
*D. Venustula, Westw.* l. c. p. 84. n. 216 (1859); Sauss. l. c. p. 185 (1872).
*Phasma (Diapherodes) Venustulum, Haan.* l. c. p. 109 (1842).
?. *Phasma Havaniense, Westw.* l. c. p. 34. n. 96. pl. 22. f. 7 (1859).

| | |
|---|---|
| 4. **D. Grayi, Kaup,** (*Haplopus G.*) Berl. Ent. Zeitschr. xv. p. 36, pl. 2. f. 1 (1871). | Moluccas (*an recte* ?). |

### Genus 96. **Haplopus.** (*Type* no. 4.)

*Aplopus*, *Gray*, Syn. Phasm. p. 34 (1835).

‖*Haplopus*, *Burm.* Handb. Ent. ii. p. 576 (1838); Haan, Temminck, Verhandel., Orth. p. 127 (1842); Westw. Cat. Phasm. p. 85 (1859); Sauss. Miss. Mex., Orth. p. 191 (1872); Stål, Rec. Orth. iii. p. 31 (1875).

| | |
|---|---|
| **1. **H. Evadne, Westw.** l. c. p. 85. n. 218, pl. 18. f. 6 (1859); Caud. Proc. U.S. Nat. Mus. xxvii. pp. 249–251, ff. 1, 2 (1904). | Haiti, Florida. |
| 2. **H. Cytherea, Westw.** l. c. p. 86. n. 219, pl. 18. f. 5 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 63. | Haiti. |
| 3. **H. Achalus, Rehn,** (*Aplopus A.*) l. c. p. 68 (1904). | Porto Rico. |
| *4. **H. Jamaicensis, Dru.** (*Mantis J.*) Ill. Exot. Ins. ii. pl. 49. f. 1 (1773); Fabr. Spec. Ins. i. p. 346. n. 6 (1781); Oliv. Enc. Méth., Ins. vii. p. 634. n. 42 (1792).<br>*Phasma Jamaicensis*, *Fabr.* Suppl. Ent. Syst. p. 188 (1798).<br>*Platycrana Jamaicensis*, *Gray*, l. c. p. 38 (1835).<br>*H. Jamaicensis*, *Westw.* l. c. p. 86. n. 220 (1859). | Jamaica. |
| *5. **H. Bispinosus, Fabr.** (*Mantis Bispinosa*) Syst. Ent. p. 275. n. 4 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 41 (1792); Shaw, Nat. Misc. ix. pl. 323 (1798).<br>*Phasma Bispinosa*, *Fabr.* Suppl. Ent. Syst. p. 188 (1798).<br>*Phasma Bispinosum*, *Gray*, Syn. Phasm. p. 24 (1835).<br>*H. Bispinosus*, *Westw.* l. c. p. 87. p. 221 (1859). | Brazil. |
| 6. **H. Micropterus, St.-Farg. & Serv.** (*Cyphocrana Microptera*) Enc. Méth., Ins. x. p. 445 (1825).<br>*Aplopus Micropterus*, *Gray*, l. c. p. 34 (1835).<br>*Phasma* (*Haplopus*) *Micropterum*, *Haan*, l. c. p. 128 (1842). | St. Thomas. |

| | |
|---|---|
| *H. Micropterus, Westw.* l. c. p. 87. n. 222 (1859).<br>‖ *Phasma Angulata, Stoll*, Spectres, Phasmes, p. 61, pl. 21. f. 77 (1813).<br>*H. Angulatus, Burm.* l. c. p. 577. n. 1 (1838). | |
| 7. **H. Spinipes, Gray,** (*Diapherodes S.*) l. c. p. 34 (1835).<br>*H. Spinipes, Westw.* l. c. p. 87. n. 223 (1859).<br>‖ *Phasma Angulata, Beauv.* Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 4 (1805). | Haiti. |
| **7 *a*. **H. Ligia, Westw.** l. c. p. 89. n. 230, pl. 11. ff. 1, 2 (1859). | id. |
| 7 *b*. **H. Bicuspidatus, Haan,** (*Phasma* (*Haplopus*) *Bicuspidatum*) l. c. p. 128 (1842).<br>*H. Bicuspidatus, Westw.* l. c. p. 87. n. 224 (1859). | Hab. —— ? |
| 8. **H. Similis, Rehn,** (*Aplopus S.*) l. c. p. 65 (1904). | Swan Isl., Caribb. Sea. |
| **9. **H. Glabricollis, Gray,** (*Diapherodes G.*) l. c. p. 33 (1835); Burm. l. c. p. 575. n. 4 (1838).<br>*H. Glabricollis, Westw.* l. c. p. 88. n. 227 (1859). | Hab. —— ? |
| 10. **H. Bituberculatus, Haan,** (*Phasma* (*Haplopus*) *Bituberculatum*) l. c. p. 128 (1842).<br>*H. Bituberculatus, Westw.* l. c. p. 88. n. 225 (1859). | Hab. —— ? |
| **11. **H. Pulverulentus, Gray,** (*Diapherodes P.*) l. c. p. 34 (1835).<br>*H. Pulverulentus, Westw.* l. c. p. 88. n. 226 (1859). | Bahamas. |
| 12. **H. Scabricollis, Gray,** (*Diapherodes S.*) l. c. p. 34 (1835).<br>*H. Scabricollis, Westw.* l. c. p. 88. n. 228 (1859). | Hab. —— ? |
| 13. **H. Dubius, Gray,** (*Diapherodes D.*) l. c. p. 34 (1835).<br>*H. Dubius, Westw.* l. c. p. 89. n. 229 (1859). | Cayenne. |
| 14. **H. Cubensis, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 192 (1872); Bol. Mém. Soc. Zool. France, i. p. 140 (1888). | Cuba. |
| 15. **H. Poeyi, Sauss.** (*Creoxylus P.*) ll. cc. p. 68 (1868); p. 196 (1872). | id. |

### Genus 97. **Palophus.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 90 (1859); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 193 (1892); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 465 (1896).

*1. **P. Centaurus, Westw.** l. c. p. 91. n. 233, pl. 32. ff. 1, 1 *a* (1859); Brongn. l. c. p. 195, pl. 8: 9. ff. 1–4 (1892); Sharp, Cambridge Nat. Hist., Ins. i. pp. 260, 275, f. 162 (1895). — W. Africa: Old Calabar, Cameroons.

**2. **P. Episcopalis, Kirb.** (*Ischnopoda E.*) l. c. p. 466 (1896). — Tanganyika.

3. **P. (?) Hecticus, Licht.** (*Phasma Hecticum*) Cat. Mus. Zool. Hamburg. p. 78. n. 8 (1796); Trans. Linn. Soc. Lond. vi. pp. 14, 39. n. 13, pl. 1. f. 2 (1802). — "China" (?).

*Platycrana Hectica, Gray*, Syn. Phasm. p. 34 (1835).

*Cyphocrania* (?) *Hectica, Westw.* l. c. p. 109. n. 278 (1859).

*3 *a*. **P. (?) Haworthii, Gray,** (*Ctenomorpha H.*) l. c. p. 41 (1835). — "Australia," S. Africa.

*P. Haworthii, Westw.* l. c. p. 90. n. 232, pl. 10. f. 5 (1859); Brongn. l. c. p. 202 (1892).

♀. *Haplopus Ceratophyllus, Burm.* Handb. Ent. ii. p. 577 (1838).

**4. **P. (?) Moiræ, Kirb.** Ann. Nat. Hist. (6) xviii. p. 463 (1896). — Br. Cent. Africa.

### Genus 98. **Ischnopoda.** (*Type* no. 1.)

Grandidier, Rev. Zool. (2) xxi. p. 292 (1869); Luc. Ann. Soc. Ent. France, (4) ix. p. 430 (1870); Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

*1. **I. Reyi, Grandidier,** l. c. p. 293 (1869); Luc. l. c. p. 430 (1870). — E. Africa.

*Palophus Reyi, Brongn.* Nouv. Arch. Mus. Paris, (3) iii. p. 198, pl. 9. ff. 5–8 (1892); Karsch, Werther. Mittl. Hochl. nördl. Deutsch-Ost-Afrika, p. 311, figs. (1898); Ent. Nachr. xxiv. p. 376, fig. (1898).

| | |
|---|---|
| *2. **I. Brevitarsis, Stål,** (*Bactrododema B.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 67 (1876). | E. Africa, Damara Land. |
| 3. **I. Hippotaurus, Karsch,** (*Palophus H.*) Stett. Ent. Zeit. lvii. p. 245 (1896); Ent. Nachr. xxiv. pp. 367. 368 (1898). | E. Africa. |
| **4. **I. Phillipsi, Kirb.** l. c. p. 467, pl. 40. ff. 3, 3 *a* (1896); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 69. | Somali Land. |

## Genus 99. **Bactrododema.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xv. p. 308 (1858); Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 12 (1875); Rec. Orth. iii. p. 32 (1875).

| | |
|---|---|
| *1. **B. Tiaratum, Stål,** (*B. Tiarata*) Œfv. Vet.-Akad. Förh. xv. p. 308 (1858), xxxiii. (3) p. 66 (1876); Rec. Orth. iii. p. 82 (1875). | Damara Land, Transvaal. |
| *B. Tiaratum, Kirb.* Distant, Ins. Transvaal. p. 47 (1902). | |
| *Palophus Tiaratus, Griff.* Boll. Mus. Torino. xii. (290) p. 11 (1897). | |
| 2. **B. Aculiferum, Kirb.** l. c. p. 47, pl. 2. ff. 1, 1 *a–c*, 2, 2 *a* (1902). | Transvaal. |
| **3. **B. Lugardi, Kirb.** Ann. Nat. Hist. (7) ix. p. 448 (1902). | Lake N'Gami. |
| **4. **B. Wayi, Kirb.** l. c. p. 449 (1902). | Ft.Johnston |
| 5. **B. Minotaurus, Gerst.** (*Palophus M.*) Mitth. Ver. Vorpomm. xiv. p. 100 (1883); Brongn. Nouv. Arch. Mus. Paris, (3) iii. p. 201 (1892). | Gold Coast. |
| **6. **B. Æstuans, Westw.** (*Cyphocrania Æ.*) Cat. Phasm. p. 109. n. 279, pl. 7. f. 4 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 266, f. 153 (1895). | Congo, Senegal. |
| *Palophus Æstuans, Brongn.* l. c. p. 202 (1892), | |
| *7. **B. Miliaris, Bol.** Jorn. Sci. Lisboa, (2) i. p. 87 (1889); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 70. | W. Africa; St. Thomas. |
| 8. **B. Welwitschi, Bol.** l. c. p. 88 (1889). | Loanda. |

### Genus 100. **Candaules.** (*Type* no. 1.)

Stål. Rec. Orth. iii. p. 43 (1875).

| | |
|---|---|
| *1. **C. Iolas, Westw.** (*Necroscia I.*) Cat. Phasm. p. 145. n. 377, pl. 19. f. 2 (1859).<br>*Lopaphus Iolas*, *Wood-Mason*, Journ. Asiatic Soc. Bengal. xliv. p. 217 (1875), xlvi. p. 347, pl. 3. f. 2 (1877).<br>♀. *Candaules Spurnius*, *Stål*, l. c. p. 87 (1875). | Malacca.<br>Johore.<br>Sumatra. |
| *2. **C. Diardi, Haan,** (*Phasma* (*Cladoxerus*) *D.*) Temminck, Verhandel., Orth. p. 131, pl. 12. f. 6 (1842).<br>*Phibalosoma Diardi*, *Westw.* l. c. p. 76. n. 195 (1859). | Borneo.<br>Malacca. |
| 3. **C. Spinosus, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 312, pl. 3. ff. 15. 15*a* (1870). | Malacca. |

### Genus 101. **Asprenas.**

Stål, Rec. Orth. iii. p. 45 (1875).
*Neanthes*, *Stål*, l. c. (1875).

| | |
|---|---|
| 1. **A. Femoratus, Stål,** l. c. p. 89 (1875).<br>♀. *Neanthes Brunneri*, *Stål*, l. c. p. 90 (1875). | New Caledonia. |

### Genus 102. **Orxines.** (*Type* no. 1.)

Stål, Rec. Orth. pp. 43, 87 (1875).

| | |
|---|---|
| 1. **O. Macklottii, Haan,** (*Phasma M.*) Temminck, Verhandel., Orth. p. 126, pl. 11. ff. 1, 2 (1842).<br>*Lopaphus Macklottii*, *Westw.* Cat. Phasm. p. 100. n. 257 (1859). | Java. |
| **2. **O. Zeuxis, Westw.** (*Necroscia Z.*) l. c. p. 151. n. 401, pl. 28. ff. 5, 6 (1859). | Sarawak. |
| 3. **O. Galacpterus, Haan,** (*Phasma Galacpterum*) l. c. p. 127. pl. 13. ff. 4, 5 (1842).<br>*Lopaphus Galacpterus*, *Westw.* l. c. p. 100. n. 256 (1859). | Sumatra. |

| | |
|---|---|
| **4. **O. (?) Xiphias, Westw.** (*Anophelepis X.*) l. c. p. 71. n. 185, pl. 4. ff. 4, 5 (1859): Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 71. | Amboina, Obi. |

### Genus 103. **Lamachus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877).

| | |
|---|---|
| 1. **L. Semperi, Stål,** l. c. (1877). | Philippines. |

## SUBFAM. VIII.

## NECROSCIINÆ.

### Genus 104. **Sosibia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 42 (1875).

| | |
|---|---|
| 1. **S. Nigrispina, Stål,** l. c. p. 87 (1875). | Malacca. |
| 2. **S. Esepus, Westw.** (*Necroscia E.*) Cat. Phasm. p. 129. n. 337, pl. 16. f. 5 (1859). | id. |
| **3. **S. Peninsularis, Kirb.** Ann. Nat. Hist. (7) xiii. p. 434 (1904). | Penang. |
| 4. **S. Curtipes, Westw.** (*Phasma* (*Necroscia*) *C.*) Cab. Orient. Ent. p. 79, pl. 39. f. 1 (1848).<br>*Necroscia Curtipes, Westw.* Cat. Phasm. p. 143. n. 373 (1859). | Prince of Wales I. |
| **5. **S. Pholidotus, Westw.** (*Necroscia P.*) l. c. p. 143. n. 372, pl. 17. f. 4, pl. 20. f. 6 (1859). | Silhet, Assam. |
| **6. **S. Gadarama, Westw.** (*Necroscia G.*) l. c. p. 130. n. 340, pl. 21. f. 1 (1859). | Java. |
| 7. **S. Esacus, Westw.** (*Necroscia E.*) l. c. p. 132. n. 347, pl. 16. f. 4 (1859). | Singapore. |
| **8. **S. Passalus, Westw.** (*Necroscia P.*) l. c. p. 132. n. 348, pl. 9. f. 8 (1859). | Ceylon. |
| **9. **S. Euryalus, Westw.** (*Necroscia E.*) l. c. p. 144. n. 375. pl. 10. f. 4 (1859); (?) Sauss. Mém. Soc. Genève, xx. p. 314 (1870). | id. |

| | |
|---|---|
| 10. **S. Humbertiana, Sauss.** (*Necroscia H.*) Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 315, pl. 3. f. 11 (1870). | Ceylon. |
| **11. **S. Mancinus, Westw.** (*Necroscia M.*) l. c. p. 144. n. 374, pl. 14. f. 3 (1859). | Philippines. |
| **12. **S. Samson, Westw.** (*Necroscia S.*) l. c. p. 132. n. 346, pl. 10. f. 6 (1859). | China. |
| **13. **S. Ceramia, Westw.** (*Necroscia C.*) l. c. p. 141. n. 367, pl. 12. f. 2 (1859). | Ceram. |
| 14. **S. Scabra, Stål,** (*Necroscia S.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 43 (1877).<br>*Sipyloidea Scabra, Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 76. | Philippines. |
| 15. **S. Vipera, Kaup,** (*Necroscia V.*) Berlin. Ent. Zeitschr. xv. p. 39 (1871). | Celebes. |
| **16. **S. (?) Æsalus, Westw.** (*Necroscia Æ.*) l. c. p. 133. n. 349, pl. 10. f. 7 (1859). | Ceylon. |
| *17. **S. (?) Tamyris, Westw.** (*Cyphocrania T.*) l. c. p. 110. n. 281, pl. 38. f. 2 (1859). | Penang. |
| 18. **S. (?) Aurita, Fabr.** (*Mantis A.*) Ent. Syst. ii. p. 15. n. 13 (1793).<br>*Phasma Aurita, Fabr.* l. c. Suppl. p. 189 (1798).<br>*Phasma Auritum, Gray*, Syn. Phasm. p. 23 (1835).<br>*Creoxylus Auritus, Westw.* l. c. p. 106. n. 271 (1859). | India (?). |

### Genus 105. **Calvisia.** (*Type* no. 10.)

Stål, Rec. Orth. iii. pp. 42, 87 (1875).

| | |
|---|---|
| *1. **C. Maculicollis, Westw.** (*Phasma (Necroscia) M.*) Cab. Orient. Ent. p. 77, pl. 38. f. 2 (1847).<br>*Necroscia Maculicollis, Westw.* Cat. Phasm. p. 155. n. 408 (1859).<br>*C. Maculicollis, Rehn.* Proc. Acad. Nat. Sci. Philad. 1904, p. 72.<br>*C. Atrosignata, Brunn.* Ann. Mus. Genova, xxxiii. p. 85, pl. 3. f. 27 (1893); Sharp, Cambridge Nat. Hist., Ins. v. p. 273. n. 159 (1895). | N. India.<br>Tenasserim.<br>Java,<br>Sumatra. |
| **2. **C. Maculata, Kirb.** Ann. Nat. Hist. (7) xiii. p. 135 (1904). | Penang. |

| | |
|---|---|
| 3. **C. Westermanni, Westw.** (*Necroscia W.*) l. c. p. 157. n. 412, pl. 38. f. 3 (1859). | Pulo Penang. |
| 4. **C. Viridilineata, Bates,** (*Necroscia V.*) Trans. Linn. Soc. Lond. xxv. p. 352 (1865).<br>*C. Viridilineata, Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 71. | Ceram,<br>Obi. |
| 5. **C. Graminea, Bates,** (*Necroscia G.*) l. c. p. 356 (1865).<br>*C. Graminea, Rehn*, l. c. p. 72 (1904).<br>♂. *Necroscia Smaragdula, Bates*, l. c. p. 357, pl. 45. f. 7 (1865). | Batchian,<br>Gilolo,<br>Obi. |
| *6. **C. Nigrofasciata, Haan,** (*Phasma (Necroscia) Nigrofasciatum*) Temminck, Verhandel., Orth. p. 122 (1842).<br>*Necroscia Nigrofasciata, Westw.* l. c. p. 158. n. 415 (1859).<br>*C. Nigrofasciata, Rehn*, l. c. p. 72 (1904). | Sumatra. |
| *7. **C. Medora, Westw.** (*Necroscia M.*) l. c. p. 157. n. 411, pl. 27. ff. 1, 1 *a* (1859). | Sarawak. |
| 8. **C. Torquata, Bates,** (*Necroscia T.*) Trans. Linn. Soc. Lond. xxv. p. 359, pl. 45. f. 3 (1865). | Cambodia. |
| *9. **C. Biguttata, Burm.** (*Phasma 2-guttatum*) Handb. Ent. ii. p. 586. n. 11 (1838).<br>*Necroscia Biguttata, Westw.* l. c. p. 158. n. 413 (1859). | Borneo,<br>Singapore,<br>Penang. |
| *10. **C. Sangarius, Westw.** (*Necroscia S.*) l. c. p. 155. n. 410, pl. 17. f. 6, pl. 35. ff. 4, 5 (1859). | Malacca,<br>Borneo. |
| *11. **C. Hilaris, Westw.** (*Phasma (Necroscia) Hilare*) Cab. Orient. Ent. p. 77, pl. 8. f. 1 (1846).<br>*Necroscia Hilaris, Westw.* Cat. Phasm. p. 155. n. 409 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 350 (1877).<br>♂. *Necroscia Virbius, Westw.* l. c. p. 154. n. 405, pl. 16. f. 2 (1859). | Assam,<br>Sikhim,<br>Malacca,<br>Borneo. |
| *12. **C. Tages, Westw.** (*Necroscia T.*) l. c. p. 152. n. 403, pl. 18. f. 1 (1859). | India. |
| *13. **C. Hemus, Westw.** (*Necroscia H.*) l. c. p. 154. n. 406, pl. 16. f. 3 (1859). | Malacca. |
| 14. **C. Hippolyte, Westw.** (*Necroscia H.*) l. c. p. 182. n. 470 (1859). | Macassar. |
| 15. **C. Costata, Thunb.** (*Phasma C.*) Mém. Soc. Petersb. v. p. 297 (1815); Westw. l. c. p. 183. n. 11 (1859). | Hab. ——? |

### Genus 106. **Marmessoidea.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 84, 85 (1893).

1. **M. Sumatrensis, Brancs.** Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 201, pl. 11. f. 11 *a* (1893). — Sumatra.

*2. **M. Rosea, Fabr.** (*Mantis R.*) Ent. Syst. ii. p. 16. n. 15 (1793). — Malacca, Siam, Sumatra, Java.
*Phasma Rosea, Fabr.* l. c. Suppl. p. 190 (1798).
*Platycrana Rafflesii, Gray,* Syn. Phasm. p. 37 (1835).
*Phasma* (*Necroscia*) *Rafflesii, Haan,* Temminck, Verhandel., Orth. p. 121 (1842).
*Necroscia Rafflesii, Westw.* Cat. Phasm. p. 149. n. 392 (1859).
*Necroscia Marmessus, Westw.* l. c. p. 149. n. 393, pl. 19. ff. 1, 7 (1859).
*M. Marmessus, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 73.
*Phasma Roseum,* pt., *Licht.* Trans. Linn. Soc. Lond. vi. p. 14. n. 16 (1802).

3. **M. Cercyon, Westw.** (*Necroscia C.*) l. c. p. 146. n. 379, pl. 34. f. 1 (1859). — Pulo Penang, Siam.
*M. Cercyon, Rehn,* l. c. p. 73 (1904).

4. **M. Papuana, Brancs.** (*Necroscia P.*) l. c. xix.–xx. p. 65, pl. 2. f. 11 *a, b* (1897). — Papua.

5. **M. Bisbiguttata, Burm.** (*Phasma Bis-2-guttatum*) Handb. Ent. ii. p. 586. n. 10 (1838). — Java, Borneo.
*Phasma Bisbiguttatum, Charp.* Orth. pl. 11 (1841).
*Necroscia Bis-2-guttata, Westw.* l. c. p. 149. n. 39 (1859).

*6. **M. Quadriguttata, Burm.** (*Phasma-4-guttatum*) l. c. p. 586. n. 9 (1838). — iid.
*Phasma Quadriguttatum, Charp.* l. c. pl. 10 (1841).
*Phasma* (*Necroscia*) 4-*guttatum, Haan,* l. c. p. 121 (1842).
*Necroscia Quadriguttata, Serv.* Ins. Orth. p. 253 (1839); Westw. l. c. p. 148. n. 390 (1859).
*Necroscia Marmessus,* var. *Lunulatus, Westw.* l. c. p. 150, pl. 29. ff. 4, 4 *a* (1859).

| | |
|---|---|
| 7. **M. Marginata, Brunn.** l. c. p. 86. pl. 3. f. 28 (1893). | Pegu. |
| 8. **M. Annulata, Fabr.** (*Phasma A.*) Ent. Syst., Suppl. p. 189 (1798).<br>*Phasma Annulatum, Gray,* l. c. p. 23 (1835).<br>*Necroscia Annulata, Westw.* l. c. p. 147. n. 385 (1859). | Tranquebar. |
| **9. **M. Atricoxis, Westw.** (*Necroscia A.*) l. c. p. 146. n. 381, pl. 21. f. 5 (1859). | India. |
| *10. **M. Ismene, Westw.** (*Necroscia I.*) l. c. p. 145. n. 378, pl. 40. ff. 2, 3 (1859). | Borneo. |
| 11. **M. Bimaculata, Oliv.** (*Mantis B.*) Enc. Méth., Ins. vii. p. 637. n. 64 (1792).<br>*Phasma Bimaculatum, Licht.* l. c. p. 15. n. 19 (1802); Gray, l. c. p. 22 (1835); Burm. l. c. p. 586. n. 13 (1838).<br>*Phasma Bimaculata, Stoll,* Spectres, Phasmes, p. 26, pl. 8. f. 29 (1813).<br>*Necroscia Bimaculata, Westw.* l. c. p. 141. n. 368 (1859). | Tranquebar. |

Genus 107. **Trigonophasma.** (*Type* no. 3.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).

| | |
|---|---|
| *1. **T. Vinosa, Serv.** (*Necroscia V.*) Ins. Orth. p. 253 (1839); Westw. Cat. Phasm. p. 147. n. 386 (1859).<br>*Phasma (Necroscia) Vinosum, Haan,* Temminck, Verhandel., Orth. p. 120 (1842). | Java, Borneo. |
| *2. **T. Rubicunda, Haan,** (*Phasma (Necroscia) Rubicundum*) l. c. p. 120, pl. 12. f. 2 (1842).<br>*Necroscia Rubicunda, Westw.* l. c. p. 148. n. 387 (1859). | Borneo. |
| *3. **T. Rubescens, Sauss.** (*Necroscia R.*) Rev. Zool. (2) xx. p. 68 (1868); Mém. Soc. Genève, xx. p. 317, pl. 3. f. 12 (1870). | Malacca, Borneo. |
| 4. **T. Conicipennis, Bates,** (*Necroscia C.*) Trans. Linn. Soc. Lond. xxv. p. 358 (1865). | Sumatra. |
| 5. **T. Atrophica, Pall.** (*Mantis A.*) Spicil. Zool. ix. p. 12, pl. 1. f. 7 (1772); Fabr. Spec. Ins. i. p. 345. n. 3 (1781); Oliv. Enc. Méth., Ins. vii. p. 633. n. 39 (1792).<br>*Phasma Atrophicum, Licht.* Trans. Linn. | Java. |

Soc. Lond. vi. p. 14. n. 14 (1802); Gray, Syn. Phasm. p. 23 (1835).
*Phasma (Necroscia) Atrophicum, Haan,* l. c. p. 122 (1842).
*Necroscia Atrophica, Westw.* l. c. p. 131. n. 341 (1859).
*Phasma Minans, Serv.* l. c. p. 268 (1839).

6. **T. Acanthophora, Stoll,** (*Phasma A.*) Spectres, Phasmes, p. 62, pl. 21. f. 78 (1813). — Amboina.
*Phasma Acanthopterum, Gray,* l. c. p. 23 (1835); Burm. Handb. Ent. ii. p. 586. n. 12 (1838).
*Necroscia Acanthoptera, Westw.* l. c. p. 147. n. 383 (1859).

7. **T. Casignetus, Westw.** (*Necroscia C.*) l. c. p. 147. n. 384, pl. 20. f. 5 (1859). — Assam.

### Genus 108. **Agondasoidea.** (*Type* no. 6)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

*1. **A. Acanthocephala, Haan,** (*Phasma (Necroscia) Acanthocephalum*). Temminck. Verhandel., Orth. p. 118 (1842). — Borneo.
*Necroscia Acanthocephala, Westw.* Cat. Phasm. p. 128. n. 335, pl. 27. f. 4 (1859).

2. **A. Spiniceps, Haan,** (*Phasma (Necroscia) S.*) l. c. p. 119 (*nec fig.*). — id.
*Necroscia Spiniceps, Westw.* l. c. p. 128. n. 334 (1859).

*3. **A. Malaccensis, Kirb.** (n. n.). — Malacca.
‖*Necroscia Diacanthos, Westw.* l. c. pp. 128, 181. n. 336, pl. 19. ff. 5, 6 (1859).

4. **A. Diacanthos, Haan,** (*Phasma (Necroscia) D.*) l. c. p. 119, pl. 15. f. 1 (1842). — Borneo.

5. **A. Ceres, Stål,** (*Necroscia C.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). — Philippines.

6. **A. Agondas, Westw.** (*Necroscia A.*) l. c. p. 129. n. 338. pl. 28. f. 2 (1859). — Borneo.

### Genus 109. **Orthonecroscia.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 436 (1904).
‖*Necroscia, Brunn.* Ann. Mus. Genova. xxxiii. p. 84 (1893), *nec Serv.*

| | |
|---|---|
| *1. **O. Filum, Westw.** (*Phasma (Necroscia) F.*) Cab. Orient. Ent. p. 79. pl. 39. f. 1 (1847).<br>*Phibalosoma Filum, Westw.* Cat. Phasm. p. 77. n. 198 (1859). | Malacca, Prince of Wales I. |
| 2. **O. Longicornis, Burm.** (*Cladoxerus L.*) Handb. Ent. ii. p. 572. n. 3 (1838).<br>*Phibalosoma Longicorne, Westw.* l. c. p. 77. n. 197 (1859). | Manilla. |
| **3. **O. Pulcherrima, Kirb.** l. c. p. 436 (1904). | Borneo. |
| **4. **O. Ruficeps, Kirb.** l. c. p. 437 (1904). | Guadalcanar |

### Genus 110. **Necroscia.** (*Type* no. 31.)

Serv. Ins. Orth. p. 250 (1839); Haan, Temminck, Verhandel., Orth. p. 119 (1842); Westw. Cat. Phasm. p. 128 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875). iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 41, 86 (1875); Kirb. Ann. Nat. Hist. (7) xiii. p. 437 (1904)
*Sipyloidea, Brunn.* Ann. Mus. Genova, xxxiii. pp. 84, 86 (1893). (*Type* no. 17.)

| | |
|---|---|
| 1. **N. Inflexipes, Oliv.** (*Mantis L.*) Enc. Méth., Ins. vii. p. 641. n. 14 (1792).<br>*Phasma Valgum, Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 14 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 21 (1802).<br>*Phasma Curvipes, Stoll.* Spectres, Phasmes, p. 43, pl. 13. f. 52 (1813).<br>*Platycrana Curvipes, Gray,* Syn. Phasm. p. 37 (1835).<br>*N. Curvipes, Westw.* l. c. p. 151. n. 400 (1859). | China. |
| 2. **N. Flavoguttata, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). | Philippines. |
| 3. **N. Fasciolata, Stål,** l. c. (1877). | id. |
| 4. **N. Nigrogranosa, Stål,** l. c. (1877). | id. |
| 5. **N. Conspersa, Stål,** l. c. (1877). | id. |

| | |
|---|---|
| 6. **N. Virens, Stål,** l. c. p. 43 (1877). | Philippines. |
| 7. **N. Berenice, Stål,** l. c. (1877). | id. |
| 8. **N. Calliope, Stål,** l. c. (1877). | id. |
| 9. **N. Philippa, Stål,** l. c. (1877). | id. |
| 10. **N. Fatua, Stål,** l. c. (1877). | id. |
| 11. **N. Eurynome, Stal,** l. c. p. 44 (1877). | id. |
| 12. **N. Parvipennis, Stal,** l. c. (1877). | id. |
| 13. **N. Eucerca, Stål,** l. c. (1877). | id. |
| 14. **N. Icaris, Stål,** l. c. (1877). | id. |
| *15. **N. Ceylonica, Sauss.** Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 316, pl. 3. f. 14 (1870). | Ceylon. |
| **16. **N. Panætius, Westw.** l. c. p. 144. n. 376, pl. 12. f. 4 (1859); Sauss. Mém. Soc. Genève, xx. p. 319 (1870). | id. |
| **17. **N. Sipylus, Westw.** l. c. p. 138. n. 362, pl. 18. f. 4 (1859). | Assam.<br>Java. |
| 17 *a*. **N. Warasaca, Westw.** l. c. p. 139 (1859). | Sarawak. |
| 18. **N. Pœciloptera, Rehn,** (*Sipyloidea P.*) Proc. Acad. Nat. Sci. Philad. 1904. p. 77. | Obi. |
| **19. **N. Tonquinensis, Kirb.** Ann. Nat. Hist. (7) xiii. p. 437 (1904). | Tonkin. |
| **20. **N. Marginata, Gray,** (*Phasma Marginatum*) l. c. p. 23 (1835).<br>*N. Marginata, Westw.* l. c. p. 148. n. 389 (1859). | Malabar. |
| 21. **N. Acutipennis, Bates,** Trans. Linn. Soc. Lond. xxv. p. 354. pl. 45. f. 5 (1865). | Ceylon. |
| *22. **N. Chloris, Serv.** Ins. Orth. p. 253 (1839); Westw. l. c. p. 151. n. 398 (1859).<br>*N. Pallescens, Kaup.* Berlin. Ent. Zeitschr. xv. p. 41 (1871). | Java,<br>Borneo,<br>Singapore,<br>Ceylon. |
| *23. **N. Erechtheus, Westw.** l. c. p. 142. n. 369, pl. 9. f. 1, pl. 12. f. 3. pl. 14. f. 6 (1859). | Ceylon,<br>Borneo. |
| 24. **N. Larunda, Westw.** l. c. p. 140. n. 365, pl. 27. f. 3 (1859). | Sarawak. |
| 25. **N. Tenebrosa, Bates,** l. c. p. 357 (1865). | Ceylon. |
| 26. **N. Gularis, Haan,** (*Phasma (Necroscia) Gulare*) l. c. p. 122 (1842).<br>*N. Gularis, Westw.* l. c. p. 158. n. 414 (1859). | Borneo. |
| *27. **N. Vittata, Serv.** l. c. p. 254 (1839); Westw. l. c. p. 150. n. 395 (1859). | Java.<br>Malacca. |

| | |
|---|---|
| 28. **N. Brunneri, Kirb.** (n. n.).<br>‖*Sipyloidea Vittata, Brunn.* Ann. Mus. Genova, xxxiii. p. 87, pl. 3. f. 29 (1893). | Burma. |
| 29. **N. Pictipes, Bates,** l. c. p. 352 (1865). | Cambodia. |
| **30. **N. Annulipes, Gray,** (*Phasma Annulipes*) l. c. p. 37 (1835).<br>*N. Annulipes, Westw.* l. c. p. 150. n. 394 (1859). | Malacca. |
| *31. **N. Roseipennis, Serv.** l. c. p. 252 (1839).<br>*Phasma (Necroscia) Roseipenne, Haan,* l. c. p. 121 (1842).<br>*N. Roseipennis, Westw.* l. c. p. 151. n. 397 (1859). | Java,<br>Borneo,<br>Singapore,<br>Penang. |
| 32. **N. Euplectes, Westw.** l. c. p. 146. n. 380, pl. 28. f. 1 (1859). | Sarawak. |
| 33. **N. Chlorotica, Serv.** l. c. p. 252 (1839); Westw. l. c. p. 150. n. 396 (1859). | Java. |
| 34. **N. Malaccæ, Sauss.** Rev. Zool. (2) xx. p. 69 (1868); Mém. Soc. Genève, xx. p. 318, pl. 3. f. 13 (1870). | Malacca. |
| *35. **N. Westwoodi, Kirb.** (n. n.).<br>‖*N. Punctata*, ♀, *Westw.* l. c. p. 142. n. 371. pl. 29. f. 5 (1859). | Singapore. |
| *36. **N. Haanii, Kirb.** (n. n.).<br>*Phasma (Necroscia) Punctatum,* var. *a, Haan,* l. c. p. 121 (1842). | Borneo. |
| *37. **N. Horsfieldii, Kirb.** (n. n.).<br>*Phasma (Necroscia) Punctatum,* var. *c. Haan,* l. c. p. 122 (1842). | Java. |
| *38. **N. Burmeisteri, Westw.** l. c. p. 151. n. 39 (1859).<br>‖*Phasma Prasinum, Burm.* Handb. Ent. ii. p. 586. n. 8 (1838). | id.,<br>Borneo. |
| *39. **N. Fumata, Serv.** l. c. p. 251 (1839); Westw. l. c. p. 131. n. 341 (1859). | Java. |
| 40. **N. Fuscoannulata, Haan,** (*Phasma (Necroscia) Fuscoannulatum*) l. c. p. 119 (1842).<br>*N. Fuscoannulata, Westw.* l. c. p. 131. n. 342 (1859). | Borneo. |
| 41. **N. Nigroannulata, Haan,** (*Phasma (Necroscia) Nigroannulatum*) l. c. p. 119 (1842).<br>*N. Nigroannulata, Westw.* l. c. p. 131. n. 343 (1859). | id. |

| | |
|---|---|
| 42. **N. Sordida, Haan,** (*Phasma* (*Necroscia*) *Sordidum*) l. c. p. 120 (1842).<br>*N. Sordida, Westw.* l. c. p. 132. n. 345 (1859). | Sumatra. |
| 43. **N. Pulchella, Haan,** (*Phasma* (*Necroscia*) *Pulchellum*, l. c. p. 120, pl. 15. f. 5 (1842).<br>*N. Pulchella, Westw.* l. c. p. 152. n. 402 (1859). | id.,<br>Sarawak. |
| 44. **N. Janus, Bates,** l. c. p. 354, pl. 45. f. 4 (1865). | Tondano. |
| 45. **N. Mustea, Bates,** l. c. p. 355, pl. 45. f. 8 (1865). | Sula. |
| 46. **N. Styligera, Bates,** l. c. f. 1 (1865). | id. |
| 47. **N. Rosenbergi, Kaup,** l. c. xv. p. 40 (1871). | Moluccas. |
| 48. **N. Lacteipennis, Bates,** l. c. p. 353 (1865). | Gilolo. |
| 49. **N. Davidis, Le Guill.** (*Cladoxerus D.*) Rev. Zool. 1841, p. 293. n. 9.<br>*Phibalosoma Davidis, Westw.* l. c. p. 77. n. 199 (1859). | Salomon Isl. |
| 50. **N. Distincta, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 66 (1897). | Papua. |
| **51. **N. Carterus, Westw.** l. c. p. 138. n. 361. pl. 15. f. 5 (1859). | Australia. |
| **52. **N. Sarpedon, Westw.** l. c. p. 139, pl. 16. f. 1, pl. 32. f. 5 (1859). | N. Austral. |
| **53. **N. Sparaxes, Westw.** l. c. p. 153. n. 404. pl. 9. f. 6, pl. 20. f. 4 (1859). | Ceylon. |
| 54. **N. (?) Manicatus, Licht.** (*Phasma Manicatum*) Trans. Linn. Soc. Lond. vi. p. 17. n. 24 (1802).<br>*Prisopus Manicatus, Gray.* Syn. Phasm. p. 28 (1835).<br>*Xeroderus* (?) *Manicatus, Westw.* l. c. p. 103. n. 264 (1859).<br>‖*Mantis Linearis, Fabr.* Mant. Ins. i. p. 227. n. 9 (1787); Oliv. Enc. Méth., Ins. vii. p. 634. n. 44 (1792).<br>*Phasma Linearis, Fabr.* Suppl. Ent. Syst. p. 189 (1798); Haan, Temminck, Verhandel., Orth. p. 112 (1842). | India. |
| 55. **N. (?) Lampethusa, Westw.** l. c. p. 136. n. 357, pl. 34. f. 2 (1859). | Sarawak. |
| 56. **N. (?) Lampetia, Westw.** l. c. p. 137. n. 359, pl. 38. f. 5 (1859). | id. |

| | |
|---|---|
| 57. **N. (?) Lysippus, Westw.** l. c. p. 136. n. 358, pl. 39. f. 3 (1859). | Borneo. |
| 58. **N. (?) Viridis, Montr.** (*Tropidoderus V.*) Ann. Soc. Linn. Lyon. (2) vii. p. 80 (1855); Westw. l. c. p. 166. n. 436 (1859). | Woodlark I |
| 59. **N. Meneptolemus, Westw.** l. c. p. 141. n. 366, pl. 19. f. 4 (1859). | Singapore. |

### Genus 111. **Aruanoidea.** (*Type* no. 5.)

Brunn. Ann. Mus. Genova, xxxiii. p. 84 (1893).

| | |
|---|---|
| **1. **A. Salmanazar, Westw.** (*Necroscia S.*) Cat. Phasm. p. 133. n. 350, pl. 16. f. 6 (1859). | Philippines. |
| 2. **A. Maculiceps, Stål,** (*Necroscia M.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 42 (1877). | id. |
| 3. **A. Thisbe, Stål,** (*Necroscia T.*) l. c. (1877). | id. |
| 4. **A. Menaka, Wood-Mason,** (*Necroscia M.*) Ann. Nat. Hist. (4) xx. p. 130 (1877); Journ. Asiatic Soc. Bengal, xlvi. p. 350 (1877). | Khasia Hills, Borneo. |
| 5. **A. Aruana, Westw.** (*Necroscia A.*) l. c. p. 134. n. 352, pl. 39. f. 4 (1859).<br>*A. Aruana, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 78. | Aru. |
| 6. **A. Ophidiiderma, Griff.** Ann. Mus. Torino, xii. (307) p. 1 (1897). | Perak. |
| **7. **A. Pirithous, Westw.** (*Necroscia P.*) l. c. p. 134. n. 351 (1859). | Java. |
| 8. **A. Osmylus, Westw.** (*Necroscia O.*) l. c. p. 135. n. 353, pl. 37. f. 4 (1859). | Sarawak. |
| 9. **A. Frondosa, Bates,** (*Necroscia F.*) Trans. Linn. Soc. Lond. xxv. p. 353 (1865). | Celebes (Menado). |
| 10. **A. Agrionina, Bates,** (*Necroscia A.*) l. c. p. 356, pl. 45. f. 9 (1865). | id. |
| **11. **A. (?) Gargantua, Westw.** (*Necroscia G.*) l. c. p. 130. n. 339, pl. 29. f. 3 (1859).<br>*Necroscia Phatusa, Westw.* l. c. p. 137. n. 360, pl. 38. f. 4 (1859); Wood-Mason, Journ. Asiatic Soc. Bengal, xlvi. p. 349 (1877). | Sarawak. |

| | |
|---|---|
| **12. **A. Affinis, Gray,** (*Platycrana A.*) Syn. Phasm. p. 37 (1835).<br>*Necroscia Affinis, Westw.* l. c. p. 142. n. 370 (1859). | India. |
| **13. **A. Punctata, Gray,** (*Platycrana P.*) l. c. p. 37 (1835).<br>*Phasma* (*Necroscia*) *Punctatum*, var. *b. Haan*, Temminck, Verhandel., Orth. pp. 121, 122 (1842).<br>*Necroscia Punctata*, ♂, *Westw.* l. c. p. 142. n. 371 (1859). | id., Siam. |

## SUBFAM. IX.

## ACROPHYLLINÆ.

### Genus 112. **Podacanthus.** (*Type* no. 1.)

Gray, Ent. Austral. p. 17 (1833) ; Syn. Phasm. p. 32 (1835) ; Burm. Handb. Ent. ii. p. 581 (1838) ; Serv. Ins. Orth. p. 229 (1839) ; Haan, Temminck, Verhandel., Orth. p. 124 (1842) ; Westw. Cat. Phasm. p. 116 (1859) ; Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875) ; Rec. Orth. iii. p. 38 (1878).

| | |
|---|---|
| **1. **P. Typhon, Gray,** ll. cc. p. 17. pl. 2 (1833) ; p. 32 (1835) ; Burm. l. c. p. 581 (1838) ; Serv. l. c. p. 230 (1839) ; Westw. l. c. p. 117. n. 299 (1859) ; McCoy, Prodr. Zool. Vict. viii. pl. 80 (1883). | Australia. |
| 2. **P. Unicolor, Charp.** Orth. pl. 56 (1845). | id. |
| *3. **P. Viridiroseus, Gray,** Syn. Phasm. p. 43 (1835) ; Westw. l. c. p. 117. n. 300 (1859) ; Bates, Trans. Linn. Soc. Lond. xxv. p. 348 (1865). | id. |
| 4. **P. Wilkinsoni, Macl.** Proc. Linn. Soc. N. S. Wales, vi. p. 538 (1882). | N. S. Wales. |

### Genus 113. **Tropidoderus.** (*Type* no. 1.)

Gray, Syn. Phasm. p. 31 (1835); Burm. Handb. Ent. ii. p. 589 (1838); Haan, Temminck, Verhandel., Orth. p. 125 (1842); Westw. Cat. Phasm. p. 165 (1859): Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875); Rec. Orth. iii. p. 38 (1875).

‖ *Trigonoderus, Gray*, Ent. Austral. p. 18 (1833).

| | |
|---|---|
| **1. **T. Childrenii, Gray,** (*Trigonoderus C.*) l. c. p. 18, pl. 3. f. 1 (1833).<br>*T. Childreni, Gray*, Syn. Phasm. p. 31 (1835); Burm. l. c. p. 589 (1838); Westw. l. c. p. 165. n. 435 (1859); Brunn. Obs. Color. Ins. p. 12, pl. 9. f. 103 (1897).<br>♂. *Diura Typhœus, Gray*. Ent. Austral. p. 21, pl. 6. f. 2 (1833). | Australia. |
| 2. **T. Iodomus, McCoy,** Prodr. Zool. Vict. vii. pls. 69 & 70. ff. 2, 3 (1882). | Melbourne, &c. |
| *3. **T. Rhodomus, McCoy,** l. c. ff. 1, 1 *a–c* (1882).<br>*T. Childrenii*, var., *Westw.* l. c. p. 166 (1859). | iid. |
| 4. **T. Decipiens, Rainb.** Rec. Austral. Mus. iii. p. 36, pl. 10 (1897). | Australia. |

### Genus 114. **Extatosoma.** (*Type* no. 1.)

Gray, Ent. Austr. p. 26 (1833); Haan, Temminck, Verhandel., Orth. p. 110 (1842); Westw. Cat. Phasm. p. 170 (1859); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 38 (1875).

*Ectatosoma, Gray*, Syn. Phasm. p. 29 (1835); Burm. Handb. Ent. ii. p. 575 (1838); Serv. Ins. Orth. p. 285 (1839).

| | |
|---|---|
| *1. **E. Tiaratum, Macl.** (*Phasma T.*) King, Surv. Coasts Austral. ii. p. 455. n. 113, pl. B. ff. 3, 4 (1827).<br>*E. Tiaratum, Gray*, Ent. Austral. pp. 23, 29, pl. 8. f. 2 (1833); Westw. l. c. p. 170. n. 448 (1859).<br>*Ectatosoma Tiaratum, Gray*, Syn. Phasm. p. 29 (1835); Burm. l. c. p. 576 (1838); Serv. l. c. p. 286 (1839).<br>♂. *E. Hopei, Gray*, Ent. Austr. pp. 23, 25, pl. 8. f. 1 (1833). | Australia. |

*Ectatosoma Hopei*, Gray. Syn. Phasm. p. 29 (1835); Serv. l. c. p. 285 (1839).

1 *a*. **E. Popa, Stål,** Rec. Orth. iii. p. 84 (1875). N. Guinea.

‖ *Phasma (Ectatosoma) Tiaratum, Haan*, l. c. p. 110, pl. 10. f. 2 (1842).

2. **E. (?) Bufonium, Westw.** Thes. Ent. Oxon. p. 174, pl. 32. f. 2 (1874). Australia.

## Genus 115. **Lysicles.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxiv (1877).

1. **L. Hippolytus, Stål,** l. c. p. lxv (1877). Peak Downs
2. **L. (?) Insignis, Kaup,** (*Cladoxerus I.*) Berlin. Ent. Zeitschr. xv. p. 39 (1871). Australia.

## Genus 116. **Didymuria, Kirb.** (n. n.). (*Type* no. 1.)

‖ *Diura, Gray*, Ent. Austr. p. 26 (1833); Stål, Bihang Svenska Akad. iii. (14) p. 15 (1875); Rec. Orth. iii. p. 37 (1875).

*1. **D. Violescens, Leach,** (*Phasma V.*) Zool. Misc. i. p. 26, pl. 9 (1814). Australia.

*Diura Violascens, Gray*, l. c. pp. 21, 27. pl. 6. f. 1 (1833).

*Acrophylla Violascens, Gray*, Syn. Phasm. p. 40 (1835); Westw. Cat. Phasm. p. 116. n. 298 (1859); McCoy, Prodr. Zool. Vict. viii. pl. 79 (1883).

*Cyphocrania Violascens, Burm.* Handb. Ent. ii. p. 580. n. 10 (1838).

♀. *Diura Roseipennis, Gray*, Ent. Austr. p. 22, pl. 7. f. 2 (1833).

*Diura Roseipenne, Gray*, l. c. p. 27 (1833).

*Acrophylla Roseipennis, Gray*, Syn. Phasm. p. 41 (1835).

*2. **D. Virginea, Stål,** (*Diura V.*) Rec. Orth. iii. p. 84 (1875). Queensland.

### Genus 117. **Vasilissa.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 468 (1896).

| | |
|---|---|
| **1. **V. Walkeri, Kirb.** l. c. (1896). | N.W.Austr. (Queen's I.) |

### Genus 118. **Anophelepis.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 68 (1859) ; Sauss. Mém. Soc. Genève, xx. p. 296 (1870) ; Miss. Mex., Orth. p. 17 (1872).

| | |
|---|---|
| **1. **A. Telesphorus, Westw.** l. c. p. 69. n. 182, pl. 8. ff. 3, 7 (1859). | Australia. |
| **2. **A. Periphanes, Westw.** l. c. p. 70. n. 183, pl. 8. f. 2 (1859). | id. |

### Genus 119. **Rhaphiderus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 245 (1839): Westw. Cat. Phasm. p. 62 (1859); Stål, Rec. Orth. iii. p. 39 (1875).

| | |
|---|---|
| *1. **R. Scabrosus, Perch.** (*Bacteria Scabrosa*) Guér. Icon. R. Anim., Ins. pl. 53. f. 4 (1829) ; Gray, Griffith, Anim. Kingd. xv. p. 783, pl. 110. f. 4 (1832).<br>*R. Scabrosus, Serv.* l. c. p. 246 (1839) ; Guér. l. c. iii. p. 328 (1844); Westw. l. c. p. 62. n. 171 (1859).<br>*Raphiderus Scabrosus, Coq.* Ann. Soc. Ent. France, (4) i. p. 498 (1861).<br>*Acanthoderus Scabrosus, Gray,* Syn. Phasm. p. 14 (1835). | Mauritius. |
| *2. **R. Dumerilii, Gray,** (*Acanthoderus D.*) l. c. (1835).<br>*R. Dumerilii, Westw.* l. c. p. 62. n. 172 (1859).<br>"Phasme géant," Duméril, Consid. Gén. Ins. p. 200, pl. 23. f. 3 (1823).<br>(?) *Monandroptera Inuncans,* ♀ (*nec* ♂) *Serv.* l. c. p. 244 (1839). | id. |
| 3. **R. Spinigera, Luc.** (*Monandroptera S.*) Maillard, Notes sur l'île de Réunion, ii. Orth. p. 22, pl. ~~21~~. f. 2 (1862).<br>‖*R. Scabrosus,* ♀. *Westw.* Ann. Soc. Ent. France, (4) iv. p. 201 (1861). | Bourbon. |

4. **R.** (?) **Delicatulus, Brancs.** (*Candaulus D.*) Jahresh. Ver. Trencsin. xix.–xx. p. 66 pl. 2. f. 12 *a–d* (1897). Madagascar

5. **R.** (?) **Alliaceus, Stal,** l. c. p. 85 (1875). India.

## Genus 120. **Xenomaches.**

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).

**1. **X. Incommodus, Butl.** (*Bacillus I.*) Ann. Nat. Hist. (4) xvii. p. 410 (1878); Phil. Trans. clxviii. p. 148, pl. 54. ff. 4, 4 *a–e* (1879). Rodriguez.

## Genus 121. **Xeroderus.**

Gray, Syn. Phasm. p. 32 (1835); Burm. Handb. Ent. ii. p. 582 note (1838); Haan, Temminck. Verhandel., Orth. p. 116 (1842); Westw. Cat. Phasm. p. 102 (1859).

*1. **X. Kirbii, Gray,** l. c. p. 32 (1835); Westw. l. c. p. 102. n. 262, pl. 31. ff. 6, 7 (1859). Australia.

## Genus 122. **Acanthomima.**

Kirb. Ann. Nat. Hist. (7) xiii. p. 438 (1904).

**1. **A. Rhipheus, Westw.** (*Anophelepis R.*) Cat. Phasm. p. 184, pl. 8. f. 10 (1859). Australia (Swan R.).

## Genus 123. **Acanthodyta.**

Sharp, Willey, Zool. Results, p. 85 (1898).

*1. **A. Spiniventris, Sharp,** l. c. p. 86, pl. 8. f. 11, pl. 9. f. 40 (ovum) (1898). Lifu.

### Genus 124. **Arrhidæus.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. p. 40 (1875).
*Arrhidaeus, Brunn.* Ann. Mus. Genova, xxxiii. p. 97 (1893),

| | |
|---|---|
| 1. **A. Capito, Westw.** (*Necroscia C.*) Cat. Phasm. p. 135. n. 354, pl. 32. f. 4 (1859). | Sarawak. |
| **2. **A. Stygius, Westw.** (*Necroscia S.*) l. c. p. 192 (errata), pl. 9. f. 3 (1859).<br>*Necroscia Styxius, Westw.* l. c. p. 136. n. 356 (1859).<br>*A. Ståli, Kirb.* Trans. Linn. Soc. Lond., Zool. (2) vi. p. 471 (1896). | Philippines. |
| 3. **A. Vittipennis, Stål,** Rec. Orth. iii. p. 85 (1875). | id. |
| 4. **A. Viridinervis, Stål,** l. c. p. 86 (1875). | id. |
| 5. **A. Nigricornis, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 41 (1877). | id. |
| **6. **A. Palinurus, Westw.** (*Necroscia P.*) l. c. p. 135. n. 355, pl. 11. f. 6 (1859). | id. |
| *7. **A. Erythroptera, Oliv.** (*Mantis E.*) Enc. Méth., Ins. vii. p. 636. n. 58 (1792).<br>‖*Phasma Rosea, Stoll,* Spectres, Phasmes, p. 13, pl. 5. f. 17 (1813).<br>‖*Necroscia Rosea, Westw.* l. c. p. 148. n. 388 (1859). | Amboina, Ceram. |
| **8. **A. Moderata, Kirb.** (*Necroscia M.*) Ann. Nat. Hist. (5) xiii. p. 477, fig. (1884). | Amboina. |
| 9. **A. Bojei, Haan,** (*Phasma B.*) Temminck, Verhandel., Orth. p. 125, pl. 13. f. 3 (1842).<br>*Lopaphus Bojei, Westw.* l. c. p. 99. n. 253 (1859). | Celebes, Macassar. |
| 10. **A. Apalanurus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 85. | Obi. |
| 11. **A. Longiceps, Bates,** (*Necroscia L.*) Trans. Linn. Soc. Lond. xxv. p. 350, pl. 45. f. 6 (1865). | Kaioa. |
| 12. **A. Cephalotes, Bates,** (*Necroscia C.*) l. c. p. 351 (1865). | N. Guinea. |
| *13. **A. Phlyctænoides, Rehn,** (*Marmessoidea Phluctainoides*) l. c. p. 73 (1904).<br>*A. Phlyctænoides, Kirb.* l. c. (7) xiii. p. 438 (1904). | Japan. |

## Genus 125. **Platycrania.**

*Platycrana, Gray*, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).

*Platycrania, Westw.* Cat. Phasm. p. 112 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 14 (1875), iii. (14) p. 16 (1875); Rec. Orth. iii. pp. 40, 85 (1875).

*1. **P. Viridana, Oliv.** (*Mantis V.*) Enc. Méth., Ins. vii. p. 636. n. 60 (1792).
*Platycrana Viridana, Gray*, l. c. p. 36 (1835); Serv. l. c. p. 241 (1839).
*Phasma* (*Cyphocrania*) *Viridanum, Haan*, Temminck, Verhandel., Orth. p. 130 (1842).
*Mantis Viridis, Don.* Ins. India, pl. 10 (1800).
*Phasma Edule, Licht.* Cat. Mus. Zool. Hamb. iii. p. 77. n. 5 (1796); Trans. Linn. Soc. Lond. vi. p. 13. n. 12 (1802).
*Platycrania Edulis, Westw.* l. c. p. 112. n. 286 (1859).
‖*Mantis Gigas, Houtt.* Nat. Hist. i. (10) p. 136, pl. 79. f. 1 (1766).
*Phasma Grandis, Thunb.* Mém. Acad. Pétersb. v. p. 295 (1815); Westw. l. c. p. 183. n. 13 (1859).
‖*Phasma Jamaicensis, Stoll*, Spectres, Phasmes, p. 17, pl. 6. ff. 20, 21 (1813).

Moluccas, Philippines, Celebes, Aru, Ceram.

## Genus 126. **Megacrania.** (*Type* no. 1.)

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

**1. **M. Phelaus, Westw.** (*Platycrania P.*) Cat. Phasm. p. 113. n. 288, pl. 27. f. 5 (1859).
*M. Phelaus, Kirb.* Trans. Linn. Soc. Lond., Zool. (2) vi. p. 470 (1896).

Fiji, Salomon Isl.

**2. **M. Alpheus, Westw.** (*Platycrania A.*) l. c. p. 112. n. 287, pl. 4. f. 2 (1859); Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865).

Ceylon.

**3. **M. Batesii, Kirb.** l. c. p. 471 (1896).
*Platycrania Alpheus*, var., *Bates*, l. c. p. 347 (1865).

Salomon I., Amboina, Papua, &c.

### Genus 127. **Ophicrania.**

Kaup, Berlin. Ent. Zeitschr. xv. p. 38 (1871).

| | |
|---|---|
| *1. **O. Striatocollis, Kaup,** l. c. (1871). | Bouru. |

### Genus 128. **Graeffea.** (*Type* no. 1.)

Brunn. Graeffe, Reisen in Viti-Levu, p. 46 (1868); Stål, Rec. Orth. iii. pp. 40, 85 (1875).

| | |
|---|---|
| *1. **G. Crouanii, Le Guill.** (*Bacillus C.*) Rev. Zool. 1841, p. 293; Westw. Cat. Phasm. p. 14. n. 34 (1859). | Samoa, Navigators' I. |
| *Alopus Cocophages, Newp.* Phil. Trans. Roy. Soc. 1844, p. 288, pl. 14. f. 4. | |
| *G. Cocophages, Rehn,* Proc. Acad. Nat. Sci. Philad. 1904, p. 85. | |
| *Lopaphus Coccophagus, Westw.* Cat. Phasm. p. 99. n. 255 (1859). | |
| *Anophelepis Fulvescens,* ♂, *Sauss.* Mém. Soc. Genève, xx. p. 298, pl. 2. ff. 4, 4 *a* (1870). | |
| *G. Purpuripennis, Brunn.* l. c. p. 46, plate, ff. 1, 1 *a*, 2, 2 *a* (1868). | |
| 2. **G. Fulvescens, Sauss.** (*Anophelepis F.*) Rev. Zool. (2) xx. p. 67 (1868); Mém. Soc. Genève, xx. p. 297, pl. 2. ff. 3, 3 *a* (1870). | Marquesas Isl. |
| 3. **G. Minor, Brunn.** l. c. p. 47 (1868). | Fiji. |
| 4. **G. Lifuensis, Sharp,** Willey, Zool. Results, p. 86 (1898). | Lifu. |

### Genus 129. **Gigantophasma.** (*Type* no. 1.)

Sharp, Willey, Zool. Results, p. 87 (1898).

| | |
|---|---|
| 1. **G. Bicolor, Sharp,** l. c. pl. 7. f. 6, pl. 9. f. 35 (ovum) (1898). | Lifu. |
| *G. Bicolor,* var. *Depictus, Sharp,* l. c. p. 88 (1898). | |
| 2. **G. Pallipes, Sharp,** l. c. p. 88, (?) pl. 7. f. 5, pl. 9. f. 22 (1898). | id. |

### Genus 130. **Monandroptera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 242 (1839); Westw. Cat. Phasm. p. 79 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 39 (1875).
*Craspedonia*, *Westw.* Arc. Ent. i. p. 25 (1841). (*Type* no. 2.)

| | |
|---|---|
| *1. **M. Acanthomera, Burm.** (*Cyphocrania A.*) Handb. Ent. ii. p. 579. n. 2 (1838).<br>*M. Inuncans*, *Serv.* l. c. p. 244 (1839); Westw. Cat. Phasm. p. 79. n. 205 (1859); Ann. Soc. Ent. France, (4) iv. p. 201, pl. 6. f. 2 (1864); Coq. Bull. Soc. Ent. France, (4) vi. p. xxiii (1866).<br>*M. Inuncanus*, *Coq.* Ann. Soc. Ent. France, (4) i. p. 496 (1861); Luc. Maillard, Notes sur l'ile de Réunion, ii. Orth. p. 22 (1862). | Mauritius. |
| 2. **M. Undulata, Westw.** (*Diapherodes* (*Craspedonia*) *Undulata*) Arc. Ent. ii. p. 49 (1843).<br>*M. Undulata*, *Westw.* Cat. Phasm. p. 80. n. 206 (1859); Ann. Soc. Ent. France, (4) iv. p. 203, pl. 6. f. 3 (1864); Sauss. Mém. Soc. Genève, xx. p. 308 (1870).<br>‖*Phasma* (*Craspedonia*) *Gibbosa*, *Westw.* Arc. Ent. i. p. 26, pl. 8 (1841). | Bourbon. |
| 3. **M. Parallela, Westw.** Cat. Phasm. p. 80. n. 207, pl. 36. f. 3 (1859). | Africa (?). |
| 4. **M. Jumnos, Westw.** (*Cyphocrania J.*) l. c. p. 111. n. 285, pl. 30. f. 1 (1859). | id. (?). |

### Genus 131. **Dimorphodes.** (*Type* no. 1.)

Westw. Cat. Phasm. p. 80 (1859).

| | |
|---|---|
| *1. **D. Prostasis, Westw.** l. c. p. 81. n. 210, pl. 34. ff. 4, 5 (1859). | Aru. |
| 2. **D. Mancus, Bates,** Trans. Linn. Soc. Lond. xxv. p. 345, pl. 44. ff. 3, 8 (1865); Rehn. Proc. Acad. Nat. Sci. Philad. 1904, p. 84. | Batchian.<br>Ternate. |

### Genus 132. **Acrophylla.**

Gray, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 231 (1839); Westw. Cat. Phasm. p 113 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 15 (1875); Rec. Orth. iii. p. 34 (1875).

| | |
|---|---|
| *1. **A. Titan, Macl.** (*Phasma T.*) King, Survey Coasts Austral. ii. p. 454. n. 112 (1827).<br>*Diura Titan, Gray*, Ent. Austral. pp. 19, 26, pl. 4 (1833).<br>*Acrophylla Titan, Gray*, Syn. Phasm. p. 39 (1835); Westw. l. c. p. 114. n. 289 (1859); Sauss. Miss. Mex., Orth. pl. 4. f. 25 (wing) (1872).<br>*Phasma* (*Cyphocrania*) *Titan, Haan*, Temminck, Verhandel., Orth. p. 129 (1842).<br>*Cyphocrania Titan, Burm.* Handb. Ent. ii. p. 579. n. 7 (1838); D'Orbigny, Dict. d'Hist. Nat., Atlas, Zool. ii. Orth. pl. 2. f. 1 (1861).<br>*A. Titanus, Serv.* l. c. p. 231 (1839). | Australia. |

### Genus 133. **Ctenomorpha.** (*Type* no. 1.)

Gray, Ent. Austral. pp. 16, 27 (1833); Syn. Phasm. p. 41 (1835); Stål, Bihang Svenska Akad. iii. (14) p. 13 (1875); Rec. Orth. iii. p. 35 (1875).

| | |
|---|---|
| *1. **C. Marginipennis, Gray,** ll. cc. p. 16, pl. 1. f. 2 (1833); p. 41 (1835).<br>*C. Marginipenne, Gray*, Ent. Austr. p. 27 (1833).<br>♀. *Diura Chronus, Gray*, l. c. pp. 20, 26, pl. 5. f. 2 (1833).<br>*Acrophylla Chronus, Gray*, Syn. Phasm. p. 39 (1835); Serv. Ins. Orth. p. 232 (1839); Westw. Cat. Phasm. p. 114. n. 291 (1859).<br>*Cyphocrania Chronus, Burm.* Handb. Ent. ii. p. 580. n. 8 (1838).<br>Var. *Diura Saturnus, Westw.* l. c. (1859). | Australia,<br>Tasmania. |

| | |
|---|---|
| 2. **C. Osiris, Gray,** (*Phasma* (*Diura*) *O.*) Trans. Ent. Soc. Lond. i. p. 46 (1834). *Acrophylla Osiris, Gray,* Syn. Phasm. p. 40 (1835) ; Westw. l. c. p. 115. n. 293 (1859). | Australia. |
| 3. **C. Acheron, Gray,** (*Phasma* (*Diura*) *A.*) Trans. Ent. Soc. Lond. i. p. 46 (1834). *Acrophylla Acheron. Gray,* Syn. Phasm. p. 40 (1835) ; Westw. l. c. p. 115. n. 294 (1859). | id. |
| 4. **C. Macleayi, Gray,** l. c. p. 41 (1835). *Acrophylla Macleaii, Westw.* l. c. p. 115. n. 295 (1859). | id. |
| **5. **C. Tessellata, Gray,** (*C. Tessulata*) l. c. p. 44 (1835). *Acrophylla Tessellata, Westw.* l. c. p. 115. n. 296, pl. 35. ff. 1, 2 (1859) ; Bates, Trans. Linn. Soc. Lond. xxv. p. 347 (1865). | Moreton Bay. |
| 6. **C. Nigrovaria, Stål,** Rec. Orth. iii. p. 83 (1875). | Cape York. |
| 7. **C. Briareus, Gray,** (*Phasma* (*Diura*) *B.*) Trans. Ent. Soc. Lond. i. p. 45 (1834). *Acrophylla Briareus, Gray,* Syn. Phasm. p. 40 (1835) ; Westw. l. c. p. 114. n. 290 (1859). | Australia. |
| **8. **C. Albopunctatum, Kirb.** Trans. Linn. Soc. Lond., Zool. (2) vi. p. 472 (1896). | Queensland. |
| **9. **C. Salmacis, Westw.** (*Acrophylla S.*) l. c. p. 116. n. 297, pl. 37. f. 2 (1859). | N.Australia. |
| 10. **C. Caprella, Westw.** (*Phibalosoma C.*) l. c. p. 76. n. 196, pl. 21. f. 3 (1859). | Australia (?). |
| 11. **C. Macrotegmus, Tepp.** (*Lopaphus M.*) Trans. Roy. Soc. S. Australia, ix. p. 112, pl. 6 (1887). | S. Australia (Mt. Lofty). |

### Genus 134. **Clemacantha.**

Rainb. Rec. Austral. Mus. iii. p. 34 (1897).

| | |
|---|---|
| *1. **C. Regale, Rainb.** l. c. p. 34, pl. 9 (1897). | Australia. |

### Genus 135. **Phasma.** (*Type* no. 2.)

Licht. Cat. Mus. Zool. Hamb. iii. p. 77 (1796); Trans. Linn. Soc. Lond. vi. p. 9 (1802); Illiger, Käf. Preuss. p. 499 (1798); Fabr. Suppl. Ent. Syst. p. 186 (1798); Kirb. Ann. Nat. Hist. (7) xiii. p. 439 (1904).

*Cyphocrana*, *St.-Farg. & Serv.* Enc. Méth., Ins. x. p. 445 (1825); Serv. Ann. Sci. Nat. xxii. p. 60 (1831); Ins. Orth. pp. 233, 237 (1839); Gray, Syn. Phasm. p. 35 (1835). (*Type* no. 1.)

*Cyphocrania*, *Burm.* Handb. Ent. ii. p. 578 (1838); Haan, Temminck, Verhandel., Orth. p. 128 (1842); Westw. Cat. Phasm. p. 106 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 8, 14 (1875), iii. (14) p. 14 (1875); Rec. Orth. iii. pp. 35, 83 (1875).

| | |
|---|---|
| *1. **P. Gigas, Linn.** (*Gryllus Mantis G.*) Syst. Nat. (ed. x.) i. p. 425. n. 1 (1758).<br>*Gryllus Gigas, Linn.* Mus. Ludov. Ulr. p. 109 (1764).<br>*Mantis Gigas, Fabr.* Syst. Ent. p. 274. n. 1 (1775); Oliv. Enc. Méth., Ins. vii. p. 625. n. 2 (1792); Don. Ins. Ind. pl. 9 (1800).<br>*Phasma Gigas, Fabr.* Suppl. Ent. Syst. p. 187. n. 5 (1798); Licht. Trans. Linn. Soc. Lond. vi. p. 11. n. 9 (1802); Stoll, Spectres, Phasmes, p. 6, pl. 2. f. 5 (1813).<br>*Cyphocrana Gigas, St.-Farg. & Serv.* l. c. p. 445 (1825); Serv. ll. cc. p. 60 (1831); p. 237 (1839); Gray, l. c. p. 35 (1835).<br>*Cyphocrania Gigas, Burm.* l. c. p. 579. n. 3 (1838); Westw. l. c. p. 106. n. 272 (1859).<br>*Phasma* (*Cyphocrania*) *Gigas, Haan,* l. c. p. 129, pl. 14. f. 3 (1842).<br>‖*Phasma Necydaloides, Thunb.* Mém. Acad. Pétersb. v. p. 296 (1815). | Amboina, &c. |
| *2. **P. Empusa, Licht.** Cat. Mus. Zool. Hamb. iii. p. 77. n. 2 (1796); Trans. Linn. Soc. Lond. vi. p. 12. n. 10 (1802).<br>*Cyphocrana Empusa, Gray,* l. c. p. 35 (1835); Serv. Ins. Orth. p. 237 (1839).<br>*Cyphocrania Empusa, Burm.* l. c. p. 579. n. 1 (1838). | Amboina. |

| | |
|---|---|
| ‖ *Phasma Gigas, Stoll*, Spectres, Phasmes, p. 1, pl. 1. f. 1 (1813). | |
| ‖ *Cyphocrania Gigas*, var., *Westw.* l. c. p. 107 (1859). | |
| 3. **P. Reinwardtii, Haan,** (*Phasma* (*Cyphocrania*) *R.*) Temminck, Verhandel., Orth. p. 130, pl. 10. f. 1 (1842). | N. Guinea. |
| *Cyphocrania Reinwardtii*, *Westw.* l. c. p. 107. n. 273 (1859). | |
| 4. **P. Macleayi, Macleay,** (*Cyphocrania M.*) Proc. Linn. Soc. N. S. Wales, ix. p. 710 (1884). | id. |
| 5. **P. Lobiceps, Macl.** (*Cyphocrania L.*) l. c. p. 711 (1884). | id. |

## Genus 136. **Eurycnema.** (*Type* no. 2.)

Serv. Ins. Orth. p. 235 (1839).

| | |
|---|---|
| **1. **E. Magnifica, Kirb.** Ann. Nat. Hist. (7) xiii. p. 439 (1904). | New Guinea (?). |
| *2. **E. Versirubra, Serv.** (*Cyphocrana V.*) l. c. p. 235 (1839). | Java. |
| *Cyphocrania Herculeana*, *Charp.* Orth. pl. 1 (1841). | |
| *Cyphocrania Goliath*, var., *Westw.* Cat. Phasm. p. 107 (1859). | |
| *E. Herculeana*, *Brunn.* Mitth. Mus. Hamburg, xv. (2 Beiheft) pp. 147–160 (1898). | |
| *Cyphocrania Hanitschi*, *Sharp*, Willey, Zool. Results, p. 89, pl. 9. ff. 39, 39 *a* (ovum) (1898). | |
| **3. **E. Viridissima, Kirb.** l. c. p. 440 (1904). | Moreton B., N. Austral. |
| *4. **E. Versifasciata, Serv.** (*Cyphocrana V.*) l. c. p. 235 (1839). | N. Austral. |
| *Cyphocrania Goliath*, var., *Westw.* l. c. p. 107 (1859). | |
| *5. **E. Goliath, Gray,** (*Phasma* (*Diura*) *G.*) Trans. Ent. Soc. Lond. i. p. 45 (1834); Syn. Phasm. p. 39 (1835). | Moreton Bay. |
| (?) *Phasma* (*Cyphocrania*) *Goliath*, *Brullé*, Hist. Ins. ix. p. 105, pl. 7 (1835); Haan, Temminck, Verhandel., Orth. p. 128 (1842). | |
| *Cyphocrania Goliath*, *Westw.* l. c. p. 107. n. 274 (1859). | |

| | |
|---|---|
| 6. **E. (?) B[e]auvoisi, Serv.** (*Cyphocrana B.*) Ann. Sci. Nat. xxii. p. 60 (1831); Gray, Syn. Phasm. p. 35 (1835).<br>*Cyphocrania Beauvoisii, Burm.* Handb. Ent. ii. p. 579. n. 5 (1838); Westw. l. c. p. 108. n. 275 (1859).<br>‖ *Phasma Gigas, Beauv.* Ins. Afr. Amér. p. 109, Orth. pl. 13. f. 1 (1805). | Java. |

## Genus 137. **Anchiale.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 36 (1875).

| | |
|---|---|
| 1. **A. (?) Cylindrica, Gmel.** (*Mantis C.*) Syst. Nat. i. (5) p. 2048. n. 54 (1788); Oliv. Enc. Méth., Ins. vii. p. 626. n. 4 (1792).<br>*Mantis* ——, *Zschach*, Mus. Lesk., Ins. p. 46. n. 12 (1789). | Hab. —— ? |
| *2. **A. Maculata, Oliv.** (*Mantis M.*) l. c. p. 636. n. 56 (1792).<br>*Platycrana Maculata, Gray*, Syn. Phasm. p. 36 (1835); Serv. Ins. Orth. p. 240 (1839).<br>*Phasma (Cyphocrania) Maculatum, Haan*, Temminck, Verhandel., Orth. p. 129 (1842).<br>*Cyphocrania Maculata, Westw.* Cat. Phasm. p. 111. n. 283 (1859).<br>*Phasma Nævium, Licht.* Trans. Linn. Soc. Lond. vi. p. 13. n. 11 (1802).<br>*A. Nævia, Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 88.<br>‖ *Phasma Necydaloides, Stoll*, Spectres, Phasmes, p. 8, pl. 3. f. 8; p. 10, pl. 4. f. 11 (1813).<br>‖ *Cyphocrania Necydaloides, Burm.* Handb. Ent. ii. p. 579. n. 6 (1838). | Amboina,<br>Ternate,<br>Salomon I.,<br>Thursday I. |
| 3. **A. Stolli, Sharp,** Willey, Zool. Results, p. 89, pl. 9. ff. 16, 19, 27 (app. anal. et ovum) (1898). | New Britain. |
| *4. **A. Confusa, Sharp,** l. c. p. 90, pl. 9. ff. 17, 18, 29 (app. anal. et ovum) (1898).<br>*Cyphocrania Maculata*, pt., *Westw.* l. c. p. 111. n. 283 (1859). | id.,<br>Amboina,<br>Kei I. |

5. **A. Insularis, Kirb.** (n. n.). Ceram.
‖ *Cyphocrana Necydaloides, Blanch.* Voy. Pôle Sud, Zool. iv. p. 358 (1853).

6. **A. (?) Spinicollis, Gray,** (*Ctenomorpha S.*) Ent. Austral. p. 16, pl. 1. f. 1 (1833); Syn. Phasm. p. 41 (1835). Melville Island.
*Phasma* (*Ctenomorpha*) *Spinicolle, Gray,* Ent. Austral. p. 27 (1833).
♀. *Diura Japetus, Gray,* l. c. p. 20. pl. 5. f. 1 (1833).
*Phasma* (*Diura*) *Japetus, Gray,* l. c. p. 26 (1833).
*Acrophylla Japetus, Gray,* Syn. Phasm. p. 40 (1835); Westw. l. c. p. 114. n. 292 (1859).
*Cyphocrania Japetus, Burm.* l. c. p. 580. n. 9 (1838).

7. **A. (?) Reticulata, Beauv.** (*Phasma R.*) Ins. Afr. Amér. p. 166, Orth. pl. 14. f. 5 (1805). Haiti (?).
*Platycrana Reticulata, Gray,* Syn. Phasm. p. 38 (1835).
*Cyphocrania Reticulata, Westw.* l. c. p. 108. n. 277 (1859).

8. **A. Grayi, Montr.** (*Pachymorpha G.*) Ann. Sci. Nat. Lyon, (2) vii. p. 80 (1855); Westw. l. c. p. 182. n. 3 (1859). Woodlark I.

9. **A. Longipennis, Montr.** (*Pachymorpha L.*) l. c. p. 81 (1855); Westw. l. c. p. 182. n. 2 (1859). id.

10. **A. (?) Tessulata, Goeze,** (*Mantis T.*) Ent. Beytr. ii. p. 37. n. 40 (1778); Oliv. l. c. p. 642. n. 34 (1792); (Seba, Thes. iv. pl. 78. ff. 1–4). Hab. —— ?

## Genus 138. **Vetilia.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 36, 84 (1875).

*1. **V. Enceladus, Gray,** (*Acrophylla E.*) Syn. Phasm. p. 39 (1835). Australia.
*Cyphocrania Enceladus, Westw.* Cat. Phasm. p. 108. n. 276, pl. 39. ff. 1, 2 (1859).

*2. **V. Eurymedon, Stål,** C.R. Soc. Ent. Belg. xx. p. lxiii (1877). Queensland.

*3. **V. Thoon, Stål,** l. c. (1877). id.

### Genus 139. **Onchestus.** (*Type* no. 2.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxiii (1877).

| | |
|---|---|
| **1. **O. Pasimachus, Westw.** (*Cyphocrania P.*) Cat. Phasm. p. 109. n. 280, pl. 9. f. 5 (1859). | Australia. |
| **2. **O. Gorgus, Westw.** (*Lopaphus G.*) l. c. p. 102. n. 261, pl. 11. f. 4 (1859). | id. |
| 3. **O. (?) Lugens, Thunb.** (*Phasma L.*) Mém. Acad. Pétersb. v. p. 297 (1815); Westw. l. c. p. 183. n. 12 (1859). | Hab. —— ? |
| 4. **O. (?) Bidentatus, Thunb.** (*Phasma Bidentata*) l. c. p. 298 (1815); Westw. l. c. p. 183. n. 10 (1859). | Hab. —— ? |

### Genus 140. **Achrioptera.**

Coq. Ann. Soc. Ent. France, (4) i. p. 495 (1861).

| | |
|---|---|
| 1. **A. Fallax, Coq.** l. c. pl. 9. f. 1 (1861). | Madagascar |
| 2. **A. (?) Punctipes, Serv.** (*Cyphocrana* (?) *P.*) Ins. Orth. p. 239 (1839).<br>*Cyphocrania* (?) *Punctipes*, *Westw.* Cat. Phasm. p. 110. n. 282 (1859). | Africa. |

### Genus 141. **Enetia.**

Kirb. Ann. Nat. Hist. (5) viii. p. 151 (1891).

| | |
|---|---|
| **1. **E. Spinosissima, Kirb.** l. c. (1891). | Madagascar |

## SUBFAM. X.

## EURYCANTHINÆ.

### Genus 142. **Karabidion.**

Montr. Ann. Sci. Phys. Nat. Lyon. (2) vii. (1) p. 81 (1855); Stål, Rec. Orth. iii. pp. 46. 90 (1875).

| | |
|---|---|
| *1. **K. Australe, Montr.** l. c. p. 86 (1855).<br>*Eurycantha Australis. Westw.* Cat. Phasm. p. 65. n. 177. pl. 1. ff. 1. 2 (1859).<br>*Eurycantha (Karabidion) Australis. Sharp.* Cambridge Nat. Hist., Ins. i. p. 274, f. 160 (1895). | Lord Howe's I. |

### Genus 143. **Eubulides.** (*Type* no. 1.)

Stål, C.R. Soc. Ent. Belg. xx. p. lxviii (1877).

| | |
|---|---|
| 1. **E. Alutaceus, Stål,** l. c. (1877). | Philippines. |
| **2. **E. Spuria, Kirb.** Ann. Nat. Hist. (7) xiii. p. 441 (1904). | Australia. |

### Genus 144. **Eurycantha.** (*Type* no. 1.)

Boisd. Voy. Astrolabe, Ent. ii. p. 647 (1835); Gray. Syn. Phasm. p. 14 (1835); Burm. Handb. Ent. ii. p. 569 note (1838); Serv. Ins. Orth. p. 277 (1839); Haan. Temminck, Verhandel.. Orth. p. 136 (1842); Westw. Cat. Phasm. p. 62 (1859); Stål. Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 17 (1875); Rec. Orth. iii. p. 46 (1875).

| | |
|---|---|
| *1. **E. Horrida, Boisd.** l. c. p. 647. pl. 11. f. 2 (1835); Gray. l. c. p. 14 (1835); Burm. l. c. pp. 569, 570 (1838); Serv. l. c. p. 279 (1839); Brullé, Hist. Nat. Ins. ix. pl. 10 (1835); Westw. l. c. p. 63. n. 173 (1859).<br>*Phasma (Eurycantha) Horrida, Haan,* l. c. p. 136, pl. 14. f. 8 (1842).<br>*Karabidion Horridum, Montr.* Ann. Sci. Phys. Nat. Lyon, (2) vii. (1) p. 82 (1855). | N. Guinea, N. Ireland, Woodlark I. (eadem ?). |

| | |
|---|---|
| *2. **E. Calcarata, Luc.** Bull. Soc. Ent. France, (4) ix. p. xxv (1870). | Salomon I., Brit. N. Guinea. |
| *3. **E. Willeyi, Kirb.** Ann. Nat. Hist. (7) xiii. p. 442 (1904).<br>‖*E. Horrida, Sharp*, Willey, Zool. Results, p. 85, pl. 8. ff. 7–9, pl. 9. ff. 46, 46 *a*, *b* (ovum) (1898). | New Britain. |
| *4. **E. Rosenbergi, Kaup,** Berlin. Ent. Zeitschr. xv. p. 34 (1871). | N. Guinea. |
| **5. **E. Portentosa, Kirb.** l. c. p. 442 (1904). | Rossel I. |
| **6. **E. Tyrrhæus, Westw.** l. c. p. 64. n. 174, pl. 2. f. 1 (1859). | N.Hebrides, Loyalty I. |
| *7. **E. Insularis, Luc.** l. c. (4) ix. p. xxv (1870). | Salomon I., N. Guinea. |
| 8. **E. Micrantha, Montr.** (*Karabidion Micranthum*) l. c. p. 85 (1855).<br>*E. Micrantha, Westw.* l. c. p. 64. n. 175 (1859). | Woodlark I. |
| 9. **E. Echinata, Luc.** l. c. (5) viii. p. clxiii (1878). | N. Guinea. |
| 10. **E.** (?) **Scorpionides, Montr.** (*Karabidion S.*) l. c. p. 64. n. 176 (1855). | Woodlark I. |
| **11. **E. Sifia, Kirb.** l. c. p. 443 (1904). | Thursday I. |

### Genus 145. **Canachus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 47 (1875).

| | |
|---|---|
| 1. **C. Crocodilus, Stål,** l. c. p. 90 (1875). | N. Caledonia. |
| 2. **C. Salamandra, Stål,** l. c. p. 91 (1875). | id. |

## SUBFAM. XI.

## HETEROPTERYGINÆ.

### Genus 146. **Heteropteryx.**

Gray, Syn. Phasm. pp. 13, 32 (1835); Westw. Cat. Phasm. p. 81 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 98 (1893).

*Leocrates, Stål*, Rec. Orth. iii. p. 48 note (1875).

*1. **H. Dilatata, Park.** (*Phasma D.*) Trans. Linn. Soc. Lond. iv. p. 190. pl. 18. ff. 2–5 (1798); Shaw, Nat. Misc. ix. pls. 347, 348 (1800?); Zool. vi. (1) p. 124. pls. 45, 46 (1806); Serv. Ins. Orth. p. 281 (1839). Malacca. Prince of Wales I.

*H. Dilatata*, *Gray*, l. c. p. 32 (1835); Westw. Cat. Phasm. p. 82. n. 211 (1859); Thes. Ent. Oxon. p. 173, pl. 32. f. 1 (1874); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 89.

*Diapherodes Dilatata*, *Burm.* Handb. Ent. ii. p. 574. n. 1 (1838).

*H. Hopei*, *Westw.* Proc. Ent. Soc. Lond. 1864, p. 16.

*H. Rollandi*, *Luc.* Bull. Soc. Ent. France, (6) ii. p. xxxii (1882).

♂. *Phasma* (*Eurycantha*) *Graciosa*, *Westw.* Cab. Orient. Ent. p. 16, pl. 7. f. 3 (1846).

*Cyphocrania Graciosa*, *Westw.* Cat. Phasm. p. 111. n. 284 (1859).

## Genus 147. **Haaniella.** (*Type* no. 2.)

Kirb. Ann. Nat. Hist. (7) xiii. p. 444 (1904).

‖*Heteropteryx*, *Haan*, Temminck, Verhandel., Orth. p. 108 (1842); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875), iii. (14) p. 18 (1875); Rec. Orth. p. 48 (1875) (*nec* Gray).

*1. **H. Rosenbergi, Kaup,** (*Heteropteryx R.*) Berlin. Ent. Zeitschr. xv. p. 35, pl. 2. f. 2 (1871). Java. Sumatra.

2. **H. Muelleri, Haan,** (*Phasma* (*Heteropteryx*) *Mülleri*) Temminck, Verhandel., Orth. p. 108, pl. 11. ff. 4, 5 (1842). Sumatra.

*Heteropteryx Mülleri*, *Westw.* Cat. Phasm. p. 82. n. 212 (1859).

**3. **H. Grayii, Westw.** (*Heteropteryx G.*) l. c. p. 82. n. 213, pl. 30. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 262, f. 149 (1895). Borneo.

4. **H. Saussurei, Kirb.** (n. n.). Sunda Isl. (?).

‖*Heteropteryx Grayi*, var., *Sauss.* Ann. Mus. Genève. xx. p. 310 (1870).

| | |
|---|---|
| **5. **H. Dehaanii, Westw.** (*Heteropteryx D.*) l. c. p. 83. n. 214, pl. 3. f. 7 (1859). | Borneo. |
| 6. **H. Westwoodii, Bates,** (*Heteropteryx W.*) Trans. Linn. Soc. Lond. xxv. p. 345 (1865). | Celebes, Menado. |
| **7. **H. Australis, Kirb.** (*Heteropteryx A.*) Trans. Linn. Soc. Lond., Zool. (2) vi. p. 172 (1896).<br>‖*Heteropteryx Grayii*, ♂, *Westw.* l. c. p. 82. n. 213, pl. 30. f. 2 (1859). | Australia. |
| 8. **H. (?) Castelnaudi, Westw.** (*Heteropteryx C.*) Thes. Ent. Oxon. p. 174, pl. 32. f. 3 (1874). | Malacca, Tringany. |

## Genus 148. **Parectatosoma.** (*Type* no. 1.)

Wood-Mason, Journ. Asiatic Soc. Bengal, xlviii. p. 117 (1879).

| | |
|---|---|
| *1. **P. Hystrix, Wood-Mason,** l. c. (1879). | Madagascar |
| *2. **P. Echinus, Wood-Mason,** l. c. p. 118 (1879). | id. |
| *3. **P. Mocquerysi, Finot,** Ann. Soc. Ent. France, lxvi. p. 585 (1898). | id. |

## Genus 149. **Obrimus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 49, 92 (1875).

| | |
|---|---|
| **1. **O. Bufo, Westw.** (*Acanthoderus B.*) Cat. Phasm. p. 51. n. 140, pl. 2. f. 6 (1859). | Philippines. |
| 2. **O. Cavernosus, Stål,** C.R. Soc. Ent. Belg. xx. p. lxviii (1877). | id. |
| 3. **O. Echinatus, Stål,** l. c. (1877). | id. |
| **4. **O. Mesoplatus, Westw.** (*Phasma (Acanthoderus) M.*) Cab. Orient. Ent. p. 37, pl. 38. f. 4 (1847).<br>*Acanthoderus Mesoplatus*, *Westw.* Cat. Phasm. p. 51. n. 141 (1859). | id. |
| 5. **O. Quadratipes, Bol.** An. Soc. Españ. xix. p. 307 (1890). | id. |

## Genus 150. **Hoploclonia.**

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875), iii. (14) p. 18 (1875): Rec. Orth. iii. pp. 50, 92 (1875).

| | |
|---|---|
| **1. **H. Gecko, Westw.** (*Acantholerus G.*) Cat. Phasm. p. 52. n. 143, pl. 26. ff. 6, 7 (1859). | Borneo. |

## Genus 151. **Tisamenus.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 50, 92 (1875).

| | |
|---|---|
| **1. **T. Deplanatus, Westw.** (*Phasma* (*Pachymorpha*) *Deplanatum*) Cab. Orient. Ent. p. 78, pl. 38. f. 6 (1847).<br>*Acanthoderus Deplanatus*, *Westw.* Cat. Phasm. p. 52. n. 144 (1859). | Philippines. |
| 2. **T. Serratorius, Stål,** l. c. p. 92 (1875). | id. |
| *3. **T. Draconinus, Westw.** (*Phasma* (*Pachymorpha*) *Draconinum*) Cab. Orient. Ent. p. 78, pl. 36. f. 4 (1847).<br>*Acanthoderus Draconinus*, *Westw.* Cat. Phasm. p. 51. n. 142 (1859). | id. |
| 4. **T. Cervicornis, Bol.** An. Soc. Españ. xix. p. 307, pl. 1. ff. 5, 5 *a* (1890). | id. |
| 5. **T. Asper, Bol.** l. c. p. 308 (1890). | id. |
| *6. **T. Nolimetangere, Haan,** (*Phasma* (*Acanthoderus*) *N.*) Temminck, Verhandel., Orth. p. 135, pl. 14. ff. 6, 7 (1842).<br>*Acanthoderus Nolimetangere*, *Westw.* l. c. p. 50. n. 138 (1859). | Borneo. |
| **7. **T. (?) Ranarius, Westw.** (*Acanthoderus R.*) l. c. p. 53. n. 145, pl. 4. f. 3 (1859). | |

## Genus 152. **Theramenes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. p. 46 note (1875).

| | |
|---|---|
| **1. **T. Olivacea, Westw.** (*Eurycantha O.*) Cat. Phasm. p. 65. n. 178 (1859). | Ceylon. |
| 2. **T. Dromedarius, Stål,** C.R. Soc. Ent. Belg. xx. p. lxviii (1877). | Philippines. |

### Genus 153. **Pylæmenes.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

| | |
|---|---|
| *1. **P. Coronatus, Haan,** (*Phasma* (*Pachymorpha*) *Coronatum*) Temminck, Verhandel., Orth. p. 137, pl. 14. ff. 4, 5 (1842).<br>*Acanthoderus Coronatus, Westw.* Cat. Phasm. p. 51. n. 139 (1859). | Java,<br>Borneo,<br>Amboina,<br>Ceram. |
| *2. **P. Spiniventris, Bates,** (*Acanthoderus S.*) Trans. Linn. Soc. Lond. xxv. p. 343, pl. 44. f. 2 *a*, *b* (1865). | Timor,<br>Bouru. |
| 3. **P. Occipitalis, Kaup,** (*Acanthoderus O.*) Berlin. Ent. Zeitschr. xv. p. 31 (1871). | Celebes,<br>N. Guinea. |
| 4. **P. Gravidus, Bates,** (*Acanthoderus G.*) l. c. p. 343 (1865). | Gilolo. |

### Genus 154. **Datames.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

| | |
|---|---|
| **1. **D. Oileus, Westw.** (*Acanthoderus O.*) Cat. Phasm. p. 53. n. 146, pl. 26. f. 4 (1859). | Java,<br>Malacca. |
| 2. **D. Mouhotii, Bates,** (*Acanthoderus M.*) Trans. Linn. Soc. Lond. xxv. p. 342 (1865). | Cambogia,<br>Chantabun. |
| 3. **D. Æqualis, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 89. | Obi. |
| 4. **D. (?) Guttigerus, Westw.** (*Phasma Guttigerum*) l. c. p. 35. n. 98, pl. 27. f. 6 (1859). | Sarawak. |

### Genus 155. **Dares.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 51, 93 (1875).

| | |
|---|---|
| 1. **D. Otys, Westw.** (*Acanthoderus O.*) Cat. Phasm. p. 54. n. 148, pl. 26. f. 2 (1859). | Borneo. |
| 2. **D. Validispinus, Stål,** l. c. p. 93 (1875). | id. |
| 3. **D. Ulula, Westw.** (*Acanthoderus U.*) l. c. p. 53. n. 147, pl. 26. f. 1 (1859). | id. |

## SUBFAM. XII.

## ANISOMORPHINÆ.

### Genus 156. **Anisomorpha.** (*Type* no. 2.)

Gray, Syn. Phasm. p. 18 (1835); Burm. Handb. Ent. ii. p. 570 (1838); Westw. Cat. Phasm. p. 16 (1859); Sauss. Miss. Mex., Orth. p. 148 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 19 (1875); Rec. Orth. iii. p. 56 (1875).

| | |
|---|---|
| 1. **A. Ferruginea, Beauv.** (*Phasma F.*) Ins. Afr. Amér. p. 167, Orth. pl. 14. ff. 6, 7 (1805).<br>*A. Ferruginea, Gray,* l. c. p. 18 (1835); Burm. l. c. p. 570. n. 1 (1838); Westw. l. c. p. 16. n. 41 (1859). | Carolina, Florida, Virginia. |
| *2. **A. Buprestoides, Stoll,** (*Phasma B.*) Spectres, Phasmes, p. 68, pl. 23. f. 87 (1813).<br>*A. Buprestoides, Gray,* l. c. p. 19 (1835); Burm. l. c. p. 570. n. 2 (1838); Westw. l. c. p. 17. n. 42 (1859).<br>*Spectrum Bivittatum, Say,* Amer. Ent. iii. pl. 38 (1828).<br>♂. *Phasma Vermicularis, Stoll,* l. c. p. 68. pl. 23. f. 88 (1813).<br>‖*Bacteria Calamus,* ♂, *Burm.* l. c. p. 564. n. 1 (1838). | Georgia. |
| **3. **A. Paromalus, Westw.** l. c. p. 17. n. 45, pl. 3. f. 5, pl. 4. f. 1 (1859). | Venezuela. |
| 4. **A. (?) Dentata, Stål,** Rec. Orth. iii. p. 95 (1875). | Brazil, S. Catharina. |
| 5. **A. Flavomaculata, Blanch.** D'Orbigny, Voy. Amér. Mér. vi. (2) p. 215, pl. 26. f. 6 (1846); Westw. l. c. p. 19. n. 48 (1859). | Bolivia. |

### Genus 157. **Timema.**

Scudd. Canad. Ent. xxvii. p. 30 (1895).

| | |
|---|---|
| 1. **T. Californicum, Scudd.** l. c. (1895); Caud. Ent. News, xiv. p. 316 (1903). | California. |

### Genus 158. **Agathemera.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

| | |
|---|---|
| **1. **A. Pardalina, Westw.** (*Anisomorpha P.*) Cat. Phasm. p. 18. n. 46, pl. 5. ff. 1, 2 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 274, f. 161 (1895).<br>*A. Pardalina, Berg,* Com. Mus. B. Aires, i. p. 185 (1899).<br>*Anisomorpha Variegata, Phil.* Zeitschr. ges. Naturw. xxi. p. 230 (1863). | Chile. |
| *2. **A. Claraziana, Sauss.** (*Anisomorpha C.*) Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 149, pl. 3. f. 4 (1872). | La Plata. |
| 3. **A. (?) Poeyi, Sauss.** (*Anophelepis P.*) ll. cc. p. 67 (1868); p. 171, pl. 4. ff. 18, 18 *a* (1872). | Cuba. |

### Genus 159. **Autolyca.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 56, 95 (1875).

| | |
|---|---|
| **1. **A. Semele, Westw.** (*Anisomorpha S.*) Cat. Phasm. p. 19. n. 49, pl. 25. f. 7 (1859). | Peru. |
| *2. **A. Unicolor, Haan,** (*Phasma (Anisomorpha) U.*) Temminck, Verhandel., Orth. p. 102 note (1842).<br>*Bacteria Bogotensis, Goud.* Mag. Zool. 1843, Ins. p. 2, pl. 125.<br>*Anisomorpha Bogotensis, Westw.* l. c. p. 17. n. 43 (1859). | La Guayra,<br>Bogota. |
| 3. **A. Roulinii, Goud.** (*Bacteria R.*) l. c. p. 4 (1843).<br>*Anisomorpha Roulinii, Westw.* l. c. p. 17. n. 44, pl. 25. ff. 10, 11 (1859). | N. Granada. |
| 4. **A. Pallidicornis, Stål,** l. c. p. 95 (1875). | Guatemala. |

### Genus 160. **Decidia.**

Stål. Rec. Orth. iii. pp. 57, 96 (1875).

| | |
|---|---|
| 1. **D. Soranus, Westw.** (*Phasma S.*) Cat. Phasm. p. 127. n. 333, pl. 17. f. 3 (1859).<br>*D. Soranus, Rehn.* Proc. Acad. Nat. Sci. Philad. 1904, p. 91. | N. Granada, Bolivia (eadem?). |

### Genus 161. **Paradoxomorpha.** (*Type* no. 1.)

Brancs. Jahresh. Ver. Trencsin. Com. xix.–xx. p. 67 (1898).
‖*Anisomorpha, Blanch.* Gay, Hist. Chile. Zool. vi. p. 27 (1851).

| | |
|---|---|
| 1. **P. Crassa, Blanch.** (*Anisomorpha C.*) l. c. p. 28. pl. 1. f. 7 (1852); Westw. Cat. Phasm. p. 18. n. 47 (1859).<br>*Agathemera Crassa, Berg,* Com. Mus. B. Aires, i. p. 183 (1899).<br>*P. Bruchi, Brancs.* l. c. p. 68, pl. 2. f. 13 (1898). | Chile, Patagonia. |
| 2. **P. Borellii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 16 (1897), xv. (377) p. 2 (1900). | Paraguay. |
| 3. **P. (?) Grylloides, Westw.** (*Anisomorpha G.*) l. c. p. 19 (1859). | Chile. |
| 4. **P. (?) Elegans, Phil.** (*Anisomorpha E.*) Zeitschr. ges. Naturw. xxi. p. 231 (1863). | id. |

## SUBFAM. XIII.

## PRISOPINÆ.

### Genus 162. **Xerantherix.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 182 (1893).

| | |
|---|---|
| 1. **X. Nossibianus, Brancs.** l. c. p. 183, pl. 4. f. 1 (1893). | Madagascar |

### Genus 163. **Xylica.**

Karsch, Ent. Nachr. xxiv. pp. 365, 381 (1898).

| | |
|---|---|
| 1. **X. Œdematosa, Karsch,** l. c. p. 382 (1898). | Usambara. |

### Genus 164. **Damasippoides.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.-xvi. p. 181 (1893).

| | |
|---|---|
| 1. **D. Xanthostictus, Brancs.** l. c. p. 182, pl. 4. f. 5 (1893). | Nossi Bé. |

### Genus 165. **Epicharmus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 note (1875).

| | |
|---|---|
| 1. **E. Marchali, Serv.** (*Prisopus M.*) Ins. Orth. p. 284 (1839).<br>*Xeroderus* (?) *Marchali, Westw.* Cat. Phasm. p. 103. n. 263, pl. 36. f. 4 (1859). | Mauritius. |
| 2. **E. Guerinii, Westw.** (*Prisopus G.*) l. c. p. 170. n. 447, pl. 21. f. 1 (1859). | id. |

### Genus 166. **Neocles.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 59 note (1875).

| | |
|---|---|
| 1. **N. Simyra, Westw.** (*Creoxylus S.*) Cat. Phasm. p. 105. n. 268, pl. 32. f. 3 (1859). | Sarawak. |
| 2. **N. Diacis, Haan,** (*Phasma* (*Xeroderus*) *D.*) Temminck, Verhandel., Orth. p. 117, pl. 15. f. 2 (1842).<br>*Creoxylus Diacis, Westw.* l. c. p. 105. n. 269 (1859). | Sumatra. |
| **3. **N. Laceratus, Westw.** (*Creoxylus L.*) l. c. p. 270, pl. 29. f. 1 (1859). | id. |

### Genus 167. **Prisopus.** (*Type* no. 1.)

St.-Farg. & Serv. Enc. Méth., Ins. x. p. 444 (1825); Serv. Ann. Sci. Nat. xx. p. 62 (1831); Ins. Orth. p. 282 (1839); Gray, Syn. Phasm. pp. 13, 27 (1835); Burm. Handb. Ent. ii. p. 587 (1838); Haan, Temminck, Verhandel., Orth. p. 112 (1842); Westw. Cat. Phasm. p. 166 (1859); Sauss. Miss. Mex., Orth. p. 199 (1872); Stål, Bihang Svenska Akad. iii. (14) p. 20 (1875); Rec. Orth. iii. p. 60 (1875).

*Platytelus*, *Gray*, l. c. pp. 13, 28 (1835); Burm. l. c. p. 588 (1838). (*Type* no. 12.)

| | |
|---|---|
| *1. **P. Horstokkii, Haan,** (*Phasma* (*Prisopus*) *H.*) l. c. p. 113, pl. 12. f. 1 (1842).<br>*P. Horstokkii*, *Westw.* l. c. p. 168. n. 441 (1859). | Cape;<br>S. Leone<br>(eadem?). |
| 2. **P. (?) Cornutus, Gray,** l. c. p. 43 (1835); Westw. l. c. p. 169. n. 445 (1859).<br>*Gryllus Locusta* ——, *Stoll*, Saut. Pass. p. 88, pl. 206. f. 79 (1813). | India (?). |
| 3. **P. Draco, Oliv.** (*Mantis D.*) Enc. Méth., Ins. vii. p. 636. n. 59 (1792).<br>*Phasma Dracunculus*, pupa, *Licht.* Cat. Mus. Hamburg. iii. p. 78. n. 13 (1796); Trans. Linn. Soc. Lond. vi. p. 16. n. 22 (1802).<br>*Phasma Nympha*, *Stoll*, Spectres, Phasmes, p. 14, pl. 5. f. 18 (1813).<br>*P. Nympha*, *Gray*, l. c. p. 28 (1835).<br>*P. Incertus*, *Westw.* l. c. p. 169. n. 444 (1859). | Java. |
| 4. **P. Sacrata, Oliv.** (*Mantis S.*) l. c. p. 639. n. 76 (1792).<br>*Phasma Dracunculus*, *Licht.* ll. cc. p. 78. n. 13 (1796); p. 16. n. 22 (1802).<br>*Phasma Flabelliformis*, *Stoll*, Spectres, Phasmes, p. 53, pl. 18. ff. 65, 65 *a* (1813).<br>*P. Flabelliformis*, *Gray*, l. c. p. 27 (1835); Burm. l. c. p. 588. n. 4 (1838). | Amboina. |
| 5. **P. (?) Ohrtmanni, Licht.** (*Phasma O.*) Trans. Linn. Soc. Lond. vi. p. 17. n. 23, pl. 2. f. 1 (1802).<br>*P. Ohrtmanni*, *Westw.* l. c. p. 167. n. 439 (1859).<br>*P. Orhtmanni*, *Gray*, l. c. p. 28 (1835). | India (?). |
| 6. **P. Mexicanus, Sauss.** Rev. Zool. (2) xi. p. 61 (1859); Miss. Mex., Orth. p. 200 (1872). | Mexico. |

| | |
|---|---|
| 7. **P. Cepus, Westw.** l. c. p. 169. n. 446, pl. 20. f. 1 (1859). | Bolivia. |
| **8. **P. Berosus, Westw.** l. c. p. 168. n. 442, pl. 20, f. 7 (1859). | Panama. |
| **9. **P. Phacellus, Westw.** l. c. p. 169. n. 443 (1859). | Ega. |
| 10. **P. Spiniceps, Burm.** l. c. p. 588. n. 1 (1838); Westw. l. c. p. 167. n. 438 (1859).<br>‖*P. Flabelliformis, Serv.* Ins. Orth. p. 283 (1839). | Brazil. |
| *11. **P. Spinicollis, Burm.** l. c. p. 588. n. 2 (1838).<br>‖*P. Flabelliformis, Westw.* l. c. p. 166. n. 437 (1859). | id. |
| 12. **P. Horridus, Gray,** (*Platytelus H.*) l. c. p. 28 (1835); Westw. Brit. Cycl. Nat. Hist. iii. p. 359, pl. Orth. f. 1 (1837); Cat. Phasm. p. 168. n. 440 (1859). | Colombia. |

## Genus 168. **Loxopsis.**

Westw. Cat. Phasm. p. 117 (1859).

| | |
|---|---|
| 1. **L. Conocephala, Haan,** (*Phasma Conocephalum*) Temminck, Verhandel., Orth. p. 124, pl. 12. f. 3 (1842).<br>*L. Conocephala, Westw.* l. c. p. 117. n. 301 (1859). | Sumatra. |
| **2. **L. (?) Hipponoe, Westw.** (*Necroscia H.*) l. c. p. 140. n. 364, pl. 29. f. 2 (1859). | Sarawak. |

## Genus 169. **Cacomorpha.**

Sharp, Willey, Zool. Results, p. 91 (1898).

| | |
|---|---|
| 1. **C. Aberrans, Sharp,** l. c. pl. 8. f. 12 (1898). | Lifu. |

## Genus 170. **Leosthenes.**

Stål, Rec. Orth. iii. p. 60 (1875).

| | |
|---|---|
| 1. **L. Aquatilis, Stål,** l. c. p. 102 (1875). | N. Caledonia |

### Genus 171. **Nisyrus.**

Stål, C.R. Soc. Ent. Belg. xx. p. lxvi (1877).

| | |
|---|---|
| *1. **N. Spinulosus, Stål,** l. c. p. lxvii (1877). | Fiji. |

### Genus 172. **Cotylosoma.** (*Type* no. 2.)

Wood-Mason, Ann. Nat. Hist. (5) i. p. 102 (1878).

| | |
|---|---|
| 1. **C. Amphibium, Stål,** (*Nisyrus Amphibius*) C.R. Soc. Ent. Belg. xx. p. lxvii (1877). | Tonga. |
| *2. **C. Dipneusticum, Wood-Mason,** l. c. p. 102 (1878); Waterh. Ann. Nat. Hist. (6) xv. p. 498, fig. (1895). | Fiji (nec Borneo). |
| **3. **C. Carlottæ, Macgill.** (*Prisopus C.*) Zoologist, xviii. p. 7141 (1860). | N. Hebrides, Aneiteum. |

### Genus 173. **Damasippus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. p. 60 (1875).

| | |
|---|---|
| 1. **D. Westwoodii, Stål,** l. c. p. 101 (1875). | Panama. |
| *2. **D. Zymbræus, Westw.** (*Dinelytron Z.*) Cat. Phasm. p. 163. n. 432, pl. 15. f. 3 (1859). | N. Granada. |
| 3. **D. Batesianus, Westw.** (*Dinelytron Batesianum*) l. c. p. 184. n. 471 (1859). | Upper Amazons. |

### Genus 174. **Acanthoclonia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 8 (1875).

| | |
|---|---|
| 1. **A. Tisiphone, Westw.** (*Acanthoderus T.*) Cat. Phasm. p. 54. n. 149, pl. 26. ff. 10, 11 (1859). | Colombia. |
| **2. **A. Sævissimus, Westw.** (*Ceroys S.*) l. c. p. 60. n. 167, pl. 26. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 264. n. 151 (1895). | Brazil. |
| **3. **A. Histrinus, Westw.** (*Ceroys H.*) l. c. p. 60. n. 166, pl. 1. f. 5 (1859). | Venezuela. |
| 4. **A. Arispa, Westw.** (*Acanthoderus A.*) l. c. p. 57. n. 157, pl. 26. f. 5 (1859). | Colombia. |
| **5. **A. (?) Paradoxa, Kirb.** Ann. Nat. Hist. (7) xiii. p. 144 (1904). | Santarem. |

### Genus 175. **Pygirhynchus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 260 (1839); Westw. Cat. Phasm. p. 58 (1859); Sauss. Miss. Mex., Orth. p. 169 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 15 (1875); Rec. Orth. iii. pp. 53, 94 (1875).

| | |
|---|---|
| 1. **P. Subfoliatus, Serv.** l. c. p. 261 (1839); Westw. l. c. p. 58. n. 161 (1859). | Brazil. |
| 2. **P. Coronatus, Serv.** l. c. p. 261 (1839); Westw. l. c. p. 58. n. 162 (1859). | id. (?). |
| 3. **P. Thomæ, Sauss.** Rev. Zool. (2) xx. p. 64 (1868); Miss. Mex., Orth. p. 170 (1872). | St. Thomas. |

### Genus 176. **Dinelytron.** (*Type* no. 1.)

Gray, Syn. Phasm. pp. 13, 27 (1835); Westw. Cat. Phasm. p. 163 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 60 (1875).

| | |
|---|---|
| 1. **D. Grylloides, Gray,** l. c. pp. 27, 43 (1835); Westw. l. c. p. 163. n. 429 (1859).<br>*Platycrania Grylloides, Burm.* Handb. Ent. ii. p. 582. n. 2 (1838). | Brazil. |
| 2. **D. Hipponax, Gray,** l. c. p. 27 (1835); Westw. l. c. p. 163. n. 430 (1859). | id. |
| 3. **D. Shuckardi, Gray,** l. c. p. 43 (1835); Westw. l. c. p. 163. n. 431 (1859). | id. |
| **4. **D. (?) Agrion, Westw.** l. c. p. 164. n. 433, pl. 21. f. 6 (1859). | Villa Nova. |
| **5. **D. Merismus, Westw.** l. c. p. 164. n. 434, pl. 13. f. 5 (1859). | Venezuela. |

## SUBFAM. XIV.

## PSEUDOPHASMINÆ.

### Genus 177. **Dajaca.**

Brunn. Ann. Mus. Genova, xxxiii. p. 99 (1893).

| | |
|---|---|
| *1. *Sp. non descr.* | Borneo. |

### Genus 178. **Donusa.**

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. p. 54 (1875).

| | |
|---|---|
| 1. **D. Prolixa, Stål,** ll. cc. p. 18 (1875); p. 94 (1875).<br>?? *Bactridium Coulonianum, Sauss.* (*antea*, p. 352). | Valparaiso. |

### Genus 179. **Orobia.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 18 (1875); Rec. Orth. iii. pp. 54, 95 (1875).

| | |
|---|---|
| *1. **O. Nigrolineata, Stål,** Bihang Svenska Akad. ii. (17) p. 17 (1875). | Madagascar |
| *2. **O. Lucubensis, Brancs.** Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 180, pl. 4. f. 2 (1893). | id. |
| 3. **O. Sohri, Brancs.** l. c. xix.–xx. p. 69, pl. 2. f. 14 (1898). | id. |

### Genus 180. **Stratocles.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 57, 96 (1875).

| | |
|---|---|
| 1. **S. Stabilinus, Westw.** (*Phasma S.*) Cat. Phasm. p. 124. n. 326, pl. 17. f. 5 (1859). | Amazons. |
| 2. **S. Cinctipes, Stål,** l. c. p. 96 (1875). | Panama. |
| **3. **S. Bogotensis, Kirb.** Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (1896). | Bogota. |
| 4. **S. Bennettii, Gray,** (*Phasma B.*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 124. n. 325 (1859). | Colombia. |
| 5. **S. Forcipatus, Bol.** Actas Soc. Españ. xxv. p. 11 (1896). | Peru. |
| 6. **S. Multilineatus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 91. | Costa Rica. |
| 7. **S. Costaricensis, Rehn,** l. c. p. 93 (1904). | id. |
| *8. **S. Perspicillaris, Stoll,** (*Phasma P.*) Spectres, Phasmes, p. 67, pl. 23. f. 86 (1813).<br>*Phasma Perspicillare, Gray,* Syn. Phasm. p. 24 (1835); Westw. l. c. p. 117. n. 303 (1859). | Surinam.<br>N. Granada. |

| | |
|---|---|
| 9. **S. (?) Tessellatus, Oliv.** (*Mantis Tessulata*) Enc. Méth., Ins. vii. p. 637. n. 63 (1792).<br>*Phasma Variegatum*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 20 (1796); Trans. Linn. Soc. Lond. vi. p. 15. n. 18 (1802); Gray, Syn. Phasm. p. 24 (1835); Serv. Ins. Orth. p. 271 (1839); Westw. l. c. p. 121. n. 314 (1859).<br>*Phasma Variegata*, *Fabr.* Suppl. Ent. Syst. p. 189. n. 16 (1798); Stoll, Spectres, Phasmes, p. 24, pl. 8. f. 26 (1813). | Surinam. |

Genus 181. **Olcyphides.** (*Type* no. 1.)

Griff. Zool. Anz. xxii. p. 90 (1899).
‖*Phocylides*, *Stål*, Rec. Orth. iii. pp. 57, 96 (1875), *nec Pascoe.*

| | |
|---|---|
| 1. **O. Bicarinatus, Stål,** (*Phocylides B.*) l. c. p. 96 (1875). | Colombia. |
| **2. **O. Hopii, Gray,** (*Phasma H.*) Syn. Phasm. p. 25 (1835).<br>*Phasma Hopei*, *Westw.* Cat. Phasm. p. 117. n. 302 (1859).<br>*Phasma Lineolatum*, *Serv.* Ins. Orth. p. 273 (1839); Westw. l. c. p. 120. n. 310 (1859). | Brazil. |
| 2 *a*. **O. Fasciatus, Gray,** (*Phasma Fasciatum*) l. c. p. 24 (1835); Burm. Handb. Ent. ii. p. 585. n. 7 (1838); Westw. l. c. p. 120. n. 311 (1859). | id. |
| **3. **O. Tithonus, Gray,** (*Phasma T.*) l. c. p. 23 (1835); Westw. l. c. p. 119. n. 308 (1859).<br>*Phasma Tithonius*, *Serv.* l. c. p. 272 (1839).<br>*Phocylides Tithonus*, *Bol.* Viaje al Pacifico, Ins. p. 27 (1884).<br>*Phasma Ornatum*, *Burm.* Handb. Ent. ii. p. 585. n. 6 (1838); Charp. Orth. pl. 42 (1845).<br>*Phasma Lineatum*, *Fisch.* Bull. Mosc. vii. p. 327 (1834). | id. |
| 4. **O. Jurinii, Sauss.** (*Metriotes J.*) Rev. Zool. (2) xx. p. 69 (1868); Miss. Mex., Orth. p. 197, pl. 4. f. 24 (1872). | S. America. |

**5. **O. Venilia, Westw.** (*Phasma V.*) l. c. p. 118. n. 305, pl. 33. f. 5 (1859). Bogota.

**6. **O. Gambrisius, Westw.** (*Phasma G.*) l. c. p. 118. n. 304, pl. 14. f. 2 (1859). Venezuela.

7. **O. Cryptochloros, Rehn,** (*Pseudophasma* (*Cryptochlore*) Proc. Acad. Nat. Sci. Philad. 1904. p. 98. Costa Rica.

**8. **O. Cneius, Westw.** (*Phasma C.*) l. c. p. 124. n. 324, pl. 21. f. 2 (1859). Villa Nova.

**9. **O. Iridescens, Kirb.** Ann. Nat. Hist. (7) xiii. p. 445 (1904). Trinidad.

### Genus 182. **Ignacia.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 95 note.
‖*Pseudophasma, Bol.* Actas Soc. Españ. xxv. p. 13 (Sept. 1896).

1. **I. Auriculata, Bol.** (*Pseudophasma Auriculatum*) l. c. p. 12 (1896). Amazons.

**2. **I. Appendiculata, Kirb.** Ann. Nat. Hist. (7) xiii. p. 446 (1904). E. Peru.

### Genus 183. **Pseudophasma.** (*Type* no. 8.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 474 (July, 1896).
‖*Phasma, Fabr.* Suppl. Ent. Syst. p. 183 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 272 (1802); Gray, Syn. Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 (1838); Serv. Ins. Orth. p. 266 (1839); Westw. Cat. Phasm. p. 117 (1859); Sauss. Miss. Mex., Orth. p. 193 (1872); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875); Rec. Orth. iii. p. 57 (1875).

**1. **P. Cyllarus, Westw.** (*Necroscia C.*) Cat. Phasm. p. 155. n. 407, pl. 13. f. 2, pl. 14. f. 5 (1859). Jamaica.

2. **P. Unicolor, Gray,** (*Phasma U.*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 125. n. 327 (1859). Colombia.

3. **P. Menius, Westw.** (*Phasma M.*) l. c. p. 118. n. 306, pl. 17. f. 2 (1859).
*P. Menius, Rehn*, Proc. Acad. Nat. Sci. Philad. 1904, p. 97. Id., Chiriqui, Costa Rica.

4. **P. Phaeton, Rehn,** l. c. p. 95 (1904). Costa Rica.

| | |
|---|---|
| 5. **P. Perezii, Bol.** (*Phasma P.*) An. Soc. Españ. x. p. 479 (1881); Viaje al Pacifico, Ins. p. 28 (1884). | Ecuador. |
| 6. **P. Spinicolle, Burm.** (*Phasma S.*) Handb. Ent. ii. p. 585. n. 5 (1838); Westw. l. c. p. 123. n. 321 (1859). | Haiti. |
| *7. **P. Castaneum, Bates,** (*Phasma C.*) Trans. Linn. Soc. Lond. xxv. p. 348 (1865). | Para. |
| *8. **P. Phthisicum, Linn.** (*Gryllus* (*Mantis*) *Phthisicus*) Syst. Nat. (ed. x.) i. p. 425. n. 2 (1758); Mus. Ludov. Ulric. p. 110 (1764).<br>*Mantis Phthisica, Linn.* Syst. Nat. (ed. xii.) i. (2) p. 689. n. 2 (1767); De Geer, Mém. Ins. iii. pp. 403, 404. n. 1, pl. 36. f. 1 (1773); Oliv. Enc. Méth., Ins. vii. p. 626. n. 5 (1792).<br>*P. Phthisicum, Rehn,* l. c. p. 97 (1904).<br>*Gryllus Necydaloides, Joh.* Amœn. Acad. vi. p. 397. n. 32 (1763).<br>*Mantis Necydaloides, Linn.* Syst. Nat. (ed. xii.) i. (2) p. 691. n. 14 (1767); Fabr. Syst. Ent. p. 274. n. 2 (1775); Oliv. l. c. p. 625. n. 3 (1792).<br>*Phasma Necydaloides, Fabr.* Suppl. Ent. Syst. p. 188. n. 7 (1798); Serv. Ins. Orth. p. 270 (1839); Westw. Cat. Phasm. p. 120. n. 313 (1859).<br>*Phasma Bioculata, Stoll,* Spectres, Phasmes, p. 61, pl. 20. f. 76 (1813).<br>*Phasma Bioculatum, Gray,* Syn. Phasm. p. 24 (1835). | S. America. |
| 9. **P. Urazi, Bol.** (*Phasma U.*) Actas Soc. Españ. xxv. p. 13 (1896). | Amazons. |
| *10. **P. Putidum, Bates,** (*Phasma P.*) l. c. p. 349, pl. 45. f. 2 (1865). | Santarem,<br>Peru. |
| **11. **P. Cambridgei, Kirb.** Ann. Nat. Hist. (7) xiii. p. 448 (1904). | Santarem. |
| **12. **P. Inca, Kirb.** l. c. p. 447 (1904). | Peru. |
| 13. **P. Phlegyas, Westw.** (*Phasma P.*) l. c. p. 125. n. 328, pl. xvii. f. 1 (1859). | Brazil,<br>Mte. Video. |
| 14. **P. Blanchardi, Westw.** (*Metriotes B.*) l. c. p. 159. n. 417 (1859).<br>‖*Phasma Reticulatum, Blanch.* D'Orbigny, Voy. Amér. Mér., Ins. p. 215, pl. 26. f. 5 (1843). | Bolivia,<br>Chiquitos. |

**15. **P. Salpingus, Westw.** (*Phasma S.*) l. c. p. 119. n. 307, pl. 33. f. 3 (1859). Bogota.

**16. **P. Armatum, Gray,** (*Phasma A.*) l. c. p. 26 (1835); Westw. l. c. p. 123. n. 322 (1859). Demerara.

17. **P. Rugicolle, Gray,** (*Platycrana Rugicollis*) l. c. p. 38 (1835). Brazil.
*Metriotes Rugicollis*, *Westw.* l. c. p. 162. n. 428 (1859).
*Phasma Lichenale*, *Burm.* Handb. Ent. ii. p. 584. n. 2 (1838).

18. **P. Xanthomela, Oliv.** (*Phasma X.*) l. c. p. 638. n. 67 (1792). Surinam.
|| *Mantis Lateralis*, *Licht.* Cat. Mus. Zool. Hamburg, iii. p. 78. n. 12 (1796).
|| *Phasma Laterale*, *Licht.* Trans. Linn. Soc. Lond. vi. p. 15. n. 17 (1802); Gray, l. c. p. 22 (1835); Westw. l. c. p. 122. n. 317 (1859).
|| *Phasma Lateralis*, *Stoll*, l. c. pp. 31, 32, pl. 10. ff. 36, 37 (1813).

19. **P. Radiatum, Scudd.** (*Phasma R.*) Proc. Boston Soc. N. H. xvii. p. 279 (1875). E. Peru.

20. **P. Helvolum, Serv.** (*Phasma H.*) Ins. Orth. p. 273 (1839); Westw. l. c. p. 119. n. 309 (1859). Brazil.

21. **P. Cubense, Sauss.** (*Phasma Cubensis*) Rev. Zool. (2) xx. p. 69 (1868). Cuba.
*Phasma Cubense*, *Sauss.* Miss. Mex., Orth. p. 195, pl. 4. f. 23 (1872).

22. **P. Kheili, Bol.** (*Phasma K.*) Actas Soc. Españ. xxv. p. 13 (1896). Amazons.

23. **P. Prasinum, Serv.** (*Phasma P.*) l. c. p. 272 (1839); Westw. l. c. p. 121. n. 315 (1859). Hab. —— ?

### Genus 184. **Prexaspes.** (*Type* no. 2.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).
|| *Metriotes*, *Sauss.* Miss. Mex., Orth. p. 197 (1872).

**1. **P. Acuticornis, Gray,** (*Phasma Acuticorne*) Syn. Phasm. p. 26 (1835). S. America.
*Metriotes Acuticornis*, *Westw.* Cat. Phasm. p. 162. n. 425 (1859).
|| *Metriotes Servillii*, *Sauss.* l. c. p. 198 (1872).

2. **P. Servillii, Gray,** (*Phasma S.*) l. c. p. 26 (1835) ; Serv. Ins. Orth. p. 267 (1839); Guér. Icon. R. Anim., Ins. texte, p. 328 (1844). Brazil.

‖*Phasma Annulata, Serv.* Ann. Sci. Nat. xxii. p. 58 (1831) ; Guér. l. c. Ins. pl. 53. f. 1 (1832) ; Gray, Griffith, Anim. Kingd. xv. p. 792, pl. 110. f. 1 (1832).

*Metriotes Servillii, Westw.* l. c. p. 162. n. 426 (1859).

(?) *P. Servillii, Stål,* l. c. p. 98 (1875).

3. **P. Venosus, Burm.** (*Phasma Venosum*) Handb. Ent. ii. p. 585. n. 4 (1838). id.

*Metriotes Venosa, Westw.* l. c. p. 161. n. 424 (1859).

4. **P. Dictys, Westw.** (*Metriotes D.*) l. c. p. 160. n. 421, pl. 15. f. 7 (1859). id.

*P. Dictys, Stål,* l. c. p. 98 (1875).

*5. **P. Ambiguus, Stoll,** (*Phasma Ambigua*) Spectres, Phasmes, p. 74, pl. 25. f. 98 (1813). id., Surinam, Cayenne.

*Phasma Ambiguum, Gray,* l. c. p. 26 (1835) ; Serv. Ins. Orth. p. 269 (1839) ; Westw. l. c. p. 123. n. 320, pl. 13. f. 3 (1859).

*P. Ambiguus, Stål,* l. c. p. 98 (1875).

**6. **P. Pholcus, Westw.** (*Phasma P.*) l. c. pp. 122, 181. n. 318, pl. 10. f. 2 (1859). Santarem.

**7. **P. Lateralis, Fabr.** (*Mantis L.*) Syst. Ent. p. 275. n. 5 (1775) ; Ent. Syst. ii. p. 15. n. 12 (1793) ; Oliv. Enc. Méth., Ins. vii. p. 634. n. 43 (1792). Brazil.

*Phasma Lateralis, Fabr.* Suppl. Ent. Syst. p. 188. n. 12 (1798).

**8. **P. Maculatus, Gray,** (*Phasma Maculatum*) l. c. p. 26 (1835) ; Serv. l. c. p. 269 (1839) ; Westw. l. c. p. 122. n. 319 (1859). Amazons.

9. **P. Neptunus, Kaup,** (*Dinelytron N.*) Berlin. Ent. Zeitschr. xv. p. 41 (1871). Brazil.

10. **P. Umbretta, Licht.** (*Phasma U.*) Cat. Mus. Zool. Hamburg, iii. p. 78. n. 10 (1796) ; Trans. Linn. Soc. Lond. vi. p. 14. n. 15 (1802). Surinam.

*Necroscia Umbretta, Westw.* l. c. p. 147. n. 382 (1859).

| | |
|---|---|
| ‖*Phasma Linearis*, *Stoll*, l. c. p. 24. pl. 8. f. 27 (1813). | |
| 11. **P. Quadratus, Bates.** (*Phasma Quadratum*) Trans. Linn. Soc. Lond. xxv. p. 350 (1865). | Santarem. |
| 12. **P. Janus, Kirb.** (n. n.). | Cayenne. |
| ‖*Phasma Acanthopterum*, *Serv.* Ins. Orth. p. 268 (1839) (*nec Stoll*). | |

## Genus 185. **Isagoras.** (*Type* no. 1.)

Stal. Rec. Orth. iii. pp. 59, 98 (1875).

| | |
|---|---|
| **1. **I. Bubastes, Westw.** (*Metriotes B.*) Cat. Phasm. p. 159. n. 419, pl. 14. f. 1 (1859). | Tapajos. |
| (?)‖*I. Obscurus*, *Stål*, l. c. p. 98 (1875) (*nec Guér.*). | |
| **2. **I. Santara, Westw.** (*Metriotes S.*) l. c. p. 159. n. 418, pl. 14. f. 4 (1859). | Santarem. |
| 3. **I. Quitensis, Sauss.** (*Phasma Q.*) Rev. Zool. (2) xx. p. 69 (1868). | Quito. |
| *Phasma Quitense*, *Sauss.* Miss. Mex., Orth. p. 194 (1872). | |

## Genus 186. **Metriotes.** (*Type* no. 3.)

Westw. Cat. Phasm. p. 158 (1859); Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875); Rec. Orth. iii. pp. 60, 100 (1875).

| | |
|---|---|
| 1. **M. Stollii, Gray,** (*Platycrana S.*) Syn. Phasm. p. 38 (1835): Burm. Handb. Ent. ii. p. 582. n. 1 (1838). | S. America. |
| *M. Stollii*, *Westw.* l. c. p. 159. n. 416 (1859). | |
| ‖*Phasma Reticulata*, *Stoll*, Spectres, Phasmes, p. 67, pl. 23. f. 85 (1813) (*nec Beauv.*). | |
| *2. **M. Obscurus, Guér.** (*Phasma Obscurum*) Mag. Zool., Ins. 1838, p. 72, pl. 235; Voy. Favorite, v. Ins. p. 152, pl. 43 (1839). | Brazil (Bahia,&c.). |
| *M. Obscura*, *Westw.* l. c. p. 160. n. 420 (1859). | |

| | |
|---|---|
| *3. **M. Diocles, Westw.** l. c. p. 161. n. 423, pl. 15. f. 1 (1859); Stål, l. c. p. 100 (1875). | Colombia, Ecuador, Chiriqui. |
| 4. **M. Agathocles, Stål,** l. c. (1875). | S. Amer.(?). |
| *5. **M. Myrsilus, Westw.** l. c. p. 160. n. 422, pl. 15. f. 6 (1859). | Colombia, Ecuador. |
| 6. **M. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 34 (1898). | Ecuador. |
| 7. **M. Baculus, Geer,** (*Mantis B.*) Mém. Ins. iii. p. 405. n. 2, pl. 36. ff. 2, 3 (1773). | Surinam. |
| *M. Baculus, Stål,* l. c. p. 101 (1875). | |
| 8. **M. Cinerea, Oliv.** (*Mantis Cirenea*) Enc. Méth., Ins. vii. p. 641. n. 15 (1792). | id., Bahia. |
| *Phasma Cinereum, Licht.* Trans. Linn. Soc. Lond. vi. p. 16. n. 20 (1802); Gray, l. c. p. 25 (1835); Burm. Handb. Ent. ii. p. 584. n. 3 (1839); Westw. l. c. p. 121. n. 316 (1859). | |
| *Phasma Cinerea, Stoll,* l. c. p. 45, pl. 14. f. 56 (1813). | |
| **9. **M. Ega, Westw.** (*Phasma E.*) l. c. p. 120. n. 312, pl. 32. f. 2 (1859). | Ega. |

### Genus 187. **Xerosoma** (*inc. sed.*).

Serv. Ann. Sci. Nat. xxii. p. 61 (1831); Ins. Orth. p. 274 (1839); Gray, Syn. Phasm. p. 26 (1835); Westw. Cat. Phasm. p. 103 (1859); Stål, Rec. Orth. iii. pp. 59, 99 (1875).

| | |
|---|---|
| 1. **X. Canaliculatum, Serv.** ll. cc. p. 61 (1831); p. 275, pl. 6. f. 3 (1839); Gray, l. c. p. 27 (1835); Westw. l. c. p. 104. n. 265 (1859). | Brazil. |
| 2. **X.** (?) **Senticosa, Stål,** l. c. p. 99 (1875). | id. (Bahia). |
| 3. **X.** (?) **Glyptomerion, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 101. | Costa Rica. |

### Genus 188. **Creoxylus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 265 (1839); Westw. Cat. Phasm. p. 104 (1859); Sauss. Miss. Mex., Orth. p. 195 (1872).
*Xerosoma, sect.* a, *Stål*, Rec. Orth. iii. pp. 59, 99 (1875).

1. **C. Corniger, Serv.** l. c. p. 265 (1839); Westw. l. c. p. 104. n. 266 (1859). — Hab. —— ?

*2. **C. Spinosus, Fabr.** (*Mantis Spinosa*) Syst. Ent. p. 274. n. 3 (1775); Oliv. Enc. Méth., Ins. vii. p. 633. n. 40 (1792). — Demerara.
*Phasma Spinosa, Fabr.* Suppl. Ent. Syst. p. 188. n. 9 (1798).
*Phasma Spinosum, Gray*, Syn. Phasm. p. 22 (1835).
*Xerosoma Spinosa, Stål*, l. c. p. 99 (1875).
*C. Spinosus, Westw.* l. c. p. 104. n. 267 (1859).
*Phasma Corniceps, Gray*, l. c. p. 25 (1835).

3. **C. (?) Poeyi, Sauss.** Rev. Zool. (2) xx. p. 68 (1868); Miss. Mex., Orth. p. 196 (1872). — Cuba.

### Genus 189. **Planudes.** (*Type* no. 4.)

Stål, Rec. Orth. iii. pp. 59, 98 (1875).

1. **P. Brevipennis, Burm.** (*Phasma Brevipenne*) Handb. Ent. ii. p. 584. n. 1 (1838). — Brazil.
*Metriotes Brevipennis, Westw.* Cat. Phasm. p. 162. n. 427 (1859).

**2. **P. Paxillus, Westw.** (*Phasma P.*) l. c. p. 127. n. 332, pl. 11. f. 5 (1859). — id.

3. **P. Crenulipes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 100. — Costa Rica.

4. **P. Perillus, Stål,** l. c. p. 98 (1875). — Hab. —— ?

5. **P. Molorcha, Westw.** (*Bacteria M.*) l. c. p. 29. n. 81, pl. 24. f. 4 (1859). — N. Granada.

**6. **P. (?) Flavomaculatus, Gray,** (*Phasma Flavomaculatum*) Syn. Phasm. p. 25 (1835); Westw. l. c. p. 123. n. 323 (1859). — Brazil.

## SUBFAM. XV.

# ASCHIPASMINÆ.

### Genus 190. **Aschip**h**asma.**

Westw. Cat. Phasm. p. 92 (1859) ; Stål, Bihang Svenska Akad. ii. (17) p. 16 (1875), iii. (14) p. 19 (1875) ; Rec. Orth. iii. p. 55 (1875).

*Aschiphasma*, Westw. Zool. Journ. v. p. 442 (1834).

*Ascephasma* (A), *Haan*, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

*Perlamorpha*, *Gray*, Syn. Phasm. p. 13 (1835) ; Serv. Ins. Orth. p. 275 (1839) ; Blanch. Hist. Nat. Ins. iii. p. 19 (1840) ; Brunn. Ann. Mus. Genova, xxxiii. p. 100 (1893).

*Perlamorphus*, *Gray*, l. c. p. 21 (1835) ; Burm. Handb. Ent. ii. p. 583 & note (1838).

| | |
|---|---|
| *1. **A. Annulipes, Westw.** (*Aschiphasma A.*) Zool. Journ. v. p. 442 (1834).<br>*A. Annulipes*, *Westw.* Cat. Phasm. p. 92. n. 234, pl. 15. f. 2 (1859).<br>*Phasma* (*Ascephasma*) *Annulipes*, *Haan*, l. c. p. 114 (1842).<br>*Perlamorphus Hieroglyphicus*, *Gray*, l. c. p. 21 (1835) ; Burm. l. c. p. 583 note (1838) ; Blanch. l. c. p. 19 (1840).<br>*Perlamorpha Hieroglyphica*, *Serv.* l. c. p. 276 (1839). | Java,<br>Sumatra,<br>Borneo,<br>N. India,<br>Malacca<br>(eadem ?). |

### Genus 191. **Presbistus.** (*Type* no. 2.)

Kirb. Trans. Linn. Soc. Lond., Zool. (2) vi. p. 475 (1896).

‖*Aschipasma*, *Brunn.* Ann. Mus. Genova, xxxiii. p. 100 (1893).

*Ascephasma* (C), *Haan*, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

| | |
|---|---|
| **1. **P. Crudelis, Westw.** (*Aschipasma Crudele*) Cat. Phasm. p. 96. n. 246, pl. 9. f. 7 (1859). | Ceylon. |

| | |
|---|---|
| **2. **P. Peleus, Gray,** (*Perlamorphus P.*) Syn. Phasm. p. 22 (1835); Burm. Handb. Ent. ii. p. 583 note (1838).<br>*Aschipasma Peleus, Westw.* l. c. p. 96. n. 245, pl. 15. f. 4 (1859). | Malabar, Malacca. |
| *3. **P. Ridleyi, Kirb.** (n. n.).<br>‖*Phasma* (*Ascephasma*) *Peleus*, *Haan*, Temminck, Verhandel., Orth. p. 115 (1842). | Malacca, Java, Sumatra. |
| 4. **P. Eryx, Westw.** (*Aschipasma E.*) l. c. p. 96. n. 248, pl. 19. f. 3 (1859). | Malacca. |
| *5. **P. Nebulosus, Westw.** (*Aschipasma Nebulosum*) l. c. p. 93. n. 235, pl. 9. f. 4 (1859). | Ceylon. |
| 6. **P. Flavicornis, Haan,** (*Phasma* (*Ascephasma*) *Flavicorne*) l. c. p. 114 (1842).<br>*Aschipasma Flavicorne, Westw.* l. c. p. 95. n. 241 (1859). | Borneo. |
| 7. **P. Affinis, Haan,** (*Phasma* (*Ascephasma*) *Affine*) l. c. p. 115 (1842).<br>*Aschipasma Affine, Westw.* l. c. p. 95. n. 240 (1859). | Java. |
| 8. **P. Viridimarginatus, Haan,** (*Phasma* (*Ascephasma*) *Viridimarginatum*) l. c. p. 115 (1842).<br>*Aschipasma Viridimarginatum, Westw.* l. c. p. 95. n. 242 (1859). | id. |
| 9. **P. Pilosipes, Haan,** (*Phasma* (*Ascephasma*) *P.*) l. c. p. 115 (1842).<br>*Aschipasma Pilosipes, Westw.* l. c. p. 95. n. 243 (1859). | Borneo. |
| 10. **P. Iridescens, Haan,** (*Phasma* (*Ascephasma*) *I.*) l. c. p. 116 (1842).<br>*Aschipasma Iridescens, Westw.* l. c. p. 95. n. 244 (1859). | Sumatra. |
| *11. **P. Infumatus, Charp.** (*Ascepasma Infumatum*) Orth. pl. 41 (1845).<br>*Aschipasma Infumatum, Westw.* l. c. p. 98. n. 251 (1859). | Java, Borneo. |
| **12. **P. Daunus, Westw.** (*Aschipasma D.*) l. c. p. 98. n. 250, pl. 18. f. 2, pl. 20. f. 2 (1859). | Java. |
| 13. **P. Dulichia, Westw.** (*Aschipasma D.*) l. c. p. 97. n. 247, pl. 33. f. 2 (1859). | Sarawak. |

### Genus 192. **Orthomeria, Kirb.** (n. n.). (*Type* no. 5.)

*Ascephasma* (B), *Haan*, Temminck, Verhandel., Orth. pp. 113, 114 (1842).

| | |
|---|---|
| **1. **O. Catadromus, Westw.** (*Aschipasma C.*) Cat. Phasm. p. 94. n. 238, pl. 18. f. 3 (1859); Sharp, Cambridge Nat. Hist., Ins. i. p. 263, f. 150 (1895). | Sumatra. |
| **2. **O. Darnis, Westw.** (*Aschipasma D.*) l. c. p. 97. n. 249, pl. 20. f. 3 (1859). | Java. |
| **3. **O. Servilleana, Westw.** (*Aschipasma Servilleanum*) l. c. p. 98. n. 252 (1859).<br>‖*Perlamorpha Peleus*, *Serv.* Ins. Orth. p. 277, pl. 8. f. 1 (1839) (*nec Gray*). | id. |
| **4. **O. Pandora, Westw.** (*Aschipasma P.*) l. c. p. 93. n. 237, pl. 9. f. 2 (1859). | Philippines, Ceram. |
| *5. **O. Forstenii, Haan,** (*Phasma* (*Ascephasma*) *F.*) l. c. p. 114 (1842).<br>*Aschipasma Forstenii*, *Westw.* l. c. p. 93. n. 236 (1859). | Celebes. |
| **6. **O. Alexis, Westw.** (*Aschipasma A.*) l. c. p. 94. n. 239, pl. 28. f. 3 (1859). | Borneo. |

## SUBFAM. XVI.

## PHYLLIINÆ.

### Genus 193. **Chitoniscus.** (*Type* no. 1.)

Stål, Rec. Orth. iii. pp. 62, 104 (1875).

| | |
|---|---|
| *1. **C. Lobiventris, Blanch.** (*Phyllium Lobiventre*) Voy. Pôle Sud, Zool. iv. p. 359, Orth. pl. 1. f. 9 (1853); Westw. Cat. Phasm. p. 174. n. 454, pl. 39. f. 5 (1859). | Fiji. |
| *2. **C. Feejeeanus, Westw.** (*Phyllium Feejeeanum*) Proc. Ent. Soc. Lond. (3) ii. p. 17 (1864). | id. |

| | |
|---|---|
| 3. **C. (?) Novæ-Britanniæ, Wood-Mason,** (*Phyllium N.*) Ann. Nat. Hist. (4) xx. p. 75 (1877). | New Britain. |
| 4. **C. (?) Brachysoma, Sharp,** (*Phyllium B.*) Willey, Zool. Results, p. 92, pl. 8. f. 13 (1898). | Lifu. |

### Genus 194. **Pulchriphyllium.** (*Type* no. 7.)

Griff. Boll. Mus. Torino, xiii. (312) p. 2 (1898); Misc. Ent. vi. p. 3 (1898).

| | |
|---|---|
| 1. **P. Bioculatum, Gray,** (*Phyllium B.*) Griffith, Anim. Kingd. xv. p. 191, pl. 163. f. 3 (1832); Syn. Phasm. p. 30 (1835); Burm. Handb. Ent. ii. p. 590. n. 3 (1838); Westw. Cat. Phasm. p. 175. n. 455 (1859). | Mauritius. |
| **2. **P. Gelonus, Gray,** (*Phyllium G.*) Zoologist, i. p. 121, f. *d* (1843); Westw. l. c. p. 175. n. 456 (1859). | Seychelles. |
| *Phyllium Crurifolium*, ♂, *Serv.* Ins. Orth. p. 291 (1839). | |
| *3. **P. Dardanus, Westw.** (*Phyllium D.*) l. c. p. 176. n. 461, pl. 40. f. 5 (1859). | id. |
| **4. **P. Agathyrsus, Gray,** (*Phyllium A.*) l. c. pp. 121, 122, f. *h* (1843); Westw. l. c. p. 176. n. 458 (1859). | Ceylon. |
| *5. **P. Crurifolium, Serv.** (*Phyllium C.*, ♀) l. c. p. 291 (1839); Gray, l. c. p. 120 (1843); Westw. l. c. p. 176. n. 460 (1859). | id., Borneo. Seychelles. |
| *Phasma* (*Phyllium*) *Crurifolium*, *Haan*, Temminck, Verhandel., Orth. p. 112 (1842). | |
| ‖*Phyllium Bioculatum*, *Gray*, l. c. pp. 121, 122, f. *f* (1843); Bol. Ann. Soc. Ent. France, 1895, p. 395. | |
| *6. **P. Pulchrifolium, Serv.** (*Phyllium P.*) l. c. p. 292 (1839); Gray, l. c. pp. 121, 122, f. *g* (1843); Westw. l. c. p. 177. n. 462 (1859); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 106. | Java, Borneo. |
| *Phasma* (*Phyllium*) *Pulchrifolium*, *Haan*, l. c. p. 112, pl. 15. f. 6 (1842). | |

*7. **P. Scythe, Gray,** (*Phyllium S.*) l. c. pp. 121, 122, f. *i* (1843); Murray, Edinb. New Philos. Journ. (2) iii. p. 96, pls. 6, 7 (1856); Westw. l. c. p. 177. n. 463 (1859); Sharp, Cambridge Nat. Hist. i. pp. 267–272, figs. 154, 155, 157, 158 (1895); Rehn, l. c. p. 106 (1904).

N. India.

### Genus 195. **Phyllium.** (*Type* no. 1.)

Illiger, Käf. Preuss. p. 499 (1798); Latr. Hist. Nat. Crust. Ins. iii. p. 271 (1802); St.-Farg. & Serv. Enc. Méth., Ins. x. p. 115 (1825); Serv. Ann. Sci. Nat. xxii. p. 63 (1831); Ins. Orth. p. 287 (1839); Gray, Syn. Phasm. pp. 13, 29 (1835); Zoologist, i. p. 117 (1843); Burm. Handb. Ent. ii. p. 589 (1838); Blanch. Hist. Nat. Ins. iii. p. 18 (1840); Haan, Temminck, Verhandel., Orth. p. 111 (1842); Westw. Cat. Phasm. p. 171 (1859); Stål, Bihang Svenska Akad. ii. (17) pp. 12, 15 (1875), iii. (14) p. 21 (1875); Rec. Orth. iii. pp. 62, 104 (1875).

‖*Pteropus*, *Thunb.* Mém. Acad. Pétersb. v. p. 219 (1815).

*1. **P. Siccifolium, Linn.** (*Gryllus* (*Mantis*) *Siccifolius*) Syst. Nat. (ed. x.) i. p. 425. n. 3 (1758); Mus. Lud. Ulr. p. 111 (1764).

Amboina.

(Rösel, Ins. Belust. ii. Locusta Indica, pl. 17.)

*Mantis Siccifolia*, *Fabr.* Syst. Ent. p. 276 n. 11 (1775); Oliv. Enc. Méth., Ins. vii. p. 626. n. 6 (1792); Don. Ins. Ind. pl. 11 (1800).

*Phasma Siccifolia*, *Stoll*, Spectres, Phasmes, pp. 21–23, pl. 7. ff. 24–26 (1813).

*P. Siccifolium*, *St.-Farg. & Serv.* l. c. p. 115 (1825); Serv. Ins. Orth. p. 289 (1839); Gray, ll. cc. p. 30 (1835); pp. 118, 121, f. *b* (1843); Burm. l. c. p. 590. n. 1 (1838); Blanch. l. c. p. 18, pl. 5 (1840); Westw. Cat. Phasm. p. 172. n. 449 (1859).

*Pteropus Siccifolius*, *Thunb.* l. c. p. 286 (1815).

*P. Brevicorne*, *Latr.* l. c. p. 272 (1802).

*Phasma Citrifolium*, *Licht.* Cat. Mus. Zool.

| | |
|---|---|
| Hamburg, iii. p. 78. nn. 21–23 (1796); Trans. Linn. Soc. Lond. vi. p. 17. n. 25 (1802). | |
| *Mantis Foliatus*, *Perry*, Arcana, pl. 24 (1811). | |
| *P. Gorgon*, *Gray*, ll. cc. p. 31 (1835); p. 119 (1843). | |
| *2. **P. Westwoodii, Wood-Mason,** Journ. Asiatic Soc. Bengal, xliv. p. 218, pl. 17 (1875); xlvi. p. 351, pl. 3. f. 3 (1877). | S. Andamans,<br>Moulmein. |
| **3. **P. Geryon, Gray,** Zoologist, i. pp. 118, 121, f. *a* (1843); Westw. l. c. p. 174. n. 453 (1859); Griff. Boll. Mus. Torino, xiii. (312) pp. 2, 3, figs. A, B (1898). | Philippines. |
| *Phasma (Phyllium) Siccifolium* (nymph), Haan, l. c. p. 111, pl. 15. f. 7 (1842). | |
| *4. **P. Chlorophyllum, Stoll,** (*Phasma Chlorophylla*) l. c. p. 69, pl. 23. f. 89 (1813). | Hab. —— ? |
| *P. Chlorophyllum*, *Burm.* l. c. p. 590. n. 2 (1838); Westw. l. c. p. 173. n. 450 (1859). | |
| *P. Chlorophyllium*, *Gray*, Syn. Phasm. p. 31 (1835); Zoologist, i. p. 119 (1843). | |
| *P. Stollii*, *St.-Farg. & Serv.* l. c. p. 115 (1825). | |
| *5. **P. Celebicum, Haan,** l. c. p. 111 (1842); Gray, Zoologist, i. p. 121 (1843); Westw. l. c. p. 173, pl. 40. f. 6 (1859); Wood-Mason, l. c. xliv. p. 218, pl. 16 (1875). | Celebes,<br>Philippines,<br>Burmah. |
| **6. **P. Athanysus, Westw.** l. c. p. 174. n. 452, pl. 31. f. 3 (1859). | Ceylon. |
| **7. **P. Bilobatum, Gray,** l. c. p. 120 fig., p. 121, f. *c* (1843); Westw. l. c. p. 175. n. 457 (1859). | Philippines. |
| 8. **P. Donovani, Gray,** Syn. Phasm. p. 31 (1835); Zoologist, i. p. 120 (1843); Westw. l. c. p. 176. n. 459 (1859). | Hab. —— ? |
| *Mantis* sp., *Don.* l. c. pl. 11. fig. sup. (1800). | |

# INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. Those of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

Abbreviata (Allacta). 100.
*Abbreviata* (*Blatta*), 104.
*Abbreviata* (*Mantis*), 231.
*Abbreviata* (*Temnelytra*), 137.
Abbreviata (Temnopteryx), 104.
Abbreviata (Zonioploca), 137.
Abdominalis (Hedaia), 123.
*Abdominalis* (*Mantis*), 301.
Abdominalis (Stagmatoptera), 301.
*Abdul* (*Bacillus*), 337.
Abdul (Clonaria), 337.
Aberrans (Cacomorpha), 406.
Aberrans (Tribonidium), 158.
Abjecta (Ameles), 229.
*Abjecta* (*Mantis*), 229.
*Abnormis* (*Cylindrogaster*), 5.
Abnormis (Pygidicrana), 5, 6.
ABRACHIA, 352.
*ABRODIÆTA*, 99.
Abscissa (Hostilia), 192.
*Abscissa* (*Zetobora*), 192.
*Abyssinica* (*Derocalymma*), 188.
Abyssinica (Homalodemas), 188.
Abyssinica (Temnopteryx), 103.
*Abyssinica* (*Temnopteryx*), 103.
Acanthocephala (Agondasoidea), 373.
*Acanthocephala* (*Necroscia*), 373.
*Acanthocephalum* (*Necroscia*), 373.
*Acanthocephalum* (*Phasma*), 373.
ACANTHOCLONIA, 407.
ACANTHODERUS, 339.
*ACANTHODERUS*, 340.
ACANTHODYTA, 383.
*ACANTHOMANTIS*, 296.
*Acanthomera* (*Cyphocrania*), 387.
Acanthomera (Monandroptera), 387.
ACANTHOMIMA, 383.
*Acanthophora* (*Phasma*), 373.
Acanthophora (Trigonophasma), 373.
ACANTHOPS, 282.
*Acanthoptera* (*Necroscia*), 373.
*Acanthopterum* (*Phasma*), 373, 415.
*Acanthopus* (*Bacteria*), 359.
*Acanthopus* (*Cladoxerus*), 359.
*Acanthopus* (*Phasma*), 359.
*Acanthopus* (*Phibalosoma*), 379.
Acanthopygia (Chelidurella), 43.
*Acanthopygia* (*Forficula*), 43.
*Achalus* (*Aplopus*), 363.
Achalus (Haplopus), 363.
*Acheron* (*Acrophylla*), 389.
Acheron (Ctenomorpha), 389.
*Acheron* (*Diura*), 389.
*Acheron* (*Phasma*), 389.
ACHLÆNA, 216.
ACHRIOPTERA, 391.
ACHROBLATTA, 155.
*Acolhua* (*Blatta*), 95.
Acolhua (Panchlora), 153.
Acolhua (Phyllodromia), 95.
*Acolhua var. Minor* (*Panchlora*), 153.
ACONTISTA, 232.
*ACONTISTES*, 232.
Acornuta (Pachymorpha), 342.
ACROMANTIS, 280.
ACROPHYLLA, 388.
ACROPHYLLINÆ, 379.
*Aculeata* (*Forficula*), 47.
Aculeata (Labia), 27.
Aculeata (Sphingolabis), 47.
Aculiferum (Bactrododema), 366.

*Acuticorne* (*Phasma*), 413.
*Acuticornis* (*Metriotes*), 413.
Acuticornis (Prexaspes), 413.
Acutipennis(Derocardia), 119.
*Acutipennis* (*Hedaia*), 119.
*Acutipennis* (*Hierodula*), 301.
Acutipennis (Necroscia), 375.
Acutipennis (Oxyops), 298.
Acutipennis (Stagmatoptera), 301.
Acutus (Camax), 336.
*Adelpha* (*Labidura*), 12.
*Adelphus* (*Demogorgon*), 12.
Adimonialis (Lupparia), 65.
Adjuncta (Epilampra), 126.
*Adjuncta* (*Nauphœta*), 180.
*Adspersa* (*Aphlebia*), 69.
Adspersa (Hololampra), 69.
*Adspersa* (*Mantis*), 239.
*Adspersicollis* (*Blatta*), 94.
Adspersicollis (Phyllodromia), 94.
Adspersipennis (Melastora), 167.
*Adumbratum* (*Phibalosoma*), 357.
Adumbratus (Xylodus), 357.
Adusta (Acanthops), 283.
*Adusta* (*Aphlebia*), 69.
*Adusta* (*Epilampra*), 115.
Adusta (Hololampra), 69.
Adusta (Homalopteryx), 115.
*Adusta* (*Panchlora*), 150.
*Adusta* (*Phyllodromia*), 69.
Adusta (Rhyparobia), 150.
Advena (Anisolabis), 20.
Advena (Hormetica), 197.
*Advena* (*Labidura*), 20.
Advena (Phyllodromia), 91.
Ægrota (Phyllodromia), 90.
*Ægyptiaca* (*Bacteria*), 333.
*Ægyptiaca* (*Blatta*), 107, 171.
*Ægyptiaca* (*Heterogamia*), 171.
Ægyptiaca (Phthoa), 333.
Ægyptiaca (Polyphaga), 171.
*Ægyptiaca* (*Polyphaga*), 172.
*Ægyptiaca* (*Polyzosteria*), 114.
*Ægyptiacus* (*Bacillus*), 333.
Ægyptiacus (Heteronutarsus), 212.
*Ægyptiacus* (*Heteronychotarsus*), 212.
ÆLUROPODA, 199.
Ænea (Corydia), 167.
*Ænea* (*Derocalymma*), 190.
Ænea (Ellipsica), 183.
Ænea (Perisphæria), 190.
Ænea (Polyzosteria), 128.
Æqua (Pellita), 189.
*Æqua* (*Perisphæria*), 189.
Æqualis (Blabera), 165.
*Æqualis* (*Blatta*), 103.
Æqualis (Datames), 400.
*Æqualis* (*Libisoca*), 165.
Æqualis (Loboptera), 103.
*Æqualis* (*Perisphæria*), 191.
*Æqualis* (*Polyphaga*), 174.
*Æquatorialis*(*Paratropa*), 110.
Æquatorialis (Paratropes), 109.
*Æquatoriana* (*Blabera*), 164.
*Æruginosa* (*Mantis*), 240.
*Æruginosa* (*Polyspilota*), 240.
*Æruginosa var. Fuscoirrorata* (*Polyspilota*), 240.
*Æruginosa var. Prasina* (*Polyspilota*), 240.
*Æruginosa var. Viridis* (*Polyspilota*), 240.
*Æsalus* (*Necroscia*), 369.
Æsalus (Sosibia), 369.
*Æstuans* (*Bactricia*), 338.
Æstuans(Bactrododema), 366.
*Æstuans* (*Bacunculus*), 338.
Æstuans (Clonaria), 338.
*Æstuans* (*Cyphocrania*), 366.
Æstuans (Gyna), 149.
*Æstuans* (*Palophus*), 366.
*Æstuans* (*Panchlora*), 149.
Æstuans (Tarachodes), 215.
ÆTHALOCHROA, 308.
Æthiopica (Blatta), 139.
*Æthiopica* (*Periplaneta*), 139.
Æthiopica (Theganopteryx), 64.
*Æthiopis* (*Blatta*), 202.
Æthiopis (Panesthia), 202.
*Æthiops* (*Panesthia*), 202.
Ætolica (Forficula), 52.
*Ætolus* (*Bacteria*), 354.
Ætolus (Phanocles), 354.
*Ætolus* (*Phibalosoma*), 354.
*Affine* (*Ascephasma*), 419.
*Affine* (*Aschiphasma*), 419.
*Affine* (*Phasma*), 419.
Affinis (Æthalochroa), 308.
Affinis (Aruanoidea), 379.
*Affinis* (*Blatta*), 93.
*Affinis* (*Derocalymma*), 192.
*Affinis* (*Forficesila*), 11.
*Affinis* (*Forficula*), 11.
Affinis (Methana), 136.
*Affinis* (*Necroscia*), 379.
*Affinis* (*Panesthia*), 202.
Affinis (Paraclonaria), 336.
*Affinis* (*Periplaneta*), 136.
*Affinis* (*Perisphæria*), 192.
Affinis (Phyllodromia), 93.
*Affinis* (*Platycrania*), 379.
Affinis (Pœciloblatta), 192.
Affinis (Presbistus), 419.
Affinis (Pseudomops), 76.
*Affinis* (*Thyrsocera*), 76.
*Afra* (*Forficula*), 8.
*Africana* (*Acanthomantis*), 296.
Africana (Anaplecta), 66.
*Africana* (*Blatta*), 172.
Africana (Bormansia), 13.

Africana (Ectobia), 63.
*Africana (Forficula)*, 49.
*Africana* (*Gyna*), 150.
*Africana (Heterogamia)*, 172.
Africana (Oxyhaloa), 175.
*Africana (Panchlora)*, 150.
Africana (Polyphaga), 172.
Africana (Sphingolabis), 49.
Africanus (Iapyx), 56.
*Africanus (Japyx)*, 56.
Afrum (Echinosoma), 8.
*Afzelii* (*Chiropacha*), 215.
Afzelii (Tarachodes), 215.
Agaboides (Methana), 135.
*Agaboides* (*Periplaneta*), 135.
AGATHEMERA, 402.
*Aquilina (Epilampra)*, 126.
Agathocles (Metriotes), 416.
*Agathyrsus (Phyllium)*, 421.
Agathyrsus Pulchriphyllium), 421.
Agilis (Condylopalama), 58.
Agondas (Agondasoidea), 373.
*Agondas* (*Necroscia*), 373.
AGONDASOIDEA, 373.
Agrion (Dinelytron), 408.
Agrionina (Aruanoidea), 378.
*Agrionina* (*Mantis*), 263.
*Agrionina* (*Necroscia*), 378.
*Agrionina (Photina)*, 263.
Agrionina (Solygia), 263.
Ahrimanes (Anechura), 41.
Alaris (Anaplecta), 67.
Alaris (Biolleya), 171.
*Alaris (Blatta)*, 94.
Alaris (Fulcinea), 257.
*Alaris (Nanomantis)*, 257.
Alaris (Pelmatosilpha), 142.
*Alaris (Periplaneta)*, 142.
Alaris (Phyllodromia), 94.
*Alata ([illegible])*, 225.
Alata (Armene), 225.
Alata (Mesopteryx), 237.
*Alauna ([illegible])*, 330.
Alauna (Paraclitumnus), 330.
*Albella (Mantis)*, 255.
*Albella ([illegible])*, 255.
Albella (Nanomantis), 255.
*Albertisii (Forficula)*, 47.
Albertisii (Sphingolabis), 47.
*Albicincta* (*Blatta*), 62.
Albicincta (Ectobia), 62.
Albicollis (Phoraspis), 112.
*Albida* (*Blatta*), 94.
Albida (Phyllodromia), 94.
Albilatera (Deropeltis), 146.
*Albilatera* (*Periplaneta*), 146.
*Albimacula (Mantis)*, 254.
Albimacula (Stagmomantis), 254.
Albina (Hedaia), 123.
Albinervis (Pseudophyllodromia), 98.
Albipennis (Apterygida), 44.
*Albipennis* (*Chelidura*), 44.
*Albipennis (Forficula)*, 44.
*Albipes (Apterygida)*, 48.
*Albipes* (*Forficula*), 48.
Albipes (Sphingolabis), 48.
*Albofimbriata* (*Mantis*), 235.
Albofimbriata (Pseudomantis), 235.
Albomarginata (Anaplecta). 67.
Albomarginata (Cosmozosteria), 132.
*Albomarginata* (*Forficula*), 34.
*Albomarginata* (*Lobophora*), 34.
*Albomarginata* (*Platyzosteria*), 133.
*Albomarginata (Polyzosteria)*, 132.
*Albomarginata* (*Psalidophora*), 34.
*Albomarginata var. Brunnea (Platyzosteria)*, 133.
Albomarginatus (Chelisoches), 34.
Albopunctata ([illegible]), [illegible].
*Albovittata* (*Blatta*), 79.
*Albovittata* (*Phyllodromia*), 79.
Albovittatus (Ellipsidion), 79.
Alea (Temnopteryx), 104.
*[illegible] ([illegible])*, [illegible].
[illegible] ([illegible]), 154.
*Alexis* (*Aschipasma*), 420.
Alexis (Orthomeria), 420.
*Algerica* (*Aphlebia*), 69.
*Algerica* (*Heterogamia*), 173.
Algerica (Hololampra), 69.
Algerica (Polyphaga), 173.
Algericus (Bacillus), 335.
Aliena (Phyllodromia), 91.
ALLACTA, 99.
Alliaceus (Rhaphiderus), 383.
Alliberti (Ameles), 230.
*Alliberti* (*Perlamantis*), 230.
*Alligata* (*Epilampra*), 120.
Alligata (Heterolampra), 120.
ALLODAHLIA, 41.
*Alluaudi* (*Blatta*), 89.
Alluaudi ([illegible]), 97.
*Alluaudi* (*Lonchodes*), 318.
Alluaudi (Phyllodromia), 89.
Alluaudi (Staelonchodes), 318.
Alpheus (Megacrania), 385.
*Alpheus ([illegible])*, 385.
*Alpina* (*Chelidura*), 42.
*Alpina* (*Forficula*), 42.
[illegible] ([illegible]), 130.
*Alternans* (*Blatta*), 97.
*Alternans* (*Phyllodromia*), 97.
Alternans (Pseudophyllodromia), 97.
*[illegible] ([illegible])*, 226.
Alticeps (Dystacta), 226, 227.
*Alticeps* (*Mantis*), 226.

Alutacea (Zonioploca), 137.
Alutaceus (Eubulides), 395.
Amaræ (Pseudocreobotra), 293.
*Amathia* (*Bacillus*), 328.
Amathia (Baculum), 328.
*Amaurops* (*Lonchodes*), 323.
Amaurops (Sthenobœa), 323.
Amazonensis (Opisthocosmia), 40.
*Amazonica* (*Bacteria*), 349.
Amazonica (Heteronemia), 349.
*Amazonica* (*Vates*), 306.
*Amazonicus* (*Theoclytes*), 306.
Amazonicus (Vates), 306.
*Ambigua* (*Phasma*), 414.
*Ambiguum* (*Phasma*), 414.
Ambiguus (Prexaspes), 414.
AMBIVIA, 280.
Amboinica (Salganea), 200.
AMELES, 229.
*AMELES*, 228, 229.
*Americana* (*Blatta*), 140.
Americana (Forcipula), 9.
*Americana* (*Forficesila*), 14.
*Americana* (*Forficula*), 14.
*Americana* (*Kakerlac*), 140.
*Americana* (*Labidura*), 14.
Americana (Loboptera), 103.
Americana (Opisthocosmia), 40.
Americana (Periplaneta), 140.
Americana (Psalis), 14.
Americana (Pseudomops), 76.
*Americana* (*Thyrsocera*), 76.
*Americana Colorata* (*Periplaneta*), 141.
Americanus (Japyx), 57.
*Amœna* (*Blatta*), 89.
Amœna (Calhypnorna), 179.
Amœna (Compsoblatta), 180.
*Amœna* (*Eustegasia*), 180.
*Amœna* (*Forficula*), 26.
Amœna (Galinthias), 296.
*Amœna* (*Harpax*), 296.
*Amœna* (*Hypnorna*), 179.
Amœna (Junodia), 286.
Amœna (Labia), 26.
*Amœna* (*Nauphœta*), 180.
Amœna (Nisibis), 78.
Amœna (Pachymantis), 288.
Amœna (Phyllodromia), 89.
*Amœna* (*Thyrsocera*), 78.
Amœnula (Acontista), 234.
AMORPHOSCELINÆ, 207.
AMORPHOSCELIS, 207.
Amphibium (Cotylosoma), 407.
*Amphibius* (*Nisyrus*), 407.
*Ampla* (*Blatta*), 194.
Ampla (Melanosilpha), 194.
*Ampla* (*Phyllodromia*), 194.
*Amplectens* (*Blatta*), 93.
Amplectens (Phyllodromia), 93.
Amplicollis (Phyllodromia), 90.
*Amplipennis*(*Epilampra*), 114.
Amplipennis (Molytria), 114.
Amplipennis (Photina), 273.
*AMPUSA*, 311.
*Analis* (*Chelidura*), 54.
*Analis* (*Derocalymma*), 188.
*Analis* (*Forficula*), 54.
Analis (Homalodemas), 188.
Analis (Platyzosteria), 130.
*Analis* (*Polyzosteria*), 130.
Analis(Pseudochelidura), 54.
ANAMESIA, 129.
ANAPLECTA, 66.
ANAPTYCTA, 74.
*ANASTIRA*, 294.
Anastomosa (Ischnoptera), 82.
ANATÆLIA, 7.
ANAXARCHA (ANAXANDRA, *err. impr.*), 223.
ANCHIALE, 392.
ANCISTROGASTER, 36.
Ancylura (Anechura), 41.
*Ancylura* (*Forficula*), 41.
Androgyna (Stagmomantis), 254.
ANECHURA, 40.
*ANGELA*, 264.
Angolensis (Apotrogia), 175.
*Angolensis* (*Bacillus*), 333.
Angolensis (Phthoa), 333.
*Angulata* (*Diapherodes*), 362.
*Angulata* (*Epilampra*), 123.
Angulata (Hedaia), 123.
*Angulata* (*Mantis*), 284, 362.
Angulata (Monastria), 161.
*Angulata* (*Phasma*), 362, 364.
Angulata (Pseudocanthops), 284.
*Angulatum* (*Phasma*), 362.
*Angulatus* (*Haplopus*), 364.
*Angulifera* (*Acanthops*), 283.
Angulifera (Anisolabis), 19.
*Angulifera* (*Brachylabis*), 19.
Angusta (Pœciloblatta), 192.
Angusta (Pseudomops), 74.
*Angustata* (*Blatta*), 97.
Angustata (Deroplatys), 281.
Angustata (Pseudophyllodromia), 97.
Angustata (Pygidicrana), 5.
*Angustata var. Venosa* (*Pseudophyllodromia*), 97.
*Angusticollis* (*Psalidophora*), 23.
Angusticollis (Sparatta), 23.

Angusticollis (Theopompa), 213.
*Angustipennis* (*Blatta*), 202.
Angustipennis (Panesthia), 202.
*Angustipennis* (*Tenodera*), 239.
Anisitsi (Blabera), 165.
Anisitsi (Euryderes), 272.
ANISOGAMIA, 173.
ANISOLABIS, 17.
ANISOMORPHA, 401.
*ANISOMORPHA*, 403.
ANISOMORPHINÆ, 401.
ANISOPYGIA, 101.
Annamallayanum (Pharnacia), 359.
*Annamallayanum* (*Phibalosoma*), 359.
Annectens (Vates), 306.
*ANNIA*, 209.
*Annulata* (*Forficula*), 27.
Annulata (Ischnoptera), 82.
Annulata (Labia), 27.
*Annulata* (*Mantis*), 301.
Annulata (Marmessoidea), 372.
*Annulata* (*Necroscia*), 372.
*Annulata* (*Oxypila*), 285.
Annulata (Pachymorpha), 342.
*Annulata* (*Phasma*), 372, 414.
Annulata (Phthoa), 332.
*Annulata* (*Stagmatoptera*), 301.
*Annulatum* (*Phasma*), 372.
*Annulatus* (*Bacillus*), 332.
Annulatus (Oxypilus), 285.
*Annulatus* (*Oxypilus*), 286.
Annulicornis (Amorphoscelis), 208.
Annulicornis (Anisolabis), 21.
*Annulicornis* (*Blatta*), 76.
*Annulicornis* (*Forcinella*), 21.
Annulicornis (Ischnoptera), 85.
Annulicornis (Loboptera), 103.
Annulicornis (Pseudomops), 76.
*Annulicornis* (*Thyrsocera*), 76.
*Annulifera* (*Blatta*), 91.
Annulifera (Phyllodromia), 91.
Annulipes (Amorphoscelis), 207.
Annulipes (Anisolabis), 18.
*Annulipes* (*Ascephasma*), 418.
Annulipes (Aschipasma), 418.
*Annulipes* (*Aschiphasma*), 418.
*Annulipes* (*Forcinella*), 18.
*Annulipes* (*Forficula*), 18.
*Annulipes* (*Labidura*), 18.
Annulipes (Liturgousa), 271.
*Annulipes* (*Mantis*), 271.
Annulipes (Necroscia), 376.
*Annulipes* (*Phasma*), 376, 418.
Anodus (Japyx), 57.
*Anomala* (*Blatta*), 90.
Anomala (Chorisoneura), 71.
Anomala (Compsothespis), 208.
*Anomala* (*Paraphoraspis*), 110.
Anomala (Phlebonotus), 110.
*Anomala* (*Phoraspis*), 110.
Anomala (Phyllodromia), 90.
ANOPHELEPIS, 382.
ANTEMNA, 284.
Antennata (Anisolabis), 20.
*Antennata* (*Deropeltis*), 147.
Antennata (Elliptoblatta), 183.
Antennata (Panesthia), 202.
Antennata (Pseudoderopeltis), 147.
Antennata (Pseudoglomeris), 191.
Anthracina (Blatta), 139.
*Anthracina* (*Chelisoches*), 40.
Anthracina (Cutilia), 134.
*Anthracina* (*Periplaneta*), 139.
*Anthracina* (*Stylopyga*), 134.
Antica (Calolampra), 117.
*Antica* (*P*[illegible]), 117.
*Antica* (*Zetobora*), 160.
Antiguensis (Pseudectobia), 66.
*Antiguensis* (*Theganopteryx*), 66.
*Antillarum* (*B*[illegible]), 346.
Antillarum (Blatta), 140.
Antillarum (Callimantis), 251.
*Antillarum* (*Iris*), 251.
*Antillarum* (*Mantis*), 251.
Antillarum (Panchlora), 152.
*Antillarum* (*Stylopyga*), 140.
Antipoda (Cutilia), 134.
Antipoda (Pelmatosilpha), 143.
*Antipodum* (*Methana*), 134.
ANTISSA, 222.
ANTISTIA, 228.
Antonii (Anisolabis), 20.
*Antonii* (*Forcinella*), 20.
Anubis (Eremiaphila), 212.
Apache (Homœogamia), 174.
*APACHYA*, 3.
*APACHYS*, 3.
APACHYUS, 3.
Apalamnus (Arrhidaeus), 384.
Apennina (Apterygia), 50.
Apennina (Forficula), 50.
*APHLEBIA*, 68.
APHLEBIDEA, 71.
Apicalis (Creobotra), 291.
*Apicalis* (*Mantis*), 235.
*Apicalis* (*Periplaneta*), 81.
Apicalis (Pseudomantis), 235.
Apicalis (Sparatta), 23.
*Apicifera* (*Blatta*), 80.
*Apicifera* (*Ectobia*), 63.
Apicifera (Ellipsidion), 80.
*Apicigera* (*Blatta*), 91.
Apicigera (Phyllodromia), 91.
*APLOPUS*, 363.
Apollonius (Hermarchus), 360.
*Apollonius* (*Ph*[illegible]), 360.

*APOLYTA*, 79.
APOTROGIA, 175.
Appendiculata (Ignacia), 411.
APSIDOPIS, 119.
APTERA, 182.
*Aptera (Anaples)*, 231.
Aptera (Calolampra), 117.
Aptera (Chelidura), 42.
*Aptera (Chelidura)*, 43.
Aptera (Cosmiella), 38.
Aptera (Forficula), 42.
*Aptera (Forficula)*, 42, 43.
*Aptera (Nympha)*, 114.
Aptera (Pseudoyersinia), 231.
*Aptera var. Alpina (Chelidura)*, 42.
*Aptera var. Simplex (Chelidura)*, 42.
APTERYGIDA, 44.
Aquatilis (Leosthenes), 406.
Arabica (Eremiaphila), 211.
*Arabica (Hierodula)*, 243.
Arabica (Sphodromantis), 243.
Arachidis (Apterygida), 44, 45.
*Arachidis (Chelidura)*, 44.
*rachidis (Forficula)*, 44.
*rampes (Bacteria)*, 349.
Arampes (Heteronemia), 349.
*Aranea (Planetica)*, 148.
Araucana (Loboptera), 103.
Arborifera (Allacta), 100.
*Arborifera (Blatta)*, 100.
Arbuscula (Pseudosermyle), 345.
*Arbuscula (Sermyle)*, 345.
ARCHIBLATTA, 148.
ARCHIBLATTINÆ, 148.
ARCHIMANDRITA, 163.
ARCHIMANTIS, 234.
Arcta (Ischnoptera), 81.
Arctata (Epilampra), 125.
Arcuata (Clonaria), 337.
*Arcuata (Gratidia)*, 337.
Arcuata (Labia), 28.
ARDESCA, 274.
Ardrossanensis (Cosmozosteria), 133.
*Ardrossanensis (Platyzosteria)*, 133.
Ardua (Temnopteryx), 106.
*Arenicola (Blatta)*, 62.
AREOLARIA, 177.
Ares (Forficula), 53.
Argentina (Chorisoneura), 72.
Argentina (Coptopteryx), 272.
*Argentina (Mantis)*, 272.
Argentina (Miopteryx), 275.
ARGOSARCHUS, 340.
Arida (Clonaria), 337.
*Arida (Deroplatys)*, 281.
*Arida (Gratidia)*, 337.
*Aridifolia (Mantis)*, 239.
Aridifolia(Tenodera),239.
*Aridifolia var. Sinensis (Tenodera)*, 239.
Arispa (Acanthoclonia), 407.
*Arispa (Acanthoderus)*, 407.
Aristidis (Eremiaphila), 212.
*ARIUSIA*, 215.
Arizonensis (Diapheromera), 347.
Armadillo (Perisphæria), 190.
*Armata (Corydia)*, 167.
Armata (Eremoplana), 266.
*Armata (Forficula)*, 39.
*Armata (Mantis)*, 266.
Armata (Opisthocosmia), 39.
Armata (Platyzosteria), 130.
*Armata (Sparatta)*, 24.
Armata (Sparattina), 24.
*Armata (Thespis)*, 266.
*Armatum (Phasma)*, 413.
Armatum (Pseudophasma), 413.
Armatus (Archimantis), 235.
ARMENE, 225.
Armicollis (Calidomantis), 257.
*Armicollis(Micromantis)*, 257.
Armigera (Blabera), 164.
ARPHAX, 338.
*ARRHIDACUS*, 384.
ARRHIDÆUS, 384.
ARRIA, 244.
*ARSACIA*, 308.
*Artemis (Bacilllus)*, 329.
Artemis (Baculum), 329.
*ARTERIA*, 308.
Arthritica (Ancistrogaster), 36.
Aruana (Acromantis), 280.
Aruana (Aruanoidea), 378.
Aruana (Hierodula), 247.
*Aruana (Necroscia)*, 378.
ARUANOIDEA, 378.
*Arumatia (Bacteria)*,355, 356.
*Arumatia (Phasma)*, 355.
*ASCEPHASMA*, 418, 420.
ASCHIPASMA, 418.
*ASCHIPASMA*, 418.
ASCHIPASMINÆ, 418.
*ASCHIPHASMA*, 418.
*Aschmoliana (Popa)*, 308.
Ashmeadi (Myronides), 321.
Ashmoliana (Æthalochroa), 308.
*Ashmoliana var. Insignis (Æthalochroa)*, 308.
*Ashmoliana var. Simplicipes (Æthalochroa)*, 308.
*Ashmolianus (Vates)*, 308.
*Asiatica (Blatta)*, 90.
Asiatica (Neolobophora), 29.
Asiatica (Phyllodromia), 90.
Asper (Tisamenus), 399.
Aspera (Calolampra), 118.
*Aspera (Epilampra)*, 118.
*Aspera (Forficula)*, 7.
*Aspera (Gonypeta)*, 224.
Aspera (Pellita), 189.
*Aspera (Zetobora)*, 189.
*Asperatus (Lonchodes)*, 318.
Asperatus(Stælonchodes), 318.
*Aspericollis (Bacillus)*, 337.
Aspericollis (Maransis), 337.
Aspersata (Nauphœta), 156.
Asperulus (Mithrenes), 319.
ASPRENAS, 367.
Assimilata (Humbertiella), 214.
*Assimilata (Theopompa)*, 214.
Assiniensis (Blatta), 139.
*Assiniensis (Periplaneta)*, 139.

Assiniensis (Spongiphora), 30.
*Assoi* (*Mantis*), 231.
Assoi (Parameles), 231.
ASTAPE, 276.
*Asteca* (*Mantis*), 253.
ASTOLLIA, 231.
ATANIGAMIA, 174.
ATELOBLATTA, 198.
Ater (Chelisoches), 35.
*Aterrima* (*Blatta*), 129, 190.
Aterrima (Melanozosteria), 129.
*Aterrima* (*Periplaneta*), 108, 131.
Aterrima (Platyzosteria), 131.
*Aterrima* (*Polyzosteria*), 131.
Aterrima (Pseudoglomeris), 190.
Aterrimus (Ancistrogaster), 37.
Athanysus (Phyllium), 423.
Athenarum (Japyx), 56.
Atomaria (Phoraspis), 112.
[illegible] (*Epilampra*), 118.
[illegible] (Melliera), 254.
Atra (Calolampra), 118.
*Atra* (*Derocalymma*), 190.
*Atra* (*D*[illegible]), 115.
*Atra* (*Epilampra*), 118.
*Atrata* (*Periplaneta*), 130.
Atrata (Platyzosteria), 130, 131.
*Atrata* (*Polyzosteria*), 131.
Atriceps (Pygidicrana), 6.
Atricollis (Periplaneta), 142.
*Atricoxis* (*Hierodula*), 249.
Atricoxis (Marmessoidea), 372.
*Atricoxis* (*Necroscia*), 372.
Atricoxis (Rhombodera), 249.
*Atricoxis var. Grandis* (*Mantis*), 249.
*Atricoxis var. Grandis* (*Rhombodera*), 249.
Atriventris (Epilampra), 127.
*Atroarticulatus*(*Bacillus*), 340.
Atrocoxata (Hierodula), 247.
*Atrophica* (*Mantis*), 372.
*Atrophica* (*Necroscia*), 373.
Atrophica (Trigonophasma), 372.
*Atrophicum* (*Necroscia*), 373.
*Atrophicum* ([illegible]), 372, 373.
Atropos (Blabera), 164.
*Atropos* (*Blatta*), 164.
*Atrosignata* (*Calvisia*), 369.
ATTAPHILA, 173.
Attenuata (Leptynia), 335.
*Attenuata* (*Mantis*), 238.
Atticus (Bacillus), 334.
AUCHENOMUS, 29.
Auditor (Labidura), 11.
Audouini (Eremiaphila), 210.
*Audouini* (*Eremophila*), 210.
*Aurantia* (*Apolyta*), 80.
*Aurantiaca* (*Blatta*), 141.
*Aurantiaca* (*Mantis*), 233.
*Aurantiaca* (*Thyrsocera*), [illegible]
Aurantium (Ellipsidion), 80.
[illegible] (*Blatta*), 141.
Auricularia (Forficula), 49.
*Auricularia* (*Forficula*), 50.
*Auricularia var. Cyclolabia* (*Forficula*), 50.
*Auricularia var. Macrolabia* (*Forficula*), 50.
*Auriculata* (*Epilampra*), 115.
Auriculata (Ignacia), 411.
Auriculata (Molytria), 115.
*Auriculatum* (*Pseudophasma*), 411.
*Aurita* (*Acanthomantis*), 296.
*Aurita* (*Bacteria*), 352.
Aurita (Hoplocorypha), 257.
*Aurita* (*Mantis*), 369.
Aurita (Otomantis), 296.
*Aurita* (*Phasma*), 369.
Aurita (Sosibia), 369.
*Auritum* (*Phasma*), 369.
*Auritus* (*Acanthoderus*), 355.
*Auritus* (*Creoxylus*), 369.
Aurivillii ([illegible]), 213.
*Auscultator* (*Lonchodes*), 323.
Auscultator (Sthenobœa), 323.
*Austeni* (*Lonchodes*), 326.
Austeni (Prisomera), 326.
*Australasiæ* (*Blatta*), 141.
*Australasiæ* (*Mantis*), 239.
Australasiæ (Periplaneta), 141.
Australasiæ (Tenodera), 239.
Australe (Ellipsidion), 80.
Australe (Karabidion), 395.
Australiæ (Phyllodromia), 93.
Australica (Chelisoches), 35.
*Australica* (*Forficesila*), 35.
*Australica* (*Forficula*), 35.
*Australica* (*Ischnoptera*), 81.
*Australica* (*Lobophora*), 35.
*Australica* (*Pellita*), 128.
Australica (Polyzosteria), 128.
Australica (Sparatta), 23.
Australica (Spongiphora), 30.
*Australicus* (*Chelisoches*), 35.
Australiensis (Compsothespis), 208.
Australis (Acromantis), 280.
Australis (Arphax), 338.
*Australis* (*Bacillus*), 338.
*Australis* (*Blatta*), 142.
*Australis* (*Eurycantha*), 395.
Australis (Eurycotis), 143.
Australis (Haaniella), 398.
Australis (Hemithyrsocera), 78.
*Australis* (*Heteropteryx*), 398.
Australis (Ischnoptera), 81.
*Australis* (*Karabidion*), 395.

Australis (Nanomantis), 255.
*Australis* (*Opisthoplatia*), 143.
Australis (Panesthia), 204.
*Australis* (*Panesthia*), 204.
Australis (Paratemnopteryx), 106.
Australis (Periplaneta), 142.
*Australis* (*Polyzosteria*), 143.
*Australis* (*Thyrsocera*), 78, 80.
Australis (Tropidomantis), 227.
*AUSTRALOMANTIS*, 295.
Authæmon (Gonypeta), 224.
AUTOLYCA, 402.
Autraniana (Deropeltis), 146.
*Aversa* (*Polyzosteria*), 193.
Avocaensis (Platyzosteria), 131.
Azteca (Anaplecta), 67.
Azteca (Anisolabis), 20.
*Azteca* (*Bacteria*), 345.
*Azteca* (*Corydia*), 170.
*Azteca* (Epilampra), 125.
*Azteca* (*Forcinella*), 20.
Azteca (Holocompsa), 170.
*Azteca* (*Homœogamia*), 174.
Azteca (Ischnoptera), 84.
*Azteca* (*Latindia*), 169.
Azteca (Nyctobora), 107.
Azteca (Panchlora), 154.
Azteca (Paralatindia), 169.
Azteca (Phyllodromia), 94.
*Azteca* (*Polyzosteria*), 144.
Azteca (Sermyle), 345.
*Azteca* (*Theoclytes*), 303.
*Aztecus* (*Acanthops*), 229.

BACILLINÆ, 327.
BACILLUS, 333.
BACTERIA, 355.
BACTERIINÆ, 348.
BACTRICIA, 327.
BACTRICIINÆ, 327.
BACTRIDIUM, 352.
BACTRODODEMA, 366.
BACTROMANTIS, 278.
BACULUM, 327.
Baculus (Bacteria), 355.
*Baculus* (*Bacteria*), 354.
Baculus (Ceroys), 354.
*Baculus* (*Mantis*), 355, 416.
*Baculus* (*Metriotes*), 416.
BACUNCULUS, 349.
*BACUNCULUS*, 348.
*Badia* (*Blatta*), 138.
*Badia* (*Epilampra*), 114.
Badia (Molytria), 114.
*Bætica* (*Aphlebia*), 70.
*Bætica* (*Fischeria*), 267, 268.
*Bætica* (*Forficula*), 51.
Bætica (Hololampra), 70.
*Bætica* (*Iris*), 268.
*Bætica* (*Mantis*), 267.
Bagoti (Polyzosteria), 128.
BALTA, 106.
Balteata (Cutilia), 134.
*Balteata* (*Platyzosteria*), 134.
Bankæ (Hierodula), 247.
*Bankæ* (*Mantis*), 247.
Banksii (Pseudosermyle), 346.
BANTIA, 275.
Barbara (Eremiaphila), 212.
Barbeyana (Deropeltis), 146.
Barroisi (Forficula), 52.
*Barroisi* (*Forficula*), 52.
Bartholomæa (Clonistria), 351.
*Basalis* (*Blatta*), 179.
Basalis (Eremoplana), 266.
*Basalis* (*Hierodula*), 248.
*Basalis* (*Mantis*), 248.
Basalis (Nauphœta), 156.
*Basalis* (*Nauphœta*), 179.
Basalis (Paranauphœta), 179.
*Basalis* (*Phasmomantis*), 266.
Basalis (Phyllodromia), 89.
*Basalis* (*Rhombodera*), 248.
*Basifera* (*Epilampra*), 115.
Basifera (Homalopteryx), 115.
*Basilaris* (*Epaphrodita*), 270.
Basilaris (Majanga), 270.
*Basilaris* (*Pantelica*), 270.
Basistriga (Calolampra), 117.
*Basistriga* (*Epilampra*), 117.
*Batesianum* (*Dinelytron*), 407.
Batesianus (Damasippus), 407.
Batesii (Demogorgon), 12.
*Batesii* (*Labidura*), 12.
*Batesii* (*Lonchodes*), 318.
Batesii (Megacrania), 385.
Batesii (Popa), 309.
Batesii (Stælonchodes), 318.
BATHYCHARAX, 335.
*BATYCHARAX*, 335.
*Baucis* (*Bacteria*), 318.
*Baucis* (*Lonchodes*), 318.
Baucis (Stælonchodes), 318.
*Bauvoisi* (*Cyphocrana*), 392.
*Beauvoisii* (*Blatta*), 89.
*Beauvoisii* (*Cyphocrania*), 392.
Beauvoisii (Eurycnema), 392.
Beauvoisii (Phyllodromia), 89.
*Beccarii* (*Apachys*), 3.
Beccarii (Apachyus), 3.
Beccarii (Opisthocosmia), 39.
Beckeri (Diapheromera), 347.
*Beecheyi* (*Bacillus*), 322.
Beecheyi (Lonchodes), 322.
Beelzebub (Chelisoches), 33.
*Bella* (*Epilampra*), 119.
*Bella* (*Mantis*), 260.
Bengalensis (Labidura), 9.
*Bengalensis* (*Parahormetica*), 191.
Bengalensis (Stilpnoblatta), 191.
*Bengalica* (*Panesthia*), 203.
Benguelæ (Gonypeta), 224.
*Bennettii* (*Phasma*), 409.
Bennettii (Stratocles), 409.

Berenice (Necroscia), 375.
Bergi (Attaphila), 173.
*Bergrothi* (*Epilampra*), 83.
Bergrothi (Ischnoptera), 83.
*Beroe* (*Bacillus*), 330.
Beroe (Paraclitumnus), 330.
Berosus (Prisopus), 406.
*Betanimena* (*Hierodula*), 241.
Betanimena (Tarachomantis), 241.
*Betsileo* (*Hierodula*), 241.
Betsileo (Tarachomantis), 241.
Bettoni (Pygidicrana), 4.
Biangulata (Pachymantis), 287.
*Bicarinata* (*Hierodula*), 243.
*Bicarinata* (*Sphodromantis*), 243.
Bicarinatus (Olcyphides), 410.
*Bicarinatus* (*Phocylides*), 410.
*Bicincta* (*Blatta*), 90.
Bicincta (Phyllodromia), 90.
*Bicingulata* (*Mantis*), 287.
*Bicingulata* (*Oxypilus*), 287.
Bicingulata (Pachymantis), 287.
*Bicingulatus* (*Oxypilus*), 287.
*Bicolor* (*Aphlebia*), 103.
*Bicolor* (*Apolyta*), 80.
*Bicolor* (*Blatta*), 84.
Bicolor (Caloblatta), 86.
Bicolor (Cosmozosteria), 132.
Bicolor (Dasyposoma), 198.
Bicolor (Demogorgon), 12.
Bicolor (Ellipsidion), 80.
*Bicolor* (*Forflcula*), 10.
Bicolor (Gigantophasma), 386.
Bicolor (Ischnoptera), 84.
Bicolor (Labia), 25.
Bicolor (Labidura), 10.
*Bicolor* (*Labidura*), 12.
Bicolor (Melanozosteria), 129.
Bicolor (Phoraspis), 112.
Bicolor (Poeciloblatta), 192.
*Bicolor* (*Polyzosteria*), 132.
Bicolor (Promachus), 326.
Bicolor (Temnopteryx), 104.
*Bicolor var. Depictus* (*Gigantophasma*), 386.
*Bicornis* (*Bacteria*), 353.
Bicornis (Canuleius), 353.
*Bicornis* (*Gryllus*), 262.
*Bicornis* (*Hymenopus*), 294.
*Bicornis* (*Mantis*), 262, 294.
*Bicornis* (*Oligonyx*), 279.
*Bicornis* (*Phasma*), 353.
Bicornis (Schizocephala), 262.
Bicornis (Spanionyx), 279.
*Bicoronata* (*Acanthodera*), 325.
*Bicoronata* (*Phasma*), 325.
*Bicoronatus* (*Acanthoderus*), 325.
Bicoronatus (Menexenus), 325.
*Bicuspidatum* (*Haplopus*), 364.
*Bicuspidatum* (*Phasma*), 364.
Bicuspidatus (Haplopus), 364.
*Bicuspis* (*Apterygida*), 46.
Bicuspis (Calynda), 353.
*Bicuspis* (*Forficula*), 46.
Bicuspis (Sphingolabis), 46.
Bidens (Diapheromera), 347.
*Bidens* (*Forficula*), 11.
Bidens (Japyx), 57.
Bidens (Labidura), 11.
*Bidens* (*Mantis*), 303, 304.
Bidens (Pseudovates), 304.
Bidens (Spanionyx), 279.
*Bidens* (*Vates*), 304.
*Bidentata* (*Phasma*), 394.
Bidentata (Theganopteryx), 61.
Bidentatus (Japyx), 57.
Bidentatus (Onchestus), 394.
*Bifasciata* (*Blatta*), 113.
*Bifasciata* (*Ischnoptera*), 113.
*Bifasciata* (*Mantis*), 270.
*Bifasciata* (*Phyllodromia*), 113.
Bifasciata (Pinaconota), 113.
Bifida (Platyzosteria), 130.
*Bifida* (*Polyzosteria*), 130.
Bifolia (Caulonia), 344.
Bifoliata (Sthenoboea), 323.
*Bifoliatum* (*Acanthoderus*), 323.
*Bifoliatum* (*Phasma*), 323.
*Bifoliatum* (*Prisomera*), 323.
Bifoveolata (Brachylabis), 16.
Bifrons (Dyme), 350.
Bifurcata (Clonaria), 337.
*Bifurcata* (*Gratidia*), 337.
Bigibbosa (Miopanesthia), 205.
Bigibbus (Caulonia), 344.
*Bigibbus* (*Ceroys*), 344.
Biglumis (Panesthia), 203.
Biglumis (Platyzosteria), 131.
*Biglumis* (*Polyzosteria*), 131.
*Biguttata* (*Blatta*), 161.
Biguttata (Calvisia), 370.
*Biguttata* (*Corydia*), 168.
*Biguttata* (*Forficula*), 40, 41.
Biguttata (Glyptopeltis), 182.
*Biguttata* (*Monachoda*), 161.
Biguttata (Monastria), 161.
*Biguttata* (*Necroscia*), 370.
*Biguttatum* (*Phasma*), 370.
*Biligata* (*Blatta*), 91.
*Biligata* (*Ischnoptera*), 91.
Biligata (Phyllodromia), 91.
*Bimaculata* (*Forficula*), 10.

Bilineata (Labia), 28.
*Bilineata* (*Musonia*), 256.
Bilineata (Nanomantis), 256.
Biloba (Cutilia), 134.
*Biloba* (*Polyzosteria*), 134.
*Bilobata* (*Brachycolla*), 198.
*Bilobata* (*Entoria*), 328.
Bilobata (Parahormetica), 198.
*Bilobatum* (*Baculum*), 328.
*Bilobatum* (*Phyllium*), 423.
*Bilunata* (*Blatta*), 180.
Bilunata (Ischnoptera), 84.
*Bilunata* (*Nauphoeta*), 180.
Bilunata (Paranauphœta), 180.
*Bilunata* (*Paratropa*), 109.
Bilunata (Paratropes), 109.
Bimaculata (Acontista), 234.
*Bimaculata* (*Apterygida*), 48.
Bimaculata (Blatta), 139.
*Bimaculata* (*Forficula*), 48.
*Bimaculata* (*Mantis*), 243, 372.
Bimaculata (Marmessoidea), 372.
*Bimaculata* (*Necroscia*), 372.
*Bimaculata* (*Periplaneta*), 139.
*Bimaculata* (*Phasma*), 372.
Bimaculata (Phyllodromia), 87.
Bimaculata (Sphingolabis), 48.
*Bimaculatum* (*Phasma*), 372.
Binodis (Myronides), 321.
*Binotata* (*Apterygida*), 48.
Binotata (Empusa), 313.
Binotata (Holocompsa), 170.
Binotata (Sphingolabis), 48.
Binotata (Stagmatoptera), 300.
Biocellata (Stagmatoptera), 299.
*Bioculata* (*Hierodula*), 243.
*Bioculata* (*Mantis*), 243.
*Bioculata* (*Phasma*), 412.
*Bioculata* (*Sphodromantis*), 243.
*Bioculatum* (*Phasma*), 412, 421.
*Bioculatum* (*Phyllium*), 421.
Bioculatum (Pulchriphyllium), 421.
BIOLLEYA, 171.
Biolleyi (Calolampra), 117.
*Biolleyi* (*Paratropa*), 109.
Biolleyi (Paratropes), 109.
*Bipapilla* (*Derocalymma*), 188.
Bipapilla (Hierodula), 245.
*Bipapilla* (*Hierodula*), 245.
Bipapilla (Homalodemas), 188.
*Bipapilla* (*Mantis*), 245.
Bipartita (Apterygida), 46.
*Bipartita* (*Sphingolabis*), 46.
Biplagiata (Homalopteryx), 115.
Bipunctata (Anechura), 40.
Bipunctata (Areolaria), 177.
*Bipunctata* (*Blatta*), 177.
*Bipunctata* (*Forficula*), 40, 50.
Bipunctata (Prosoplecta), 177.
*Bipunctata* (*Psalidophora*), 48.
*Bipunctata* (*Spongophora*), 48.
*Bipunctata Orientalis* (*Anechura*), 40.
Bipunctulata (Anaptycta), 74.
Bipustulata (Blaptica), 162.
*Bipustulata* (*Blatta*), 162.
*Biquadrata* (*Periplaneta*), 136.
Biramosa (Metriomantis), 273.
*Birivia* (*Hierodula*), 246.
*Birivia* (*Mantis*), 301.
*Birivia* (*Stagmatoptera*), 246, 301.
Birmanica (Panesthia), 204.
Birmanica (Phyllodromia), 92.
*Birmanus* (*Auchenomus*), 33.
Birmanus (Chelisoches), 33.
Biroi (Hierodula), 245.
Biroi (Opisthocosmia), 40.
BISANTHE, 267.
Bisbiguttata (Marmessoidea), 371.
*Bisbiguttata* (*Necroscia*), 371.
*Bisbiguttatum* (*Phasma*), 371.
*Biseriata* (*Nanomantis*), 256.
Biseriata (Stenomantis), 256.
*Bisignata* (*Blatta*), 90.
Bisignata (Elliptoblatta), 183.
Bisignata (Phyllodromia), 90.
Bispina (Hoplocorypha), 257,
Bispinosa (Calolampra), 117.
*Bispinosa* (*Mantis*), 363.
*Bispinosa* (*Phasma*), 363.
*Bispinosum* (*Phasma*), 363.
Bispinosus (Haplopus), 363.
*Bitæniata* (*Blatta*), 79, 87.
Bitæniata (Ellipsidion), 79.
Bitæniata (Phyllodromia), 87.
Bituber (Myronides), 321.
*Bituberculata* (*Bacteria*), 327.
Bituberculata (Gratidia), 330.
*Bituberculatum* (*Haplopus*), 364.
*Bituberculatum* (*Phasma*), 364.
Bituberculatus (Haplopus), 364.
*Bivitta* (*Paratropes*), 109.
Bivittata (Anaplecta), 66.

*Bivittata* (*Blatta*), 69, 87.
*Bivittata* (*Deropeltis*), 147.
*Bivittata* (*Epilampra*), 119.
*Bivittata* (*Forficula*), 11.
Bivittata (Hololampra), 69.
Bivittata (Ischnoptera), 84.
*Bivittata* (*Nauphœta*), 156.
Bivittata (Phyllodromia), 87.
*Bivittata* (*Phyllodromia*), 87.
Bivittata (Pœciloderrhis), 119.
Bivittata (Pygidicrana), 6.
*Bivittatum* (*Spectrum*), 401.
BLABERA, 163.
BLABERINÆ, 160.
*Blaberoides* (*Epilampra*), 108.
Blaberoides (Megaloblatta), 108.
*BLABERUS*, 163.
Blanchardi (Anisolabis), 19.
*Blanchardi* (*Forficula*), 19.
*Blanchardi* (*Metriotes*), 412.
Blanchardi (Pseudophasma), 412.
Blanchardi (Theopompa), 213.
Blanda (Compsoblatta), 181.
*Blanda* (*Eustegasta*), 181.
Blanda (Hypnorna), 178.
BLAPTICA, 162.
BLATTA, 137.
*BLATTA*, 61, 87.
*BLATTELLA*, 87.
BLATTIDÆ, 61.
BLATTINÆ, 127.
*Blattoides* (*Epilampra*), 82.
*Blattoides* (*Ischnoptera*), 82.
Blattoides (Paratemnopteryx), 106.
*BLEPHARIS*, 315.
BLEPHARODERA, 194.
BLEPHARODES, 315.
BLEPHAROPSIS, 315.
Bocagei (Ischnoptera), 81.
*Bogotana* (*Mantis*), 372.
*Bogotensis* (*Anisomorpha*), 402.
*Bogotensis* (*Bacteria*), 402.
Bogotensis (Neolobophora), 29.
Bogotensis (Pseudomiopteryx), 275.
Bogotensis (Stratocles), 409.
Bohlsii (Nyctibora), 108.
Bojei (Arruidæus), 384.
*Bojei* (*Lopaphus*), 384.
*Bojei* (*Phasma*), 384.
*Bolauana* (*Danuria*), 309.
Bolauana (Macrodanuria), 309.
BOLBE, 226.
*BOLIDENA*, 218.
*Bolivari* (*Chelidura*), 43.
Bolivari (Echinosoma), 8.
Bolivari (Mesochelidura), 43.
Bolivari (Sparatta), 24.
BOLIVARIA, 268.
Bolliana (Homœogamia), 174.
Bolliana (Ischnoptera), 85.
Bollianus (Oligonyx), 278.
BOMISTRIA, 292.
*Bootanicus* (*Lonchodes*), 320.
*Bootanicus* (*Lopaphus*), 320.
Bootanicus (Myronides), 320.
*Borealis* (*Blatta*), 93.
Borealis (Brunneria), 264.
*Borealis* (*Forficula*), 50.
Borealis (Ischnoptera), 84.
Borealis (Litaneutria), 252.
Borealis (Phyllodromia), 93.
*Borellii* (*Bacunculus*), 354.
Borellii (Ceroys), 354.
Borellii (Loboptera), 103.
Borellii (Nyctibora), 108.
Borellii (Oxyops), 298.
Borellii (Paradoxomorpha), 403.
Borellii (Phyllodromia), 97.
Bormansi (Anisolabis) 21.
Bormansi (Diplatys), 1.
Bormansi (Sparatta), 24.
Bormansi (Spongiphora), 32.
BORMANSIA, 13.
Bormantiella ([illegible]), 263.
*Bormantiella* (*[illegible]*), 263.
Borneensis (Acromantis), 280.
*Borneensis* (*Apterygida*), 46.
*Borneensis* (*Forficula*), 46.
*Borneensis* (*Mantis*), 280.
Borneensis (Psalis), 13.
Borneensis (Sphingolabis), 46.
Boronensis (Hoplocorypha), 257.
*Borrei* (*Epilampra*), 124.
*Borrei* (*Perisphæria*), 155.
Borrii (Sadyattes), 358.
BOSTRA, 350.
Bottegi (Hoplocorypha), 257.
*Bottegiana* (*Derocalymma*), 188.
Bottegiana (Homalodemas), 188.
Bovei (Eremiaphila). 211.
*Bovei* (*Eremophila*), 212.
Braccatus (Carausius), 320.
BRACHYCOLA, 195.
*BRACHYCOLA*, 197.
BRACHYLABIS, 16.
*BRACHYLABIS*, 17.
*[illegible]* (*[illegible]*), 12.
Brachyptera (Allacta), 100.
*Brachyptera* (*Ameles*), 265.
Brachyptera (Bolivaria), 268, 269.
Brachyptera (Cardioptera), 297.
*Brachyptera* (*[illegible]*), 312.
*Brachyptera* (*[illegible]*), 269.
*Brachyptera* (*[illegible]*), 268.
*Brachyptera* (*Mantis*), 265, 268, 297.
Brachyptera (Pseudomantis), 235.
Brachyptera (Temnopteryx), 103.

*Brachyptera* (*Thespis*), 265.
*Brachypterum* (*Phasma*), 360.
Brachypterus (Lopaphus), 260.
BRACHYRTACUS, 331.
Brachysoma (Chitoniscus), 421.
*Brachysoma* (*Phyllium*), 421.
Bramina (Panesthia), 204.
BRANCSIKIA, 282.
Brasiliana (Blabera), 164.
Brasiliana (Homœogamia), 174.
*Brasiliana* (*Polyphaga*), 174.
*Brasiliensis* (*Blatta*), 126.
Brasiliensis (Brunneria), 264.
Brasiliensis (Epilampra), 126.
*Brasiliensis* (*Epilampra*), 125.
*Brasiliensis* (*Forficula*), 7.
Brasiliensis (Ischnoptera), 83.
Brasiliensis (Pyragra), 7.
Brasiliensis (Tersomia), 352.
*Brasiliensis* (*Thermastris*), 7.
Braueri (Isolabis), 21.
Brazzæ (Nauphœta), 155.
*Brazzæ* (*Panchlora*), 155.
Breviceps (Photina), 274.
Brevicollis (Deropeltis), 146.
*Brevicollis* (*Kakerlac*), 146.
Brevicollis (Ligaria), 226.
*Brevicorne* (*Phyllium*), 422.
Brevicornis (Abrachia), 352.
Brevicornis (Phyllovates), 303.
*Brevicornis* (*Pseudovates*), 303.
*Brevipenne* (*Phasma*), 417.
Brevipennis (Acontista), 234.
*Brevipennis* (*Ameles*), 231.
*Brevipennis* (*Aphlebia*), 70.
*Brevipennis* (*Blatta*), 70.
Brevipennis (Calidomantis), 258.
*Brevipennis* (*Dysaules*), 262.
*Brevipennis* (*Ectobia*), 63.
Brevipennis (Eremiaphila), 212.
*Brevipennis* (*Hierodula*), 242.
Brevipennis (Hololampra), 70.
*Brevipennis* (*Ischnoptera*), 106.
*Brevipennis* (*Mantis*), 231.
*Brevipennis* (*Metriotes*), 417.
*Brevipennis* (*Miomantis*), 258.
Brevipennis (Panesthia), 203.
Brevipennis (Planudes), 417.
Brevipennis (Pseudoyersinia), 231.
Brevipennis (Temnopteryx), 106.
Brevipennis (Tenodera), 238.
*Brevipes* (*Blatta*), 91.
Brevipes (Blatta), 139.
*Brevipes* (*Kakerlac*), 139.
Brevipes (Lonchodes), 321.
*Brevipes* (*Periplaneta*), 139.
Brevipes (Phyllodromia), 91.
Brevis (Epilampra), 127.
*Brevis* (*Forficula*), 52.
*Brevis* (*Mantis*), 230, 231.
Brevis (Parameles), 231.
*Brevitarsis* (*Bactrododema*), 366.
Brevitarsis (Calolampra), 117.
Brevitarsis (Ischnopoda), 366.
*Briareus* (*Acrophylla*), 389.
Briareus (Ctenomorpha), 389.
*Briareus* (*Diura*), 389.
*Briareus* (*Phasma*). 389.
*Bruchi* (*Paradoxomorpha*). 403.
Brunnea (Cosmozosteria), 133.
Brunnea (Labia), 28.
Brunnea (Mecomera), 23.
Brunnea (Periplaneta), 142.
*Brunnea* (*Platyzosteria*), 133.
*Brunneipennis* (*Psalidophora*), 30.
Brunneipennis (Spongiphora), 30.
*Brunneipennis* (*Spongophora*), 30.
Brunneonigra (Ischnoptera), 82.
Brunneri (Acanthops), 283.
Brunneri (Anisolabis), 20.
Brunneri (Aphlebidea), 71.
*Brunneri* (*Blabera*), 166.
Brunneri (Blatta), 139.
Brunneri (Chœradodis), 220.
Brunneri (Creoboter), 291.
Brunneri (Dasyposoma), 198.
Brunneri (Deroplatys), 281.
Brunneri (Dorylæa), 135.
Brunneri (Ectobia), 63.
*Brunneri* (*Fischeria*), 269.
*Brunneri* (*Forcinella*), 20.
Brunneri (Gratidia), 330.
Brunneri (Gromphadorhina), 199.
Brunneri (Hemiblabera), 166.
Brunneri (Humbertiella), 214.
*Brunneri* (*Iris*), 269.
*Brunneri* (*Medaura*), 341.
Brunneri (Miopteryx), 275.
Brunneri (Necroscia), 376.
Brunneri (Oligonyx), 278.
*Brunneri* (*Pellita*), 189.
Brunneri (Perisphæria), 189.
Brunneri (Pseudopanchlora), 189.
Brunneri (Sparatta), 23.
Brunneri (Sphendale), 269.
*Brunneri* (*Stheneboea*), 341.

Brunneri (Tarachomantis), 241.
*Brunneri* (*Thyrsocera*), 75.
BRUNNERIA, 264.
Brunneriana (Archimantis), 235.
*Brunneriana* (*Blatta*), 94.
*Brunneriana* (*Chæteessa*), 210.
Brunneriana (Deroealymma), 187.
Brunneriana (Elliptoblatta), 183.
Brunneriana (Heminauphœta), 156.
*Brunneriana* (*Hestias*), 288.
Brunneriana(Hestiasula), 288.
Brunneriana (Mantoida), 210.
Brunneriana (Periplaneta), 142.
Brunneriana (Phyllodromia), 94.
Brunneriana (Polyspilota), 241.
Brunnerianus (Oxypilus), 286.
*Brunneum* (*Bacillus*), 338.
*Brunneum* (*Phasma*), 338.
Brunneus (*Arphax*), 338.
*Brunneus* (*Bacillus*), 338.
*Brunni* (*Platyzosteria*), 137.
Brunni (Zonioploca), 137.
Bubastes (Isagoras), 415.
*Bubastes* (*Metriotes*), 415.
*Buchholzi* (*Bacillus*), 338.
Buchholzi (Clonaria), 338.
Buchholzi (Danuria), 309.
Buchholzi (Gyna), 149.
Bueana (Deropeltis), 146.
Buettneri (Karschiella), 13.
*Buettneri* (*Pygidicrana*), 13.
*Bufo* (*Acanthoderus*), 398.
Bufo (Obrimus), 398.
Bufonium (Extatosoma), 381.
Buprestoides (Anisomorpha), 401.
*Buprestoides* (*Blatta*), 176.
*Buprestoides* (*Epilampra*), 181.
Buprestoides (Eustegasta), 181.
*Buprestoides* (*Ischnoptera*), 176.
Buprestoides (Labia), 28.
Buprestoides (Oxyhaloa), 176.
*Buprestoides* (*Phasma*), 401.
*Buqueti* (*Blatta*), 123.
Buqueti (Hedaia), 123.
Burgessi (Labia), 27.
*Burkartii* (*Bacteria*), 353.
Burkartii (Phanocles), 353.
*Burmeisteri* (*Annia*), 210.
*Burmeisteri* (*Blatta*), 123.
*Burmeisteri* (*Cardioptera*), 273.
*Burmeisteri* (*Chæteessa*), 210.
*Burmeisteri* (*Deropeltis*), 145.
Burmeisteri (Epilampra), 126.
Burmeisteri (Eremiaphila), 211.
*Burmeisteri* (*Mantis*), 213.
Burmeisteri (Mantoida), 210.
Burmeisteri (Monachoda), 160.
Burmeisteri (Necroscia), 376.
Burmeisteri (Orthodera), 218.
*Burmeisteri* (*Phyllodromia*), 126.
Burmeisteri Theopompa), 213.
Burri (Ancistrogaster), 36.
BURRIA, 336.
*Butleri* (*Hierodula*), 248.
Butleri (Rhombodera), 248.
BYRSOTRIA, 162.

Cabreræ (Forficula), 53.
*Cabreræ* (*Polyzosteria*), 144.
*CACERLACA*, 140.
*Cacica* (*Bacteria*), 349.
Cacica (Heteronemia), 349.
CACOBLATTA, 166.
CACOMORPHA, 406.
Cæca (Anisolabis), 21.
Cæca (Nocticola), 106.
Cæcus (Elliptoblatta), 184.
*Cælebs* (*H*[illegible]), 283.
Cælebs (Pseudocreobotra), 283.
CÆPARIA, 201.
Cærulans (Stagmomantis), 253.
*Cæruleipennis* (*Carcinophora*), 15.
Caffra (Calidomantis), 258.
*Caffra* (*Danuria*), 309.
Caffra (Deropeltis), 145.
*Caffra* (*Miomantis*), 258.
*Caffra* (*Periplaneta*), 145.
*Caffra* (*Polyspilota*), 240.
Caffra (Pygidicrana), 4.
Caffra (Temnopteryx), 104.
*Caffrum* (*Mantis*), 222.
Caffrorum (Gyna), 149.
*Caffrorum* (*Panchlora*), 149.
Caizana (Epilampra), 127.
Calabarica (Polyspilota), 241.
Calametum (Bacteria), 327.
*Calametum* (*Phibalosoma*), 327.
*Calanus* (*Bacteria*), 351, 356, 401.
Calanus (Clonistria), 351.
*Calanus* (*Mantis*), 351.
*Calapus* (*Phasma*), 351.
*Calcarata* (*Bacteria*), 347.
Calcarata (Diapheromera), 347.
Calcarata (Eurycantha), 396.
*Caldwelli* (*Hierodula*), 241.
*Caldwelli* (*Mantis*), 241.
Caldwelli (Tarachomantis), 241.
CALHYPNORNA, 179.
CALIDOMANTIS, 257.
Californianum (Timema), 401.
*Californica* (*Apterygida*), 47.
*Californica* ([illegible]), 47.
Californica (Sphingolabis), 47.
Caliginosa (Epilampra), 126.
*Caliginosa* (*Epilampra*), 121

Caliginosa (Heterolampra), 121.
CALLIBIA, 294.
*Callifera* (*Mantis*), 251.
CALLIMANTIS, 251.
Calliope (Necroscia), 375.
Callipyga (Pygidierana), 5.
CALOBLATTA, 86.
*Calogramma* (*Blatta*), 73.
Calogramma (Chorisoneura), 73.
CALOLAMPRA, 117.
CALVISIA, 369.
CALYNDA, 353.
CAMAX, 336.
Cambodjensis (Theopompa), 213.
*Cambouei* (*Ateloblatta*), 198.
Cambouini (Ateloblatta), 198.
Cambridgei (Pseudophasma), 412.
Camelorum (Polyphaga), 172.
Camerunensis (Karschiella), 13.
CANACHUS, 396.
Canaliculatum (Xerosoma), 416.
Canariensis (Anatælia), 7.
Cancellata (Chœradodis), 220.
*Cancellata* (*Chœradodis*), 219.
*Cancellata* (*Mantis*), 219, 220.
CANDAULES, 367.
Candelarius (Blepharodes), 315.
*CANDOVIA*, 331.
*Canna* (*Bacteria*), 324.
*Canna* (*Phasma*), 324.
Canna (Sthenobœa), 324.
*Cantori* (*Phibalosoma*), 359.
Cantori (Tirachoidea), 359.
CANULEIUS, 353.
*Capelloi* (*Panchlora*), 150.
Capelloi (Rhyparobia), 150.
*Capense* (*Bacillus*), 338.
*Capense* (*Phasma*), 338.
*Capensis* (*Bacillus*), 338.
*Capensis* (*Blatta*), 88, 145.
Capensis (Clonaria), 338.
Capensis (Dyscologamia), 174.
*Capensis* (*Empusa*), 313.
Capensis (Forficula), 53.
*Capensis* (*Hemiempusa*), 314.
*Capensis* (*Idolomorpha*), 314.
*Capensis* (*Mantis*), 217, 251.
Capensis (Melanosilpha), 193.
*Capensis* (*Oxypilus*), 286.
*Capensis* (*Polyzosteria*), 147.
*Capensis* (*Temnopteryx*), 104.
*Capitata* (*Blatta*), 82.
*Capitata* (*Chiropacha*), 216.
*Capitata* (*Ischnoptera*), 82.
*Capitata* (*Lygdamia*), 216, 217.
Capitata (Tenodera), 238.
Capitatus (Galepsus), 216.
Capito (Arrhidæus), 384.
*Capito* (*Necroscia*), 384.
Caprella (Ctenomorpha), 389.
*Caprella* (*Phibalosoma*), 389.
Capreolus (Caulonia), 344.
*Capreolus* (*Ceroys*), 344.
Capreolus (Mnesilochus), 320.
CAPUCINA, 159.
*Capucina* (*Blabera*), 166.
*Capucina* (*Derocalymma*), 186.
Capucina (Dyscologamia), 174.
Capucina (Gyna), 149.
Capucina (Hemiblabera), 166.
Capucina (Homalopteryx), 116.
*Capucina* (*Homœogamia*), 174.
Capucina (Stenopilema), 186.
*Carabidina* (*Epilampra*), 181.
Carabidina (Eustegasta), 181.
Caraibea (Epilampra), 125.
Caraibea (Euryeotis), 144.
*Caraibea* (*Polyzosteria*), 144.
CARAUSIUS, 320.
*Carbonaria* (*Deropeltis*), 147.
Carbonaria (Pseudoderopeltis), 147.
CARCINOPHORA, 15.
Cardinalis (Helvia), 292.
CARDIOPTERA, 297.
*Carinata* (*Derocalymma*), 192.
Carinata (Hostilia), 192.
*Carinatus* (*Bacillus*), 333.
Carinatus (Hyrtacus), 331.
Cariniceps (Homalopteryx), 115.
Carinulata (Calolampra), 117.
Carinulatus (Bacillus), 329.
Carinulatus (Ramulus), 329.
Carlottæ (Cotylosoma), 407.
Carlottæ (Harpagonyx), 279.
*Carlottæ* (*Prisopus*), 407.
Carolina (Diapheromera), 347.
*Carolina* (*Mantis*), 252, 253.
*Carolina* (*Phasmomantis*), 252.
Carolina (Stagmomantis), 252.
*Carolina var. Tolteca* (*Stagmomantis*), 252.
*Carolinus* (*Gryllus*), 252.
*Carpetana* (*Aphlebia*), 70.
Carpetana (Hololampra), 70.
Carsiphila (Phyllodromia), 89.
Carterus (Necroscia), 377.
*Carunculigera* (*Corydia*), 173.
Carunculigera (Dyscologamia), 173.
CARVILIA, 266.
*Casignetus* (*Necroscia*), 373.
Casignetus (Trigonophasma), 373.
*Cassidea* (*Blatta*), 112, 162.
Cassidea (Monastria), 162.
Cassidea (Notolampra), 111.
Cassidea (Phoraspis), 112.
*Cassidea* (*Phoraspis*), 111.
*CASSIDODES*, 177.
*Casta* (*Euchomena*), 237.
Casta (Stenopyga), 237.

Castanea (Blatta), 138.
Castanea (Ceratinoptera), 99.
Castanea (D[illegible]), 198.
Castanea (Epilampra), 126.
*Castanea (Forficula)*, 12.
Castanea (Ischnoptera), 84.
*Castanea (Kakerlac)*, 106, 138.
Castanea (Labidura), 12.
Castanea (Latindia), 168.
Castanea (Methana), 136.
*Castanea (Oniscosoma)*, 160.
*Castanea(Paraphoraspis)*, 136.
Castanea (Parasphæria), 195.
Castanea(Phyllodromia), 93.
Castanea (Platyzosteria), 131.
*Castanea (Polyzosteria)*, 131.
Castanea (Temnopteryx), 106.
*Castanea (Zetobora)*, 158.
*Castaneum (Phasma)*, 412.
Castaneum (Pseudophasma), 412.
Castelnaudi (Haaniella), 398.
*Castelnaudi (Heteropteryx)*, 398.
Castetsi (Carcinophora), 15.
Castetsi (Pachymantis), 288.
*Catadromus (Aschipasma)*, 420.
Catadromus (Orthomeria), 420.
CATARA, 148.
*Catenata (Mantis)*, 240.
*Catori (Lonchodes)*, 318.
Catori (Stælonchodes), 318.
Cattulus (Creoboter), 291.
Caucasica (Fischeria), 268,
*Caucasica (Iris)*, 268.
Caudata (Brunneria), 264.
Caudata (Chæteessa), 209.
*Caudata (Thespis)*, 264.
Caulodes (Macella), 332.
CAULONIA, 344.
Cavernosus (Obrimus), 398.
Cavicola (Japyx), 56.
Cayennensis (Acontista), 234.
Cayennensis(Liturgousa), 271.
*Cayennensis var. [illegible] (Liturgousa)*, 271.
*Cazurroi (Aphlebia)*, 71.
Cazurroi (Hololampra), 71.
*Cecconii (Aphlebia)*, 70.
Cecconii (Hololampra), 70.
C[illegible] (B[illegible]), [illegible].
*Celebica (Panchlora)*, 151.
Celebica (Panesthia), 204.
Celebicum (Phyllium), 423.
*Celebensis (Mantis)*, 253.
Centaurus (Palophus), 365.
Centralis (Ischnoptera), 82.
Centralis (Japyx), 57.
Centralis (Phyllodromia), 88.
Centurio (Gyna), 150.
Centurio (Opisthocosmia), 39.
Cephalotes (Arrhidæus), 384.
Cephalotes (Calidomantis), 257.
*Cephalotes (Miomantis)*, 257.
*Cephalotes (Necroscia)*, 384.
Cepus (Prisopus), 406.
Ceramia (Necroscia), 369.
*Ceramia (Sosibia)*, 369.
CERATINOPTERA, 98.
*Ceratocephalus (Phibalosoma)*, 357.
Ceratocephalus (Cladomorphus), 357.
CERATOCRANIA, 289.
CERATOMANTIS, 287.
*Ceratophyllus (Haplopus)*, 365.
Ceratosceleton (Calynda), 353.
*Cerberus (Anisomorpha)*, 343.
Cerberus (Charnidas), 343.
*Cerealis (Blatta)*, 96.
Cerealis (Phyllodromia), 96.
Cercyon (Marmessoidea), 371.
*Cercyon (Necroscia)*, 371.
[illegible], [illegible].
[illegible], [illegible].
[illegible], 211.
CEROYS, 344.
*CEROYS*, 344.
C[illegible] (P[illegible]), 173.
[illegible], [illegible].
[illegible] (Z[illegible]), [illegible].
C[illegible] (Opisthocosmia), 39.
C[illegible] (Pseudo-[illegible]), 173.
Ceylonica (Allacta), 100.
*Ceylonica ([illegible])*, 325.
*Ceylonica ([illegible])*, 100.
Ceylonica (H[illegible]), 214.
*C[illegible] (Labia)*, 38.
*Ceylonicus (Lonchodes)*, 329.
Ceylonicus (Necroscia), 375.
Ceylonicus (Opisthocosmia), 38.
Ceylonicus (Oxyartes), 325
Ceylonicus (Romulus), 329.
[illegible], 201.
CHÆTEESSA, 209.
*CHÆTESSA*, 209.
CHÆTOSPANIA, 22.
*CHÆTOLAMPRA*, 127.
Chalybea (Labia), 28.
*Chalybea (M[illegible])*, [illegible].
*Chalybea(Oxyophthalma)*, 261.
*Chalybea ([illegible])*, 261.
*Chalybea ([illegible])*, 261.
Championi (Acontista), 233.
Championi ([illegible]), 37.
*C[illegible]*, [illegible].
Championi (Labia), 27.
Championi ([illegible]), [illegible].
C[illegible] ([illegible]), [illegible].
C[illegible] ([illegible]), 117.
[illegible], 117.
CHARIEIS, 210.

CHARNIDAS, 343.
*Chartacea* (*Apachya*), 3.
*Chartacea* (*Apachys*), 3.
*Chartacea* (*Forficula*), 3.
Chartaceus (Apachyus), 3.
*Chavesi* (*Aphlebia*), 71.
Chavesi (Hololampra), 71.
*CHELIDOURA*, 42.
CHELIDURA, 42.
*CHELIDURA*, 44.
CHELIDURELLA, 43.
Cheliduroides (Labia), 27.
CHELISOCHELLA, 35.
CHELISOCHES, 32.
*Chichimeca* (*Blatta*), 95.
Chichimeca (Phyllodromia), 95.
*Childreni* (*Trigonoderus*), 380.
*Childreni* (*Tropidoderus*), 380.
Childrenii (Tropidoderus), 380.
*Chilensis* (*Anisolabis*), 17.
[illegible]ensis (Bacunculus), [illegible]9.
[illegible]*nsis* (*Brachycolla*), [illegible]5.
[illegible]nsis (Brachylabis), 17.
*Chilensis* (*Forficula*), 17.
*Chilensis* (*Hormetica*), 195.
CHIROPACHA, 216.
*CHIROPUS*, 215.
CHITONISCUS, 420.
Chitonoides (Blabera), 165.
*Chitonoides* (*Laxta*), 165.
CHLIDONOPTERA, 292.
*Chloreudeta* (*Mantis*), 239.
Chloris (Astollia), 231.
*Chloris* (*Mantis*), 231.
Chloris (Necroscia), 375.
*Chlorophæa* (*Mantis*), 303.
Chlorophæa (Phyllovates), 303.
*Chlorophæa* (*Theoclytes*), 303.
*Chlorophæa var. Cornuta* (*Theoclytes*), 303.
*Chlorophylla* (*Phasma*), 423.
*Chlorophyllium* (*Phyllium*), 423.
Chlorophyllum (Phyllium), 423.
*Chlorotica* (*Blatta*), 153.
Chlorotica (Necroscia), 376.
CHŒRADODINÆ, 219.
CHŒRADODIS, 219.
CHONDROSTETHUS, 319.
Chontalia (Pyragra), 7.
*Chontalia* (*Thermastris*), 7.
CHORISONEURA, 71.
CHORISONEURINÆ, 71.
CHORISTIMA, 73.
CHRASTOBLATTA, 86.
Christina (Sphodromantis), 244.
Christopheri (Diapherodes), 362.
CHROICOPTERA, 227.
*Chronus* (*Acrophylla*), 388.
*Chronus* (*Cyphocrania*), 388.
*Chronus* (*Diura*), 388.
Cicatricosa (Parahormetica), 198.
Cicatricosa (Zetobora), 158.
Ciliata (Blepharodera), 194.
*Ciliata* (*Mantis*), 274, 298.
Ciliata (Miopteryx), 274.
Ciliata (Parastagmatoptera), 298.
*Ciliata* (*Perisphæria*), 194.
CILNIA, 242.
Cincta (Anaplecta), 66.
*Cincta* (*Blatta*), 85.
*Cincta* (*Epilampra*), 123.
Cincta (Heterolampra), 123.
Cincta (Ischnoptera), 85.
Cincta (Pseudomops), 74.
*Cincta* (*Thyroscera*), 74.
Cincticollis (Anisolabis), 19.
*Cincticollis* (*Aphlebia*), 69.
*Cincticollis* (*Blatta*), 69.
*Cincticollis* (*Brachylabis*), 19.
Cincticornis (Chelisoches), 33.
*Cincticornis* (*Lobophora*), 33.
Cinctipes (Arria), 244.
Cinctipes (Stratocles), 409.
Cinerascens (Epilampra), 126.
*Cinerea* (*Blatta*), 156.
*Cinerea* (*Epilampra*), 156.
Cinerea (Metriotes), 416.
Cinerea (Nauphœta), 156.
*Cinerea* (*Phasma*), 416.
*Cinereum* (*Phasma*), 416.
*Cingalensis* (*Apterygida*), 47.
*Cingalensis* (*Forficula*), 46.
Cingalensis (Sphingolabis), 46.
Cingulata (Aptera), 182.
*Cingulata* (*Mantis*), 303.
*Cingulata* (*Perisphæria*), 182.
Cingulata (Phyllovates), 303.
*Cingulata* (*Theoclytes*), 303.
Cinnamomea (Phyllodromia), 89.
Circinata (Forficula), 50.
*Circulata* (*Apterygida*), 44.
*Circulata* (*Forficula*), 44.
Circulata (Pterygida), 44.
*Circumcincta* (*Blatta*), 89.
Circumcincta (Lobroptera), 102.
Circumcincta (Phyllodromia), 89.
Circumcincta (Plectoptera), 178.
*Circumcincta* (*Polyzosteria*), 132.
Circumcincta (Pseudolampra), 132.
*Circumcincta* (*Thyrsocera*), 77.
Circumclusa (Hemithyrsocera), 77.
*Circumclusa* (*Thyrsocera*), 77.
*Circumdata* (*Blatta*), 180.
*Circumdata* (*Nauphœta*), 180.
Circumdata (Paranauphœta), 180.
Circumdata (Plectoptera), 178.
*Circumducta* (*Blatta*), 93.

Circumducta (Cutilia), 134.
*Circumducta* (*Ischnoptera*), 93.
*Circumducta* (*Periplaneta*), 134.
Circumducta (Phyllodromia), 93.
*Circumvagans* (*Nauphœta*), 116.
Circumvagans (Phœtalia), 116.
*Cirenea* (*Mantis*), 416.
CIRPHIS, 176.
*Cistelina* (*Blatta*), 73.
Cistelina (Chorisoneura), 73.
*Citrifolium* (*Phasma*), 422.
CLADOMORPHUS, 357.
*CLADOMORPHUS*, 354, 356.
CLADOXERUS, 357.
Clara (Calidomantis), 259.
Clara (Ischnoptera). 83.
*Clara* (*Mantis*), 259.
Claraziana (Agathemera), 402.
*Claraziana* (*Anisomorpha*), 402.
*Claraziana* (*Blabera*), 162.
*Claraziana* (*Blaptica*), 162.
*Claraziana* (*Coptopteryx*), 272.
Clarki (Labidura), 12.
Clarki (Sparatta), 24.
*Clavata* (*Mantis*), 312.
*Clavigera* (*Derocalymma*), 188.
Clavigera (Homalodemas), 188.
CLEMACANTHA, 389.
Clinteria (Abrachia), 352.
*Clinteria* (*Bacteria*), 352.
*Clinteria* (*Bactridium*), 352.
CLITARCHUS, 339.
*CLITARCHUS*, 340.
*CLITUMNUS*, 327.
CLONARIA, 337.
CLONISTRIA, 351.
*Clypeata* (*Derocalymma*), 184.
Clypeata (Promaonota), 184.
Cneius (Olcyphides), 411.
*Cneius* (*Phasma*), 411.
*Cnemidatus* (*Vates*), 305.
Coarctata (Hierodula), 245.
Coccinella (Prosoplecta), 177.
Coccinelloides (Areolaria), 177.
*Coccinelloides* (*Prosoplecta*), 177.
*Cocophagus* (*Lopaphus*), 386.
*Coccyx* (*Bacillus*), 336.
*Cocophages* ([illegible]), 386.
*Cocophages* (*Graeffea*), 386.
*Cœnosa* (*Bacteria*), 331.
Cœnosa (Hyrtacus), 331.
*Cognata* (*Blatta*), 90
*Cognata* (*Phyllodromia*), 90.
Coleoptratum (Ipisoma), 169.
Colini (Gyna), 149.
*Collaris* (*Blatta*), 170.
*Collaris* (*Corydia*), 169.
*Collaris* (*Holocompsa*), 170, 171.
*Collaris* (*Oxyophthalmus*), 261.
Collaris (Paroxyophthalmus), 261.
*Collaris* (*Periplaneta*), 147.
*Colligata* (*Blatta*), 90.
Colligata (Phyllodromia), 90.
*Coloradus* (*Bacillus*), 333.
Coloradus (Parabacillus), 333.
*Colorata* (*Periplaneta*), 241.
*Coloreus* (*Bacillus*), 339.
Coloreus (Clitarchus), 339.
Colossea (Anisolabis), 19.
*Colossea* (*Anisolabis*), 20.
Colossea (Archimandrita), 163.
*Colossea* (*Blatta*), 163.
*Colossea* (*Forficula*), 19.
*Colossea*, var. *Minor* (*Anisolabis*), 20.
Columbiana (Epilampra), 125.
*Columbiana* (*Psalis*), 15.
Columbiana (Sparatta), 23.
Columbina (Canuleius), 344.
[illegible]
*Comis* (*Bacteria*), 351.
Comis (Clonistria), 351.
Communis (Cutilia), 134.
*Communis* (*Drymoplaneta*), 134.
Communis (Hemithyrsocera), 77.
[illegible] (*Mantis*), 268.
*Complanata* (*Blatta*), 195.
Complanata (Proscratea), 195.
Compressicollis (Mys[illegible]pola), 292.
Comprimens (Chelisoches), 32.
COMPSOBLATTA, 180.
COMPSOLAMPRA, 116.
COMPSOMANTIS, 222.
COMPSOTHESPIS, 208.
*COMPTOLAMPRA*, 116.
Concinna (Acontista), 233.
*Concinna* (*Acontista*), 233.
*Concinna* (*Blatta*), 136.
*Concinna* (*Mantis*), 233.
Concinna (Methana), 136.
*Concinna* (*Periplaneta*), 136, 139.
*Concinna* (*Pseudomops*), 175.
*Concinnula* (*Epilampra*), 122.
Concinnula (Heterolampra), 122.
Concisa (Allacta), 99.
*Concisa* (*Blatta*), 99.
Concisus (Paraclitumnus), 330.
*Concolor* (*Blatta*), 62, 63.
Concolor (Periplaneta), 141.
CONDYLOPALAMA, 58.
Conferta (Calolampra), 117.
*Conferta* (*Epilampra*), 117.
*Conferta* (*Ischnoptera*), 151.

Conferta (Leucophæa), 151.
Configurata (Dorylæa), 135.
*Configurata* (*Periplaneta*), 135.
*Conformis* (*Epilampra*), 120.
Conformis (Ischnoptera), 83.
Conformis (Pseudophoraspis), 120.
*Confucius* (*Lonchodes*), 318.
Confucius (Stalonochodes), 318.
Confusa (Anchiale), 392.
*Confusa* (*Euchomena*), 237.
Confusa (Nyctibora), 108.
*Confusus* (*Haania*), 288.
Confusus (Parairidopteryx), 288.
Congo (Forcipula), 8.
Congrua (Calolampra), 118.
*Congrua* (*Epilampra*), 120.
Congrua (Hostilia), 192.
*Congrua* (*Polyzosteria*), 118.
Congrua (Pseudophoraspis), 120.
*Congrua* (*Zetobora*), 192.
Conica (Panesthia), 204.
*Conicipennis* (*Necroscia*), 372.
Conicipennis (Trigonophasma), 372.
Conjuncta (Allacta), 100.
*Conjuncta* (*Blatta*), 100.
Conocephala (Loxopsis), 406.
*Conocephalum* (*Phasma*), 406.
Conradi (Caulonia), 344.
Consobrina (Elæa), 214.
Consobrina (Elliptoblatta), 183.
*Consobrina* (*Humbertiella*), 214.
Consobrina (Ischnoptera), 83.
Consobrina (Platyzosteria), 130.
*Consobrina* (*Polyzosteria*), 130.
*Consobrina* (*Pseudovates*), 304.
Consocia (Areolaria), 177.
*Consocia* (*Blatta*), 177.
*Conspersa* (*Ariusia*), 215.
*Conspersa* (*Blatta*), 157.
Conspersa (Epilampra), 126.
*Conspersa* (*Epilampra*), 126.
*Conspersa* (*Mantis*), 254.
Conspersa (Musonia), 276.
Conspersa (Necroscia), 374.
*Conspersa* (*Philobora*), 157.
Conspersa (Phoraspis), 112.
*Conspersa* (*Phoraspis*), 112.
*Conspersa* (*Phthersigena*), 207.
Conspersa (Phyllodromia), 94.
*Conspersa* (*Proscratea*), 157.
Conspersa (Stagmomantis), 254.
Conspersa (Tarachodes), 215.
Conspersa (Theganopteryx), 64.
*Conspersa* (*Thespis*), 276.
*Conspersa* (*Zetobora*), 157.
Conspersus (Paraoxypilus), 207.
*Conspicienda* (*Mareta*), 97.
*Conspurcata* (*Mantis*), 246, 252.
*Conspurcata* (*Philobora*), 157.
Conspurcata (Tribonium), 157.
*Conspurcata* (*Zetobora*), 157.
*Constricta* (*Blatta*), 88.
Constricta (Phyllodromia), 88.
*Contigua* (*Blatta*), 93.
*Contigua* (*Derocalymma*), 160.
Contigua (Oniscosoma), 160.
Contigua (Phyllodromia), 93.
*Contingens* (*Blatta*), 92.
Contingens (Phyllodromia), 92.
*Continua* (*Blatta*), 81.
*Continua* (*Ischnoptera*), 81.
*Continua* (*Temnopteryx*), 106.
Contorta (Acanthops), 283
*Contorta* (*Acanthops*), 283.
Contraria (Homalosilpha), 143
Contraria (Ischnoptera), 82.
*Contraria* (*Periplaneta*), 143.
Contusa (Blepharodera), 194.
*Contusa* (*Panchlora*), 194.
Convexa (Cyrtilia), 113.
Convexa (Methana), 136.
*Convexa* (*Periplaneta*), 136.
Coolgardiensis (Cosmozosteria), 133.
*Coolgardiensis* (*Platyzosteria*), 133.
*COPISCELIS*, 25.
COPTOPTERYX, 271.
*Coquereliana* (*Brachycola*), 199.
Coquereliana (Gromphadorhima), 199.
*Coquereliana* (*Hormetica*), 199.
Cordata (Deroplatys), 281.
*Cordata* (*Mantis*), 281.
Cordilleræ (Acontista), 234.
*Cordilleræ* (*Acontista*), 233.
Cordofana (Phyllodromia), 89.
Coriacea (Anechura), 41.
Coriacea (Diplatys), 1.
*Coriacea* (*Forficula*), 1.
*Cormantiella* (*Thespis*), 263.
*Corniceps* (*Phasma*), 419.
Cornicollis (Paratoxodera), 285.
Corniger (Creoxylus), 417.
Cornigera (Stenophylla), 306.
*Cornuta* (*Bacteria*), 353, 354.
*Cornuta* (*Blepharis*), 315.
Cornuta (Blepharodes), 315.
*Cornuta* (*Cyphocrania*), 362.

*Cornuta* (*Harpax*), 295.
*Cornuta* (*Mantis*), 295.
Cornuta (Phyllovates), 303.
*Cornuta* (*Theoclytes*), 303.
*Cornutum* (*Phasma*), 353.
*Cornutus* (*Acanthoderus*), 353., 357.
Cornutus (Ceroys), 354.
*Cornutus* (*Discopus*), 322.
Cornutus (Lonchodes), 322.
Cornutus (Prisopus), 405.
Corommensis (Phyllodromia), 89.
*Coronata* (*Harpax*), 295.
*Coronata* (*Hymenopus*), 294.
*Coronata* (*Mantis*), 294.
*Coronata* (*Phasma*), 355.
Coronata (Phibalosoma), 357.
*Coronatum* (*Pachymorpha*), 400.
*Coronatum* (*Phasma*), 353, 400.
*Coronatus* (*Acanthoderus*), 400.
Coronatus (Ceroys), 355.
Coronatus (Hymenopus), 294.
Coronatus (Pygirhynchus), 408.
Coronatus (Pylaemenes), 400.
*Corticum* (*Blatta*), 151.
CORYDIA, 166.
CORYDIINÆ, 166.
COSMIELLA, 38.
COSMOZOSTERIA, 132.
Costalis (Amorphoscelis), 208.
Costalis (Carvilia), 267.
Costalis (Gyna), 149.
*Costalis* (*Mantis*), 238, 301.
*Costalis* (*Panchlora*), 149.
Costalis (Stagmatoptera), 301.
Costalis (Tenodera), 238.
Costaricensis (Stratocles), 409.
Costata (Calvisia), 370.
*Costata* (*Phasma*), 370.
Cotesiana (Perisphæria), 189.
Cothurnata (Eurycotis), 144.
COTYLOSOMA, 407.
*Couloniana* (*Blatta*), 104.
Couloniana (Glyptopeltis), 182.
Couloniana (Ischnoptera), 85.
Couloniana (Temnopteryx), 104.
Coulonianum (Bactridium), 352.
Coxalis (Blatta), 139.
Coxalis (Calidomantis), 258.
Coxalis (Cutilia), 134.
*Coxalis* (*Hierodula*), 244.
*Coxalis* (*Miomantis*), 258.
*Coxalis* (*Periplaneta*), 139.
*Coxalis* (*Polyzosteria*), 134.
*Coxalis* (*Sphodromantis*), 244.
CRANIDIUM, 361.
*Crucifera* (*Blabera*), 164.
*CRASPEDONIA*, 387.
*Crassa* (*Agathemera*), 403.
*Crassa* (*Anisomorpha*), 403.
Crassa (Epilampra), 125.
Crassa (Paradoxomorpha), 403.
*Crassa* (*Perisphæria*), 182.
Crassiceps (Compsomantis), 222.
*Crassiceps* (*Mantis*), 222.
*Crassiceps* (*Oxypilus*), 222.
Crassicornis (Nyctibora), 107.
*Crassimargo* (*Monachoda*), 160.
*Crassipes* (*Compsomantis*), 222.
*Crassipes* (*Gonypeta*), 222.
*Crassipes* (*Miomantis*), 222.
Crassipes (Parasphæria), 196.
*Crassipes* (*Polyzosteria*), 196.
Crassivenosa (Allacta), 99.
*Crassivenosa* (*Ceratinoptera*), 99.
Crassus (Pterinoxylus), 362.
*[illegible]*, 219.
*[illegible]* (*[illegible]*), 324.
Cr[illegible] ([illegible]gania), 324.
[illegible], 11.
Crenata (Labidura), 11.
Cr[illegible] ([illegible]pteryx), 271.
*Crenaticollis* (*Mantis*), 271.
Crenulipes (Planudes), 417.
CREOBOTER, [illegible].
*CREOBOTRA*, [illegible].
CREOBOTRINÆ, [illegible].
CREOXYLUS, 417.
*Cresph[illegible]* (*[illegible]lepis*), 324.
Creticus (Japyx), 56.
*Cribata* (*Panesthia*), 202.
*Cribellata* (*Epilampra*), 121.
Cribellata (Heterolampra), 121.
*Cribrata* (*Epilampra*), 111.
Cribrata (Panesthia), 202.
Cribrata (Planes), 111.
*Cribricollis* (*Blatta*), 122.
*Cribricollis* (*Epilampra*), 115.
Cribrosa (Ellipsidion), 183.
Cribrosa (Epilampra), 126.
Cribrosa (Panchlora), 154.
Cribrosa (Pronaonota), 184.
Crinicornis (Pseudomops), 76.
*Crinicornis* (*Thyrsocera*), 75, 76.
*Cr[illegible]* (*Thyrsocera*), 75.
*Crishna* (*Lonchodes*), 320.
Crishna (Myronides), 320.
Cristatus ([illegible]), 322.
*Crocea* (*Epilampra*), 126.
*Croceipennis* (*[illegible]*), 31.
*Croceipennis* (*Psalidophora*), 32.
Croceipennis (Spongiphora), 31.

*Croccipennis* (*Spongiphora*), 31.
*Croccipennis Lherminieri* (*Spongiphora*), 31.
Crocodilus (Canachus), 396.
Crossea (Epilampra), 126.
*Crouanii* (*Bacillus*), 386.
Crouanii (Graeffea), 386.
*Crudele* (*Aschipasma*), 418.
*Crudelis* (*Bacteria*), 346.
Crudelis (Presbistus), 418.
Crudelis (Pseudobacteria), 346.
*Cruralis* (*Perisphæra*), 187.
*Cruralis* (*Perisphæria*), 187.
Cruralis (Pollusca), 187.
*Crurifolium* (*Phasma*), 421.
*Crurifolium* (*Phyllium*), 421.
Crurifolium (Pulchriphyllium), 421.
Cryphaleus (Cladoxerus), 357.
*Cryphaleus* (*Phibalosoma*), 357.
CRYPTOCERUS, 200.
*Cryptochlore* (*Pseudophasma*), 411.
Cryptochloros (Olcyphides), 411.
Cryptochroma (Achlæna), 216.
Cryptospila (Gynopeltis), 182.
*Cryptospila* (*Polyphaga*), 182.
CTENISOLABIS, 23.
CTENOMORPHA, 388.
*Cubaense* (*Bacteria*), 346.
*Cubaense* (*Phasma*), 346.
*Cubaensis* (*Bacteria*), 346.
*Cubaensis* (*Mantis*), 254.
Cubaensis (Pseudobacteria), 346.
*Cubense* (*Phasma*), 413.
*Cubense* (*Phibalosoma*), 358.
Cubense (Pseudophasma), 413.
*Cubensis* (*Bacteria*), 358.
*Cubensis* (*Bacunculus*), 346.
Cubensis (Blabera), 164.
*Cubensis* (*Blatta*), 88, 153.
Cubensis (Cladoxerus), 358.
Cubensis (Epilampra), 126.
*Cubensis* (*Gonatista*), 270.
Cubensis (Haplopus), 364.
Cubensis (Musonia), 276.
*Cubensis* (*Phasma*), 413.
*Cubensis* (*Phybalosoma*), 358.
*Cubensis* (*Phyllodromia*), 88.
*Cubensis* (*Thespis*), 276.
*Cubitata* (*Mantis*), 300.
Cucujoides (Hypnorna), 178.
*Cucullata* (*Capucina*), 159.
Cucullata (Latindia), 168.
CULAMA, 175.
*Culinaris* (*Blatta*), 178.
*Culmus* (*Bacteria*), 349.
Culmus (Heteronemia), 349.
Cumingi (Pygidicrana), 5.
*Cunicularis* (*Bacillus*), 328.
Cuniculus (Baculum), 328.
*Cupido* (*Cardioptera*), 273.
Cupido (Metriomantis), 273.
Cuprea (Polyzosteria), 128.
Curta (Blatta), 140.
*Curta* (*Blatta*), 89.
*Curta* (*Chelidura*), 44.
*Curta* (*Epilampra*), 121.
Curta (Heterolampra), 121.
*Curta* (*Periplaneta*), 140.
Curta (Phyllodromia), 89.
*Curtipes* (*Necroscia*), 368.
*Curtipes* (*Paradanuria*), 285.
*Curtipes* (*Phasma*), 368.
Curtipes (Sosibia), 368.
*Curtipes* (*Toxodera*), 285.
Curtipes (Toxoderopsis), 285.
*Curvicauda* (*Forfiscelia*), 26.
Curvicauda (Labia), 26.
*Curvigera* (*Periplaneta*), 137.
Curvigera (Zonioploca), 137.
*Curvinervis* (*Blatta*), 91.
Curvinervis (Phyllodromia) 91.
*Curvipes* (*Necroscia*), 374.
Curvipes (Phanocles), 354.
*Curvipes* (*Phasma*), 374.
*Curvipes* (*Platycrana*), 374.
*Cuticularis* (*Mantis*), 253.
CUTILIA, 134.
*Cyanea* (*Corydia*), 169.
Cyanea (Holocompsa), 169.
*Cyclolabia* (*Forficula*), 50, 52, 54.
*Cyclolabia* (*Labia*), 26.
Cyclops (Apsidopis), 119.
Cylindrica (Anchiale), 392.
*Cylindrica* (*Mantis*), 392.
*Cylindrica* (*Perisphæria*), 186.
Cylindrica (Stenopilema), 186.
CYLINDROGASTER, 2.
*Cyllabacus* (*Lonchodes*), 323.
Cyllabacus (Sthenobœa), 323.
*Cyllarus* (*Necroscia*), 411.
Cyllarus (Pseudophasma), 411.
*Cynipsoidea* (*Hypercompsa*), 170.
*CYPHOCRANA*, 390.
*CYPHOCRANIA*, 390.
*Cyphus* (*Bacteria*), 353.
Cyphus (Calynda), 353.
CYRTILIA, 113.
*Cyrtocnemis* (*Bacteria*), ~~254.~~
Cyrtocnemis (Ceroys), 254.
*Cyrtophthalma* (*Epilampra*), 121.
Cyrtophthalma (Heterolampra), 121.
*CYRTOTRIA*, 187.
Cytherea (Haplopus), 363.

DACTYLOPTERYX, 267.
Daemeli (Pygidicrana), 6.
DAJACA, 408.
DAMASIPPOIDES, 404.
DAMASIPPUS, 407.
*DANIURA*, 309.
DANURIA, 309.
DANURIELLA, 310.
Daphne (Hierodula), 247.

*Darchii (Mantis)*, 239.
*Dardanus (Phyllium)*, 421.
Dardanus (Pulchriphyllium), 421.
DARES, 400.
*Darius (Aschipasma)*, 420.
*Darius (Bacillus)*, 341.
Darius (Medaura), 341.
Darius (Orthomeria), 420.
DASYPOSOMA, 198.
Dasytoides (Corydia), 167.
*Dasytoides (Euthyrrapha)*, 167.
DATAMES, 400.
*Daunus (Aschipasma)*, 419.
Daunus (Presbistus), 419.
*Davidis (Cladoxerus)*, 377.
Davidis (Necroscia), 377.
*Davidis (Phabalosoma)*, 377.
Davisoni (Parymenopus), 294.
Debilis (Holocompsa), 170.
*Debilitata (Gonypeta)*, 226.
Debilitata (Hapalomantis), 226.
Deceptura (Pseudomops), 76.
DECIDIA, 403.
DECIMIA, 283.
Decipiens (Anaplecta), 68.
*Decipiens (Blatta)*, 101.
Decipiens (Forficula), 51.
*Decipiens (Labidura)*, 15.
Decipiens (Labidurodes), 15.
Decipiens (Loboptera), 101, 102.
Decipiens (Pelmatosilpha), 143.
*Decipiens (Polyzosteria)*, 102.
Decipiens (Tropidoderus), 380.
*Decipiens var. Cyclolabia (Forficula)*, 52.
*Decipiens var. Macrolabia (Forficula)*, 52.
*Decisa (Blabera)*, 164.
Decolor (Ameles), 230.
*Decolor (Harpax)*, 230.
*Decolor (Mantis)*, 230.
Decolyi (Forcipula), 9.
Decolyi (Molytria), 114.
*Decorata (Apolyta)*, 79.
*Decorata (Periplaneta)*, 135, 147.
*Decorata (Stylopyga)*, 135.
Decoratum (Ellipsidion), 79.
*Deflexa (Epilampra)*, 122.
Deflexa (Heterolampra), 122.
*Deflexa (Hierodula)*, 248.
Deflexa (Rhombodera), 248.
*Defoliata (Empusa)*, 314.
Defoliata (Idolomorpha), 314.
Dehaanii (Haaniella), 398.
*Dehaanii (Heteropteryx)*, 398.
DEIPHOBE, 256.
Delalandii (Entella), 225.
*Delalandii (Euryzosteria)*, 145.
*Delalandii (Gonypeta)*, 225.
*Delicatula (Blatta)*, 94.
Delicatula (Latindia), 168.
Delicatula (Phyllodromia), 94.
*Delicatulus (Canuleius)*, 383.
Delicatulus (Rhaphiderus), 383.
Delta (Phyllodromia), 89.
DEMOGORGON, 12.
Dentata (Anisomorpha), 401.
Dentata (Eremiaphila), 212.
Dentata (Forficula), 52.
Dentata (Marellia), 302.
Dentata (Pilema), 185.
*Denticauda (Lonchodes)*, 318.
Denticauda (Staelonchodes), 318.
Denticollis (Astape), 276.
Denticollis (Eremiaphila), 211.
Denticorne (Baculum), 328.
*Denticornis (Entoria)*, 328.
*Denticrus (Diapheromera)*, 347.
Denticrus (Megaphasma), 347.
Denticulata (Toxodera), 285.
Denticulata (Vates), 305.
Dentifera (Sparatta), 23.
Dentifrons (Epaphrodita), 284.
*Dentifrons (Hierodula)*, 242.
Dentifrons (Idolomorpha), 315.
Dentifrons (Sphodropoda), 242.
*Dentricus (Megaphasma)*, 347.
*Depictus (Graptophasma)*, 386.
Deplanata (Archimandrita), 163.
*Deplanata (Blabera)*, 163.
*Deplanata (Epilampra)*, 120.
Deplanata (Pseudophoraspis), 120.
*Deplanatum (Pachymorpha)*, 399.
*Deplanatum (Phasma)*, 399.
*Deplanatus (Acanthoderus)*, 399.
Deplanatus (Tisamenus), 399.
Depolita (Calolampra), 118.
*Depressa (Apachya)*, 3.
*Depressa (Blatta)*, 79.
*Depressa (Forficula)*, 3.
Depressum (Ellipsidion), 79.
Depressus (Apachyus), 3.
*Deprivata (Blatta)*, 85.
Deprivata (Ischnoptera), 85.
*Dermestoides (Blatta)*, 177.
DEROCALYMMA, 187.
*DEROCALYMMA*, 188.
DEROCARDIA, 119.
Deropeltiformis (Temnopteryx), 145.
DEROPELTIS, 145.
DEROPLATYS, 281.
Desiccata (Deroplatys), 281.
*Desiccata (Mantis)*, 281.
DESMOSIA, 97.
*[illegible]*, 321.

*Despecta var. Cresphontes* (*Anophelepis*), 324.
*Despectum* (*Acanthoderus*), 324.
*Despectum* (*Phasma*), 324.
Despectus (Oxyartes), 324.
*Detersa* (*Blatta*), 94.
Detersa (Phyllodromia), 94.
*Deusta* (*Blatta*), 175.
Deusta (Oxyhaloa), 175.
*Deusta* (*Proscratea*), 175.
Devians (Ancistrogaster), 37.
*Devians* (*Opisthocosmia*), 37.
Diabolicum (Idolum), 316.
Diabolus (Brachycola), 197.
*Diabolus* (*Hormetica*), 197.
*Diabroticum* (*Idolum*), 316.
Diacanthos (Agondasoidea), 373.
*Diacanthos* (*Necroscia*), 373.
*Diacanthos* (*Phasma*), 373.
*Diacis* (*Creoxylus*), 404.
Diacis (Neocles), 404.
*Diacis* (*Phasma*), 404.
*Diacis* (*Xeroderus*), 404.
DIAGORAS, 361.
*Diana* (*Anastira*), 293.
Diana (Callibia), 293.
*Diana* (*Mantis*), 293.
*DIAPHANA*, 170.
*Diaphana* (*Blatta*), 98.
Diaphana (Ceratinoptera), 98.
DIAPHERODES, 362.
*DIAPHERODES*, 361.
DIAPHEROMERA, 346.
DIAPHEROMERINÆ (*errore* Diaphomerinæ), 343.
Diardi (Candaules), 367.
*Diardi* (*Cladoxerus*), 367.
*Diardi* (*Phasma*), 367.
*Diardi* (*Phibalosoma*), 367.
DICELLONOTUS, 201.
*DICELLURA*, 55.
Dichroa (Deropeltis), 147.
*Dichroa* (*Forficula*), 47.
*DICRANOPYGIA*, 4.
*Dictys* (*Metriotes*), 414.
Dictys (Prexaspes), 414.
DIDYMOCORYPHA, 218.
DIDYMURIA, 381.
*Difficilis* (*Blatta*), 88.
Difficilis (Phyllodromia), 88.
Difformipes (Pterinoxylus), 362.
*Difformipes* (*Pterinoxylus*), 362.
*Dilatata* (*Blatta*), 95.
*Dilatata* (*Chelidura*), 43.
*Dilatata* (*Diapherodes*), 397.
*Dilatata* (*Epilampra*), 122.
*Dilatata* (*Forficula*), 43.
Dilatata (Heterolampra), 122.
Dilatata (Heteropteryx), 397.
*Dilatata* (*Panesthia*), 205.
*Dilatata* (*Phasma*), 397.
Dilatata (Phyllodromia), 95.
*Dilatata* (*Plana*), 205.
Dilatatus (Geoscapheus), 205.
*Dilaticauda* (*Forfiscelia*), 6.
*Dilaticauda* (*Platylabia*), 6.
Dilaticauda (Pygidicrana), 6.
*Dilatipes* (*Cladomorphus*), 356.
Dilatipes (Phibalosoma), 356.
*Dilatipes* (*Phibalosoma*), 357.
*Diluta* (*Blatta*), 91.
*Diluta* (*Mantis*), 299.
Diluta (Parastagmatoptera), 299.
*Diluta* (*Periplaneta*), 147.
Diluta (Phyllodromia), 91.
Diluta (Pseudoderopeltis), 147.
*Diluta* (*Stagmatoptera*), 298, 299.
Dimidiata (Ceratinoptera), 98.
Dimidiata (Chrastoblatta), 86.
Dimidiata (Eurycotis), 144.
*Dimidiata* (*Ischnoptera*), 146.
*Dimidiata* (*Mantis*), 253.
Dimidiata (Platylabia), 22.
*Dimidiata* (*Polyzosteria*), 144.
*Dimidiata* (*Proscratea*), 86.
Dimidiata (Stagmomantis), 253.
*Dimidiata* (*Stagmomantis*), 253.
*Dimidiata var. Ferox* (*Stagmomantis*), 253.
*Dimidiata var. Stollii* (*Stagmomantis*), 253.
Dimidiaticornis (Chorisoneura), 72.
Dimidiatipes (Temnopteryx), 104.
Dimorpha (Temnopteryx), 105.
DIMORPHODES, 387.
DINELYTRON, 408.
Diocles (Metriotes), 416.
Dioscoris (Teddia), 264.
DIPLATYS, 1.
DIPLOPTERA, 176.
Dipneusticum (Cotylosoma), 407.
*Discalis* (*Balta*), 105.
*Discalis* (*Blatta*), 105.
Discalis (Temnopteryx), 105.
*Discicollis* (*Blatta*), 75, 76.
Discicollis (Pseudomops), 75.
*Discicollis* (*Thyrsocera*), 76.
Discifera (Creoboter), 291.
*Discifera* (*Mantis*), 291.
Discoidalis (Archimandrita), 163.
*Discoidalis* (*Blabera*), 163.
*Discoidalis* (*Blatta*), 73, 76.
Discoidalis (Chorisoneura), 73.
Discoidalis (Gyropeltis), 182.
Discoidalis (Miopanesthia), 205.
*Discoidalis* (*Nauphœta*), 155, 180.
Discoidalis (Paranauphœta), 180.
*Discoidalis* (*Perisphæria*), 182.
Discolor (Harpagomantis), 296.
*Discolor* (*Harpax*), 296.
DISCOTHERA, 207.

*Dispar* (*Cyrtotria*), 187.
Dispar (Derocalymma), 187.
Dispar (Hierodula), 245.
*Dispar* (*Lonchodes*), 318.
*Dispar* (*Perisphæria*), 187.
Dispar (Stælonchodes), 318.
*Disparilis* (*Theopompa*), 214.
Dissimulator (Tarachodes), 215.
Distanti (Blabera), 165.
Distanti (Deropeltis), 147.
Distanti (Solygia), 263.
*Distincta* (*Forficesila*), 14.
*Distincta* (*Forficula*), 14.
Distincta (Labidura), 10.
Distincta (Necroscia), 377.
Ditomus (Cladoxerus), 358.
*Ditomus* (*Phibalosoma*), 358.
*DIURA*, 381.
*Divergens* (*Forficula*), 32.
Divergens (Spongiphora), 32.
*Dives* (*Chiropus*), 215.
Dives (Tarachodes), 215.
Divisa (Ischnoptera), 85.
*DIXIPPUS*, 321.
Dohertyi (Chelisoches), 35.
Dohertyi (Triænocorypha), 287.
Dohrni (Carcinophora), 15.
*Dohrni* (*Nannopygia*), 15.
Dohrni (Pyragra), 7.
Dohrni (Sparatta), 24.
*Dohrni* (*Thermastris*), 7.
Dohrniana (Anaplecta), 68.
*Dohrniana* (*Heterogamia*), 172.
Dohrniana (Latindia), 168.
*Dohrniana* (*Mionyx*), 277.
Dohrniana (Paraceratinoptera), 101.
Dohrnianus (Harpagonyx), 279.
Dohrnianus (Mionyx), 277.
*Doleschali* (*Epilampra*), 122.
Doleschali (Heterolampra), 122.
Dolicha (Labia), 26.
Dolichoptera (Bolivaria), 269.
Dolomedes (Arphax), 338.
*Dolomedes* (*Bacillus*), 338.
Dolosa (Empusa), 313.
Domestica (Anaplecta), 67.
*Domingensis* (*Blatta*), 141.
*Domingensis* (*Mantis*), 254.
Domingensis (Stagmomantis), 254.
*Dominicana* (*Monachoda*), 161.
Dominicana (Petasodes), 161.
Donovani (Phyllium), 423.
DONUSA, 409.
*Doreyanus* (*Lonchodes*), 326.
Doreyanus (Promachus), 326.
*Doriæ* (*Apterygida*), 46.
Doriæ (Chelisochella), 35.
*Doriæ* (*Forficula*), 46.
Doriæ (Sphingolabis), 46.
Doriana (Hemilatindia), 169.
Dorsalis (Anaplecta), 66.
*Dorsalis* (*Forficula*), 28.
Dorsalis (Labia), 28.
Dorsuaria (Bostra), 350.
DORYLÆA, 135.
*Dotata* (*Epilampra*), 114.
Doumerci (Forficula), 53.
*Draco* (*Mantis*), 405.
Draco (Prisopus), 405.
*Draconinum* ([illegible]), 399.
*Draconinum* (*Phasma*), 399.
*Draconinus* (*Acanthoderus*), 399.
Draconinus (Tisamenus), 399.
*Draconoides* (*Phasma*), 405.
Dromedarius (Theramenes), 399.
*Druryi* (*Blatta*), 108.
*Dryas* (*Bacteria*), 351.
*DRYMAPLANETA*, 134.
*Dubia* (*Blabera*), 162.
Dubia (Blaptica), 162.
Dubia ([illegible]), 58.
*Dubia* (*Opisthocosmia*), 38.
Dubia (Pilema), 185.
Dubia (Pseudomops), 75.
*Dubia* (*Temnopteryx*), 75.
Dubiosa (Oxypilus), 258.
*Dubius* (*Diapheromera*), 364.
Dubius (Haplopus), 354.
Dubronii (Anisolabis), 19.
*Dufourii* (*Chelidura*), 54.
*Dufourii* (*Forficula*), 54.
*Dufourii* (*Labidura*), 12.
*Duivenbodei* (*Lonchodes*), 320.
Duivenbodei (Periphetes), 320.
*Dulichia* (*Aschipasma*), 419.
Dulichia (Presbistus), 419.
*Dumerilii* (*Acanthoderus*), 382.
Dumerilii (Rhaphiderus), 382.
Duodecimsignata (Loboptera), 102.
Duplex (Panurgica), 286.
Duplovittata (Loboptera), 102.
DURYODANA, 101.
Dux (Japyx), 36.
Dux (Opisthocosmia), 39.
Dux (Salganea), 200.
Dyaka (Hierodula), 247.
DYME, 350.
DYSAULES, 262.
DYSCOLOGAMIA, 173.
*DYSCRITINA*, 1.
Dysoni (Spongiphora), 31.
DYSTACTA, 226.
*Dytiscoides* (*Blatta*), 176.
Dytiscoides (Diploptera), 176.
*Dytiscoides* (*Eleutheroda*), 176.

Eastii (Anamesia), 129.
ECHETLUS, 399.
Echinata (Eurycantha), 395.
Echinatus (Obrimus), 398.
ECHINOPSALIS, 7.
ECHINOSOMA, 8.
Echinus (Parectatosoma), 398.
*ECTATOSOMA*, 389.
ECTOBIA, 61.

ECTOBIINÆ, 61.
Ectobioides(Ischnoptera), 81.
*ECTOBIUS*, 61.
*Edentata* (*Chelidura*), 54.
*Edentata* (*Forficula*), 54.
*Edule* (*Phasma*), 385.
*Edulis* (*Platycrania*), 385.
Ega (Metriotes), 416.
*Ega* (*Phasma*), 416.
Egena (Empusa), 311.
Egregia (Pygidicrana), 6.
*Ehrenbergii* (*Eremophila*), 210.
ELÆA, 214.
*Elateroides* (*Derocalymma*), 186.
*Elateroides* (*Perisphæria*), 186.
Elateroides (Stenopilema), 186.
*Elegans* (*Acontista*), 232.
*Elegans* (*Anisomorpha*), 403.
*Elegans* (*Blatta*), 92, 121.
*Elegans* (*Blepharis*), 293.
Elegans (Chelisoches), 34.
*Elegans* (*Corydia*), 167.
*Elegans* (*Creobotra*), 293.
*Elegans* (*Forficesila*), 14.
*Elegans* (*Forficula*), 48.
Elegans (Heterolampra), 121.
Elegans (Paradoxomorpha), 403.
*Elegans* (*Paratropa*), 109.
Elegans (Paratropes), 109.
*Elegans* (*Philobora*), 157.
*Elegans* (*Phoraspis*), 109, 110.
Elegans (Phyllodromia), 92.
Elegans (Theopropus), 293.
Elegans (Tribonium), 157.
ELEUTHERODA, 176.
Elizabethæ (Temnopteryx), 103.
ELLIPSICA, 183.
ELLIPSIDION, 79.
*ELLIPSIDIUM*, 79.
Elliptica (Anaplecta), 68.
ELLIPTOBLATTA, 183.
Elongata (Anechura), 41.
*Elongata* (*Blatta*), 83.
*Elongata* (*Danuria*), 309.
*Elongata* (*Forficula*), 32, 52.
Elongata (Ischnoptera), 83.
Elongata (Macrodanuria), 309.
*Elongata* (*Phasma*), 319.
Elongata (Phraortes), 319.
Elongata (Spongiphora), 32.
*Elongatus* (*Phraortes*), 319.
Emarginata (Zetobora), 158.
EMBIIDÆ, 58.
*Emesa* (*Bacteria*), 350.
Emesa (Dyme), 350
*Emittens* (*Periplaneta*), 142.
*Emortuale* (*Phibalosoma*), 352.
Emortualis (Abrachia), 352.
*Emortualis* (*Bacteria*), 352.
*Emortualis* (*Mantis*), 251.
*Emortualis* (*Perisphæria*), 191.
Emortualis (Trichoblatta), 191.
EMPUSA, 311.
*Empusa* (*Cyphocrana*), 390.
*Empusa* (*Cyphocrania*), 390.
Empusa (Phasma), 390.
EMPUSINÆ, 310.
*Enceladus* (*Acrophylla*), 393.
*Enceladus* (*Cyphocrania*), 393.
Enceladus (Vetilia), 393.
ENETIA, 394.
*Engæus*(*Oxyophthalmus*), 261.
ENICOPHLEBIA, 228.
*Ensifera* (*Didymocorypha*), 218.
ENTELLA, 225.
*ENTORIA*, 327.
Eoa (Anechura), 40.
EPAPHRODITA, 284.
Ephialtes (Diagoras), 361.
EPICHARMUS, 404.
EPILAMPRA, 125.
*EPILAMPRA*, 117, 120.
EPILAMPRINÆ, 109.
Epilamproides (Balta), 106.
Episcopalis (Creoboter), 291.
*Episcopalis* (*Ischnopoda*), 365.
Episcopalis (Palophus), 365.
EPISCOPUS, 261.
Equatoria (Labia), 28.
Erechtheus (Necroscia), 375.
EREMIAPHILA, 210.
EREMIAPHILINÆ, 208.
*EREMOPHILA*, 210.
EREMOPLANA, 265.
ERGAULA, 173.
*Ericetorum* (*Blatta*), 62, 69.
*Ericetorum* (*Ectobia*), 62.
*Erichsoni* (*Apterygida*), 45.
Erichsoni (Sphingolabis), 45.
Erosa (Acanthops), 283.
Erosula(Acanthops), 283.
Erronea(Panchlora), 154.
*Erubescens* (*Epilampra*), 123.
Erubescens (Heterolampra), 123.
*Erythreina* (*Derocalymma*), 188.
Erythreina (Homalodemas), 188.
*Erythrina* (*Blatta*), 127.
Erythrina (Epilampra), 127.
*Erythrocephala* (*Apterygida*), 49.
*Erythrocephala* (*Blatta*), 145.
Erythrocephala (Deropeltis), 145.
Erythrocephala (Forficula), 52.
*Erythrocephala* (*Ischnoptera*), 145.
Erythrocephala (Labidura), 11.
*Erythrocephala* (*Perisphæria*), 145.
*Erythronota* (*Aphlebia*), 68.
Erythronota (Salganea), 200.
Erythroptera (Arrhidaeus), 384.
*Erythroptera* (*Mantis*), 384.
*Eryx* (*Aschipasma*), 419.
Eryx (Presbistus), 419.
*Esacus* (*Necroscia*), 368.
Esacus (Sosibia), 368.

Escherichi (Forficula), 52.
*Esepus* (*Necroscia*), 368.
Esepus (Sosibia), 368.
EUBULIDES, 395.
Eucerca (Necrosia), 375.
EUCHOMENA, 236.
*Eucnemis* (*Haplopus*), 362.
Eucnemis (Pteroxylus), 362.
Euphrosyne (Odontomantis), 233.
Euplectes (Necroscia), 376.
*Europæa* (*Empusa*), 312.
*Euryalus* (*Necroscia*), 368.
Euryalus (Sosibia), 368.
*Eurybates* (*Necroscia*), 371.
EURYCANTHA, 395.
EURYCANTHINÆ, 395.
EURYCNEMA, 391.
EURYCOTIS, 143.
EURYDERES, 272.
Eurymedon (Vetilia), 393.
Eurynome (Necroscia), 375.
*EURYZOSTERIA*, 148.
EUSTEGASTA, 181.
*Euterpina* (*Bacteria*), 353.
*Euterpinus* (*Acanthoderes*), 353.
Euterpinus (Canuleius), 353.
EUTHYPHLEPS, 307.
EUTHYRRHAPHA, 168.
*Eutrachelia* (*Bacteria*), 331.
Eutrachelia (Hyrtacus), 331.
Evadne (Haplopus), 363.
Evanescens (Clonaria), 337.
*Evanescens* (*Gratidia*), 337.
Everetti (Hierodula), 247.
Everetti (Phasgania), 324.
Exarata (Homalodemas), 188.
*Exaratum* (*Homalodemus*), 188.
Exaspera (Platyzosteria), 131.
Excisa (Ischnoptera), 82.
*EXEDRA*, 198.
*Exigua* (*Bacteria*), 350.
Exigua (Bostra), 350.
*Exilis* (*Apterygida*), 47.
*Exilis* (*Forficula*), 47.
Exilis (Sphingolabis), 47.
Eximia (Acontista), 233.
*Eximia* (*Callimantis*), 233.
Eximia (Pygidicrana), 5.
Exoleta (Panchlora), 152.
*Exsiccata* (*Mantis*), 258.
EXTATOSOMA, 380.
Extensa (Abrachia), 352.
*Extensicollis* (*Mantis*), 249.
Extensicollis (Rhombodera), 249.
*Extensum* (*Phibalosoma*), 352.
*Extenuata* (*Blatta*), 88.
Extenuata (Phyllodromia), 88.
Extera (Stenopyga), 237.
Extranea (Loboptera), 103.

*Fabricii* (*Forficula*), 40.
*Facies* (*Blatta*), 99.
Facies (Ceratinoptera), 99.
Falcata (Acanthops), 283.
Falcatoria (Acanthops), 282.
*Falcatoria* (*Mantis*), 282.
Falcifera (Compsothespis), 208.
Fallax (Achrioptera), 394.
Fallax (Anaplecta), 67.
*Fallax* (*Bacunculus*), 349.
*Fallax* (*Ectobia*), 65.
Fallax (Epilampra), 126.
Fallax (Heteronemia), 349.
*Fallax* (*Perisphæria*), 191.
Fallax (Platylabia), 22.
Fallax (Pseudoglomeris), 191.
Fallax (Theganopteryx), 65.
Farinosa (Burria), 236.
Fasciata (Empusa), 312.
Fasciata (Forficula), 55.
Fasciata (Iris), 260.
Fasciata (Labia), 25.
*Fasciata* (*Mantis*), 236, 238, 260.
Fasciata (Mesopteryx), 238.
Fasciata (Omomantis), 236.
Fasciata (Phyllodromia), 94.
Fasciatella (Pseudophyllodromia), 98.
*Fasciatipes* (*Phasma*), 410.
*Fasciatus* (*Acanthoderus*), 340.
Fasciatus (Macracantha), 340.
Fasciatus (Olcyphides), 410.
*Fasciceps* (*Blatta*), 91.
Fasciceps (Phyllodromia), 91.
Fasciolata (Necroscia), 374.
Fastuosa (Phoraspis), 112.
*Fastuosa* (*Phoraspis*), 112.
Fatiloqua (Ischnomantis), 266.
*Fatiloqua* (*Mantis*), 266.
Fatua (Necroscia), 375.
*Faunus* (*Bacteria*), 347.
Faunus (Diapheromera), 347.
Feæ (Anechura), 41.
*Feæ* (*Apachya*), 3.
Feæ (Apachyus), 3.
Feæ (Chætospania), 22.
Feæ (Chelisoches), 33.
Feæ (Labia), 27.
Fedtschenkoi (Anechura), 41.
*Fedtschenkoi* (*Forficula*), 41.
*Feejeeanum* (*Phasma*), 420.
Feejeeanus (Chitoniscus), 420.
*Femoralis* (*Labidura*), 13, 15.
Femoralis (Polyzosteria), 128.
Femoralis (Psalis), 13.
Femoralis (Pseudomops), 75.
Femoralis (Stagmatoptera), 301.
*Femorata* (*Bacteria*), 322.
Femorata (Blabera), 165.
Femorata (Diapheromera), 346.
*Femorata* (*Gonypeta*), 224.
Femorata (Musonia), 276.
*Femorata* (*Phasma*), 322.
Femorata (Phyllodromia), 93.

*Femorata* (*Phyllodromia*), 79.
Femoratum (Ellipsidion), 79.
*Femoratum* (*Prisomera*), 322.
*Femoratum* (*Spectrum*), 346.
Femoratus (Asprenas), 367.
Fenestrata (Calidomantis), 258.
*Fenestrata* (*Mantis*), 256, 258, 259, 260.
*Fenestrata* (*Miomantis*), 258.
Fenestrina (Hypercompsa), 170.
*Fera* (*Mionyx*), 277.
*Ferox* (*Mantis*), 253.
Ferox (Stagmomantis), 253.
*Ferrea* (*Blatta*), 88.
Ferrea (Phyllodromia), 88.
*Ferreti* (*Blatta*), 175.
Ferreti (Oxyhaloa), 175.
Ferruginea (Anisomorpha), 401.
Ferruginea (Blabera), 165.
*Ferruginea* (*Blatta*), 165.
Ferruginea (Cosmozosteria), 132.
Ferruginea (Epilampra), 126.
Ferruginea (Hemithyrsocera), 77.
*Ferruginea* (*Phasma*), 401.
Ferruginea (Phyllodromia), 91.
*Ferruginea* (*Platyzosteria*), 132.
*Ferruginea* (*Polyzosteria*), 132.
Ferruginea (Temnopteryx), 104.
*Ferruginea* (*Temnopteryx*), 103.
*Ferruginea* (*Thyrsocera*), 77.
Ferrugineipes (Panesthia), 202.
*Ferrugineofusca* (*Blatta*), 138.
*Ferruginosa* (*Epilampra*), 121.
Ferruginosa (Heterolampra), 121.
Ferula (Bacteria), 355, 356.
*Ferula* (*Mantis*), 355.
*Ferula* (*Phasma*), 355.
*Feruloides* (*Lonchodes*), 359.
Feruloides (Pharnacia), 359.
Ferus (Mionyx), 277.
*Fervida* (*Epilampra*), 122.
Fervida (Gyna), 149.
*Fervida* (*Gyna*), 149.
Fervida (Heterolampra), 122.
*Fervida* (*Panchlora*), 149.
*Festæ* (*Bacunculus*), 348.
*Festæ* (*Blatta*), 94.
*Festæ* (*Epilampra*), 83.
Festæ (Heteronemia), 348.
Festæ (Ischnoptera), 83.
Festæ (Metriotes), 416.
Festæ (Myrcinellus), 228.
Festæ (Panchlora), 154.
Festæ (Phyllodromia), 94.
*Festuca* (*Bacunculus*), 348.
Festuca (Heteronemia), 348.
Fieberi (Areolaria), 177.
*Fieberi* (*Diaphana*), 170.
Fieberi (Hypercompsa), 170.
*Figurata* (*Blatta*), 91.
Figurata (Phyllodromia), 91.
Figurata (Polyzosteria), 128.
Filata (Chæteessa), 209.
*Filiforme* (*Phasma*), 355.
*Filiformes* (*Mantis*), 356.
*Filiformis* (*Bacillus*), 334, 340.
Filiformis (Bacteria), 356.
*Filiformis* (*Mantis*), 330, 334, 356.
*Filiformis* (*Oligonyx*), 277.
Filiformis (Paraclitumnus), 330.
*Filiformis* (*Phasma*), 355, 356.
Filiformis (Thesprotia), 277.
*Filum* (*Mantis*), 279.
Filum (Myronides), 321.
*Filum* (*Necroscia*), 374.
*Filum* (*Oligonyx*), 279.
Filum (Orthonecroscia), 374.
*Filum* (*Phasma*), 374.
*Filum* (*Phibalosoma*), 374.
Filum (Spanionyx), 279.
Finschi (Pygidicrana), 6.
Finschiana (Eurycotis), 144.
*Fischeri* (*Forficesila*), 12.
Fischeri (Labidura), 12.
FISCHERIA, 267.
*Fissa* (*Blatta*), 88.
Fissa (Clonaria), 337.
*Fissa* (*Gratidia*), 337.
Fissa (Phyllodromia), 88.
*Fissa* (*Pseudomops*), 78.
Fissa (Temnopteryx), 105.
Fissa (Thyrsocera), 78.
*Fissicollis* (*Blatta*), 159.
Fissicollis (Schizopilia), 159.
*Fissicollis* (*Zetobora*), 159.
Fissispinis (Heterochætula), 307.
Flabellata (Anaplecta), 68.
*Flabellicornis* (*Mantis*), 311.
*Flabelliformis* (*Phasma*), 405.
*Flabelliformis* (*Prisopus*), 405, 406.
*Flava* (*Hierodula*), 249.
*Flava* (*Mantis*), 249.
*Flava* (*Rhombodera*), 249.
Flavescens (Pseudoderopeltis), 147.
*Flavicincta* (*Blatta*), 136.
*Flavicincta* (*Mantis*), 222.
Flavicincta (Methana), 136.
*Flavicincta* (*Methana*), 136.
*Flavicincta* (*Periplaneta*), 136.
Flavicollis (Ischnoptera), 81.
*Flavicollis* (*Kakerlac*), 81.
Flavicollis (Sparattina), 24.
*Flavicorne* (*Ascephasma*), 419.
*Flavicorne* (*Aschipasma*), 419.
*Flavicorne* (*Phasma*), 419.
*Flavicornis* (*Derocalymma*), 190.
*Flavicornis* (*Lonchodes*), 323.
*Flavicornis* (*Perisphæria*), 190.

Flavicornis (Presbistus), 419.
Flavicornis (Pseudoglomeris), 190.
Flavicornis (Sthenobœa), 323.
Flavilatera (Dorylæa), 135.
*Flavilatera* (*Stylopyga*), 135.
Flavipennis (Chorisoneura), 72.
Flavipennis (Eurycotis), 144.
*Flavipennis* (*Forficula*), 32, 46.
*Flavipennis* (*Mantis*), 299.
Flavipennis (Panesthia), 203.
Flavipennis (Polyspilota), 241.
Flavipennis (Sphingolabis), 46.
*Flavipennis* (*Stagmatoptera*), 300.
*Flavipes* (*Perisphæria*), 190.
Flavipes (Phoraspis), 112.
Flavipes (Pseudomops), 75.
*Flavipes* (*Pseudomops*), 75.
*Flavipes* (*Thyrsocera*), 75.
*Flavoantennata* (*Chorisoneura*), 72.
Flavocincta (Ectobia), [64].
*Flavocincta* (*Ectobia*), 93.
*Flavoguttata* (*Mantis*), 298.
Flavoguttata (Necroscia), 374.
*Flavoguttata* (*Parastagmatoptera*), 299.
*Flavoguttata* (*Stagmatoptera*), 298.
Flavomaculata (Anisomorpha), 401.
*Flavomaculatum* (*Phasma*), 417.
Flavomaculatus (Planudes), 417.
Flavomarginata (Deropeltis), 147.
Flexicollis (Pseudoglomeris), 191.
*Flexicollis* (*Zetobora*), 191.
*Flexivitta* (*Blatta*), 96.
Flexivitta (Nauphœta), 155.
*Flexivitta* (*Periplaneta*), 155.
Flexivitta (Phyllodromia), 96.
Flexuosa (Dactylopteryx), 267.
*Flexuosa* (*Forficula*), 48.
Flexuosa (Sphingolabis), 48.
Floridana (Callimantis), 251.
Floridana (Pelmatosilpha), 143.
*Floridana* (*Periplaneta*), 143.
*Foliacea* (*Bacteria*), 349.
Foliacea (Bacunculus), 349.
*Foliata* (*Mantis*), 305.
*Foliata* (*Theoclytes*), 305.
Foliata (Vates), 305.
*Foliatus* (*Mantis*), 423.
Foliopeda (Hermagoras), 322.
*Foliopeda* (*Mantis*), 322.
Forbesi (Echinosoma), 8.
Forceps (Microdina), 201.
*Forceps* (*Panesthia*), 201.
*Forceps* (*Salganea*), 201.
*FORCINELLA*, 17.
Forcipata (Clonaria), 337.
*Forcipata* (*Forficula*), 39, 44, 50.
*Forcipata* (*Gratidia*), 337.
Forcipata (Opisthocosmia), 39.
Forcipata (Pygidicrana), 6.
*Forcipatus* (*Lonchodes*), 317.
Forcipatus (Stælonchodes), 317.
Forcipatus (Stratocles), 409.
FORCIPULA, 8.
Forfex (Spongiphora), 31.
*Forficata* (*Mantis*), 258.
[illegible] ([illegible]), 196.
*FORFICESILA*, 9.
FORFICULA, 49.
Forficularius (Japyx), 56.
FORFICULIDÆ, 1.
*Formosa* (*Acromantis*), 280.
Fornicata (Calolampra), 118.
*Fornicata* (*Epilampra*), 118.
Fornicata ([illegible]), 189.
*Fornicata* ([illegible]), 189.
Fornicata (Pronaonota), 184.
[illegible] ([illegible]), 189.
[illegible] ([illegible]), 184.
[illegible] ([illegible]), 420.
*Forstenii* ([illegible]), 420.
Forstenii (Orthomeria), 420.
*Forstenii* (*Phasma*), 420.
*Fortipes* (*Periplaneta*), 129.
Fortunei (Paradanuria), 307.
*Fortnumi* (*Toxodera*), 307.
Fortunata (Loboptera), 102.
*Foveolata* ([illegible]), 147.
Foveolata (Pseudoderopeltis), 147.
Foveolata (Salganea), 200.
*Fragilis* (*Bacteria*), 331.
*Fragilis* (*Blatta*), 73.
Fragilis (Chorisoneura), 73.
*Fragilis* (*Musonia*), 256.
Fragilis (Nanomantis), 256.
*Franciscana* (*Monachoda*), 161.
Fraserensis (Calolampra), 118.
*Fraserensis* (*Epilampra*), 118.
Fraterna (Acontista), 234.
Fraterna (Blabera), 165.
Fraterna (Fischeria), 268.
*Fraterna* (*Iris*), 268.
Fraterna (Panchlora), 153.
Fraterna (Phyllodromia), 95.
Fraterna (Stagmomantis), 253.
*Fratricida* (*Hierodula*), 248.
Fratricida (Rhombodera), 248.
Frenata (Nauphœta), 155.
Frenchii (Anamesia), 129.

*Frenchii* (*Bacteria*), 331.
Frenchii (Hyrtacus), 331.
Frenchii (Polyzosteria), 128.
Freyi (Brancsikia), 282.
*Freyi* (*Deroplatys*), 282.
*Freyi* (*Forficula*), 44.
*Freyi* (*Hierodula*), 301.
*Freyi* (*Sphodromantis*), 301.
Freyi (Stagmatoptera), 301.
Frondosa (Aruanoidea), 378.
*Frondosa* (*Necroscia*), 378.
*Frontalis* (*Psalidophora*), 31.
Frontalis (Pygidicrana), 4.
Frontalis (Spongiphora), 31.
*Fronticornis* (*Empusa*), 313.
Fronticornis (Hemiempusa), 313.
*Fronticornis* (*Mantis*), 313.
Fruhstorferi (Labia), 26.
Fruhstorferi (Nesogaster), 35.
FULCINEA, 257.
Fulgida (Anaplecta), 68.
*Fulgida* (*Angela*), 265.
Fulgida (Thespis), 265.
Fulgidipennis (Mantoida), 210.
Fuliginosa (Gonypeta), 224.
*Fuliginosa* (*Hapalomantis*), 214.
Fuliginosa (Humbertiella), 214.
*Fuliginosa* (*Kakerlac*), 142.
*Fuliginosa* (*Mantis*), 224.
Fuliginosa (Periplaneta), 142.
Fuliginosa (Phyllodromia), 92.
Fulva (Anaplecta), 66.
*Fulva* (*Corydia*), 170.
Fulva (Holocompsa), 170.
Fulva (Ischnoptera), 81.
Fulva (Temnopteryx), 104.
*Fulva* (*Thyrsocera*), 75.
Fulvescens (Anophelepis), 386.
*Fulvescens* (*Anophelepis*), 386.
Fulvescens (Graeffea), 386.
*Fulviceps* (*Oxyhaloa*), 176.
*Fulviceps* (*Proscratea*), 175.
*Fulvipes* (*Blatta*), 89.
Fulvipes (Phyllodromia), 89.
Fulvornata (Anamesia), 129.
Fumata (Ischnoptera), 85.
Fumata (Necroscia), 376.
*Fumigata* (*Blabera*), 162.
*Fumigata* (*Blatta*), 162.
Fumigata (Byrsotria), 162.
Fumosus (Thrinaconyx), 279.
Funebris (Allacta), 99.
*Funebris* (*Blatta*), 99.
Funebris (Proscratea), 195.
Fungicola (Attaphila), 173.
Furcata (Greenia), 319.
*Furcatus* (*Lonchodes*), 319.
*Furcifera* (*Apterygida*), 46.
Furcifera (Sphingolabis), 46.
*Furcillatus* (*Bacillus*), 329.
Furcillatus (Baculum), 329.
*Fusata* (*Periplaneta*), 175.
Fusca (Aptera), 182.
Fusca (Blabera), 164.
*Fusca* (*Blatta*), 96, 182.
*Fusca* (*Derocalymma*), 186.
*Fusca* (*Epilampra*), 125.
Fusca (Ischnoptera), 81.
*Fusca* (*Mantis*), 232, 238.
*Fusca* (*Perisphæria*), 186.
Fusca (Phyllodromia), 96.
Fusca (Stenopilema), 186.
Fuscata (Acontista), 233.
*Fuscata* (*Mantis*), 233, 252.
Fuscata (Pyragra), 7.
Fuscella (Melestora), 167.
Fuscescens (Hierodula), 247.
*Fuscescens* (*Mantis*), 247.
*Fuscifolia* (*Mantis*), 282.
*Fuscifolius* (*Acanthops*), 282.
*Fuscilineatus* (*Bacillus*), 330.
Fuscilineatus (Paraclitumnus), 330.
Fuscipennis (Chelisoches), 34.
*Fuscipennis* (*Forficula*), 34.
*Fuscipennis* (*Lobophora*), 34.
*Fuscipennis* (*Psalidophora*), 34.
Fuscipennis (Thesprotia), 277.
Fuscoannulata (Necroscia), 376.
*Fuscoannulatum* (*Necroscia*), 376.
*Fuscoannulatum* (*Phasma*), 376.
Fuscoareata (Creoboter), 291.
*Fuscoelytris* (*Mantis*), 235.
*Fuscoirrorata* (*Polyspilota*), 240.
*Fuscosparsa* (*Sibylla*), 287.
Fusiformis (Blabera), 165.

*Gadarama* (*Necroscia*), 368.
Gadarama (Sosibia), 368.
*Gagathina* (*Forficula*), 14.
Gagathina (Psalis), 14.
*Gagatina* (*Labidura*), 14.
*Gagatina* (*Psalis*), 14.
*Galacpterum* (*Phasma*), 367.
*Galacpterus* (*Lopaphus*), 367.
Galacpterus (Orxines), 367.
GALAPAGIA, 276.
*Galeata* (*Danuria*), 256.
Galeata (Hoplocorypha), 256.
*Galeata* (*Mantis*), 256.
*Galeata* (*Parathespis*), 257.
GALEPSUS, 216.
Galerucoides (Choristima), 73.
*Galerucoides* (*Diploptera*), 73.
*Galerucoides* (*Eleutheroda*), 73.

GALINTHIAS, 296.
*Gallica (Blatta)*, 156.
*Gallicum (Phasma)*, 334.
Gallicus (Bacillus), 334.
*Gallicus (Bacillus)*, 332.
Gambrisius (Olcyphides), 411.
*Gambrisius (Phasma)*, 411.
Gargantua (Aruanoidea), 378.
*Gargantua (Necroscia)*, 378.
Gariazzi (Forcipula), 9.
Gasconi (Polyspilota), 239.
*Gastrica (Hierodula)*, 243.
*Gastrica (Mantis)*, 243.
Gastrica (Sphodromantis), 243.
Gayi (Coptopteryx), 272.
*Gayi (Mantis)*, 272.
*Gecko (Acanthoderus)*, 399.
Gecko (Hoploclonia), 399.
*Geisovii (Acanthoderus)*, 340.
*Geisovii (Bacillus)*, 340.
Geisovii (Macracantha), 340.
*Geissei (Polyzosteria)*, 195.
*Gelonus (Phyllium)*, 421.
Gelonus (Pulchriphyllium), 421.
Geminata (Creoboter), 291.
*Geminata (Epilampra)*, 122.
Geminata (Heterolampra), 122.
*Geminata (Mantis)*, 291.
Genei (Eremiaphila), 211.
*Genei (Eremophila)*, 211.
Geniculata (Brachylabis), 16.
*Geniculata (Chelidura)*, 16.
*Geniculata (Forficula)*, 13.
*Geniculatus (Lonchodes)*, 317.
Geniculatus (Stælonchodes), 317.
*Geniculosum (Bacteria)*, 317.
*Geniculosum (Phasma)*, 317.
Geochroma (Homalopteryx), 116.
Geochroma (Polyzosteria), 116.
GEOMANTIS, 224.
GEOSCAPHEUS, 205.
*Gerhardii (Bacillus)*, 340.
*Germanica (Blatta)*, 62, 87.
Germanica (Phyllodromia), 87.
*Germanicus (Ectobius)*, 87.
Gerstæckeri (Diplatys), 2.
*Gerstæckeri (Diplatys)*, 2.
*Gerstæckeri (Nannopygia)*, 2.
Geryon (Phyllium), 423.
Gestriana (Nauphoeta), 155.
Gestroi (Platylabia), 22.
Gestroi (Spelæoblatta), 106.
*Gestroiana (Heterogamia)*, 173.
Gestroiana (Polyphaga), 173.
Giulianii (Labia), 28.
*Gibbicollis (Cyrtotria)*, 187.
Gibbicollis (Derocalymma), 187.
*Gibbicollis (Deropeltis)*, 187.
*Gibbicollis (Ischnoptera)*, 187.
*Gibbosa (Craspedonia)*, 387.
*Gibbosa (Diapherodes)*, 361.
*Gibbosa (Monandroptera)*, 361.
*Gibbosa (Phasma)*, 387.
Gibbosum (Cranidium), 361.
Giebeliana (Hyposphæria), 193.
*Giebeliana (Loboptera)*, 193.
*Gigantea* ([illegible]), 199.
Gigantea (Blabera), 163.
*Gigantea (Blatta)*, 163, 164.
Gigantea (Diapherodes), 362.
*Gigantea (Forficesila)*, 10, 11.
*Gigantea (Forficula)*, 10, 11.
*Gigantea (Labidura)*, 10, 11.
*Gigantea (Mantis)*, 362.
*Gigantea* [illegible] *(Forficesila)*, 11.
*Gigantea* [illegible] *(Forficula)*, 11.
Giganteus (Geoscapheus), 205.
GIGANTOPHASMA, 386.
*Gigas (Brunneria)*, 265.
*Gigas (Cyphocrana)*, 390.
*Gigas (Cyphocrania)*, 390, 391.
*Gigas (Diapherodes)*, 362.
Gigas (Eremoplana), 265.
*Gigas (Fischeria)*, 265.
*Gigas (Gryllus)*, 390.
*Gigas (Iris)*, 265.
Gigas (Japyx), 6.
*Gigas (Mantis)*, 362, 385, 390.
Gigas (Phasma), 390.
*Gigas (Phasma)*, 385, 391, 392.
*Gilolæ (Musonia)*, 256.
Gilolæ (Nanomantis), 256.
Gilva (Chiropacha), 216.
Giraffa (Leptocola), 263.
Glabra (Melanozosteria), 129.
Glabra (Nyctibora), 108.
*Glabra (Periplaneta)*, 129, 130.
*Glabricollis (Diapherodes)*, 364.
Glabricollis (Haplopus), 364.
*Glabricula (Blatta)*, 73.
Glabricula (Chorisoneura), 73.
Glabricula (Labia), 28.
*Glauca* ([illegible]), 222.
Glauca (Macromantis), 222.
Glauca (Panchlora), 152.
Glaucopterus (Chelisoches), 53.
Glomeriformis (Perisphæria), 190.
*Glomeris (Perisphæria)*, 190.
Glomeris (Pseudoglomeris), 190.
*Gloriosa (Blatta)*, 150.
Gloriosa (Gyna), 150.
Glyptomerium (Necrosoma), 416.
GLYPTOPELTIS, 182.

Godama (Lonchodes), 322.
Godmani (Acanthops), 282.
Goeldiana (Hicetia), 274.
*Goliath* (*Cyphocrania*), 391.
*Goliath* (*Diura*), 391.
Goliath (Eurycnema), 391.
Goliath (Japyx), 57.
*Goliath* (*Phasma*), 391.
GONATISTA, 269.
*Gongylodes* (*Empusa*), 311.
Gongylodes (Gongylus), 310, 311.
*Gongylodes* (*Gryllus*), 310.
*Gongylodes* (*Mantis*), 310.
GONGYLUS, 310.
GONOLABINA, 16.
GONOLABIS, 15.
GONYPETA, 224.
GONYPETYLLIS, 288.
*Gorgon* (*Phyllium*), 413.
*Gorgus* (*Lopaphus*), 394.
Gorgus (Onchestus), 394.
Gracile (Ellipsidion), 80.
*Gracilicollis* (*Hierodula*), 247.
*Gracilipes* (*Ameles*), 225.
*Gracilipes* (*Bacillus*), 337.
Gracilipes (Clonaria), 337.
Gracilipes (Entella), 225.
Gracilipes (Photina), 274.
*Gracilipes* (*Pyrgocotis*), 218.
Gracilis (Ameles), 230.
*Gracilis* (*Bacillus*), 335, 337.
*Gracilis* (*Bacteria*), 351.
*Gracilis* (*Blatta*), 72.
Gracilis (Calidomantis), 259.
Gracilis (Chorisoneura), 72.
Gracilis (Cladoxerus), 357.
Gracilis (Clonistria), 351.
Gracilis (Cylindrogaster), 2.
Gracilis (Danuria), 310.
*Gracilis* (*Derocalymma*), 186.
Gracilis (Deropeltis), 146.
*Gracilis* (*Diplatys*), 2.
*Gracilis* (*Empusa*), 314.
*Gracilis* (*Epilampra*), 118.
*Gracilis* (*Forficula*), 24, 47.
Gracilis (Idolomorpha), 314.
*Gracilis* (*Ischnoptera*), 146.
Gracilis (Linocerus), 335.
*Gracilis* (*Mantis*), 230.
*Gracilis* (*Miomantis*), 259.
Gracilis (Oxyophthalmus), 261.
Gracilis (Periplaneta), 141.
*Gracilis* (*Perisphæria*), 186.
*Gracilis* (*Phibalosoma*), 357.
*Gracilis* (*Popa*), 310.
Gracilis (Sparatta), 24.
Gracilis (Sphingolabis), 47.
Gracilis (Stenopilema), 186.
Gracillima (Leptocola), 263.
*Gracillima* (*Leptocola*), 263.
Gracillimus (Stælonchodes), 318.
*Graciosa* (*Cyphocrania*), 397.
*Graciosa* (*Eurycantha*), 397.
*Graciosa* (*Phasma*), 397.
*Græca* (*Aphlebia*), 70.
Græca (Hololampra), 70.
Græca (Isolabella), 43.
GRAEFFEA, 386.
Grallator (Baculum), 328.
*Grallator* (*Lonchodes*), 328.
*Gramen* (*Bacunculus*), 349.
Gramen (Heteronemia), 349.
Graminea (Calvisia), 370.
*Graminea* (*Macynia*), 332.
*Graminea* (*Necroscia*), 370.
Graminea (Phthoa), 332.
*Gramineus* (*Bacillus*), 332.
Graminis (Oligonyx), 278.
Grammica (Anaxarcha), 223.
Granadensis (Miopteryx), 275.
Grandidieri (Gromphadorhina), 199.
Grandidieri (Gymnonyx), 184.
*Grandidieri* (*Stagmatoptera*), 301.
Grandipennis (Anaplecta), 67.
*Grandis* (*Fischeria*), 266.
*Grandis* (*Forficula*), 47.
Grandis (Hierodula), 246.
Grandis (Hoplocorypha), 257.
Grandis (Ischnomantis), 266.
Grandis (Labia), 27.
*Grandis* (*Mantis*), 249.
Grandis (Miopteryx), 275.
*Grandis* (*Panchlora*), 150.
Grandis (Phasma), 385.
*Grandis* (*Phasmomantis*), 266.
Grandis (Platyzosteria), 130.
*Grandis* (*Polyzosteria*), 130.
*Grandis* (*Rhombodera*), 249.
Grandis (Rhyparobia), 150.
*Grandiventris* (*Forficula*), 4.
Grandiventris (Tagalina), 4.
Granicollis (Oniscosoma), 159.
*Granicollis* (*Perisphæria*), 192.
Granicollis (Pœciloblatta), 192.
*Granicollis* (*Zetobora*), 159.
Graniferum (Peripletes), 320.
*Graniferun* (*Phasma*), 320.
Graniger (Stenopilema), 186.
*Granosa* (*Monachoda*), 162.
Granosa (Monastria), 162.
*Granulata* (*Ateloblatta*), 199.

*Granulata* (*Derocalymma*), 188.
Granulata (Hemiblabera), 166.
Granulata (Homalodemas), 188.
Granulata (Oxyothespis), 255.
*Granulatus* (*Bacillus*), 334.
Granulatus (Bathycharax), 335.
Granulatus (Carausius), 320.
Granulicollis (Bacteria), 356.
Granulicollis (Creoboter), 291.
Granulifera (Pseudoderopeltis), 147.
Granulosa (Labidura), 11.
GRATIDIA, 330.
Gravidula (Apterygida), 45.
*Gravidula* (*Forficula*), 45.
*Gravidula* (*Labia*), 45.
*Gravidus* (*Acanthoderus*), 400.
Gravidus (Pylaemenes), 400.
Grayi (Anchiale), 293.
Grayi (Diapherodes), 363.
Grayi (Haaniella), 397.
*Grayi* (*Haplopus*), 363.
*Grayi* (*Heteropteryx*), 397.
*Grayi* (*Pachymorpha*), 393.
*Grayii* (*Heteropteryx*), 397, 398.
Greeni (Anisolabis), 19.
Greeni (Diplatys), 2.
GREENIA, 319.
*Grisea* (*Blatta*), 125.
Grisea (Coptopteryx) 272.
Grisea (Epilampra), 125.
Grisea (Gonatista), 270.
*Grisea* (*Mantis*), 213, 270, 272.
*Grisea* (*Nauphœta*), 156.
GROMPHADORHINA, 199.
*Grossa* (*Blabera*) 160.
*Grossa* (*Blatta*), 160.
Grossa (Monachoda), 160.
*Grossa* (*Monachoda*), 160.
*Grylloides* (*Anisomorpha*), 403.
Grylloides (Dinelytron), 408.
Grylloides (Paradoxomorpha), 403.
*Grylloides* (*Platycrania*), 408.
Gryps (Harpagonyx), 279.
Guatemalae (Temnopteryx), 105.
*Gueinzii* (*Bacillus*), 337.
Gueinzii (Clonaria), 337.
Guerinii (Epicharmus), 404.
Guerini (Eremoplana), 265.
*Guerini* (*Fischeria*), 265.
*Guerini* (*Iris*), 265.
Guerini (Lamponius), 343.
*Guerini* (*Prisopus*), 404.
*Guerini* (*Pygirhynchus*), 343.
*Guerini* (*Thespis*), 265.
Guerini (Trichoblatta), 191.
*Gueriniana* (*Corydia*), 167.
Gueriniana (Pseudomops), 76.
*Gueriniana* (*Thyrsocera*), 76.
Guineensis (Nauphœta), 155.
Guineensis (Platylabia), 22.
*Gulare* (*Necroscia*), 375.
*Gulare* (*Phasma*), 375.
Gularis (Necroscia), 375.
Gulosa (Ancistrogaster), 36.
*Gunnii* (*Mantis*), 218.
Guttata (Dorylæa), 135.
Guttata (Echinopsalis), 7.
Guttata (Labia), 27.
*Guttata* (*Mantis*), 243.
Guttata (Psalis), 13.
Guttata (Pygidicrana), 6.
Guttata (Sphodromantis), 243.
*Guttata* (*Stylopyga*), 135.
Gutticollis (Prosoplecta), 177.
*Guttifera* (*Blatta*), 93.
Guttifera (Phyllodromia), 93.
*Guttigerus* (*Acanthoderus*), 400.
Guttigerus (Datames), 400.
Guttipennis (Heterogamia) 174.
Guttipennis (Tropidomantis), 227.
*Guttipennis* (*[illegible]*), 174.
Guttiventris ([illegible]), 165.
*Guttiventris* (*[illegible]*), 165.
Guttulata (Spongophora), 30.
*Guttulosa* (*Nauphœta*), 157.
Guttulosa (Tribonium), 157.
Guttulus (Empusa), 313.
*Guttulus* (*Gongylus*), 313.
GYMNONYX, 184.
Gymnopyga (Coptopteryx), 272.
*Gymnopyga* (*Mantis*), 272.
GYNA, 149.
GYNOPELTIS, 182.
*Gyrinoides* (*Blatta*, 92.
Gyrinoides (Phyllodromia), 92.

HAANIA, 289.
HAANIELLA, 397.
Haanii (Necroscia), 376.
*Haanii* (*Pseudomantis*), 236.
Haanii (Rhombodera), 248.
Hadrillus (Lopaphus), 360.
[illegible] ([illegible]), 320.
*[illegible]* (*[illegible]*), 318.
Hæmatonotus ([illegible]chodes), 318.
HAGIOMANTIS, 270.
HAGIOTATA, 306.
*Haita* (*Bacteria*), 351.
Haita (Clonistria), 351.
[illegible] ([illegible]ptera), 102.
Hamata (Ischnoptera), 82.
Hamifera (Allacta), 100.
*Hamifera* (*[illegible]*), 100.
[illegible] ([illegible]), 261.
[illegible] ([illegible]), 235.
*Hanitschi* (*Cyphocrania*), 391.
[illegible] ([illegible]), 59.

HAPALOMANTIS, 226.
HAPALOPEZA, 221.
HAPLOPUS, 363.
HARPAGOMANTIS, 295.
HARPAGONYX, 279.
*HARPAX*, 295.
*Harpuri* (*Temnelytra*), 137.
Harpuri (Zonioploca), 137.
*Harpyia* (*Hierodula*), 244.
Harpyia (Sphodromantis), 244.
*Hastata* (*Bacteria*), 348.
Hastata (Heteronemia), 348.
*Hastifera* (*Ischnoptera*), 87.
*Havaniense* (*Phasma*), 362.
*Havaniensis* (*Apterygida*), 46.
*Havaniensis* (*Forficula*), 46.
Havaniensis (Sphingolabis), 46.
*Haworthii* (*Ctenomorpha*), 365.
Haworthii (Palophus), 365.
Hebes (Ischnoptera), 85.
Hebetata (Pilema), 185.
Hebraica (Eremiaphila), 211.
*Hectica* (*Cyphocrania*), 365.
*Hectica* (*Platycrana*), 365.
*Hecticum* (*Phasma*), 365.
Hecticus (Palophus), 365.
HEDAIA, 123.
Hedenborgi (Empusa), 312.
Hedenborgii (Eremiaphila), 212.
*Hedenborgii* (*Eremophila*), 212.
*Heldreichi* (*Ameles*), 231.
Heldreichi (Parameles), 231.
*Hellmanni* (*Forficula*), 52.
Hellotis (Lopaphus), 360.
*Helvetica* (*Blatta*), 62.
HELVIA, 292.
*Helvolum* (*Phasma*), 413.
Helvolum (Pseudophasma), 413.
Hemerobina (Phyllodromia), 88.
*Hemerobius* (*Mantis*), 256.
Hemerobius (Nanomantis), 256.
HEMIBLABERA, 166.
*HEMIBLATTA*, 194.
HEMIEMPUSA, 313.
HEMILATINDIA, 169.
HEMIMERIDÆ, 59.
HEMIMERUS, 59.
HEMINAUPHŒTA, 156.
HEMINYCTOBORA, 108.
HEMIPACHYMORPHA, 341.
HEMIPANESTHIA, 204.
*Hemiptera* (*Blatta*), 62.
HEMIPTEROTA, 74.
HEMITHYRSOCERA, 77.
Hemus (Calvisia), 370.
*Hemus* (*Necroscia*), 370.
*Herbacea* (*Mantis*), 238.
Herbacea (Tenodera), 238.
*Herculeana* (*Cyphocrania*), 391.
*Herculeana* (*Eurycnema*), 391.
*Herculeana* (*Forficula*), 11.
Herculeana (Labidura), 11.
*Hercules* (*Chelisochella*), 35.
HERMAGORAS, 322.
HERMARCHUS, 360.
Hermes (Anechura), 41.
*Heros* (*Blatta*), 142.
Heros (Periplaneta), 142.
Hesione (Acromantis), 280.
HESPEROPHASMA, 343.
*HESTIAS*, 288.
HESTIASULA, 288.
HETEROCHÆTA, 306.
HETEROCHÆTULA, 307.
*Heterochroa* (*Humbertiella*), 213.
Heterochroa (Thespompa), 213.
*Heteroclyta* (*Blatta*), 167.
Heterodera (Hierodula), 246.
*HETEROGAMIA*, 171.
Heterogamia (Stagmomantis), 252.
HETEROLAMPRA, 120.
HETERONEMIA, 348.
HETERONUTARSUS, 212.
*HETERONYCHOTARSUS*, 212.
HETEROPLANA, 205.
Heteroptera (Euchomena), 237.
*Heteroptera* (*Mantis*), 237.
HETEROPTERYGINÆ, 396.
HETEROPTERYX, 396.
*HETEROPTERYX*, 397.
*Heterospila* (*Polyzosteria*), 135.
HETEROVATES, 302.
Heusseriana (Calolampra), 117.
*Heusseriana* (*Epilampra*), 117.
Heydeniana (Epilampra), 126.
Heydeniana (Nauphœta), 156.
*Heydeniana* (*Paratropes*), 112.
*Heydeniana* (*Periplaneta*), 129.
Heydeniana (Phoraspis), 112.
*Heydeniana* (*Platyzosteria*), 129.
*Heydeniana* (*Polyzosteria*), 129.
Heydeniana (Pseudophyllodromia), 97.
Heydeniana (Syntomaptera), 129.
*Heydenianum* (*Ellipsidion*), 97.
*Heydenianum* (*Ellipsidium*), 97.
HICETIA, 274.
HIERODULA, 245.
*Hieroglyphica* (*Perlamorpha*), 418.
*Hieroglyphica* (*Phyllodromia*), 100.
*Hieroglyphicus* (*Perlamorphus*), 418.
Hilara (Enicophlebia), 228.
*Hilare* (*Necroscia*), 370.
*Hilare* (*Phasma*), 370.
Hilaris (Calvisia), 370.
Hilaris (Corydia), 167.
Hilaris (Labia), 27.
*Hilaris* (*Necroscia*), 371.
Hilaris (Panesthia), 204.
*Hildebrandti* (*Gromphadorhina*), 199.

Himalayæ (Perisphæria), 189.
Himalayanus (Dysaules), 262.
Himalayica (Ischnoptera), 81.
Hippolyte (Calvisia), 370.
*Hippolyte* (*Necroscia*), 370.
Hippolytus (Lysicles), 381.
Hipponax (Dinelytron), 408.
Hipponoe (Loxopsis), 406.
*Hipponoe* (*Necroscia*), 406.
Hippotaurus (Ischnopoda), 366.
*Hippotaurus* (*Palophus*), 366.
Hirsuta (Ancistrogaster), 37.
*Hirsuta* (*Forficula*), 37.
*Hirsuta* (*Heterogamia*), 173.
Hirsuta (Polyphaga), 173.
Hirticornis (Pseudomops), 76.
*Hirticornis* (*Thyrsocera*), 76.
HIRTULEIUS, 361.
*Hispa* (*Lonchodes*), 326.
Hispa (Promachus), 326.
*Hispanica* (*Forficula*), 18.
Hispanicus (Phthoa), 332.
*Hispidulus* (*Bacillus*), 330.
Hispidulus (Paraclitumnus), 330.
Histrinus (Acanthoclonia), 407.
*Histrinus* (*Ceroys*), 407.
*Histrio* (*Paratropa*), 110.
Histrio (Paratropes), 110.
*Histrio* (*Paratropes*), 155.
*Histrio* (*Periplaneta*), 135.
Histrio (Pseudophyllodromia), 98.
Histrio (Thyrsocera), 78.
*Hobsonii* (*Bolidena*), 218.
*Hobsonii* (*Mantis*), 218.
Hobsonii (Orthodera), 218.
Hoevenii (Archiblatta), 148.
Hofmanni (Hagiotata), 306.
HOLOCOMPSA, 169.
HOLOLAMPRA, 68.
*HOLOLAMPRA*, 177.
Holosericea (Nyctibora), 107.
HOMALOBLATTA, 194.
HOMALODEMAS, 188.
HOMALOPTERYX, 115.
HOMALOSILPHA, 143.
HOMŒOGAMIA, 174.
*Hookeri* (*Bacillus*), 339.
Hookeri (Clitarchus), 339.
*Hopei* (*Ectatosoma*), 381.
*Hopei* (*Extatosoma*), 380.
*Hopei* (*Heteropteryx*), 397.
*Hopei* (*Phasma*), 410.
Hopii (Olcyphides), 410.
*Hopii* (*Phasma*), 410.
HOPLOCLONIA, 399.
HOPLOCORYPHA, 256.
*HOPLOPHORA*, 209.
HORMETICA, 197.
*HORMETICA*, 196.
Horologica (Hedaia), 124.
Horrida (Eurycantha), 395.
*Horrida* (*Eurycantha*), 396.
*Horrida* (*Phasma*), 395.
Horridum (Echinosoma), 8.
*Horridum* (*Karabidion*), 395.
*Horridus* (*Acanthoderus*), 340.
*Horridus* (*Argosarchus*), 340.
*Horridus* ([illegible]), 406.
Horridus (Prisopus), 406.
Horrifica (Deroplatys), 282.
Horsfieldii (Necroscia), 376.
Horsfieldii (Pygidicrana), 6.
Horsfieldii (Sparatta), 23.
*Horstokkii* (*Phasma*), 405.
Horstokkii (Prisopus), 405.
Hosei (Hermarchus), 322.
Hospes (Phyllodromia), 93.
HOSTILIA, 192.
Hottentotta (Dorylæa), 135.
Hottentotta (Anisolabis), 18.
Hottentotta (Ceratinoptera), 98.
*Hottentotta* (*Forcinella*), 18.
Hova (Blatta), 138.
Hova (Elliptoblatta), 184.
Hova (Galepsus), 217.
Hova (Heminauphœta), 156.
*Hova* (*Hierodula*), 241.
Hova (Opisthocosmia), 38.
*Hova* (*Periplaneta*), 138.
*Hova* (*Stylopyga*), 138.
Hova (Tarachomantis), 241.
Hova (Theganopteryx), 64.
Hralili (Eremiaphila), 212.
*Hralili* (*Eremiaphila*), 212.
Hubbardi (Japyx), 57.
Huegeli (Anechura), 41.
*Huegeli* (*Forficula*), 41.
Hugeli (Pygidicrana), 5.
*Humberti* (*Bacillus*), 328.
*Humberti* (*Ramulus*), 328.
*Humbertiana* (*Blatta*), 92.
*Humbertiana* (*Empusa*), 313.
*Humbertiana* (*Gonypeta*), 224.
*Humbertiana* (*Necroscia*), 369.
Humbertiana (Parathespis), 256.
*Humbertiana* (*Perisphæria*), 190.
Humbertiana (Phyllodromia), 90.
*Humbertiana* (*Phyllodromia*), 92.
*Humbertiana* (*Platyzosteria*), 90.
Humbertiana (Pseudoglomeris), 190.
Humbertiana (Sosibia), 369.
HUMBERTIELLA, 214.

Humbertii (Iapyx), 56.
*Humbertii* (*Japyx*), 56.
Humerale (Ellipsidion), 79.
*Humeralis* (*Apolyta*), 79.
*Humeralis* (*Blatta*), 91.
*Humeralis* (*Cardioptera*), 242.
Humeralis (Cilnia), 242.
Humeralis (Nyctibora), 107.
Humeralis (Opisthocosmia), 38.
Humeralis (Phyllodromia), 91.
*Humilis* (*Bacillus*), 329.
Humilis (Ramulus), 329.
Hummeli (Hypnorna), 178.
*Huseinæ* (*Apterygida*), 12.
Huseinæ (Labidura), 12.
*Hyalina* (*Blatta*), 152.
*Hyalina* (*Chæradodis*), 220.
*Hyalina* (*Empusa*), 305.
Hyalina (Galinthias), 296.
*Hyalina* (*Ischnoptera*), 84.
Hyalina (Macromantis), 273.
*Hyalina* (*Mantis*), 273, 299, 303.
Hyalina (Panchlora), 152.
*Hyalina* (*Panchlora*), 153.
*Hyaloptera* (*Mantis*), 299.
Hyaloptera (Stagmatoptera), 299.
*Hybrida* (*Epilampra*), 123.
Hybrida (Heterolampra), 123.
Hybrida (Hierodula), 246
*Hybrida* (*Mantis*), 246.
*Hydrophoroides* (*Blatta*), 73.
Hydrophoroides (Choristima), 73.
*Hygrophoroides* (*Chorisoneura*), 73.
*HYMENOPA*, 294.
HYMENOPUS, 294.
HYPERCOMPSA, 170.
*Hypharpax* (*Phibalosoma*), 360.
Hypharpax (Tirachoidea), 360.
*Hyphereon* (*Bacillus*), 330.
Hyphereon (Gratidia), 330.
*HYPNORMA*, 178.
HYPNORNA, 178.
*HYPOCRITA*, 101.
HYPOSPHÆRIA, 193.
HYPSICORYPHA, 314.
HYRTACUS, 331.
*Hystriculea* (*Bacillus*), 342.
Hystriculea (Pachymorpha), 342.
*Hystriculea* (*Pachymorpha*), 342.
Hystrinus (Acanthoclonia), 407.
*Hystrinus* (*Ceroys*), 407.
*Hystrix* (*Acanthoderus*), 326.
Hystrix (Parectatosoma), 398.
Hystrix (Promachus), 326.

IAPYX, 55.
Icaris (Necroscia), 375.
*Icterica* (*Forficesila*), 11.
Icterica (Labidura), 11.
Icterica (Oxyops), 298.
IDOLOMORPHA, 314.
IDOLUM, 316.
IGNACIA, 411.
Ignava (Heteronemia), 348.
*Ignavus* (*Ceroys*), 345.
Ignavus (Libethra), 345.
Ignobilis (Allacta), 100.
*Ignobilis* (*Blatta*), 100.
Ignobilis (Ischnoptera), 83.
Iheringi (Phyllovates), 304.
*Iheringi* (*Theoclytes*), 304.
*Illepida* (*Proscratea*), 159.
Illudens (Phyllocrania), 290.
*Imitans* (*Epilampra*), 121.
Imitans (Heterolampra), 121.
Imitatrix (Epilampra), 125.
Immacula (Blabera), 165.
Immaculata (Hedaia), 123.
*Immanis* (*Acanthoderus*), 344.
Immanis (Parobrimus), 344.
Immunda (Phyllodromia), 92.
Impannosa (Danuria), 310.
Impennis (Ancistrogaster), 37.
*Imperatoria* (*Epilampra*), 116.
Imperatrix (Molytria), 115.
Imperatrix (Pygidicrana), 5.
Impressa (Polyzosteria), 128.
*Impressa* (*Zetobora*), 157.
Impressicollis (Bormansia), 13.
Inæqualis (Ischnoptera), 82.
*Inæqualis* (*Panchlora*), 157.
Inæqualis (Tribonium), 157.
Inca (Ischnoptera), 84.
Inca (Latindia), 168.
Inca (Pseudophasma), 412.
Inca (Strongylopsalis), 15.
Incerta (Labia), 26.
Incerta (Panesthia), 203.
*Incertus* (*Prisopus*), 405.
*Incisa* (*Blatta*), 88.
Incisa (Phyllodromia), 88.
*Inclarata* (*Epilampra*), 121.
Inclarata (Heterolampra), 121.
Inclinata (Clonaria), 337.
*Inclinata* (*Gratidia*), 337.
Inclusa (Cosmozosteria), 133.
*Inclusa* (*Periplaneta*), 133, 142.
Inclusa (Pseudomops), 75.
*Incommoda* (*Blatta*), 105.
Incommoda (Temnopteryx), 105.
*Incommodus* (*Bacillus*), 383.
Incommodus (Xenomaches), 383.
Incompta (Bostra), 350.
*Inconspicua* (*Epilampra*), 120.
Inconspicua (Heterolampra), 120.

Inconspicua (Labidura), 12.
Inconspicua (Temnopteryx), 104.
Incuriosa (Ischnoptera), 81.
*Indica* (*Bacteria*), 330.
*Indica* (*Blatta*), 151.
*Indica* (*Ectobia*), 64.
*Indica* (*Forficula*), 13.
Indica (Humbertiella), 214.
Indica (Ischnoptera), 81.
*Indica* (*Labidura*), 13.
Indica (Loboptera), 102.
*Indica* (*Panchlora*), 151.
Indica (Paraclitumnus), 330.
Indica (Paranauphoeta), 179.
Indica (Polyphaga), 172.
*Indica* (*Polyzosteria*), 104.
Indica (Psalis), 13.
Indica (Temnopteryx), 104.
Indica (Theganopteryx), 64.
*Indica var. Minor* (*Psalis*), 13.
*Indicator* (*Mantis*), 301.
Indicator (Stagmatoptera), 301.
*Indicus* (*Bacillus*), 330.
Indicus (Iapyx), 57.
*Indicus* (*Japyx*), 57.
Indistincta (Labia), 26.
Induta (Allacta), 100.
*Induta* (*Ceratinoptera*), 100.
Inermis (Bacillus), 335.
*Inermis* (*Hestias*), 288.
*Inermis* (*Labidura*), 10.
Inermis (Pachymantis), 288.
*Inermis* (*Panesthia*), 204.
*Inermis* (*Phasma*), 335.
*Inexacta* (*Blatta*), 92.
Inexacta (Phyllodromia), 92.
*Inflexipes* (*Mantis*), 374.
Inflexipes (Necroscia), 374.
*Infumata* (*Aphlebia*), 69.
*Infumata* (*Forficula*), 50.
*Infumata* (*Gongylus*), 223.
Infumata (Hololampra), 69.
Infumata (Iridopteryx), 223.
*Infumata* (*Mantis*), 276.
Infumata (Musonia), 276.
*Infumata* (*Oligonyx*), 276.
*Infumatum* (*Ascepasma*), 419.
*Infumatum* (*Aschipasma*), 419.
Infumatus (Presbistus), 419.
*Infuscata* (*Fischeria*), 269.
*Infuscata* (*Iris*), 269.
*Infuscata* (*Phasmomantis*), 269.
Infuscata (Pseudomiopteryx), 275.
Infuscata (Sphendale), 269.
*Ingens* (*Platyzosteria*), 143.
*Innotabilis* (*Blatta*), 97.
Innotabilis (Mareta), 97.
Inopinata (Ancistrogaster), 37.
Inornata (Chætospania), 22.
Inquinata (Acontista), 233.
*Inquinata* (*Blatta*), 79.
Inquinata (Chorisoneura), 72.
Inquinata (Ellipsidion), 79.
*Inquinata* (*Epilampra*), 114.
*Inquinata* (*Mantis*), 252.
Inquinata (Molytria), 114.
*Inquinita* (*Epilampra*), 114.
Insatiabilis (Stagmatoptera), 301.
Inscripta (Ceratinoptera), 98.
*Inscripta* (*Periplaneta*), 98.
Insculpta (Ellipsica), 183.
*Insidiator* (*Chiropus*), 216.
Insidiator (Tarachodes) 215.
Insignata (Trichomera), 148.
Insignis (Æluropoda), 199.
*Insignis* (*Æthalochroa*), 308.
*Insignis* (*Bacillus*), 329.
Insignis (Baculum), 329.
*Insignis* (*Blatta*), 142.
*Insignis* (*C*[illegible]), 381.
*Insignis* (*Forficula*), 39.
*Insignis* (*Kakerlac*), 142.
*Insignis* (*Lonchodes*), 329.
Insignis (Lysicles), 381.
Insignis (Opisthocosmia), 39.
Insignis (Periplaneta), 142.
Insignis (Phyllocrania), 290.
*Insignis* (*Phyllocrania*), 290.
Insignis (Polyspilota), 239.
*Insignis* (*Psalidophora*), 31.
Insignis (Spongiphora) 31.
*Insolita* (*Periplaneta*), 116.
*Insueta* (*Epilampra*), 121.
Insueta (Heterolampra) 121.
Insulanum (Echinosoma), 8.
Insularis (Anchiale), 393.
*Insularis* (*Blatta*), 95.
Insularis (Dicellonotus), 201.
*Insularis* (*D*[illegible]), 324.
*Insularis* (*Ectobia*), 65
Insularis (Epilampra), 125.
Insularis (Eurycantha), 396.
Insularis (Phasgania), 324.
Insularis (Phyllodromia), 95.
Insularis (Pro[illegible]), 326.
Insularis (Pseudectobia), 65.
Insularis (Sphingolabis), 49.
*Insularis* (*Theganopteryx*), 65.
[illegible] (*Epilampra*), 111.
Integerrima (Deropeltis), 146.
Integra (Metilia), 282.
Integra (Panesthia), 204.
*Interrupta* (*Blatta*), 75.

Intercepta (Pseudomops), 75.
Intermedia (Ancistrogaster), 37.
*Intermedia* (*Derocalymma*), 188.
Intermedia (Deropeltis), 146.
Intermedia (Homalodemas), 188.
Intermedia (Homalopteryx), 115.
Intermedia (Nyctibora), 107.
Intermedia (Pseudectobia), 66.
Intermedia (Tenodera), 239.
*Intermedia* (*Tenodera*), 218.
*Intermedia* (*Theganopteryx*), 66.
Interna (Brachycola), 197.
*Inuncans* (*Monandroptera*), 382, 387.
*Inuncanus* (*Monandroptera*), 387.
Inversa (Phyllodromia), 91.
*Invisa* (*Periplaneta*), 130.
Invisa (Platyzosteria), 130.
Invisa (Polyzosteria), 128.
Iodomus (Tropidoderus), 380.
Iolas (Candaules), 367.
*Iolas* (*Lopaphus*), 367.
*Iolas* (*Necroscia*), 367.
Iphiclus (Caulonia), 344.
*Iphiclus* (*Pygirhynchus*), 344.
IPISOMA, 169.
*Ipsoides* (*Euthyrrhapha*), 168.
*Iridescens* (*Ascephasma*), 419.
*Iridescens* (*Aschipasma*), 419.
Iridescens (Olcyphides), 411.
*Iridescens* (*Phasma*), 419.
Iridescens (Presbistus), 419.
Iridicolor (Polyzosteria), 128.
Iridipennis (Iridopteryx), 223.
*Iridipennis* (*Miopteryx*), 227.
Iridipennis (Tropidomantis), 227.
IRIDOPTERYX, 223.
*Irina* (*Gonypeta*), 223.
Irina (Iridopteryx), 223.
IRIS, 259.
Irregularis (Danuriella), 310.
Irregulariter-vittata (Phyllodromia), 90.
*Irrorata* (*Blatta*), 117.
Irrorata (Calolampra), 117.
*Irrorata* (*Mantis*), 252.
Irrorata (Tarachodes), 215.
*Irroratus* (*Gryllus*), 252.
Isabellæ (Japyx), 56.
ISAGORAS, 415.
ISCHNOMANTIS, 266.
ISCHNOPODA, 365.
ISCHNOPTERA, 80.
Ismene (Marmessoidea), 372.
*Ismene* (*Necroscia*), 372.
*Isochroma* (*Epilampra*), 120.
Isochroma (Heterolampra), 120.
ISOLABELLA, 43.
ISOLABIS, 21.
*Isomorpha* (*Blatta*), 92.
Isomorpha (Phyllodromia), 92.

Jackeryensis (Forficula), 53.
*Jagori* (*Apterygida*), 44.
*Jagori* (*Forficula*), 44.
Jagori (Pterygida), 44.
Jamaicensis (Haplopus), 363.
*Jamaicensis* (*Mantis*), 363.
*Jamaicensis* (*Phasma*), 363, 385.
*Jamaicensis* (*Platycrana*), 363.
Janeirensis (Anisolabis), 20.
*Janeirensis* (*Forcinella*), 20.
*Janeri* (*Aphlebia*), 71.
Janeri (Hololampra), 71.
Jansoni (Anaplecta), 68.
*Jansoni* (*Cylindrogaster*), 2.
Jansoni (Diplatys), 2.
Janus (Necroscia), 377.
Janus (Prexaspes), 415.
*Japetus* (*Acrophylla*), 393.
*Japetus* (*Cyphocrania*), 393.
*Japetus* (*Diura*), 393.
*Japetus* (*Phasma*), 393.
Japonica (Acromantis), 280.
*Japonica* (*Forficesila*), 11.
*Japonica* (*Forficula*), 11, 46.
Japonica (Mantis), 251.
Japonica (Sphingolabis), 46.
*Japonicum* (*Acanthoderus*), 325.
*Japonicum* (*Phasma*), 325.
*Japonicus* (*Acanthoderus*), 325.
Japonicus (Neohirasea), 325.
*JAPYX*, 55.
*Jaspidea* (*Blatta*), 119.
*Jaspidea* (*Epilampra*), 120.
*Javana* (*Acromantis*), 223.
*Javana* (*Anisolabis*), 16.
Javana (Gonolabis), 16.
*Javana* (*Micromantis*), 223.
Javana (Odontomantis), 223.
Javana (Platylabia), 22.
Javanica (Anaplecta), 66.
*Javanica* (*Epilampra*), 124.
Javanica (Hedaia), 124.
Javanica (Panesthia), 202.
Javanica(Paranauphœta), 180.
*Javanicus* (*Japyx*), 57.
*Javanum* (*Bacillus*), 331.
*Javanum* (*Phasma*), 331.
Javanus (Apachyus), 3.
*Javanus* (*Bacillus*), 331.
Javanus (Paraclitumnus), 331.
Jocosicluna (Anisopygia), 101.
Jonesi (Pyrgomantis), 217.
Josephi (Epilampra), 127.
Josephina (Ischnoptera), 83.
*Jucunda* (*Ectobia*), 65.
Jucunda (Entella), 225.
*Jucunda* (*Hemithyrsocera*), 78.
*Jucunda* (*Periplaneta*), 108.

Jucunda (Theganopteryx), 65.
Jucunda (Thyrsocera), 78.
Juliæ (Hypsicorypha), 314.
*Jumnos* (*Cyphocrania*), 387.
Jumnos (Monandroptera), 387.
Juncea (Deropeltis), 146.
*Juncea* (*Deropeltis*), 146.
*Juncea* (*Ischnoptera*), 146.
JUNODIA, 286.
Jupiter (Chætospania), 22.
*Jurinii* (*Metriotes*), 410.
Jurinii (Olcyphides), 410.

*KAKERLAC*, 137.
*Kakkerlac* (*Blatta*), 140.
*Kallipygos* (*Pygidicrana*), 5.
KARABIDION, 395.
KARSCHIELLA, 13.
Kaupiana (Temnopteryx), 105.
Kaupii (Myronides), 321.
*Keratosqueleton* (*Mantis*), 363.
*Keraudrenii* (*Blatta*), 122.
*Keraudrenii* (*Epilampra*), 122.
Keraudrenii (Heterolampra), 122.
Kershawi (Choristima), 73.
*Kersteni* (*Hierodula*), 244.
*Kersteni* (*Mantis*), 244.
*Kersteni* (*Stagmatoptera*), 244.
Khamsini (Eremiaphila), 212.
Kheili (Panesthia), 203.
*Kheili* (*Phasma*), 413.
Kheili (Pseudophasma), 413.
Kheychi (Eremiaphila), 212.
Kirbii (Xeroderus), 383.
*Kirbyi* (*Anisolabis*), 16.
Kirbyi (Gonolabis), 16.
Kirschianus (Thrinaconyx), 279.
Kitensis (Oxyhaloa), 175.
KNEPHASIA, 132.
Kœnigi (Leptynia), 335.
Komarowi (Opisthocosmia), 38.
Kotschyi (Blepharodes), 315.
Kraussiana (Hemipanesthia), 204.
*Kraussiana* (*Panesthia*), 204.
*Kraussii* (*Haania*), 207.
Kraussii (Paraoxypilus), 207.
Krugi (Plectoptera), 178.
Kudagæ (Anisolabis), 19.
Kuhlgatzi (Gonolabina), 16.
*Kuhlii* (*Blepharis*), 290.
*Kuhlii* (*Mantis*), 290.
Kuhlii (Parablepharis), 290.

LABIA, 25.
Labiata (Macynia), 332.
*Labiata* (*Mantis*), 332.
*Labiata* (*Phasma*), 332.
LABIDOPHORA, 21.
LABIDURA, 9.
LABIDURODES, 15.
*Lacandon* (*Panchlora*), 154.
*Laceratus* (*Creoxylus*), 404.
Laceratus (Neocles), 404.
*Lacertinum* (*Acanthoderus*), 325.
*Lacertinum* (*Phasma*), 325.
*Lacertinus* (*Acanthoderus*), 325.
Lacertinus (Menexenus), 325.
*Laciniatus* (*Ceroys*), 344.
Laciniatus (Parobrimus), 344.
*Lacrymula* (*Blatta*), 88.
Lacrymula (Phyllodromia), 88.
*Lactea* (*Miopteryx*), 255.
*Lactea* (*Panchlora*), 154.
Lacteipennis (Necroscia), 377.
Læta (Anisolabis), 19.
*Læta* (*Anisolabis*), 19.
*Læta* (*Brachylabis*), 19.
Lætior (Chelisoches), 35.
*Lætior* (*Lobophora*), 35.
Lætus (Promachus), 326.
Læviceps (Hirtuleius), 361.
*Lævicollis* (*[illegible]*), 197.
Lævicollis (Creobroter), 291.
*Lævicollis* (*Epilampra*), 122.
Lævicollis (Heterolampra), 122.
Lævicollis (Hierodula), 247.
Lævicollis (Panesthia), 203.
*Lævigata* (*Blatta*), 116, 152.
Lævigata (Gromphadorhina), 199.
Lævigata (Hormetica), 197.
Lævigata (Leucophæa), 152.
*Lævigata* (*Nauphœta*), 116.
*Lævigata* (*[illegible]*), 116.
*Lævigatus* (*Bacillus*), 329.
Lævigatus (Bacillus), 329.
Lævis (Calolampra), 117.
Lævis (Dicellonotus), 201.
*Lævis* (*Epilampra*), 117.
*Lævis* (*Typhlolabia*), 58.
Læviusculus (Clitarchus), 339.
LAMACHUS, 368.
Lambii (Anamesia), 129.
Lamellatus (Oxyartes), 325.
*Laminata* (*[illegible]*), 1[illegible]4.
*Laminata* (*[illegible]*), 160.
Laminata (Rhicnoda), 124.
*Laminigera* (*Apterygida*), 52.
Laminigera (Forficula), 52.
Lampethusa (Necroscia), 377.
Lampetia (Necroscia), 377.
LAMPONIUS, 343.
*[illegible]*, 188.
Lampyrina (Homalodemas), 188.
Lampyroides (Melanoblatta), 191.
*Lampyroides* (*[illegible]*), 191.
Lancadon (Panchlora), 154.
Lanceolata ([illegible]), 218.
*Lanceolata* (*Mantis*), 218.
*Lanceolata* (*[illegible]*), 110.

Lancettifer (Hyrtacus), 331.
*Laponica* (*Phyllodromia*), 61.
*Lapponica* (*Blatta*), 61.
Lapponica (Ectobia), 61.
*Lapponicus* (*Ectobius*), 61.
*Larrinuæ* (*Aphlebia*), 71.
Larrinuæ (Hololampra), 71.
Larunda (Necroscia), 375.
*Larva* (*Forficula*), 58.
Larva (Iapyx), 58.
*Larva* (*Typhlolabia*), 58.
Larvoides (Geomantis), 224.
*Lata* (*Blatta*), 141.
Lata (Gyna), 149.
*Lata* (*Ischnoptera*), 85.
*Lata* (*Panchlora*), 149.
Lata (Panesthia), 203.
Lata (Periplaneta), 141.
*Laterale* (*Ellipsidium*), 77.
*Laterale* (*Phasma*), 413.
Lateralis (Anaplecta), 67.
*Lateralis* (*Anaplecta*), 67.
Lateralis (Blatta), 138.
*Lateralis* (*Blatta*), 78, 108.
Lateralis(Cosmozosteria), 132.
*Lateralis* (*Empusa*), 314.
Lateralis (Hemithyrsocera), 77.
Lateralis (Idolomorpha), 314.
*Lateralis* (*Mantis*), 413, 414.
Lateralis (Nyctibora), 108.
*Lateralis* (*Periplaneta*), 138.
*Lateralis* (*Phasma*), 413, 414.
*Lateralis* (*Platyzosteria*), 132.
*Lateralis* (*Polyzosteria*), 132.
Lateralis (Prexaspes), 414.
*Laterifera* (*Blatta*), 92.
Laterifera (Phyllodromia), 92.
Laticaput (Phyllodromia), 93.
*Laticauda* (*Bacteria*), 349.
Laticauda (Heteronemia), 349.
*Laticeps* (*Blatta*), 91.
*Laticeps* (*Deiphobe*), 266.
Laticeps (Eremoplana), 266.
*Laticeps* (*Fischeria*), 266.
Laticeps (Phyllodromia), 91.
*Laticollis* (*Blabera*), 164.
Laticollis (Chœradodis), 220.
*Laticollis* (*Epilampra*), 122.
*Laticollis* (*Mantis*), 248.
Laticollis (Monachoda), 160.
*Laticollis* (*Orthodera*), 218.
Laticollis (Polyspilota), 241.
Laticollis (Rhombodera), 248.
Laticornis (Pseudomops), 75.
*Laticornis* (*Thyrsocera*), 75.
Laticosta (Gyna), 149.
*Laticosta* (*Panchlora*), 149.
Latifrons (Epilampra), 125.
*Latimarco* (*Blatta*), 94.
*Latimargo* (*Blatta*), 94.
LATINDIA, 168.
Latipennis (Allacta), 100.
*Latipennis* (*Blatta*), 90.
Latipennis (Hierodula), 245.
*Latipennis* (*Mantis*), 253.
Latipennis (Methana), 136.
*Latipennis* (*Nyctibora*), 108, 136.
Latipennis (Panchlora), 154.
*Latipennis* (*Phyllodromia*), 90, 100.
Latipennis (Platycalymma), 228.
Latipennis (Thysanoblatta), 185.
*Latipennis* (*Tropidomantis*), 228.
*Latipes* (*Cilnia*), 242.
*Latipes* (*Mantis*), 242.
*Latipes* (*Phasma*), 322.
*Latipes* (*Polyzosteria*), 106.
Latipes (Temnopteryx), 106.
*Latirupta* (*Blatta*), 97.
Latirupta (Ellipsidion), 79.
Latissima (Blabera), 165.
*Latissima* (*Blatta*), 165.
Latissima (Monachoda), 160.
*Latistriga* (*Blatta*), 90.
Latistylus (Archimantis), 234.
*Latistylus* (*Mantis*), 234.
Latiusvittata (Phyllodromia), 90.
*Lativentris* (*Anisolabis*), 16.
*Lativentris* (*Forficula*), 15.
Lativentris (Gonolabis), 15, 16.
*Lativitrea* (*Blatta*), 91.
Lativitrea (Phyllodromia), 91.
Latizona (Cosmozosteria), 133.
*Latizona* (*Platyzosteria*), 133.
*Latystylus* (*Archimantis*), 234.
*Laubneri* (*Pilema*), 184.
Laurenziana (Loboptera), 102.
Laurifolia (Phyllomantis), 284.
Laxeretis (Amorphoscelis), 208.
*LAXTA*, 159.
Lefebvrei (Eremiaphila), 211.
*Lefebvrei* (*Eremophila*), 211.
*Lemoroi* (*Heterochæta*), 307.
Lemoroi (Severinia), 307.
Lenticularis (Aptera), 182.
*Lenticularis*(*Chiropacha*), 217.
*Lenticularis* (*Lygdamia*), 217.
*LEOCRATES*, 396.
LEOSTHENES, 406.
*Lepelletierii* (*Phibalosoma*), 356, 357.
*Lepelletieri var. Dilatipes* (*Phibalosoma*), 357.
*Lepelletierii var. Rubus* (*Phibalosoma*), 357.
*Lepida* (*Blatta*), 102.
Lepida (Compsoblatta), 180.
*Lepida* (*Eustegasta*), 180.
Lepida (Loboptera), 102.
*Lepidella* (*Blatta*), 73.

Lepidella (Chorisoneura), 73.
*Leprosa* (*Gratidia*), 338.
*Leprosus* (*Bacillus*), 338.
Leprosus (Clonaria), 338.
*Leptelytra* (*Mantis*) 238.
LEPTISOLABIS, 21.
LEPTOCOLA, 263.
LEPTOZOSTERIA, 131.
LEPTYNIA, 335.
Lesnei (Forficula), 50.
Leucogramma (Phoraspis), 113.
*Leucogramma var. Conspersa* (*Phoraspis*), 112.
LEUCOPHÆA, 151.
*Leucophthalma* (*Zetobora*), 193.
*Lherminieri* (*Psalidophora*), 31.
Lherminieri (Spongiphora), 31.
Liberiensis (Japyx), 56.
LIBETHRA, 345.
*LIBISOCA*, 163.
*Lichenale* (*Phasma*), 413.
Lichenalis (Liturgousa), 271.
*Licoides* (*Paratropa*), 110.
Lifuensis (Graeffea), 386.
LIGARIA, 226.
*Ligata* (*Blabera*), 162.
*Ligata* (*Cassidodes*), 177.
*Ligata* (*Periplaneta*), 136.
*Ligata* (*Platyzosteria*), 132.
*Ligata* (*Polyzosteria*), 132.
Ligata (Prosoplecta), 177.
Ligia (Haplopus), 364.
*Lignaria* (*Perispharia*), 158.
Lignaria (Tribonium), 158.
Lignea (Leptocola), 263.
Limbalicollis (Tenodera), 238.
Limbalis (Epilampra), 127.
*Limbata* (*Blabera*), 165.
*Limbata* (*Blatta*), 102.
*Limbata* (*Loboptera*), 102.
*Limbata* (*Mantis*), 231, 253.
Limbata (Parameles), 231.
Limbata (Paranauphœta), 180.
Limbata (Polyphaga), 172.
Limbata (Polyzosteria), 127.
*Limbata* (*Polyzosteria*), 102.
Limbata (Stagmomantis), 253.
Limbata (Temnopteryx), 105.
*Limbata* (*Zetobora*), 158.
*Limbatus* (*Temnopteryx*), 105.
Limosa (Elliptoblatta), 184.
*Limosa* (*Polyzosteria*), 184.
Lindsayi (Anamesia), 129.
*Linearis* (*Bacteria*), 347, 351.
*Linearis* (*Blatta*), 195.
*Linearis* (*Ceroys*), 345.
Linearis (Clonistria), 351.
*Linearis* (*Forficula*), 48.
*Linearis* (*Mantis*), 351, 377.
Linearis (Paraspharia), 195.
*Linearis* (*Perispharia*), 186, 195.
*Linearis* (*Phasma*), 377, 415.
Linearis (Sermyle), 345.
Linearis (Sphingolabis), 48.
Linearis (Stenopilema), 186.
*Lineata* (*Bacteria*), 338.
*Lineata* (*Blatta*), 86.
Lineata (Clonaria), 338.
Lineata (Pseudischnoptera), 86.
*Lineata* (*Thyrsocera*), 86.
*Lineaticollis* (*Epilampra*), 120.
*Lineaticollis* (*Heterolampra*), 120.
*Lineaticollis* (*Thyrsocera*), 78.
Lineativentris (Mionyx), 277.
*Lineativentris* (*Musonia*), 277.
*Lineatum* (*Phasma*), 410.
Lineatus (Paraclitumnus), 330.
*Lineola* (*Hierodula*), 243.
*Lineola* (*Mantis*), 243.
Lineola (Sphodromantis), 243.
Lineolata (Pseudophyllodromia), 98.
*Lineolatum* (*Phasma*), 410.
*Lingua* (*Apterygida*), 45.
Lingua (Sphingolabis), 45.
*Lingulifera* (*Hierodula*), 249.
LINOCERUS, 335.
*LINOBLATTA*, 193.
*LIOSILPHA*, 87.
LITANEUTRIA, 232.
*Literata* (*Blatta*), 97.
Literata (Pseudophyllodromia), 97.
*Lithophyla* (*Ectobia*), 84.
Littorea (Anisolabis), 20.
*Littorea* (*Forcinella*), 20.
*Littorea* (*Forficula*), 20.
*Litura* (*Apolyta*), 79.
Litura (Ellipsidion), 79.
Liturata (Allacta), 100.
*Liturata* (*Blatta*), 116, 117.
Liturata (Compsolampra), 116.
Liturata (Cutilia), 134.
*Liturata* (*Forficesila*), 4.
*Liturata* (*Opisthoplatia*), 116.
*Liturata* (*Phyllodromia*), 100.
*Liturata* (*Polyzosteria*), 134.
Liturata (Pygidicrana), 4.
LITURGOUSA, 271.
Lituriceps (Achroblatta), 155.
*Lituriceps* (*Pseudomops*), 155.
*Lituricollis* (*Blatta*), 90.
Lituricollis (Phyllodromia), 90.
*Liturifera* (*Blatta*), 65, 98.
*Liturifera* (*Ectobia*), 65.
*Liturifera* (*Phyllodromia*), 65.
Liturifera (Pseudectobia), 65.
Liturifera (Pseudophyllodromia), 98.
*Liturifera* (*Theganopteryx*), 65.
*Livida* (*Blatta*), 63.
*Livida* (*Ectobia*), 63.
*Livida* (*Forficula*), 25.
*Livida* (*Heterogamia*), 173.
*Livida* (*Labidura*), 12.
Livida (Miopteryx), 275.
Livida (Polyphaga), 173.

*Livida* (*Thespis*), 275.
*Livida var. Brevipennis* (*Ectobia*), 63.
*Lividipes* (*Forficula*), 11.
Lividipes (Labidura), 11.
Lividus (Demogorgon), 12.
*Lividus* (*Ectobius*), 63.
Lobata (Allacta), 100.
*Lobata* (*Blatta*), 100.
*Lobata* (*Chœradodis*), 281.
*Lobata* (*Creoboter*), 291.
Lobata (Deroplatys), 281.
*Lobata* (*Harpax*), 295.
*Lobata* (*Mantis*), 295, 305.
Lobata (Oxypiloides), 286.
*Lobata* (*Phyllodromia*), 100.
Lobata (Vates), 305.
*Lobiceps* (*Cyphocrania*), 391.
Lobiceps (Haania), 289.
*Lobiceps* (*Mantis*), 288, 289.
*Lobiceps* (*Oxypilus*), 288, 289.
Lobiceps (Phasma), 391.
Lobifrons,(Paraoxypilus), 207.
Lobipennis (Panesthia), 203.
Lobipennis (Temnopteryx), 105.
Lobipes (Bacillus), 334.
*Lobipes* (*Empusa*), 302.
*Lobipes* (*Mantis*), 302,
Lobipes (Parastagmatoptera), 299.
*Lobipes* (*Theoclytes*), 302.
Lobipes (Zoolea), 302.
*Lobiventre* (*Phyllium*), 420.
*Lobiventris* (*Blatta*), 88.
Lobiventris (Chitoniscus), 420.
Lobiventris (Phyllodromia), 88.
*LOBOPHORA*, 32.
Lobophoroides (Forficula), 53.
*LOBOPTERA*, 101.
Lobulipes (Phitrus), 310.
*Loftyensis* (*Chorisoneura*), 73.
Loftyensis (Choristima), 73.
LONCHODES, 321.
*LONCHODES*, 317.
LONCHODINÆ, 317.
Longealata (Phyllodromia), 92.
Longelaminata (Paraclonaria), 335.
Longiceps (Arrhidæus), 384.
*Longiceps* (*Necroscia*), 384.
*Longiceps* (*Pseudobacteria*), 351.
Longicollis (Dysaules), 262.
*Longicollis* (*Dysaules*), 262.
Longicollis (Orthodera), 218.
Longicollis(Pseudovates), 304.
*Longicollis* (*Vates*), 304.
*Longicollis var. Brevipennis* (*Dysaules*), 262.
*Longicorne*(*Phibalosoma*), 374.
*Longicornis* (*Cladoxerus*), 374.
Longicornis (Orthonecroscia), 374.
Longiforceps (Auchenomus), 29.
*Longiforcipata* (*Forficula*), 31.
Longifrons (Idolomorpha), 314.
Longimana (Abrachia), 352.
*Longimana* (*Bacteria*), 352.
*Longimanum* (*Phibalosoma*), 352.
Longipennis (Anchiale), 393.
*Longipennis* (*Blabera*), 109.
*Longipennis* (*Deropeltis*), 146.
*Longipennis* (*Ischnoptera*), 146.
Longipennis (Megaloblatta), 109.
*Longipennis* (*Pachymorpha*), 393.
Longipes (Cladoxerus), 358.
*Longipes* (*Forficula*), 39.
Longipes (Opisthocosmia), 39.
*Longipes* (*Phibalosoma*), 358.
*Longiscaphum* (*Bacillus*), 336.
Longiscaphum (Phalces), 336.
*Longiscaphum* (*Phasma*), 336.
Longisetosa (Diplatys), 2.
*Longisetosa* (*Diplatys*), 2.
*Longisetosa* (*Dyscritina*), 2.
*Longissima* (*Forficesila*), 31.
*Longiuscula* (*Blatta*), 82.
Longiuscula (Ischnoptera), 82.
Longixipha (Burria), 336.
LOPAPHUS, 360.
Loricata (Thoracopyga), 195.
LOXOPSIS, 406.
Lucanoides (Dicellonotus), 201.
Lucasi (Forficula), 51.
Lucasiana (Perisphæria), 190.
*Lucida* (*Blatta*), 62.
*Lucida* (*Ectobia*), 65.
*Lucida* (*Epilampra*), 111.
Lucida (Ischnoptera), 83.
Lucida (Theganopteryx), 65.
*Luctuosa* (*Ancistrogaster*), 36.
*Luctuosa* (*Blabera*), 164.
*Luctuosa* (*Opisthocosmia*), 36.
Luctuosa (Phoraspis), 112.
*Luctuosa* (*Thyrsocera*), 76.
Luctuosus (Ancistrogaster), 36.
*Luctuosus* (*Ancistrogaster*), 36.
Lucubensis (Orobia), 409.
Lucubrans (Achlæna), 216.
*Lucubrans* (*Mantis*), 216.
*Lucubrans* (*Tarachodes*), 216.
Ludekingi (Chelisoches), 34.
*Ludekingi* (*Lobophora*), 34.
Lueci (Eustegasta), 181.
Lugardi (Bactrododema), 366.
Lugens (Onchestus), 394.
Lugens (Opisthocosmia), 38.
*Lugens* (*Phasma*), 394.

*Lugubrina* (*Epilampra*), 121.
Lugubrina (Heterolampra), 121.
Lugubris (Forficula), 53.
Lugubris (Hemithyrsocera), 77.
Lugubris (Phyllodromia), 92.
*Lugubris* (*Thyrsocera*), 77.
*Luna* (*Mantis*), 300.
Luna (Stagmatoptera), 300.
Lunata (Bomistria), 292.
*Lunata* (*Chlidonoptera*), 292.
Lunata (Wodongia), 119.
*Luneli* (*Blatta*), 65.
*Luneli* (*Ectobia*), 65.
Luneli (Pseudectobia), 65.
LUPPARIA, 65.
*Lurida* (*Epilampra*), 122.
*Lurida* (*Forcipula*), 9.
Lurida (Forficula), 51.
Lurida (Gyna), 149.
Lurida (Heterolampra), 122.
Lutea (Ceratinoptera), 99.
Lutea (Spongiphora), 30.
*Luteipennis* (*Apterygida*), 47.
*Luteipennis* (*Forficula*), 47.
*Luteipes* (*Forficula*), 47.
Luteipes (Sphingolabis), 47.
Luteola (Achroblatta), 155.
*Luteola* (*Blatta*), 155.
*Luteola* (*Mantoida*), 210.
*Luteola* (*Panchlora*), 153.
Luteola (Phoraspis), 112.
*Luteoviride* (*Lonchodes*), 325.
*Luteoviride* (*Phasma*), 325.
*Luteoviridis* (*Lonchodes*), 325.
Luteoviridis (Menexenus), 325.
Lutescens (Calidomantis), 258.
Lutescens (Hagiomantis), 271.
*Lutescens* (*Liturgousa*), 271.
*Lutescens* (*Mantis*), 271.
*Lutescens* (*Miomantis*), 258.
Luxori (Eremiaphila), 211.
Luzonica (Labia), 26.
*Lycoides* (*Blatta*), 62.
Lycoides (Paratropes), 110.
Lycoides (Phyllodromia), 92.
*Lycus* (*Paratropes*), 109, 110.
*LYGDAMIA*, 216.
*Lyncea* (*Epilampra*), 122.
Lyncea (Heterolampra), 122.
*Lyrata* (*Blatta*), 180.
*Lyrata* (*Nauphœta*), 180.
Lyrata (Paranauphœta), 180.
*Lyrata* (*Phasma*), 343.
Lyratum (Hesperophasma), 343.
LYSICLES, 381.
Lysippus (Necroscia), 378.

Mabillei (Forficula), 53.
*Macassariensis* (*Blatta*), 115.
*Macassariensis* (*Epilampra*), 115.
Macassariensis (Homalopteryx), 115.
MACELLA, 332.
Macer (Carausius), 320.
*Macilenta* (*Blatta*), 88.
Macilenta (Phyllodromia), 88.
Macilenta (Stenopilema), 186.
Macilenta (Thesprotea), 277.
Macilentus (Thrasyllus), 319.
*Mackinderi* (*Apterygida*), 49.
Mackinderi (Sphingolabis), 49.
Macklini (Labia), 28.
*Macklottii* (*Lopaphus*), 367.
Macklottii (Orxines), 367.
*Macklottii* (*Phasma*), 357.
*Maclayi* (*Cyphocrania*), 391.
Maclayi (Phasma), 391.
*Macleaii* (*Acrophylla*), 389.
Macleayi (Ctenomorpha), 389.
Macra (Ceratocrania), 289.
*Macra* (*Cyrtotria*), 185.
*Macra* ([illegible]), 185.
*Macra* (*Deropeltis*), 185.
*Macra* ([illegible]), 257.
*Macra* (*Ischnoptera*), 185.
*Macra* (*Mantis*), 257.
*Macra* (*Phyllothelys*), 289.
Macra (Thysanoblatta), 185.
MACRACANTHA, 340.
Macrocephala (Diplatys), 1.
*Macrocephala* (*Diplatys*), 1.
*Macrocephala* (*Forficula*), 1.
MACRODANURIA, 309.
*Macrolabia* (*Forficula*), 50, 52, 54.
MACROMANTIS, 272.
MACROPANESTHIA, 205.
Macrops (Euchomena), 237.
*Macrops* (*Miopteryx*), 237.
*Macropsis* (*Hierodula*), 249.
*Macropsis* (*Mantis*), 249.
*Macroptera* (*Blatta*), 89.
*Macroptera* (*Mantis*), 302.
Macroptera (Phyllodromia), 89.
*Macroptera* (*Zoolea*), 302.
*Macropterus* (*Vates*), 302.
Macropyga (Anechura), 41.
*Macropyga* (*Forficula*), 41.
Macrotegmus (Ctenomorpha), 389.
*Macrotegmus* (*Lopaphus*), 389.
*Macula* (*Hierodula*), 242.
Macula (Tarachomantis), 242.
*Macularia* (*Blatta*), 196.
Maculata (Anchiale), 392.
*Maculata* (*Aphlebia*), 69.
*Maculata* ([illegible]), 69, 196.
Maculata (Calvisia), [illegible]
*Maculata* ([illegible]), 392.

Maculata (Cyphocrania), 393.
*Maculata* (*Epilampra*), 114.
Maculata (Hapalopeza), 221.
Maculata (Hololampra), 69.
*Maculata* (*Mantis*), 236, 392.
Maculata (Molytria), 114.
*Maculata* (*Platycrana*), 392.
*Maculata* (*Polyzosteria*), 128.
Maculata (Statilia), 236.
*Maculatum* (*Cyphocrania*), 392.
*Maculatum* (*Phasma*), 392, 414.
Maculatus (Prexaspes), 414.
Maculiceps (Aruanoidea), 378.
*Maculiceps* (*Necroscia*), 378.
*Maculicollis* (*Blatta*), 125.
Maculicollis (Calvisia), 369.
Maculicollis(Epilampra), 125.
*Maculicollis* (*Necroscia*), 369.
*Maculicollis* (*Phasma*), 369.
Maculifera (Ancistrogaster), 36.
*Maculifera* (*Opisthocosmia*), 36.
*Maculifrons* (*Epilampra*), 119.
Maculifrons (Pœciloderrhis), 119.
Maculimarginata(Cosmozosteria), 132.
*Maculimarginata* (*Platyzosteria*), 132.
*Maculipennis* (*Ameles*), 228.
Maculipennis (Antistia), 228.
Maculipennis (Gyna), 149.
*Maculipennis* (*Gyna*), 149.
*Maculipennis* (*Panchlora*), 149.
Maculisternum (Tarachodes), 215.
MACYNIA, 332.
Madagascariensis (Galepsus), 217.
Madagascariensis (Idolomorpha), 315.
*Madagascariensis* (*Mantis*), 217.
*Madagascariensis* (*Miopteryx*), 227.
Madagascariensis (Platycalymma), 228.
Madagascariensis (Tenodera), 238.
Madagascariensis (Tropidomantis), 227.
*Madecassa* (*Aphlebia*), 71.
*Madecassa* (*Blatta*), 87, 156.
*Madecassa* (*Deropeltis*), 145.
Madecassa (Elliptoblatta), 183.
Madecassa (Euchomena), 237.
Madecassa(Hololampra), 71.
Madecassa (Nauphœta), 156.
Madecassa (Paralygdamia), 217.
*Madecassa* (*Perisphæria*), 183.
Madecassa (Phyllodromia), 87.
Madecassa (Temnopteryx), 104.
*Maderæ* (*Blatta*), 150, 156.
*Maderæ* (*Panchlora*), 150.
Maderæ (Rhyparobia), 150.
Maeklini (Labia), 28.
*Magna* (*Iapyx*), 56.
Magnifica (Eurycnema), 391.
MAJANGA, 270.
*Major* (*Acontista*), 254.
Major (Anaplecta), 67.
Major (Anisolabis), 18, 19.
*Major* (*Blatta*), 150.
*Major* (*Forficesila*), 18.
*Major* (*Forficula*), 18, 50.
*Major* (*Hierodula*), 249.
*Major* (*Homalopteryx*), 124.
Major (Iapyx), 56.
*Major* (*Japyx*), 56.
Major (Melliera), 254.
Major (Musonia), 276.
Major (Platylabia), 22.
Major (Rhicnoda), 124.
Major (Rhombodera), 249.
Major (Temnopteryx), 105.
*Major* (*Thyrsocera*), 77.
*Majuscula* (*Blatta*), 81.
Majuscula (Ischnoptera), 81.
*Makassarinus* (*Bacillus*), 341.
Makassarinus (Medaura), 341.
Malaccæ (Necroscia), 376.
Malaccensis (Agondasoidea), 373.
Malagassa (Ateloblatta), 198.
*Malagassa* (*Epilampra*), 123.
Malagassa (Heterolampra), 123.
*Malagassa* (*Hierodula*), 242.
Malagassa (Ischnoptera), 81.
Malagassa (Liturgousa), 271.
Malagassa (Tarachomantis), 242.
Malagassa (Theganopteryx), 64.
Malaya (Hierodula), 246.
Malaya (Sthenobœa), 324.
Malayana (Gonypeta), 224.
MALLATOBLATTA, 96.
Mammatus (Carausius), 320.
Manca (Blatta), 139.
Manca (Hemiblabera), 166.
*Manca* (*Periplaneta*), 139.
Mancella (Paralatindia), 169.
*Mancinus* (*Necroscia*), 369.
Mancinus (Sosibia), 369.
Maneus (Dimorphodes), 387.
Mandarinea (Mantis), 251.
Mandarinea (Panesthia), 204.
*Mandarinea* (*Panesthia*), 201.
MANDURIA, 341.
Manicata (Ischnoptera), 82.
*Manicatum* (*Phasma*), 377.
Manicatus (Necroscia), 377.

*Manicatus* (*Prisopus*), 377.
*Manicatus* (*Xeroderus*), 377.
*Manillensis* (*Epilampra*), 121.
Manillensis (Euchomena), 237.
Manillensis (Heterolampra), 121.
*Manillensis* (*Hierodula*), 245.
MANTELLIAS, 225.
MANTIDÆ, 207.
MANTILLICA, 225.
MANTINÆ, 221.
MANTIS, 249.
MANTOIDA, 209.
MARANSIS, 336.
Marchali (Epicharmus), 404.
Marchali (Eremiaphila), 210.
*Marchali* (*Prisopus*), 404.
*Marchali* (*Xeroderus*), 404.
*Marcida* (*Blatta*), 64.
Marcida (Ectobia), 64.
MARETA, 97.
Margarita (Ectobia), 63.
Marginalis (Anisolabis), 19.
*Marginalis* (*Ameles*), 222.
Marginalis (Calolampra), 118.
Marginalis (Elliptoblatta), 184.
*Marginalis* (*Forcinella*), 19.
Marginalis (Forficula), 25.
*Marginalis* (*Gonypeta*), 222.
*Marginalis* (*Ischnoptera*), 118.
Marginalis (Labia), 25.
*Marginalis* (*Mantis*), 222.
Marginalis (Methana), 136.
*Marginalis* (*Miomantis*), 259.
*Marginalis* (*Nauphœta*), 116.
Marginalis (Pelmatosilpha), 143.
*Marginalis* (*Periplaneta*), 136.
*Marginalis* ([illegible]), 164.
*Marginata* (*Aphlebia*). 68.
*Marginata* ([illegible]), 79.
*Marginata* (*Blatta*), 68, 92.
Marginata (Calolampra), 117.
*Marginata* (*Epilampra*), 117.
Marginata (Hololampra), 68.
Marginata (Ischnoptera), 85.
*Marginata* (*Mantis*), 240, 254.
Marginata (Marmessoidea), 372.
Marginata (Necroscia), 395.
Marginata (Orthodera), 218.
Marginata (Phyllodromia), 92.
Marginata (Polyspilota), 240.
*Marginata* (*Phyllodromia*), 92.
*Marginata* (*Proscratea*), 86.
Marginata (Stagmomantis), 254.
*Marginata var. Erythronota* (*Aphlebia*), 68.
Marginatum (Ellipsidion), 79.
*Marginatum* (*Phasma*), 375.
*Marginatus* (*Gongylus*), 313.
Marginella (Entella), 225.
*Marginella* (*Forficula*), 10.
Marginella (Labidura), 10.
*Marginella* (*Mantis*), 225.
*Marginicollis* (*Blatta*), 116.
Marginicollis (Phœtalia), 116.
*Marginifera* (*Blatta*), 79.
*Marginifera* (*Periplaneta*), 137.
Marginifera (Zonioploca), 137.
Marginiferum (Ellipsidion), 79.
*Marginipennis* (*Ctenomorpha*), 388.
Marginipeunis (Ctenomorpha), 388.
*Maris Mortui* (*Heterogamia*), 172.
Maris Mortui (Polyphaga), 172.
Maritima (Anisolabis), 17.
*Maritima* ([illegible]), 17.
*Maritima* (*Forficesila*), 17.
*Maritima* (*Forficula*), 17, 18.
*Maritima* (*Labidura*), 17.
MARMESSOIDEA, 371.
*Marmessus* (*Marmessoidea*), 371.
*Marmessus* ([illegible]), 371.
[illegible] (*Necroscia*), 371.
Marmorata (Allacta), 100.
Marmorata (Archimandrita). 163.
Marmorata (Bantia), 275.
*Marmorata* (*Blabera*), 163.
*Marmorata* (*Blatta*), 100, 163.
Marmorata (Dasyposoma), 198.
*Marmorata* (*Epilampra*), 115.
Marmorata (Iridopteryx), 223.
*Marmorata* (*Mantis*), 315.
Marmorata (Molytria), 115.
Marmorata (Phyllodromia), 92.
Marmorata (Polyspilota), 241.
*Marmoricrura* (*Forficula*), 5.
Marmoricrura (Pygidicrana), 5.
*Marmoricrura* (*Pygidicrana*), 6.
Maroccana (Loboptera), 102.
*Maroccana* (*Mantis*), 250.
Martinezi (Zetobora), 158.
*Martini* (*Bostra*), 351.
Martini (Oncotophasma), 351.
Martini (Temnopteryx), 104.
Masoni (Iris), 260.
*Massauæ* (*Blatta*), 89.
Massauæ (Phyllodromia), 89.
[illegible]
Maurella (Latindia), 168.

Mauritanica (Anisolabis), 18.
*Mauritanica* (*Brachylabis*), 18.
*Mauritanica* (*Forficesila*), 18.
Maxima (Anisolabis), 18.
*Maxima* (*Forcinella*), 18.
*Maxima* (*Forficesila*), 18.
*Maxima* (*Forficula*), 10, 18.
Maxima (Pharnacia), 359.
Maximiliani (Phortiœca), 159.
Maximiliani (Pseudophyllodromia), 98.
*Maximiliani* (*Zetobora*), 159.
*Maximum* (*Phibalosoma*), 359.
*Maya* (*Blatta*), 95.
Maya (Harpogonyx), 279.
Maya (Liturgousa), 271.
Maya (Mantoida), 209.
Maya (Phyllodromia), 95.
Maya (Phyllovates), 303.
Maya (Stagmomantis), 253.
*Maya* (*Theoclytes*), 303.
MECOMERA, 23.
MEDAURA, 341.
*Media* (*Apterygida*), 44.
*Media* (*Forficula*), 25, 44, 50.
Media (Ischnomantis), 266.
Media (Oxyops), 298.
*Media* (*Tarachodes*), 215.
Medilinea (Knephasia), 132.
Medioconstricta (Rhombodera), 248.
Medora (Calvisia), 370.
*Medora* (*Necroscia*), 370.
MEGACRANIA, 385.
MEGALOBLATTA, 108.
Megaloceros (Japyx), 57.
MEGAPHASMA, 347.
Megaspila (Allacta), 100.
*Megaspila* (*Blatta*), 100.
Megaspila (Prosoplecta), 177.
*Megerlei* (*Blatta*), 69.
Melana (Pseudomops), 76.
*Melanaria* (*Periplaneta*), 130.
Melanaria (Platyzosteria), 130.
*Melanaria* (*Platyzosteria*), 130.
*Melanaria* (*Polyzosteria*), 130.
*Melanaria var. Grandis* (*Polyzosteria*), 130.
Melancholica (Labia), 27.
Melandryoides (Pseudomops), 76.
MELANOBLATTA, 191.
*Melanocephala* (*Blatta*), 151.
*Melanocephala* (*Lobophora*), 33.
Melanocephalus (Chelisoches), 33.
*Melanocephalus* (*Chelisoches*), 34.
Melanophila (Deropeltis), 145.
*Melanophila* (*Ischnoptera*), 145.
MELANOSILPHA, 193.
*Melanosoma* (*Epilampra*), 123.
Melanosoma (Hedaia), 123.
MELANOZOSTERIA, 129.
Melasa (Ischnoptera), 83.
Meleagris (Creoboter), 291.
MELESTORA, 167.
MELLIERA, 254.
Membranacea (Hierodula), 246.
*Membranacea* (*Mantis*), 246.
*MENAKA*, 341.
Menaka (Aruanoidea), 378.
*Menaka* (*Necroscia*), 378.
*Mendica* (*Blepharis*), 315.
Mendica (Blepharopsis), 315.
*Mendica* (*Mantis*), 315.
Menelikii (Calidomantis), 258.
*Menelikii* (*Miomantis*), 258.
Meneptolemus (Necroscia), 378.
MENEXENUS, 325.
*MENEXUS*, 325.
*Menius* (*Phasma*), 411.
Menius (Pseudophasma), 411.
Menyharthi (Pseudomantis), 235.
Mercurius (Carausius), 320.
*Meridionalis* (*Ameles*), 226.
*Meridionalis* (*Apterygida*), 37, 47.
*Meridionalis* (*Blatta*), 147.
*Meridionalis* (*Chiropacha*), 217.
Meridionalis (Deropeltis), 147.
*Meridionalis* (*Forficesila*), 11.
*Meridionalis* (*Forficula*), 11.
Meridionalis (Galepsus), 217.
Meridionalis (Hapalomantis), 226.
*Meridionalis* (*Labidura*), 11.
*Meridionalis* (*Polyzosteria*), 147.
*Meridionalis* (*Sphingolabis*), 37, 47.
Merismus (Dinelytron), 408.
Mesillana (Diapheromera), 347.
MESOCHELIDURA, 43.
*Mesomelas* (*Coptopteryx*), 268.
*Mesomelas* (*Mantis*), 268.
*Mesoplatus* (*Acanthoderus*), 398.
Mesoplatus (Obrimus), 398.
*Mesoplatus* (*Phasma*), 398.
Mesopoda (Liturgousa), 271.
MESOPTERYX, 237.
*METALLEUTICA*, 208.
Metallica (Anechura), 41.
*Metallica* (*Compsoblatta*), 181.
Metallica (Eustegasta), 181.
*Metallica* (*Forficula*), 41.
*Metallica* (*Mantis*), 221.
Metallica (Nemotha), 221.
METALLYTICUS, 208.
METHANA, 135.
Methanoides (Periplaneta), 141.
*Meticulosa* (*Epilampra*), 121.
Meticulosa (Heterolampra), 121.
METILIA, 282.
METRIOMANTIS, 273
METRIOTES, 413, 415.

*Mexicana* (*Acanthops*), 229.
Mexicana (Acontista), 233.
*Mexicana* (*Ameles*), 229.
Mexicana (Anaplecta), 66.
*Mexicana* (*Bacteria*), 348.
*Mexicana* (*Blabera*), 164.
Mexicana (Epilampra), 125.
Mexicana (Euryeotis), 144.
*Mexicana* (*Heterogamia*), 174.
Mexicana (Heteronemia), 348.
Mexicana (Homœogamia), 174.
Mexicana (Ischnoptera), 83.
Mexicana (Labia), 27.
Mexicana (Latindia), 168.
*Mexicana* (*Mantis*), 255.
Mexicana (Nyctibora), 107.
Mexicana (Panchlora), 154.
*Mexicana* (*Paratropa*), 109.
Mexicana (Paratropes), 109.
Mexicana (Phoraspis), 113.
Mexicana (Phyllodromia), 95.
*Mexicana* (*Polyphaga*), 174.
*Mexicana* (*Polyzosteria*), 144.
*Mexicana* (*Sermyle*), 345.
*Mexicana* (*Theoclytes*), 303.
Mexicana (Thyrsocera), 74.
Mexicana (Yersinia), 229.
*Mexicana var. Inquinata* (*Acontista*), 233.
*Mexicana var. Quadrimaculata* (*Acontista*), 233.
*Mexicana var. Insularis* (*Epilampra*), 125.
*Mexicanus* (*Acanthoderus*), 345.
*Mexicanus* (*Ceroys*), 345.
Mexicanus (Oligonyx), 278.
Mexicanus (Prisopus), 405.
Mexicanus (Sermyle), 345.
Micans (Eustegasta), 181.
*Micans* (*Gonypeta*), 222.
Micans (Hyposphaeria), 193.
*Micans* (*Iridopteryx*), 222.
*Micans* (*Perisphæria*), 193.
Micans (Plectoptera), 178.
Micrantha (Eurycantha), 396.
*Micranthum* (*Karabidion*), 396.
MICRODINA, 201.
MICROMANTIS, 222.
*Microptera* (*Cyphocrana*), 363.
Microptera (Eremoplana), 266.
*Micropterum* (*Haplopus*), 364.
*Micropterum* (*Phasma*), 364.
*Micropterus* (*Aplopus*), 363.
Micropterus (Haplopus), 363.
*Micropyga* (*Forficula*), 41.
Microspila (Epilampra), 125.
Mikado (Phraortes), 319.
Miliaris (Bactrododema), 366.
*Mimas* (*Acanthoderus*), 325.
Mimas (Menexenus), 325.
Mimica (Pseudomops), 76.
*Mimus* (*Bacunculus*), 348.
Mimus (Heteronemia), 348.
*Minans* (*Phasma*), 373.
Minima (Ameles), 230.
Minima (Ectobia), 63.
*Minima* (*Mantis*), 230, 260.
Minimus (Argosarchus), 341.
*Minimus* (*Bacillus*), 341.
*Ministralis* (*Mantis*), 218.
Ministralis (Orthodera), 218.
*Minor* (*Anisolabis*), 20.
Minor (Blabera), 165.
*Minor* (*Blatta*), 94.
Minor (Carvilia), 267.
Minor (Diploptera), 176.
*Minor* (*Forficula*), 28.
Minor (Gracilia), 386.
Minor (Labia), 25.
Minor (Litaneutria), 232.
Minor (Loboptera), 102.
*Minor* (*Psalis*), 13.
Minor (Oxyhaloa), 175.
*Minor* (*P[illegible]*), 1[illegible].
*Minor* (*Panesthia*), 200.
*Minor* (*Pa[illegible]*), 267.
Minor (Phyllodromia), 95.
Minor (Phyllovates), 304.
*Minor* (*Psalis*), 13.
Minor (Stagmatoptera), 300.
*Minor* (*Stagmatoptera*), 232.
*Minor* (*Theoclytes*), 304.
Minotaurus (Bactrododema), 366.
*Minotaurus* (*Palophus*), 366.
Minuscula (Apterygida), 45.
*Minuscula* (*Forficula*), 45.
Minuscula (Opisthocosmia), 39.
Minuta (Chorisoneura), 72.
*Minuta* (*Labia*), 25.
*Minuta* (*Mantis*), 278.
*Minuta* (*Miopteryx*), 278.
Minutissima (Anaplecta), 67.
*Minutissima* (*Blatta*), 67.
MIOBLATTA, 196.
*MIOMANTIS*, 257.
MIONYX, 276.
MIOPANESTHIA, 205.
MIOPTERYGINÆ, 274.
MIOPTERYX, 274.
*Miranda* (*Angela*), 265.
Miranda (Miomantis), 255.
Miranda (Thespis), 265.
*Mirandula* (*Miopteryx*), 255.
*Misella* (*Blatta*), 103.
*Misella* (*Phyllodromia*), 104.
Misella (Temnopteryx), 103.
*Mitchellii* (*Blatta*), 128.

Mitchellii (Polyzosteria), 128.
MITHRENES, 319.
*Mixta* (*Labidura*), 10.
MNESILOCHUS, 320.
Mocquerysi (Parectatosoma), 398.
Moderata (Arrhidæus), 384.
*Moderata* (*Necroscia*), 384.
*Modesta* (*Abrodiæta*), 100.
Modesta (Allacta), 100.
*Modesta* (*Chiropacha*), 215.
*Modesta* (*Forficula*), 33.
Modesta (Galepsus), 217.
Modesta (Gonypeta), 224.
*Modesta* (*Hierodula*), 247,
Modesta (Ischnoptera), 81.
*Modesta* (*Lobophora*), 33.
Modesta (Phoraspis), 113.
Modesta (Pygidicrana), 5.
*Modesta* (*Tarachodes*), 215, 217.
Modestior (Tarachodes), 215.
Modestum (Rhamphophasma), 331.
Modestus (Chelisoches), 33.
Modigliani (Mecomera), 23.
Mœsta (Anisolabis), 18.
*Mœsta* (*Brachylabis*), 18.
*Mœsta* (*Forficesila*), 18.
*Mœsta* (*Forficula*), 18.
Mœsta (Labidura), 18.
*Moghrebica* (*Aphlebia*), 70.
Moghrebica (Hololampra), 70.
Moiræ (Palophus), 365.
Molesta (Phyllodromia), 92.
Molesta (Theganopteryx), 64.
*Molita* (*Bacteria*), 344.
Molita (Caulonia), 344.
*Molorcha* (*Bacteria*), 417.
Molorcha (Planudes), 417.
*Moluccarum* (*Euchomena*), 237.
MOLYTRIA, 114.
Monacha (Calidomantis), 258.
*Monacha* (*Mantis*), 258.
*Monacha* (*Miomantis*), 258.
MONACHODA, 160.
MONANDROPTERA, 387.
Monastica (Tribonidium), 157, 158.
*Monastica* (*Zetobora*), 157.
MONASTRIA, 161.
Monochroa (Mantis), 251.
Monochroma (Periplaneta), 141.
Monstrosa (Archimantis), 235.
Monstrosa (Blabera), 165.
*Monstruosa* (*Panesthia*), 201.
Monstruosus (Dicellonotus), 201.
*Montana* (*Forficula*), 42.
Montana (Stagmomantis), 253.
Montezuma (Panchlora), 154.
Monticola (Heterolampra), 122.
*Monticollis* (*Hormetica*), 197.
Monticollis (Parahormetica), 197.
*Morbida* (*Psalis*), 10.
*Mordelloides* (*Euthyrrhapha*), 170.
Moreti (Eremaphila), 211.
Morio (Chelisoches), 33.
*Morio* (*Forficula*), 33.
Morio (Ischnoptera), 85.
*Morio* (*Lobophora*), 33.
Morio (Panesthia), [204].
*Morio* (*Panesthia*), 200.
Morio (Salganea), 200.
*Morio var. Minor* (*Panesthia*), 200.
Morosa (Forcipula), 9.
*Morosa* (*Labidura*), 9.
Morosa (Panesthia), 204.
Morsus (Dicellonotus), 201.
*Mortuifolia* (*Acanthops*), 283.
Mortuifolia (Sigerpes), 289.
*Mortuifolia* (*Sybilla*), 289.
Moseri (Bolivaria), 269.
*Moseri* (*Fischeria*), 269.
*Moseri* (*Iris*), 269.
*Mouffeti* (*Blatta*), 161.
*Mouffeti* (*Monachoda*), 161.
*Mouhotii* (*Acanthoderus*), 400.
Mouhotii (Datames), 400.
Moxa (Anaplecta), 67.
Moxa (Panchlora), 153.
*Mozambicus* (*Bacillus*), 336.
Mozambicus (Maransis), 336.
*Mucronata* (*Forficula*), 26.
Mucronata (Labia), 26.
Muelleri (Haaniella), 397.
*Muelleri* (*Heteropteryx*), 397.
Muelleri (Macropanesthia), 205.
*Muelleri* (*Phasma*), 397.
*Multicincta* (*Perisphæria*), 182.
Multicolor (Acontista), 233.
Multidens (Japyx), 57.
Multilineatus (Stratocles), 409.
Multiramosa (Ischnoptera), 81.
Multispinosus (Ceroys), 354.
Multispinulosa (Hierodula), 246.
*Multistriata* (*Mantis*), 233.
Multivenosa (Chorisoneura), 72.
*Munda* (*Epilampra*), 120.
Munda (Heterolampra), 120.
*Munda* (*Nauphæta*), 192.
Munda (Pœciloblatta), 192.
*Mundicola* (*Blatta*), 79.
Mundicola (Ellipsidion), 79.
*Munzigeri* (*Blatta*), 90.
Munzigeri (Phyllodromia), 90.
*Muricata* (*Bacteria*), 350.
Muricata (Dyme), 350.
*Murina* (*Perisphæria*), 187.
Murina (Pollusca), 187.

*Murrayi* (*Apachya*), 4.
Murrayi (Apachyus), 4.
Murrayi (Labia), 26.
Murrayi (Oxyhaloa), 175.
Musarum (Epaphrodita), 284.
*Musarum* (*Mantis*), 284.
MUSONIA, 276.
*MUSONIA*, 276.
Mustea (Necroscia), 377.
*Muta* (*Hierodula*), [239], 244.
Muta (Polyspilota), [239].
Muta (Sphodromantis), 244.
*Muta* (*Sphodromantis*), [239].
*Mutica* (*Chelidura*), 43.
Mutica (Chelidurella), 43.
*Mutica* (*Epilampra*), 121.
Mutica (Heterolampra), 121.
MYLACRINA, 205.
MYRCINELLUS, 228.
MYRCINUS, 228.
*Myrina* (*Lonchodes*), 318.
Myrina (Stælonchodes), 318.
MYRONIDES, 320.
Myrsilus (Metriotes), 416.
*Mysteca* (*Blatta*), 72.
Mysteca (Chorisoneura), 72.
Mysteca (Eurycotis), 144.
*Mysteca* (*Periplaneta*), 144.
*Mysteca* (*Polyzosteria*), 144.
MYSTIPOLA, 292.

*Nævia* (*Anchiale*), 392.
*Nævium* (*Phasma*), 392.
Nahua (Anaplecta), 66.
*Nahua* (*Blatta*), 94.
Nahua (Ischnoptera), 84.
Nahua (Paraceratinoptera), 101.
Nahua (Stagmomantis), 252.
*Nahua var. Minor* (*Blatta*), 94.
Najas (Panchlora), 154.
*Nana* (*Harpax*), 230.
Nana (Ischnoptera), 84.
*Nana* (*Mantis*), 229, 230, 258.
*Nana* (*Paramantis*), 230.
Nana (Temnopteryx), 104.
*NANNOPYGIA*, 1.
NANOMANTIS, 255.
*Nasuta* (*Gongylus*), 286.
*Nasuta* (*Mantis*), 217, 286.
Nasuta (Pyrgomantis), 217.
Nasutus (Oxypilus), 286.
*Natalensis* (*Anaples*), 226.
*Natalensis* (*Forficula*), 49.
Natalensis (Harpagomantis), 226.
*Natalensis* (*Ischnoptera*), 81.
Natalensis (Mantis), 251.
*Natalis* (*Bacillus*), 337.
Natalis (Clonaria), 337.
NAUPHŒTA, 155.
*NEANTHES*, 367.
Nebulosa (Entella), 225.
*Nebulosa* (*Epilampra*), 119.
*Nebulosa* (*Mantis*), 225, 252.
Nebulosa (Pseudophoraspis), 119.
*Nebulosum* (*Aschipasma*), 419.
Nebulosus (Presbistus), 419.
Necrophoroides (Panesthia), 204.
NECROSCIA, 374.
*NECROSCIA*, 374.
NECROSCIINÆ, 358.
*Necydaloides* (*Cyphocrana*), 393.
*Necydaloides* (*Cyphocrania*), 392.
*Necydaloides* (*Gryllus*), 412.
*Necydaloides* (*Mantis*), 412.
*Necydaloides* (*Phasma*), 390, 392, 412.
*Neglecta* (*Forficula*), 50.
*Nematodes* (*Bacteria*), 324, 328.
Nematodes (Baculum), 328.
*Nematodes* (*Lonchodes*), 324, 328.
*Nematodes* (*Phasma*), 324, 328.
*Nemoralis* (*Pseudomantis*), 236.
Nemoralis (Statilia), 236.
NEMOTHA, 221.
NEOCLES, [illegible].
NEOHIRASEA, 325.
NEOLOBOPHORA, 29.
Neolobophoroides (Cosmiella), 38.
*Neolobophoroides* (*Opisthocosmia*), 38.
Neotropicalis (Japyx), 57.
Nepalensis (Dyscologamia), 173.
Nepalensis (Pseudoglomeris), 191.
*Neptunus* ([illegible]), 414.
Neptunus (Prexaspes), 414.
NESOGASTER, 35.
NESOGASTRELLA, 36.
NEUROPTERA, 58.
*Neuroptera* (*Mantis*), 256.
Neutra (Ischnoptera), 81.
*Nicæensis* (*Blatta*), 62.
Nicæensis (Ectobia), 62.
Nicaraguæ (Macromantis), 272.
Nicobarensis (Panesthia), 203.
Nietneri (Pygidicrana), 5.
Nigra (Brachylabis), 17.
*Nigra* ([illegible]), 17.
Nigra (Dasyposoma), 198.
Nigra (Hemithyrsocera), 77.
Nigra (Leucophæa), 151.
*Nigra* (*Panchlora*), 151.
Nigra (Parapachymorpha), 312.
Nigra (Paraspheria), 196.
Nigra (Phoraspis), 113.
*Nigra* (*Thyrsocera*), 77.
Nigrescens (Labia), 26.
Nigricans (Mantillica), 225.
Nigricans (Panesthia), 203.
*Nigriceps* (*Cylindrogaster*), 2.

Nigriceps (Diplatys), 2.
*Nigriceps* (*Diplatys*), 2.
Nigriceps (Platylabia), 22.
Nigricollis (Ischnoptera), 83.
Nigricornis (Arrhidæus), 384.
Nigricornis (Chelisoches), 34.
Nigricornis (Hapalopeza), 221.
*Nigricornis* (*Labidura*), 34.
Nigricornis (Panchlora), 153.
*Nigrifrons* (*Blatta*), 72.
Nigrifrons (Chorisoneura), 72.
Nigrifrons (Gyna), 149.
Nigrina (Sparatta), 23.
*Nigripennis* (*Blabera*), 161.
*Nigripennis* (*Forfiscelia*), 45.
*Nigripennis* (*Psalidophora*), 32.
Nigripennis (Spongiphora), 32.
Nigripes (Bacteria), 356.
*Nigripes* (*Ectobia*), 63.
*Nigripes* (*Ectobius*), 62.
Nigrispina (Sosibia), 368.
*Nigrita* (*Blatta*), 96, 202.
Nigrita (Deropeltis), 146.
Nigrita (Panesthia), 202.
*Nigrita* (*Panesthia*), 203.
Nigrita (Phyllodromia), 96.
Nigrita (Pseudomops), 77.
*Nigrita* (*Thyrsocera*), 77.
Nigroannulata (Necroscia), 376.
*Nigroannulatum* (*Necroscia*), 376.
*Nigroannulatum* (*Phasma*), 376.
Nigrofasciata (Calvisia), 370.
*Nigrofasciata* (*Necroscia*), 370.
*Nigrofasciatum* (*Necroscia*), 370.
*Nigrofasciatum*(*Phasma*), 370.
*Nigrofusca* (*Blatta*), 62.
Nigrogranosa (Necroscia), 374.
Nigrolineata (Chorisoneura), 73.
Nigrolineata (Orobia), 409.
*Nigronitens* (*Lobophora*), 34.
Nigropicta (Theopompa), 213.
*Nigropunctatus* (*Lonchodes*), 317.
Nigropunctatus (Stælonchodes), 317.
Nigrorufa (Spongiphora), 30.
Nigrovaria (Ctenomorpha), 389.
Nilgirica (Hapalopeza), 221.
Nilotica (Eremiaphila), 212.
Nimbata (Zetobora), 158.
*Niponense* (*Bacteria*), 319.
*Niponense* (*Phasma*), 319.
*Niponensis* (*Lonchodes*), 319.
NISIBIS, 78.
Nisseri (Libethra), 345.
NISYRUS, 407.
*Nitens* (*Gonypeta*), 221.
Nitens (Hapalopeza), 221.
*Nitens* (*Iridopteryx*), 221.
Nitens (Parasphæria), 196.
Nitens (Phyllodromia), 93.
Nitens (Polyzosteria), 127.
*Nitens* (*Polyzosteria*), 196.
Nitida (Blatta), 139.
Nitida (Hestiasula), 288.
Nitida (Mantoida), 210.
Nitida (Melanozosteria), 129.
*Nitida* (*Pachymantis*), 288.
*Nitida* (*Platyzosteria*), 129.
*Nitida* (*Stylopyga*), 139.
Nitida (Temnopteryx), 105.
Nitidipennis (Spongiphora), 30.
*Nitidula* (*Blatta*), 169.
Nitidula (Holocompsa), 169.
*Nivea* (*Blatta*), 152, 153.
Nivea (Panchlora), 153.
Nobilis (Mantis), 251.
Nobilis (Polyzosteria), 128.
NOCTICOLA, 106.
NOCTICOLINÆ, 106.
Noctivaga (Gonypeta), 224.
*Nodosa* (*Blatta*), 91.
Nodosa (Phyllodromia), 91.
*Nodosum* (*Bacteria*), 318, 321.
*Nodosum* (*Phasma*), 318, 321.
*Nodosus* (*Bacunculus*), 349.
Nodosus (Heteronemia), 349.
*Nodosus* (*Lonchodes*), 318, 321.
Nodosus (Stælonchodes), 318.
*Nolimetangere* (*Acanthoderus*), 399.
*Nolimetangere* (*Phasma*), 399.
Nolimetangere (Tisamenus), 399.
*Nortoniana* (*Ischnoptera*), 85.
Nossibei (Blatta), 138.
*Nossibei* (*Stylopyga*), 138.
Nossibianus (Xerantherix), 403.
Notabilis (Calolampra), 118.
*Notabilis* (*Epilampra*), 118.
*Notata* (*Hierodula*), 246, 247.
*Notata* (*Mantis*), 246.
*Notata* (*Paraphoraspis*), 111.
Notata (Phyllodromia), 94.
*Notigera* (*Pydicrana*), 6.
*Notigera* (*Pygidicrana*), 6.
NOTOLAMPRA, 111.
Notulata (Allacta), 100.
*Notulata* (*Blatta*), 100.
Novæ-Britanniæ (Chitoniscus), 421.
Novæ-Britanniæ (Hermarchus), 361.
*Novæ-Britanniæ* (*Phyllium*), 421.

*Novæ-Guineæ* (*Mantis*), 256.
*Novæ-Guineæ* (*Miomantis*), 256.
*Novæ-Guineæ* (*Neomantis*), 256.
Novæ-Guineæ (Pachymorpha), 342.
*Novæ-Guineæ* (*Paranauphœta*), 180.
Novæ-Guineæ (Stenomantis), 256.
*Novæ-Seelandiæ* (*Polyzosteria*), 129.
Novæ-Seelandiæ (Syntomaptera), 129.
*Novæ-Zealandiæ* (*Mantis*), 218.
Novæ-Zealandiæ (Orthodera), 218.
Novemdentata (Hierodula), 246.
Nubeculosa (Hagiomantis), 271.
*Nubeculosa* (*Liturgusa*), 271.
*Nudiventris* (*Epilampra*), 114.
Numida (Eremiaphila), 211.
Nuptialis (Corydia), 167.
Nyassensis (Calidomantis), 257.
*Nyassensis* (*Miomantis*), 257.
NYCTIBORA, 107.
NYCTIBORINÆ, 107.
*NYCTOBORA*, 107.
*Nympha* (*Mantis*), 216, 268, 269, 314.
*Nympha* (*Phasma*), 335, 405.
*Nympha* (*Prisopus*), 405.

Oannes (Opisthocosmia), 38.
Obiensis (Carausius), 320.
Obliqua (Epilampra), 127.
*Obliqua* (*Ischnoptera*), 127.
Obliquus (Japyx), 56.
*Oblongata* (*Blatta*), 75.
Oblongata (Pseudomops), 75.
*Oblongata* (*Pseudomops*), 75.
*Oblongata* (*Thyrsocera*), 75.
OBRIMUS, 398.
Obscura (Blaptica), 162.
Obscura (Calolampra), 118.
Obscura (Carvilia), 267.
*Obscura* (*Epilampra*), 118.
Obscura (Ischnoptera), 82.
Obscura (Litaneutria), 232.
*Obscura* (*Mantis*), 267.
*Obscura* (*Metriotes*), 415.
*Obscura* (*Nyctibora*), 107.
Obscura (Parahormetica), 198.
*Obscura* (*Periplaneta*), 130.
Obscura (Pseudomops), 77.
Obscura (Pseudophyllodromia), 98.
Obscura (Syntomaptera), 130.
Obscura (Temnopteryx), 104.
*Obscura* (*Thyrsocera*), 77.
*Obscurifrons* (*Homalopteryx*), 124.
Obscurifrons (Rhicnoda), 124.
*Obscurior* (*Blatta*), 92.
Obscuripes (Cutilia), 134.
*Obscuripes* (*Drymaplaneta*), 134.
Obscuroviridis (Polyzosteria), 128.
Obscurum (Echinosoma), 8.
*Obscurum* (*Phasma*), 415.
*Obscurus* (*Isagoras*), 415.
Obscurus (Metriotes), 415.
*Obscurus* (*Pycnoscelus*), 151.
*Obsecraria* (*Mantis*), 300.
Obsoleta (Eustegasta), 181.
Obsoleta (Phyllodromia), 90.
Obtrita (Thliptoblatta), 194.
Obtusa (Oxyops), 298.
Obtusata (Allacta), 100.
Obtusata (Hierodula), 247.
*Obtusata* (*Phyllodromia*), 100.
*Obtusiceps* (*Chiropacha*), 215.
Obtusiceps (Tarachodes), 215.
*Obtusifrons* (*Blatta*), 81.
Obtusifrons (Ischnoptera), 81.
Occidentalis (Echinosoma), 8.
Occidentalis (Anisolabis), 20.
*Occidentalis* (*Empusa*), 312.
Occidentalis (Eurycotis), 144.
Occidentalis (Ischnoptera), 83.
*Occidentalis* (*Opisthoplatia*), 143
Occidentalis (Pelmatosilpha), 143.
*Occidentalis* (*Periplaneta*), 144.
*Occidentalis* (*Polyzosteria*), 143.
Occidentalis (Sigerpes), 289.
*Occipitalis* (*Acanthoclonia*), 400.
Occipitalis (Hapalopeza), 221.
*Occipitalis* (*Panchlora*), 151.
Occipitalis (Pylæmenes), 400.
*Oceanica* (*Forficesila*), 33.
*Oceanica* (*Forficula*), 45.
*Ocellaria* (*Harpax*), 236.
*Ocellaria* (*Mantis*), 236.
Ocellaria (Omomantis), 236.
Ocellata (Deiphobe), 266.
*Ocellata* (*Empusa*), 293.
*Ocellata* (*Harpax*), 293.
*Ocellata* (*Mantis*), 266, 300.
Ocellata (Pseudocreobotra), 293.
*Ocellata* (*Thespis*), 266.
*Ochroptera* (*Mantis*), 269.
*Ochropus* (*Forficula*), 25.
*Ochropus* (*Labia*), 25.
Octospilota (Mantis), 251.
Ocularis (Humbertiella), 214.
Ocularis (Ischnoptera), 84.
Ocularis (Litaneutria), 232.
*Ocularis* (*Lithaneutria*), 232.
*Ocularis* ([illegible]), 214.
*Ocularis* (*Mantis*), 232.
*Ocularis* ([illegible]), 136.

Oculata (Polyzosteria), 128.
ODONTOMANTIS, 223.
Œdematosa (Xylica), 404.
*Ohrtmanni* (*Phasma*), 405.
Ohrtmanni (Prisopus), 405.
*Oileus* (*Acanthoderus*), 400.
Oileus (Datames), 400.
OLCYPHIDES, 410.
Oligoneura (Acromantis), 280.
*Oligoneura* (*Mantis*), 280.
OLIGONYX, 278.
*Olivacea* (*Epilampra*), 123.
*Olivacea* (*Eurycantha*), 399.
Olivacea (Hedaia), 123.
Olivacea (Theramenes), 399.
*Olmeca* (*Bacteria*), 348.
Olmeca (Ceratinoptera), 99.
Olmeca (Heteronemia), 348.
*Omeca* (*Blatta*), 171.
Omissa (Nyctibora), 108.
OMOMANTIS, 235.
Omphale (Hemipachymorpha), 341.
*Omphale* (*Pachymorpha*), 341.
ONCEROCORYPHA, 182.
ONCHESTUS, 394.
ONCOTOPHASMA, 351.
Oniscina (Melanosilpha), 194.
*Oniscina* (*Perisphæria*), 194.
Oniscoides (Elliptoblatta), 184.
*Oniscoides* (*Laxta*), 160.
*Oniscoides* (*Polyzosteria*), 184.
ONISCOSOMA, 159.
Oniscosoma (Apsidopis), 119.
ONYCHOSTYLUS, 96.
*Opaca* (*Blatta*), 156.
*Opaca* (*Epilampra*), 127.
*Opaca* (*Eurycotis*), 143.
*Opaca* (*Forficula*), 7.
Opaca (Nauphœta), 156.
Opaca (Pelmatosilpha), 143.
*Opaca* (*Polyzosteria*), 143.
OPHICRANIA, 386.
Ophidiiderma (Aruanoidea), 378.
*Ophthalmica* (*Humbertiella*), 213.
*Ophthalmica* (*Mantis*), 213.
Ophthalmica (Pygidicrana), 6.
Ophthalmica (Theopompa), 213.
Opima (Phyllodromia), 90.
OPISTHOCOSMIA, 38.
OPISTHOPLATIA, 114.
Oratoria (Iris), 260.
*Oratoria* (*Mantis*), 213, 233, 250.
*Oratorius* (*Gryllus*), 260.
*Oratorius* (*Mantis*), 260.
Orba (Deropeltis), 146.
Orba (Hapalomantis), 226.
*Orba* (*Mantis*), 226.
*Orba* (*Periplaneta*), 146.
*Orbus* (*Vates*), 302.
OREOPHŒTES, 350.
*Orhtmanni* (*Prisopus*), 405.
Orientalis (Anechura), 40.
Orientalis (Blatta), 137.
*Orientalis* (*Blatta*), 141.
*Orientalis* (*Empusa*), 313.
Orientalis (Forficula), 52.
Orientalis (Heterochæta), 307.
Orientalis (Iris), 260.
*Orientalis* (*Kakerlac*), 138.
*Orientalis* (*Mantis*), 236.
Orientalis (Opisthoplatia), 114.
Orientalis (Paradanuria), 307.
*Orientalis* (*Periplaneta*), 138.
*Orientalis* (*Perisphæria*), 190.
*Orientalis* (*Polyzosteria*), 114.
*Orientalis* (*Stygopyga*), 138.
*Orientalis* (*Toxodera*), 307.
*Orizabæ* (*Blatta*), 95.
Orizabæ (Phyllodromia), 95.
*Ornata* (*Blatta*), 180.
Ornata (Corydia), 167.
Ornata (Dorylæa), 135.
Ornata (Forficula), 53.
*Ornata* (*Gonatista*), 270.
Ornata (Hagiomantis), 270.
*Ornata* (*Mantis*), 270.
*Ornata* (*Melestora*), 167.
Ornata (Orthoderella), 219.
Ornata (Panesthia), 203.
*Ornata* (*Periplaneta*), 135.
Ornata (Pseudolampra), 132.
Ornata (Pseudophyllodromia), 97.
Ornatipennis (Bisanthe), 267,
*Ornatum* (*Phasma*), 410.
OROBIA, 409.
*Orsinii* (*Chelidura*), 55.
*Orsinii* (*Forficula*), 54.
Orsinii (Pseudochelidura), 54.
ORTHODERA, 218.
ORTHODERELLA, 219.
ORTHOMERIA, 420.
ORTHONECROSCIA, 374.
ORTHOPTERA, 1.
ORXINES, 367.
*Oryx* (*Acanthoderus*), 355.
Oryx (Ceroys), 355.
*Osiris* (*Acrophylla*), 389.
Osiris (Ctenomorpha), 389.
*Osiris* (*Diura*), 389.
*Osiris* (*Phasma*), 389.
Osmylus (Aruanoidea), 378.
*Osmylus* (*Necroscia*), 378.
OTOMANTIS, 296.
Otomia (Anaplecta), 67.
*Otomia* (*Blatta*), 84.
Otomia (Temnopteryx), 105.
*Otomius* (*Temnopteryx*), 105.
*Otys* (*Acanthoderus*), 400.
Otys (Dares), 400.
Oudemansi (Japyx), 57.
*Ova* (*Neolobophora*), 38.
*Ovalifolia* (*Cardioptera*), 272.
Ovalifolia (Macromantis), 272.
*Ovalifolia* (*Mantis*), 272.
*Ovalifolia var. Nicaraguæ* (*Macromantis*), 272.
*Ovata* (*Blatta*), 195.
Ovata (Hierodula), 247.

Ovata (Metriomantis), 273.
Ovata (Parasphæria), 195.
OXYARTES, 324.
Oxycephala (Tarachodes), 215.
OXYCERCUS, 196.
OXYHALOA, 175.
OXYHALOINÆ, 175.
*OXYOPHTHALMA*, 261.
OXYOPHTHALMUS, 261.
OXYOPS, 297.
OXYOTHESPIS, 255.
OXYPILOIDEA, 286.
OXYPILUS, 285.
Oxyptera (Derocardia), 119.
*Oxyptera (Epilampra)*, 119.
*Oxytenes (Bacillus)*, 329.
*Oxytenes (Baculum)*, 329.
*OXYTHESPIS*, 255.

*PACHNEPTERIX*, 78.
PACHNEPTERYX, 78.
PACHYMANTIS, 287.
PACHYMORPHA, 542.
*PACHYMORPHA*, 541.
Pacifica (Anisolabis), 20.
*Pacifica (Blatta)*, 168.
Pacifica (Euthyrrhapha), 168.
*Pacifica (Forficula)*, 20.
Pacifica (Litaneutria), 232.
Pæderina (Forficula), 53.
Pagana (Stagmatoptera), 301.
*Palea (Bacunculus)*, 348.
Palea (Heteronemia), 348.
Palinurus (Arrhidæus), 384.
*Palinurus (Necroscia)*, 384.
*Pallasiana (Mantis)*, 313.
*Pallasii (Iris)*, 268.
*Pallasii (Mantis)*, 268.
*Pallens (Paraphoraspis)*, 110.
Pallens (Phlebonotus), 110.
*Pallens (Phoraspis)*, 110.
*Pallescens (Apolyta)*, 80.
Pallescens (Ellipsidion), 80.
*Pallescens (Necroscia)*, 375.
Pallescens (Rhyparobia), 151.
*Palliata (Mantis)*, 281.
Pallicornis (Riatia), 68.
Pallicornis (Stenopilema), 186.
Pallida (Anaplecta), 67.
*Pallida (Aphlebia)*, 70.
*Pallida (Apolyta)*, 79.
*Pallida (Blatta)*, 63.
Pallida (Enicophlebia), 228.
Pallida (Heterolampra), 122.
Pallida (Hololampra), 70.
*Pallida (Nauphœta)*, 116.
Pallida (Oniscosoma), 110.
Pallida (Phœtalia), 116.
*Pallida (Popa)*, 309.
*Pallida subsp. Greenii (Aphlebia)*, 70.
Pallidicollis (Pachnepteryx), 79.
*Pallidicollis (Thyrsocera)*, 79.
Pallidicornis (Autolyca), 402.
*Pallidicornis (Forficula)*, 52.
*Pallidipennis (Forficula)*, 5.
Pallidipennis (Pygidicrana), 5.
Pallidula (Pseudectobia), 65.
*Pallidula (Theganopteryx)*, 65.
Pallidum (Ellipsidion), 79.
*Pallidus (Ectobius)*, 63.
*Pallipalpis (Kakerlac)*, 136.
Pallipalpis (Methana), 136.
Pallipalpis (Periplaneta), 136.
*Pallipalpis (Periplaneta)*, 136.
Pallipes (Blatta), 139.
Pallipes (Cirphia), 176.
*Pallipes (Derocalymma)*, 188.
*Pallipes (Forficula)*, 10, 11.
Pallipes (Gigantophasma), 386.
Pallipes (Homalodemas), 188.
*Pallipes (Kakerlac)*, 139.
Pallipes (Labidura), 10.
*Pallipes (Labidura)*, 11.
*Pallipes (Periplaneta)*, 139.
Pallipes (Phyllodromia), 96.
*Palmeri (Bacillus)*, 333.
Palmeri (Parabacillus). 333.
Palmes (Libethra), 345.
PALOPHINÆ, 360.
PALOPHUS, 365.
*Palpalis (Blatta)*, 101.
Palpalis (Duryodana), 101.
*Palpata (Phyllodromia)*, 101.
Panætius (Necroscia), 375.
Panamensis (Ancistrogaster), 37.
PANCHLORA, 152.
PANCHLORINÆ, 148.
*Pandens (Epilampra)*, 121.
Pandens (Heterolampra), 121.
*Pandora (Aschipasma)*, 420.
Pandora (Orthomeria), 420.
PANESTHIA, 202.
PANESTHIINÆ, 200.
Panesthoides (Blaptica), 162.
*Panesthoides (Polyzosteria)*, 162.
Pannulata (Sibylla), 287.
Panteli (Dicellonotus), 201.
*Panteli (Panesthia)*, 201.
Panteli (Temnopteryx), 104.
*PANTELICA*, 270.
Pantherina (Phoraspis), 112.
Pantherina (Stenovates), 306.
Pantherina (Tarachodes), 215.
PANURGICA, 286.
Panzeri (Ectobia), 62.
*Panzeri (Ectobius)*, 62.
*Panzeri var. Nigripes (Ectobia)*, 63.
*Papua (Blatta)*, 93.
*Papua (Epilampra)*, 122.
Papua (Heterolampra), 122.
Papua (Labia), 27.
Papua (Phyllodromia), 93.

Papuana (Marmessoidea), 371.
*Papuana* (*Necroscia*), 371.
Papuasicus (Japyx), 57.
PARABACILLUS, 333.
PARABLEPHARIS, 299.
Parabolica (Blabera), 164.
*PARACANTHOPS*, 283.
PARACERATINOPTERA, 101.
PARACLITUMNUS, 330.
PARACLONARIA, 335.
PARADANURIA, 307.
Paradoxa (Acanthoclonia), 407.
*Paradoxa* (*[illegible]*), 227.
*Paradoxa* (*Mantis*), 295.
Paradoxa (Phyllocrania), 290.
PARADOXOMORPHA, 403.
Paradoxum (Phyllothelys), 289.
*Paraensis* (*Acontista*), 233.
Paraensis (Pseudovates), 304.
*Paraensis* (*Vates*), 304.
PARAEPISCOPUS (*recte* PAREPISCOPUS), 261.
Paraguayensis (Oxyops), 298.
PARAHORMETICA, 197.
PARAIRIDOPTERYX, 288.
PARALATINDIA, 169.
Parallela (Blatta), 139.
*Parallela* (*Forficula*), 30, 54.
Parallela (Ischnoptera), 82.
*Parallela* (*Mantis*), 304.
Parallela (Monandroptera), 387.
Parallela (Phyllovates), 304.
*Parallela* (*Psalidophora*), 30.
Parallela (Pseudochelidura), 54.
Parallela (Spongiphora), 30.
*Parallela* (*Spongophora*), 31.
Parallela (Stenoblatta), 179.
*Parallela* (*Stylopyga*), 139.
*Parallela* (*Theoclytes*), 304.
PARALOBOPTERA, 101.
PARALYGDAMIA, 217.
PARAMELES, 230.
*PARAMUSONIA*, 276.
*Parana* (*Blatta*), 95.
Parana (Phyllodromia), 95.
PARANAUPHŒTA, 179.
PARAOXYPILUS, 207.
PARAPACHYMORPHA, 342.
*PARAPHORASPIS*, 111.
PARASPHÆRIA, 195.
*PARASPHENDALE*, 266.
PARASTAGMATOPTERA, 298.
PARATEMNOPTERYX, 106.
PARATHESPIS, 256.
PARATOXODERA, 285.
*PARATROPA*, 109.
PARATROPES, 109.
Pardalina (Agathemora), 402.
*Pardalina* (*Anisomorpha*), 402.
Pardalina (Calolampra), 117.
*Pardalina* (*Epilampra*), 117.
Pardalina (Heterovates), 302.
*Pardalina* (*Omomantis*), 235.
PARECTATOSOMA, 398.
Parenthesis (Phyllodromia), 87.
PAREPISCOPUS, 261.
*Parilis* (*Blatta*), 92.
Parilis (Phyllodromia), 92.
PAROBRIMUS, 344.
Paromelas (Anisomorpha), 401.
PAROXYOPHTHALMUS, 261.
*Partita* (*Blatta*), 96.
Partita (Phyllodromia), 96.
Parva (Entella), 225.
*Parva* (*Mantis*), 278.
Parva (Oligonyx), 278.
*Parviceps* (*Blatta*), 67.
Parviceps (Hierodula), 247.
Parvicollis (Ancistrogaster), 37.
*Parvicollis* (*Epilampra*), 124.
*Parvicollis* (*Forficula*), 37.
Parvicollis (Hedaia), 124.
*Parvicollis* (*Psalidophora*), 37.
*Parvicollis* (*Spongiphora*), 37.
Parvipennis (Anaplecta), 67.
Parvipennis (Necroscia), 375.
Parvula (Acromantis), 280.
Parvula (Bactromantis), 278.
*Parvula* (*Blatta*), 92.
Parvula (Chætospania), 22.
Parvula (Ischnoptera), 84.
*Parvula* (*Mantis*), 278.
Parvula (Paradanuria), 307.
Parvula (Phyllodromia), 92.
*Parvula* (*Toxodera*), 307.
Parvulum (Echinosoma), 8.
Parvulus (Phyllovates), 304.
*Parvulus* (*Theoclytes*), 304.
*Parvulus* (*Vates*), 304.
PARYMENOPUS, 294.
*Pascoei* (*Apachys*), 3.
Pascoei (Apachyus), 3.
*Pasimachus* (*Cyphocrania*), 394.
Pasimachus (Onchestus), 394.
*Pasithoe* (*Bacillus*), 342.
Pasithoe (Pachymorpha), 342.
*Passaloides* (*Panesthia*), 200.
Passaloides (Salganea), 200.
*Passalus* (*Necroscia*), 368.
Passalus (Sosibia), 368.
Patagonicus (Demogorgon), 12.
Patagonicus (Japyx), 57.
*Patellifer* (*Bacillus*), 329.
Patellifera (Hierodula), 245.
*Patellifera* (*Hierodula*), 245.

*Patellifera (Mantis)*, 245.
Patens (Periplaneta), 142.
Patinifera (Homalopteryx), 115.
Patricia (Phyllodromia), 89.
Patula (Allacta), 100.
*Patula (Blatta)*, 100.
Patula (Capucina), 159.
Patula (Polyzosteria), 128.
*Patula* ([illegible]), 159.
Paui (Ameles), 230.
Paula (Calolampra), 118.
*Paula (Epilampra)*, 118.
Paulinoi (Deropeltis), 146.
Paupera (Gyna), 150.
[illegible], 312.
Pauperata (Empusa), 313.
[illegible], 312, 313.
[illegible] (*Mantis*), 311, 313.
[illegible], 54.
Paupercula (Pseudochelidura), 54.
Pavonina (Chlinidoptera), 292.
*Pavonina (Mantis)*, 292.
[illegible] *ptera*), 292.
Paxillus (Phasma), 417.
*Paxillus* ([illegible]), 417.
Paykullii (Calidomantis), 258.
*Paykullii (Miomantis)*, 258.
[illegible], 73.
Pectinata (Choristima), 73.
Pectinata (Empusa), 311.
[illegible], 115, [122].
*Pectinata (Heterolampra)*, [122].
Pectinata (Homalopteryx), 115, [122].
*Pectinata (Mantis)*, 311.
Pectinata (Vates), 305.
*Pectinicornis (Empusa)*, 312.
*Pectinicornis (Mantis)*, 312, 313.
[illegible], 305.
Pectinicornis (Vates), 305.
Pectoralis (Anisolabis), 19.
Pectoralis ([illegible]teria), 133.
*Pectoralis (Forficula)*, 19.
*Pectoralis (Platyzosteria)*, 133.
*Pectoralis (Polyzosteria)*, 133.
Pectoralis (Rhombodera), 249.
Peculiaris (Loboptera), 102.
*Pedestris (Blabera)*, 161.
*Pedestris (Forficula)*, 44.
[illegible], 161.
Peeli (Charieis), 210.
[illegible], 419.
[illegible], 419.
*Peleus (Perlamorpha)*, 420.
[illegible], 419.
*Peleus (Phasma)*, 419.
Peleus (Presbistus), 419.
[illegible] (Homalopteryx), 115.
PELLITA, 189.
*Pellucens (Blatta)*, 112.
Pellucens (Phoraspis), 112.
Pellucida (Amorphoscelis), 208.
*Pellucida (Apolyta)*, 80.
*Pellucida (Blatta)*, 72, 95.
Pellucida (Calidomantis), 259.
Pellucida (Chorisoneura), 72.
*Pellucida (Heterogamia)*, 172.
*Pellucida (Mantis)*, 273.
*Pellucida (Miomantis)*, 259.
*Pellucida (Miopteryx)*, 259.
Pellucida (Phyllodromia), 95.
Pellucida (Polyphaga), 172.
Pellucidum (Ellipsidion), 80.
PELMATOSILPHA, 142.
[illegible], 148.
Pelvimetra (Sparatta), 24.
[illegible] (*Sparatta*), 24.
Peninsularis (Sosibia), 368.
[illegible] (*Gongylus*), 313.
[illegible], 311.
Pennicornis (Empusa), 312.
*Pennicornis (Mantis)*, 312.
Pennsylvanica (Ischnoptera), 85.
*Pensylvanica (Blatta)*, 85.
[illegible]
*PENTACANTHA*, 272.
*Penthesilea (Bacillus)*, 329.
Penthesilea (Baculum), 329.
*Percheron (Apterygida)*, 48.
*Percheron (Forficula)*, 48.
*Percheroni (Forficula)*, 48.
[illegible] labis), 48.
*Perezii (Phasma)*, 412.
Perezii (Pseudophasma), 412.
Perfecta (Panesthia), 204.
*Perfida (Mantis)*, 265.
*Perfoliatus (Acantho*[illegible]
Perfoliatus (Ceroys), 354.
[illegible] *morphus*), 354.
*Peridromes (Bacillus)*, 331.
Peridromes (Hyrtacus), [illegible].
Perillus (Planudes), 417.
*Peringueyi (Derocalymma)*, 189.
Peringueyi (Gonolabis), 16.
Peringueyi (Homaloblatta), 194.
Peringueyi (Homalodemas), 189.
Peringueyi ([illegible]blatta), 192.
Periphanes (Anophelepis), 382.
[illegible]
[illegible]
[illegible]

PERISPHÆRIA, 189.
PERISPHÆRIINÆ, 179.
*PERISPHERUS*, 189.
*Peristhenes* (*Bacillus*), 339.
Peristhenes (Echetlus), 339.
*Perla* (*Miopteryx*), 227.
*PERLAMANTIS*, 229.
*PERLAMORPHA*, 418.
*PERLAMORPHUS*, 418.
*Perloides* (*Blatta*), 98.
Perloides (Elæa), 214.
*Perloides* (*Humbertiella*), 214.
*Perloides* (*Miopteryx*), 274.
Perloides (Pseudophyllodromia), 98.
Perloides (Tarachodes), 216.
*Perlucida* (*Blatta*), 73.
Perlucida (Chorisoneura), 73.
Perplexa (Ancistrogaster), 37.
*Perplexa* (*Epilampra*), 124.
Perplexa (Rhicnoda), 124.
*Perplexa* (*Sphingolabis*), 37.
*Perpulchra* (*Angela*), 265.
Perpulchra (Pseudoxyops), 298.
*Perpulchra* (*Stagmatoptera*), 298.
Perpulchra (Thespis), 265.
Personatus (Hermagoras), 323.
*Personatus* (*Lonchodes*), 323.
*Perspicillare* (*Phasma*), 409.
*Perspicillaris* (*Blatta*), 63.
Perspicillaris (Ectobia), 63.
*Perspicillaris* (*Ectobius*), 62.
*Perspicillaris* (*Phasma*), 409.
Perspicillaris (Stratocles), 409.
Perspicua (Acontista), 232.
*Perspicua* (*Mantis*), 232.
*Perspicua* (*Zetobora*), 158.
*Peruana* (*Bacteria*), 353.
*Peruana* (*Blatta*), 97.
Peruana (Ischnoptera), 83.
Peruana (Oreophœtes), 350.
Peruana (Panchlora), 153.
Peruana (Phortiœca), 158.
*Peruana* (*Proscratea*), 195.
Peruana (Pseudophyllodromia), 97.
*Peruana* (*Zetobora*), 158.
Peruviana (Anaplecta), 66.
Peruviana (Anisolabis), 21.
Peruviana (Ceratinoptera), 99.
Peruviana (Chœradodis), 219.
*Peruviana* (*Megaloblatta*), 108.
Peruviana (Paralatindia), 169.
Peruvianus (Oxycercus), 496.
PETASODES, 161.
Petiti (Eremiaphila), 210.
*Petiveriana* (*Blatta*), 166.
*Petiveriana* (*Cassida*), 166.
Petiveriana (Corydia), 166, 167.
Petropolis (Ancistrogaster), 36.
*Petropolis* (*Forficula*), 36.
*Pfeifferæ* (*Epilampra*), 124.
Pfeifferæ (Hedaia), 124.
*Pfeifferæ* (*Lonchodes*), 321.
Pfeifferæ (Myronides), 321.
Phacellus (Prisopus), 406.
PHÆNOPHAROS, 360.
Phaeton (Pseudophasma), 411.
*Phætusa* (*Necroscia*), 378.
Phalangium (Archiblatta), 148.
Phalangodes (Baculum), 328.
*Phalangodes* (*Lonchodes*), 328.
PHALCES, 336.
*Phalerata* (*Blatta*), 88, 104, 110.
*Phalerata* (*Nyctibora*), 110.
*Phalerata* (*Paratropa*), 110.
Phalerata (Paratropes), 110.
Phalerata (Temnopteryx), 104.
PHANOCLES, 353.
*PHANTASIS*, 343.
Phantasma (Cladoxerus), 358.
*Phantasma* (*Phasma*), 358.
Pharaonis (Calidomantis), 259.
*Pharaonis* (*Miomantis*) 259.
PHARNACIA, 359.
PHASGANIA, 324.
PHASMA, 390.
*PHASMA*, 333, 360, 411.
PHASMIDÆ, 317.
Phasmoides (Macrodanuria), 309.
PHASMOMANTIS, 254.
Phelaus (Megacrania), 385.
*Phelaus* (*Platycrania*), 385.
PHENACISMA, 148.
PHIBALOSOMA, 356.
Philetas (Brachylabis), 16.
Philippa (Necroscia), 375.
Phillipsi (Ischnoptera), 366.
*PHILOBORA*, 157.
PHITRUS, 310.
PHLEBONOTUS, 110.
*Phlegyas* (*Phasma*), 412.
Phlegyas (Pseudophasma), 412.
*Phluctainoides* (*Marmessoidea*), 384.
Phlyctænoides (Arrhidæus), 384.
*PHOCYLIDES*, 410.
PHŒTALIA, 116.
*Pholcus* (*Phasma*), 414.
Pholcus (Prexaspes), 414.
*Pholidotus* (*Necroscia*), 368.
Pholidotus (Sosibia), 368.
PHORASPIS, 112.
Phoraspoides (Phortiœca), 159.
*Phoraspoides* (*Zetobora*), 159.
PHORTIŒCA, 158.
PHOTINA, 273.
*PHOTINA*, 257.

PHRAORTES, 319.
*Phryganea* (*Miopteryx*), 274.
PHRYGANISTRIA, 358.
*PHRYGANISTRIA*, 359.
PHRYGANISTRIINÆ, 358.
*Phryganoides* (*Mantis*), 270.
*Phryne* (*Hierodula*), 249.
Phryne (Rhombodera), 249.
*PHTHERSIGENA*, 207.
*Phthisica* (*Mantis*), 263, 412.
Phthisica (Solygia), 263.
Phthisicum (Pseudophasma), 412.
*Phthisicus* (*Gryllus*), 412.
*Phthisicus* (*Mantis*), 412.
PHTHOA, 332.
PHYLLIINÆ, 420.
*Phyllinus* (*Cladomorphus*), 356.
*Phyllinus* (*Cladoxerus*), 356.
Phyllinus (Phibalosoma), 356.
PHYLLIUM, 422.
Phyllocephala(Abrachia), 352.
*Phyllocephalum* (*Phibalosoma*), 352.
*Phyllocephalus* (*Acanthoderus*), 352.
PHYLLOCRANIA, 290.
PHYLLODROMIA, 86.
PHYLLODROMIINÆ, 76.
PHYLLOMANTIS, 284.
*Phyllopoda* (*Bacteria*), 349.
*Phyllopoda* (*Bacunculus*), 349.
*Phyllopus* (*Acanthoderus*), 323.
Phyllopus (Bacunculus), 349.
*Phyllopus* (*Mantis*), 287.
*Phyllopus* (*Oxypilus*), 287.
Phyllopus(Pachymantis), 287.
*Phyllopus* (*Phasma*), 323.
*Phyllopus* (*Prisomera*), 349.
Phyllopus (Stenobœa), 323.
PHYLLOTHELYS, 289.
PHYLLOVATES, 302.
Physeonia (Sermyle), 345.
Pia (Mantis), 251.
Pia (Stagmatoptera), 300.
Pica (Paratropes), 110.
*Pica* (*Pseudomops*), 78.
Pica (Thyrsocera), 78.
Picea (Blatta), 138.
Picea (Ischnoptera), 80.
*Picea* (*Periplaneta*), 138.
*Picea* (*Perisphæria*), 187.
Picina (Psalis), 14.
*Picta* (*Blatta*), 113.
Picta (Ceratinoptera), 99.
Picta (Forficula), 53.
*Picta* (*Gynopeltis*), 182.
*Picta* (*Hierodula*), 244.
*Picta* (*Mantis*), 265.
Picta (Phoraspis), 113.
*Picta* (*Platyzosteria*), 132.
Picta (Plectoptera), 178.
*Picta* (*Polyspilota*), 244.
Picta (Pygidicrana), 5.
*Picta var. Luteola* (*Phoraspis*), 112.
*Picteti* (*Ameles*), 230.
Picteti (Parameles), 230.
Picteti (Phyllodromia), 90.
*Pictetiana* (*Polyzosteria*), 114.
*Picticollis* (*Blatta*), 91.
Picticollis (Phyllodromia), 91.
*Picticornis* (*Chelisoches*), 53.
Pictipennis (Creoboter), 291.
*Pictipennis* (*Harpax*), 293.
*Pictipes* (*Hestias*), 288.
Pictipes (Hestiasula), 288.
Pictipes (Necroscia), 376.
PILEMA, 185.
*Pilicornis* (*Forficula*), 26.
Pilicornis (Labia), 26.
Pilifera (Blepharodera), 194.
*Pilifera* (*Heterogamia*), 194.
*Pilifera* (*Perisphæria*), 194.
*Pilifera* ([illegible]), 194.
Piligera (Anisolabis), 19.
*Pilipes* (*Mantis*), 297.
*Pilipes* (*Panchlora*), 194.
Pilosa (Culama), 175.
Pilosa (Dyscologamia), 174.
*Pilosa* (*Zetobora*), 174.
*Pilosella* (*Heterogamia*), 172.
*Pilosella* (*Mallatoblatta*), 96.
Pilosella (Polyphaga), 172.
Pilosella (Theganopteryx), 65.
*Pilosipes* (*Ascephasma*), 419.
*Pilosipes* (*Aschiphasma*), 419.
*Pilosipes* (*Phasma*), 419.
Pilosipes (Presbistus), 419.
PINACONOTA, 113.
Pinnapavonis (Pseudempusa), 308.
Pirithous (Aruanoidea), 378.
*Pirithous* (*Necroscia*), 378.
*Placens* (*Blatta*), 80.
Placens (Ellipsidion), 80.
*Plagiata* (*Chelisoches*), 33.
Plagiata (Corydia), 167.
*Plagiata* (*Forficula*), 32.
Plagiata (Panesthia), 204.
Plagiatus (Chelisoches), 32, 33.
*PLANA*, 205.
*Plana* (*Apachys*), 23.
*Plana* (*Epilampra*), 114.
*Plana* (*Forficula*), 23.
Plana (Molytria), 114.
Plana (Sparatta), 23.
*Plana* (*Sparatta*), 24.
Plancyi (Polyphaga), 172.
PLANES, 111.
*PLANETICA*, 148.
*Planiceps* (*Mantis*), 223, 227.
Planiceps (Odontomantis), 223.
*Planiceps* (*Oxypilus*), 223, 227.
Planicollis (Forficula), 53.
Planiuscula (Pseudoglomeris), 190.
PLANUDES, 417.
*Planula* (*Phantasis*), 343.

Planulum (Hesperophasma), 343.
*Planulum* (*Phasma*), 343.
*PLATAMODES*, 80.
Platensis (Japyx), 57.
PLATYCALYMMA, 228.
Platycephala (Mesopteryx), 237.
*Platycephala* (*Tenodera*), 237.
*PLATYCRANA*, 385.
PLATYCRANIA, 385.
PLATYLABIA, 21.
*Platysoma* (*Blatta*), 63.
Platysoma (Ectobia), 63.
*Platystetha* (*Kakerlac*), 138.
*PLATYTELUS*, 405.
PLATYZOSTERIA, 130.
*Plebeia* (*Epilampra*), 121.
Plebeia (Heterolampra), 121.
*Plebeja* (*Labidura*), 14.
Plebeja (Psalis), 14.
PLECTOPTERA, 177.
PLECTOPTERINÆ, 177.
*Plena* (*Epilampra*), 122.
Plena (Heterolampra), 122.
*Plicipennis* (*Blatta*), 68.
*Plicipennis* (*Kakerlac*), 68.
Ploiaria (Cladoxerus), 358.
*Ploiaria* (*Phibalosoma*), 358.
Pluvialis (Labidura), 11.
PODACANTHUS, 379.
*Podagrica* (*Bostra*), 351.
Podagrica (Oncotophasma), 351.
*Poduriformis* (*Perisphæria*), 186.
*Poduroides* (*Perisphæria*), 186.
Poduroides (Stenopilema), 186.
Pœcila (Eustegasta), 181.
*Pœcila* (*Panchlora*), 181.
PŒCILOBLATTA, 192.
PŒCILODERRHIS, 118.
Pœciloptera (Necroscia), 375.
*Pœciloptera* (*Sipyloidea*), 375.
Poeyi (Agathemera), 402.
*Poeyi* (*Anophelepis*), 402.
*Poeyi* (*Blatta*), [99], 178.
Poeyi (Caulonia), 344.
Poeyi (Ceratinoptera), [99].
*Poeyi* (*Ceratinoptera*), 178.
Poeyi (Creoxylus), [417].
*Poeyi* (*Creoxylus*), 364.
Poeyi (Haplopus), 364.
*Poeyi* (*Panchlora*), 152.
Poeyi (Plectoptera), 178.
*Polita* (*Aphlebia*), 69.
Polita (Elliptoblatta), 183.
Polita (Hololampra), 69.
Polita (Melanozosteria), 129.
*Polita* (*Periplaneta*), 129.
POLLUSCA, 187.
Polyacantha (Sibylla), 287.
Polygrapha (Allacta), 100.
*Polygrapha* (*Blatta*), 100.
POLYPHAGA, 171.
POLYPHAGINÆ, 171.
*Polyspila* (*Epilampra*), 114, 115.
POLYSPILOTA, 239.
*Polystictica* (*Mantis*), 260.
Polyzona (Cosmozosteria), 133.
*Polyzona* (*Platyzosteria*), 133.
*Polyzona* (*Polyzosteria*), 133.
POLYZOSTERIA, 127.
*Pomposa* (*Gyna*), 150.
Ponderosa (Pharnacia), 359.
POPA, 308.
Popa (Ambivia), 280.
Popa (Extatosoma), 381.
*Porcellana* (*Blatta*), [99], 178.
*Porcellana* (*Ceratinoptera*), [99], 178.
*Porcellana* (*Phoraspis*), 111.
Porcellana (Plectoptera), 178.
Porcellana (Thorax), 111.
*Porcellio* (*Derocalymma*), 188, 189.
Porcellio (Homalodemas), 188.
Portentosa (Eurycantha), 396.
Portentosa (Gromphadorhina), 199.
*Portentosa* (*Gromphadorhina*), 199.
*Portentosa* (*Hormetica*), 199.
*Portentosa var. Lævigata* (*Gromphadorhina*), 199.
*Porus* (*Lonchodes*), 317.
*Porus* (*Lopaphus*), 317.
Porus (Stælonchodes), 317.
Postica (Blabera), 165.
*Postrostrata* (*Gratidia*), 336.
Postrostrata (Paraclonaria), 336.
*Poststriga* (*Blatta*), 73.
Poststriga (Chorisoneura), 73.
*Præcaria* (*Mantis*), 300, 301.
Præcaria (Stagmatoptera), 300.
*Præcarius* (*Gryllus*), 300.
*Præcarius* (*Mantis*), 300.
*Præcipua* (*Epilampra*), 120.
Præcipua (Rhabdoblatta), 120.
Præcontatrix (Theopropus), 293.
*Prædicatoria* (*Stagmatoptera*), 300.
Præstans (Pelmatosilpha), 142.
*Praon* (*Lonchodes*), 317, 319.
Praon (Stælonchodes), 317.
Prasina (Calidomantis), 259.
Prasina (Mantis), 251.
*Prasina* (*Mantis*), 251, 259.
*Prasina* (*Orthodera*), 218.
Prasina (Panchlora), 152.
*Prasina* (*Polyspilota*), 240.
*Prasinana* (*Mantis*), 231.
*Prasinum* (*Phasma*), 376, 413.
Prasinum (Pseudophasma), 413.
*Prasinus* (*Acanthoderus*), 340.
Prasinus (Macracantha), 340.

*Precaria* (*Mantis*), 299, 300.
*Precaria* (*Stagmatoptera*), 300.
*Precarius* (*Gryllus*), 300.
*Precarius* (*Mantis*), 300.
Predicatoria (Stagmatoptera), 300.
PRESBISTUS, 418.
Pretiosa (Sibylla), 286.
Preussi (Calidomantis), 258.
*Preussi* (*Miomantis*), 258.
PREXASPES, 413.
Prima (Leptozosteria), 131.
PRISOMERA, 323.
*PRISOMERA*, 322.
PRISOPINÆ, 403.
PRISOPUS, 405.
*Procera* (*Epilampra*), 124.
*Procera* (*Forficula*), 14.
Procera (Hedaia), 124.
Procera (Ischnoptera), 81.
*Procera* (*Psalis*), 14.
Prodigiosa (Clonaria), 338.
*Prodigiosa* (*Gratidia*), 338.
Producta (Ligaria), 226.
Productus (Paraclitumnus), 330.
Prolata (Clonaria), 338.
*Prolata* (*Gratidia*), 338.
Prolixa (Donusa), 409.
Prolixa (Phthoa), 332.
Prolixa (Spongiphora), 30.
PROMACHUS, 326.
PRONAONOTA, 184.
*Própinqua* (*Blatta*), 93.
Propinqua (Phyllodromia), 93.
*Propria* (*Epilampra*), 118.
*Propria* (*Polyzosteria*), 118.
PROSCRATEA, 195.
PROSOPLECTA, 177.
Prostasis (Dimorphodes), 387.
*Protensa* (*Apterygida*), 49.
*Protensa* (*Forficula*), 49.
Protensa (Sphingolabis), 49.
*Proterva* (*Blatta*), 192.
Proterva (Hostilia), 192
*Proterva* (*Phyllodromia*), 192.
*Provisionalis* (*Periplaneta*), 130.
Provisionalis (Syntomaptera), 130.
*Proxima* (*Epilampra*), 119.
Proxima (Pœciloderrhis), 119.
Pruinosa (Pachnepteryx), 78.
*Pruinosa* (*Thyrsocera*), 78.
*PSALIDOPHORA*, 29.
PSALIS, 13.
*PSEUDACANTHOPS*, 283.
Pseudatrata (Platyzosteria), 131.
PSEUDECTOBIA, 65.
PSEUDEMPUSA, 308.
PSEUDISCHNOPTERA, 86.
PSEUDOBACTERIA, 346.
PSEUDOCANTHOPS, 283.
Pseudocastanea (Platyzosteria), 131.
PSEUDOCHÆTA, 307.
PSEUDOCHELIDURA, 54.
PSEUDOCREOBOTRA, 293.
PSEUDODEROPELTIS, 147.
PSEUDOGLOMERIS, 190.
PSEUDOHARPAX, 296.
PSEUDOLAMPRA, 132.
PSEUDOMANTIS, 235.
*PSEUDOMANTIS*, 236.
PSEUDOMIOPTERYX, 275.
PSEUDOMOPS, 74.
PSEUDOPANCHLORA, 189.
PSEUDOPHASMA, 411.
*PSEUDOPHASMA*, 411.
PSEUDOPHASMINÆ, 408.
PSEUDOPHORASPIS, 119.
PSEUDOPHYLLODROMIA, 97.
Pseudoporus (Bacteria), 328.
*Pseudoporus* (*Clitumnus*), 328.
*Pseudoporus* (*Lonchodes*), 328.
PSEUDOSERMYLE, 346.
PSEUDOVATES, 304.
PSEUDOXYOPS, 298.
PSEUDOYERSINIA, 231.
PTERINOXYLUS, 362.
*Pterodactylus* (*Lonchodes*), 321.
*PTEROPUS*, 422.
PTERYGIDA, 44.
Pubescens (Forficula), 51.
*Pubescens* (*Forficula*), 51.
Pubescens (M[illegible]blatta), 96.
*Pubescens* (*Panchlora*), 185.
Pubescens (Polyzosteria), 128.
Pubescens ([illegible]blatta), 185.
*Pubescens var. Yersini* (*Forficula*), 51.
Pubicornis (Mantellias), 225.
*Pudica* (*Epilampra*), 121.
Pudica (Heterolampra), 121.
Pugnax (Forcipula), 9.
*Pugnax* (*Labidura*), 9.
Puiggarii (Pseudomops), 77.
*Puiggarii* (*Thyrsocera*), 77.
Pulchella (Calhypnorna), 179.
*Pulchella* (*Chelisoches*), 32.
Pulchella (Compsoblatta), 181.
*Pulchella* ([illegible]), 181.
*Pulchella* (*Forficula*), 27.
*Pulchella* (*Hypnorna*), 179.
Pulchella (Labia), 27.
*Pulchella* (*Labidura*), 27.
Pulchella (Necroscia), 377.
*Pulchella* ([illegible]), 154.
Pulchella (Phyllodromia), 89.
Pulchella (Polyzosteria), 127.

*Pulchellum* (*Necroscia*), 377.
*Pulchellum* (*Phasma*), 377.
Pulchellus (Chelisoches), 32.
Pulcherrima (Orthonecroscia), 374.
Pulchra (Antissa), 222.
*Pulchra* (*Mantis*), 222.
*Pulchrifolium* (*Phasma*), 421.
*Pulchrifolium* (*Phyllium*), 421.
Pulchrifolium (Pulchriphyllium), 421.
Pulchripennis (Bisanthe), 267.
Pulchripennis (Chelisoches), 33.
*Pulchripennis* (*Mantis*), 267.
Pulchripes (Forficula), 53.
PULCHRIPHYLLIUM, 421.
Pulicaria (Plectoptera), 178.
*Pulverulentus* (*Diapherodes*), 364.
Pulverulentus (Haplopus), 364.
*Pumicata* (*Blatta*), 96.
Pumicata (Phyllodromia), 96.
Pumilio (Cranidium), 361.
*Pumilio* (*Diapherodes*), 361.
*Pumilio* (*Monandroptera*), 361.
*Punctata* (*Aphlebia*), 69.
Punctata (Aruanoidea), 379.
*Punctata* (*Blatta*), 69, 151.
Punctata (Brachylabis), 16.
*Punctata* (*Derocalymma*), 188.
*Punctata* (*Epilampra*), 120.
Punctata (Gonypeta), 224.
Punctata (Heterolampra), 120.
Punctata (Hololampra), 69.
Punctata (Homalodemas), 188.
*Punctata* (*Mantis*), 224, 246.
*Punctata* (*Necroscia*), 376, 379.
Punctata (Notolampra), 111.
*Punctata* (*Oxypilus*), 224.
Punctata (Parahormetica), 198.
*Punctata* (*Platycrana*), 379.
Punctata (Platyzosteria), 131.
*Punctata* (*Polyzosteria*), 131.
Punctata (Pseudolampra), 132.
Punctata (Theganopteryx), 64.
*Punctata* (*Thorax*), 111.
*Punctatum* (*Necroscia*), 376, 379.
*Punctatum* (*Phasma*), 376, 379.
*Puncticollis* (*Epilampra*), 120, 121, 122.
Puncticollis (Heterolampra), 122.
Puncticollis (Panesthia), 203.
Puncticollis (Phyllodromia), 93.
*Punctifera* (*Epilampra*), 114.
Punctifrons (Phyllodromia), 89.
Punctigera (Gonypeta), 224.
*Punctipectus* (*Hierodula*), 245.
*Punctipennis* (*Epilampra*), 123.
Punctipennis (Heterolampra), 123.
*Punctipennis* (*Psalidophora*), 31.
Punctipennis (Spongiphora), 31.
Punctipes (Achrioptera), 394.
*Punctipes* (*Cyphocrana*), 394.
*Punctipes* (*Cyphocrania*), 394.
Punctipes (Hemipterota), 74.
*Punctosa* (*Ischnoptera*), 189.
Punctosa (Pseudopanchlora), 189.
*Punctulata* (*Blatta*), 63, 94.
*Punctulata* (*Cryptocercus*), 200.
*Punctulata* (*Dasyposoma*), 200.
Punctulata (Elliptoblatta), 183.
*Punctulata* (*Epilampra*), 123.
Punctulata (Heterolampra), 123.
*Punctulata* (*Ischnoptera*), 94.
Punctulata (Phyllodromia), 92, 94.
Punctulata (Pseudectobia), 65.
*Punctulata* (*Theganopteryx*), 65.
Punctulatus (Chelisoches), 34.
*Punctulatus* (*Cryptocercus*), 200.
Punctulatus (Oligonyx), 278.
Punctum (Panchlora), 153.
*Punctuosa* (*Ischnoptera*), 189.
Puppeius (Cladoxerus), 358.
*Puppeins* (*Phasma*), 358.
Purcelli (Japyx), 56.
Purpuralis (Corydia), 167.
*Purpurascens* (*Mantis*), 264.
Purpurascens (Pelmatosilpha), 143.
*Purpurascens* (*Polyzosteria*), 127.
Purpurascens (Thespis), 264.
*Purpurea* (*Polyzosteria*), 192.
Purpurea (Trichoblatta), 192.
Purpurescens (Hierodula), 247.
*Purpureus* (*Metallyticus*), 209.
*Purpuripennis* (*Empusa*), 314.
*Purpuripennis* (*Graeffea*), 386.
Pusilla (Ameles), 230.
*Pusilla* (*Gonypeta*), 230.
Pusilla (Latindia), 168.
*Pusilla* (*Mantis*), 230.
*Pustulata* (*Epilampra*), 121.
Pustulata (Heterolampra), 121.

*Pustulata* (*Mantis*), 240.
Pustulata (Polyspilota), 240.
*Pustulifera* (*Hierodula*), 249.
Pustulifera (Rhombodera), 249.
Pustulosa (Phyllodromia), 88.
*Putidum* (*Phasma*), 412.
Putidum (Pseudophasma), 412.
*PYCNOSCELUS*, 151.
Pygidiata (Labia), 26.
Pygidiata (Sparatta), 24.
PYGIDICRANA, 4.
PYGIRHYNCHUS, 408.
Pygmæa (Bantia), 275.
*Pygmæa* (*Blatta*), 99.
Pygmæa (Ceratinoptera), 99.
*Pygmæa* (*Forficula*), 21.
Pygmæa (Platylabia), 21.
*Pygmæa* (*Psalidophora*), 32.
Pygmæa (Spongiphora), 32.
Pygmea (Bolbe), 226.
*Pygmea* (*Oligonyx*), 275.
PYLÆMENES, 400.
PYRAGRA, 7.
Pyrenaica (Chelidura), 42.
*Pyrenaica* (*Forficula*), 42.
*PYRGOCOTIS*, 218.
PYRGOMANTIS, 217.
Pythonius (Hermarchus), 361.
*Pythonius* (*Phibalosoma*), 360, 361.

Quadrata (Calolampra), 117.
*Quadrata* (*Epilampra*), 117.
Quadrata (Platylabia), 22.
Quadratipes (Obrimus), 398.
*Quadratum* (*Phasma*), 415.
Quadratus (Prexaspes), 415.
Quadricornis (Mantis), 295.
Quadrifascia (Cosmozosteria), 133.
*Quadrifascia* (*Platyzosteria*), 133.
*Quadrifascia* (*Polyzosteria*), 133.
*Quadrifera* (*Blatta*), 164.
Quadriglumis (Panesthia), 203.
Quadriguttata (Marmessoidea), 371.
*Quadriguttata* (*Necroscia*), 371.
*Quadriguttatum* (*Necroscia*), 371.
*Quadriguttatum* (*Phasma*), 371.
Quadrilobata (Blatta), 139.
*Quadrilobata* (*Forficula*), 25.
Quadrilobata (Labia), 25.
*Quadrilobata* (*Stylopyga*), 139.
*Quadrimaculata* (*Acontista*), 233.
*Quadrimaculata* (*Forficula*), 30.
*Quadrimaculata* (*Mantis*), 233.
*Quadrimaculata* (*Panesthia*), 202.
*Quadrimaculata* (*Psalidophora*), 30.
Quadrimaculata (Spongiphora), 30.
*Quadrinotata* (*Epilampra*), 122.
Quadrinotata (Heterolampra), 122.
Quadrinotata (Ligaria), 226.
*Quadriplagiata* (*Ischnoptera*), 88.
Quadriplagiata (Prosoplecta), 177.
*Quadripunctata* (*Apolyta*), 79.
*Quadripunctata* (*Blatta*), 154.
Quadripunctata (Calidomantis), 258.
*Quadripunctata* (*Miomantis*), 258.
Quadripunctata (Panchlora), 154.
Quadripunctatum (Ellipsidion), 79.
Quadrispinosa (Forcipula), 9.
*Quadrispinosa* (*Labidura*), 9.
*Quadrispinosa* [illegible] (*Forcipula*), 9.
[illegible] cotis), 144.
*Quindensis* (*Acanthoderus*), 344.
*Quindensis* ([illegible]), 344.
Quindensis (Caulonia), 344.
*Quinquedens* (*Hierodula*), 242.
*Quinquedens* (*Mantis*), 242.
Quinquedens (Sphodropoda), 242.
Quinquedentata (Panesthia), 202.
*Quinquemaculata* (*Angela*), 265.
*Quinquemaculata* (*Mantis*), 265.
Quinquemaculata (Thespis), 265.
*Quitense* (*Phasma*), 415.
Quitensis (Isagoras), 415.
*Quitensis* ([illegible]), 415.

*Rachis* (*Acanthoderus*), 326.
Rachis ([illegible]), 326.
*Radiata* (*Mantis*), 250.
*Radiatum* (*Phasma*), 413.
Radiatum (Pseudophasma), 413.
*Rafflesii* (*Necroscia*), 371.
*Rafflesii* (*Phasma*), 371.
*Rafflesii* (*Platycrana*), 371.
*Raffrayi* (*Diplatys*), 1.
Ramalo (Libethra), 345.
Ramifera (Allacta), 99.
*Ramifera* (*Blatta*), 99.
*Ramifera* (*Epilampra*), 114.
Ramifera (Molytria), 114.
*Ramosa* (*Blatta*), 80.
Ramosa (Ischnoptera), 81.
Ramosum (Baculum), 329.
Ramosum (Ellipsidion), 80.
*Ramosus* (*Bacillus*), 329.
*Ramosus* (*Baculum*), 329.
RAMULUS, 32[illegible].

*Ramulus* (*Baculus*), 354.
Ramulus (Ceroys), 354.
Ramulus (Myronides), 321.
*Ranarius* (*Acanthoderus*), 399.
Ranarius (Tisamenus), 399.
Rapax (Antemna), 284.
Rapax (Hoplocorypha), 257.
Rapax (Mionyx), 276.
*Rapax* (*Musonia*), 276.
Raptoria (Hierodula), 245.
Rebus (Cosmiella), 38.
*Rebus* (*Opisthocosmia*), 38.
Rectangulariter-vittata (Phyllodromia), 91.
Rectivenis (Euthyphleps), 307.
Redtenbacheri (Bacillus), 333.
*Reducta* (*Blatta*), 89.
Reducta (Phyllodromia), 89.
Reductus (Clitarchus), 339.
*Reflexa* (*Blabera*), 161.
*Reflexa* (*Blatta*), 161.
*Reflexa* (*Derocalymma*), 185.
*Reflexa* (*Monachoda*), 161.
*Reflexa* (*Perisphæria*), 185.
Reflexa (Petasodes), 161.
Reflexa (Pilema), 185.
*Reflexa* (*Polyzosteria*), 128.
Reflexa (Rhicnoda), 124.
Regale (Clemacantha), 389.
Regalis (Panesthia), 203.
*Regina* (*Blabera*), 109.
*Regina* (*Epilampra*), 115.
Regina (Homalosilpha), 115.
Regina (Megaloblatta), 109.
Regina (Methana), 136.
*Regina* (*Panesthia*), 200.
*Regina* (*Periplaneta*), 136.
Regina (Salganea), 200.
*Regulus* (*Bacillus*), 328.
Regulus (Baculum), 328.
*Reichardi* (*Apachya*), 4.
Reichardi (Apachyus), 4.
*Reinwardtii* (*Cyphocrana*), 391.
Reinwardtii (Phasma), 391.
Religiosa (Mantis), 250.
*Religiosa* (*Mantis*), 238.
*Religiosus* (*Gryllus*), 250.
*Religiosus* (*Mantis*), 250.
Relucens (Phyllodromia), 90.
Remiformis (Bostra), 350.
*Remota* (*Forficula*), 32.
Remota (Spongiphora), 32.
Remphan (Bacteria), 355.
*Rendalli* (*Acanthomantis*), 297.
Rendalli (Otomantis), 297.
Repanda (Epilampra), 126.
*Repanda* (*Periplaneta*), 141.
Replicata (Anaplecta), 67.
*Reticularis* (*Blatta*), 96.
Reticularis (Phyllodromia), 96.
Reticulata (Anchiale), 393.
*Reticulata* (*Apolyta*), 80.
*Reticulata* (*Cardioptera*), 274.
*Reticulata* (*Cyphocrania*), 393.
Reticulata (Hierodula), 247.
Reticulata (Iridopteryx), 223.
*Reticulata* (*Mantis*), 223, 237, 270, 273.
*Reticulata* (*Oxypilus*), 223.
*Reticulata* (*Phasma*), 393, 415.
Reticulata (Photina), 273.
*Reticulata* (*Platycrana*), 393.
Reticulatum (Ellipsidion), 80.
*Reticulatum* (*Phasma*), 412.
*Reticulosa* (*Blatta*), 98.
Reticulosa (Pseudophyllodromia), 98.
*Retowskii* (*Aphlebia*), 70.
Retowskii (Hololampra), 70.
Reversa (Ischnoptera), 81.
Reyi (Ischnopoda), 365.
*Reyi* (*Palophus*), 365.
RHABDOBLATTA, 120.
Rhabdota (Caulonia), 344.
*Rhabdota* (*Ceroys*), 344.
*Rhachis* (*Acanthoderus*), 326.
RHAMPHOPHASMA, 331,
RHAPHIDERUS, 382.
RHICNODA, 124.
Rhinoceros (Macropanesthia), 205.
Rhipheus (Acanthomima), 383.
*Rhipheus* (*Anophelepis*), 383.
Rhodomus (Tropidoderus), 380.
Rhombica (Deroplatys), 281.
*Rhombica* (*Deroplatys*), 281.
*Rhombica* (*Mantis*), 281.
Rhombicollis (Chœradodis), 220.
*Rhombicollis* (*Chœradodis*), 219.
*Rhombicollis* (*Mantis*), 220.
*Rhombifolia* (*Blatta*), 135.
Rhombifolia (Dorylæa), 135.
*Rhombifolia* (*Periplaneta*), 135.
RHOMBODERA, 248.
*Rhomboidalis* (*Hierodula*), 249.
Rhomboidea (Chœradodis), 220.
*Rhomboidea* (*Mantis*), 220.
RHYPAROBIA, 150.
RIATIA, 68.
Ridens (Labia), 26,
*Ridens var. Cyclolabia* (*Labia*), 26.
Ridleyi (Bactricia), 327.
Ridleyi (Diplatys), 2.
Ridleyi (Heterolampra), 122.
Ridleyi (Presbistus), 119.

*Riparia* (*Forficesila*), 10.
Riparia (Labidura), 10.
*Riparia var. Maxima* (*Labidura*), 10.
Ritsemæ (Chelisoches), 34.
*Robusta* (*Brachycola*), 197.
Robusta (Carcinophora), 15.
*Robusta* (*Chelidura*), 15.
*Robusta* (*Deropeltis*), 145.
*Robusta* (*Hierodula*), 245.
Robusta (Mesopteryx), 238.
*Robusta* (*Plano*), 205.
Robusta (Sphendale), 269.
Robustus (Geoscapheus), 205.
Robustus (Labidurodes), 15.
Rodziankoi (Forficula), 52.
*Rogatoria* (*Mantis*), 300, 301.
Rogenhoferi (Iris), 260.
Rogenhoferi (Pachymantis), 288.
Rogersi (Sphingolabis), 33.
Rogersi (Spongiphora), 32.
*Rollandi* (*Heteropteryx*), 397.
*Rosaria* (*Bacteria*), 326.
*Rosarius* (*Acanthoderus*), 326.
Rosarius (Promachus), 326.
*Rosea* (*Mantis*), 371.
Rosea (Marmessoidea), 371.
*Rosea* (*Necroscia*), 384.
*Rosea* (*Phasma*), 371, 384.
*Roseinervis* (*Hierodula*), 241.
*Roseipenne* (*Diura*), 381.
*Roseipenne* (*Necroscia*), 376.
*Roseipenne* (*Phasma*), 376.
*Roseipennis* (*Acontista*), 234.
*Roseipennis* (*Acrophylla*), 381.
*Roseipennis* (*Diura*), 381.
Roseipennis (Necroscia), 376.
Roseipennis (Tithrone), 234.
Rosenbergi (Eurycantha), 396.
Rosenbergi (Haaniella), 397.
*Rosenbergi* (*Heteropteryx*), 397.
Rosenbergi (Necroscia), 377.
Rosenbergi (Psalis), 14.
*Roseni* (*Heterogamia*), 172.
Roseni (Polyphaga), 172.
*Roseum* (*Phasma*), 371.
Rossia (Bacillus), 333, 334.
*Rossia* (*Mantis*), 333.
*Rossia* (*Phasma*), 334.
*Rossii* (*Bacillus*), 334.
*Rossium* (*Phasma*), 334.
*Rossius* (*Bacillus*), 334.
Rothei (Pseudolampra), 132.
Rotundata (Blatta), 139.
Rotundata (Labia), 27.
Rotundata (Pelmatosilpha), 142.
*Rotundata* (*Periplaneta*), 139.
Rotundipennis (Eremiaphila), 210.
*Roulinii* (*Anisomorpha*), 402.
Roulinii (Autolyca), 402.
*Roulinii* (*Bacteria*), 402.
*Rubescens* (*Necroscia*), 372.
Rubescens (Trigonophasma), 372.
*Rubicunda* (*Mantis*), 297.
*Rubicunda* (*Necroscia*), 372.
Rubicunda (Oxypilus), 297.
Rubicunda (Trigonophasma), 372.
*Rubicundus* (*Necroscia*), 372.
*Rubicundum* (*Phasma*), 372.
*Rubiginosa* (*Hierodula*), 241.
Rubiginosa (Ischnoptera), 85.
Rubiginosa (Tarachomantis), 241.
*R*[illegible] ([illegible]), 355.
Rubescens (Phibalosoma), 356.
Rubr[illegible] ([illegible]), 30.
Rubricosa (N[illegible]), [156].
*R*[illegible] ([illegible]), 193.
Rubricosa (Pœciloblatta), 193.
*Rubrocoxata* (*Mantis*), 218.
*Rubromaculata* (*Mantis*), 240.
*Rubus* (*C*[illegible]), 357.
Rubus (Phibalosoma), 357.
*Rudis* (*Zetobora*), 158.
Rudolfæ (Sphodromantis), 243.
*Rudolfæ* (*Sphodropoda*), 243.
Rufa (Blatta), 139.
Rufa (Ischnoptera), 83.
*Rufa* (*Panesthia*), 200.
*Rufa* (*Periplaneta*), 139.
Rufa (Prosoplecta), 177.
Rufescens (Anisolabis), 19.
Rufescens (Blabera), 164.
*Rufescens* (*Blatta*), 82.
*Rufescens* (*Cylindrogaster*), 2.
Rufescens (Diplatys), 2.
*R*[illegible] ([illegible]), 14, 29, 45.
Rufescens (Ischnoptera), 82.
Rufescens (M[illegible]), 136.
Rufescens (Psalis), 14.
*R*[illegible] ([illegible]), 29, 45.
*R*[illegible] (*F*[illegible]), 29, 45.
*R*[illegible] ([illegible]), 176.
*R*[illegible] ([illegible]), 176.
Ruficeps (Neolobophora), 29.
Ruficeps (Nesogastrella), 36.
Ruficeps (Orthonecroscia), 374.
Ruficeps (Panesthia), 202.
Ruficeps (Phyllodromia), 89.

Ruficollis (Forficula), 51.
Ruficornis (Cosmozosteria), 133.
Ruficornis (Hyposphæria), 193.
*Ruficornis* (*Lioblatta*), 193.
*Ruficornis* (*Periplaneta*), 133.
Rufina (Sparatta), 24.
*Rufipes* (*Megaloblatta*), 109.
Rufipes (Paranauphœta), 180.
Rufipes (Parasphæria), 196.
Rufipes (Rhyparobia), 151.
*Rufipes var. Novæ Guineæ* (*Paranauphœta*), 180.
Rufitarsis (Chelisoches), 33,
*Rufitarsis* (*Forficula*), 33.
*Rufitarsis* (*Lobophora*), 33.
*Rufitarsis* (*Psalidophora*), 33.
Rufiventris (Hemithyrsocera), 77.
*Rufiventris* (*Thyrsocera*), 77.
Rufofusca (Platyzosteria), 130.
Rufolineatus (Maransis), 337.
*Rufoterminata* (*Polyzosteria*), 130.
Rufoterminata (Syntomaptera), 130.
*Rufovittata* (*Lampyris*), 113.
*Rufovittata* (*Polyzosteria*), 144.
Rugicolle (Pseudophasma), 413.
*Rugicollis* (*Catara*), 148.
*Rugicollis* (*Metriotes*), 413.
*Rugicollis* (*Platycrana*), 413.
*Rugosa* (*Heterogamia*), 173.
Rugosa (Pœciloblatta), 193.
Rugosa (Polyphaga), 173.
Rugosa (Rhicnoda), 124.
*Rugosa* (*Zetobora*), 193.
Rugosicollis (Catara), 148.
*Rugosicollis* (*Deropeltis*), 148.
Rugulata (Salganea), 200.
Russellii (Baculum), 327.
*Russellii* (*Lonchodes*), 327.
*Rustica* (*Mantis*), 274.
Rustica (Miopteryx), 274.
Rusticus (Baculum), 328.
*Rusticus* (*Clitumnus*), 328.

*Sabalianus* (*Platyzosteria*), 144.
Sabulosa (Epilampra), 125.
Sabulosa (Eremiaphila), 212.
*Sacalava* (*Exedra*), 199.
Sacra (Mantis), 250.
*Sacrata* (*Mantis*), 405.
Sacrata (Prisopus), 405.
SADYATTES, 358.
*Sæva* (*Mionyx*), 277.
Sævissimus (Acanthoclonia), 407.
*Sævissimus* (*Ceroys*), 407.
Sævus (Mionyx), 277.
Sagitta (Idolomorpha), 314.
Sahlbergi (Cylindrogaster), 3.
*Sakai* (*Bacteria*), 350.
Sakai (Dyme), 350.
Sakalava (Elliptoblatta), 183.
Sakalava (Heminauphœta), 156.
*Sakalava* (*Hierodula*), 241.
Sakalava (Tarachomantis), 241.
Sakalava (Temnopteryx), 104.
Salamandra (Canachus), 396.
Salebrosa (Pachymorpha), 342.
SALGANEA, 200.
Sallei (Pseudomops), 74.
*Sallei* (*Thyrsocera*), 74.
*Salmacis* (*Acrophylla*), 329.
Salmacis (Ctenomorpha) 389.
Salmanazar(Aruanoidea), 378.
*Salmanazar* (*Necroscia*, 378.
*Salpingus* (*Phasma*), 413.
Salpingus (Pseudophasma), 413.
*Samouellii* (*Bacteria*), 349.
Samouellii (Heteronemia), 349.
*Samson* (*Necroscia*), 369.
Samson (Sosibia), 369.
Sanchezi (Tæniosoma), 361.
*Sancta* (*Chiropus*), 216.
Sancta (Ischnoptera), 83.
Sancta (Mantis), 250.
*Sancta* (*Mantis*), 301.
*Sancta* (*Stagmatoptera*), 301.
Sancta (Tarachodes), 216.
Sanctæ-Helenæ (Euthyrrhapha), 168.
Sangarius (Calvisia), 370.
*Sangarius* (*Necroscia*), 370.
Sansibara (Gratidia), 330.
*Sansibarica* (*Apterygida*), 49.
Sansibarica (Gratidia), 330.
*Sansibarica* (*Gratidia*), 330.
Sansibarica (Sphingolabis), 49.
Santara (Isagoras), 415.
*Santara* (*Metriotes*), 415.
*Santarema* (*Blatta*), 95.
Santarema (Phyllodromia), 95.
Saperdiformis (Calhypnorna), 179.
*Saperdiformis* (*Hypnorma*), 179.
Saperdoides (Calhypnorna), 179.
*Saperdoides* (*Hypnorma*), 179.
*Sarawaca* (*Bacteria*), 317.
Sarawaca (Deroplatys), 281.
*Sarawaca* (*Hestias*), 288.
*Sarawaca* (*Hestiasula*), 288.
Sarawaca (Pachymantis), 288.
Sarawaca(Stælonchodes), 317.

*Sardea* (*Aphlebia*), 69.
*Sardea* (*Blatta*), 69.
Sardea (Hololampra), 69.
*Sardea var. Adspersa* (*Aphlebia*), 69.
*Sarmentosa* (*Bacteria*), 358.
Sarmentosa (Phryganistria), 358.
*Sarmentum* (*Bacunculus*), 348.
Sarmentum (Heteronemia), 348.
Sarpedon (Necroscia), 377.
*Sartoriana* (*Bacteria*), 354.
Sartoriana (Phanocles), 354.
*Saturnus* (*Diura*), 388.
Saussurei (Cæparia), 201.
Saussurei (Calidomantis), 259.
Saussurei (Carvilia), 267.
Saussurei (Ceratomantis), 287.
Saussurei (Deropeltis), 146.
Saussurei (Diapheromera), 347.
*Saussurei* (*Fischeria*), 267.
Saussurei (Gonypeta), 224.
Saussurei (Haaniella), 397.
Saussurei (Hesperophasma), 243.
*Saussurei* (*Heterogamia*), 172.
Saussurei(Heterolampra), 120.
Saussurei (Heteropteryx), 397.
Saussurei (Hierodula), 245.
*Saussurei* (*Iapyx*), 57.
*Saussurei* (*Iridopteryx*), 224.
Saussurei (Japyx), 57.
*Saussurei* (*Miomantis*), 259.
*Saussurei* (*Oxypilus*), 287.
Saussurei (Panesthia), 202.
*Saussurei* (*Panesthia*), 201.
*Saussurei* (*Phantasis*), 343.
Saussurei (Pilema), 185.
Saussurei (Polyphaga), 172.
Saussurei (Polyspilota), 240.
*Saussurei* (*Pygidicrana*), 7.
*Saussurei* (*Pyragra*), 7.
Saussurei (Rhombodera), 248.
Saussurei (Sermyle), 345.
Saussurei (Temnopteryx), 103.
*Saussurei* (*Thermastris*), 7.
*Savatieri*(*Oxyophthalma*), 261.
Savatieri (Paroxyophthalmus), 261.
Savignyi (Calidomantis), 259.
Savignyi (Eremiaphila), 212.
*Savignyi* (*Miomantis*), 259.
Savignyi (Periplaneta), 142.
*Saxicola* (*Blatta*), 185.
Saxicola (Pilema), 185.
*Sayi* (*Bacteria*), 347.
*Sayi* (*Diapheromera*), 347.
Scabra (Cacoblatta), 166.
Scabra (Derocalymma), 187.
Scabra (Gymnonyx), 184.
*Scabra* (*Necroscia*), 369.
*Scabra* (*Perisphæria*), 187.
Scabra (Platyzosteria), 131.
*Scabra* (*Polyzosteria*), 131.
*Scabra* (*Sipyloidea*), 369.
Scabra (Sosibia), 369.
Scabrella (Platyzosteria), 131.
*Scabricollis* (*Blatta*), 193.
Scabricollis (Calidomantis), 259.
*Scabricollis* (*Cyrtotria*), 187.
Scabricollis (Derocalymma), 187.
*Scabricollis*(*Diapherodes*), 364.
Scabricollis (Haplopus), 364.
*Scabricollis* (*Miomantis*), 259.
Scabriuscula(Allodahlia), 41.
*Scabriuscula* (*Anechura*), 41.
*Scabriuscula* (*Forficula*), 41.
*Scabriuscula* (*Menaka*), 341.
*Scabriuscula* (*Periplaneta*), 130.
Scabriuscula (Syntomaptera), 130.
*Scabriusculus* (*Bacillus*), 341.
Scabriusculus (Medaura), 341.
*Scabrosa* (*Bacteria*), 382.
*Scabrosus* (*Acanthoderus*), 355, 382.
*Scabrosus* (*Raphiderus*), 382.
Scabrosus (Rhaphiderus), 382.
*Scabrosus* (*Rhaphiderus*), 382.
*SCAPHEGYNA*, 327.
Scarabæoides (Ergaula), 173.
*Sceleton* (*Phasma*), 324.
*Schæfferi* (*Blatta*), 69.
Schaumi (Clonaria), 337.
*Schaumi* (*Gratidia*), 337.
SCHIZOCEPHALA, 262.
SCHIZOPILIA, 159.
Schotti (Sparatta), 24.
*Schotti* (*Sparatta*), 24.
*Schulthessi* (*Tarachodes*), 215.
Schulthessi (Temnopteryx), 108.
Schwarzi (Latindia), 168.
Schweinfurthi (Deropeltis), 146.
*Scindus* (*Chelidura*), 52.
*Scita* (*Epilampra*), 120.
Scita (Pseudophoraspis), 120.
*Scops* (*Acanthoderus*), 355.
Scops (Ceroys), 355.
Scorpionides (Eurycantha), 396.
*Scorpionides* (*Karabidion*), 396.
*Scripta* (*Panchlora*), 149.
*Scrobiculata* (*Hormetica*), 197.
*Scudderi* (*Forficula*), 52.
Scudderi (Oligonyx), 278.
Scudderi (Psalis), 14.
Sculpturata (Deropeltis), 147.
*Sculpturata* (*Epilampra*), 120.
Sculpturata (Heterolampra), 120.

Scutata (Blabera), 165.
Scutata (Rhombodera), 248.
Scutelligera (Gyna), 149.
*Scutelligera* (*Panchlora*), 149.
**Scutigera (Hemithyrsocera), 77.**
Scutigera (Otomantis), 296.
*Scutigera* (*Pseudomops*), 77.
*Scytale* (*Bacillus*), 329.
Scytale (Baculum), 329.
*Scythe* (*Phyllium*), 422.
Scythe (Pulchriphyllium), 422.
*Scythrus* (*Anophelepis*), 343.
Scythrus (Hesperophasma), 343.
*Scythrus* (*Phantasis*), 343.
*Sechellensis* (*Lonchodes*), 318.
Sechellensis (Stælonchodes), 318.
Secunda (Leptozosteria), 131.
Sedilloti (Cutilia), 134.
*Sedilloti* (*Polyzosteria*), 134.
Sekalavum (Echinosoma), 8,
*Semele* (*Anisomorpha*), 402.
Semele (Autolyca), 402.
Semiæneus (Metallyticus), 209.
*Semialata* (*Miomantis*), 259.
*Semialata* (*Monachoda*), 162.
*Semialata* (*Monastria*), 162.
*Semiarmata* (*Acanthodera*), 324.
*Semiarmata* (*Phasma*), 325.
*Semiarmatus* (*Acanthoderus*), 325.
Semiarmatus (Menexenus), 325.
Semicincta (Hemithyrsocera), 77.
*Semicincta* (*Periplaneta*), 134.
*Semicincta* (*Thyrsocera*), 77.
Semiflava (Spongiphora), 30.
mifulva (Chætospania), 22.
Semifulva (Sparatta), 22.
Semilimbata (Elliptoblatta), 183.
Semiluteus (Chelisoches), 34.
Semipicta (Eurycotis), 144.
*Semipicta* (*Periplaneta*), 144.
Semirufa (Acontista), 234.
Semirufa (Sparatta), 24.
*Semirufula* (*Hapalomantis*), 214.
Semirufula (Humbertiella), 214.
Semivitrea (Pseudophyllodromia), 98.
Semivitta (Cutilia), 134.
*Semivitta* (*Drymoplaneta*), 134.
*Semivitta* (*Periplaneta*), 134.
Semperi (Lamachus), 368.
Semperi (Tagalina), 4.
Semuncialis (Gonypetyllis), 288.
*Senegalensis* (*Blatta*), 64.
Senegalensis (Calidomantis), 259.
*Senegalensis* (*Ectobia*), 64.
*Senegalensis* (*Forficula*), 52.
*Senegalensis* (*Miomantis*), 259.
Senegalensis (Oxyothespis), 255.
Senegalensis (Theganopteryx), 64.
Senticosa (Caulonia), 344.
Senticosa (Xerosoma), 416.
*Septemguttata* (*Cassida*), 167.
Septentrionalis (Stagmatoptera), 300.
*Septentrionalis* var. *Minor* (*Stagmatoptera*), 300.
Septentrionum (Humbertiella), 214.
*Septentrionum* (*Theopompa*), 214.
*Sequens* (*Blatta*), 93.
Sequens (Phyllodromia), 93.
Sericea (Nyctibora), 107.
*Sericea* (*Perisphæria*), 191.
Sericea (Trichoblatta), 191.
**Seriepunctata** (Leptocola), 263.
SERMYLE, 345.
*Serpæ* (*Derocalymma*), 185.
Serpæ (Pilema), 185.
*Serrata* (*Forficula*), 49, 53.
Serrata (Panesthia), 203.
Serrata (Sphingolabis), 49.
*Serraticornis* (*Theoclytes*), 305.
Serraticornis (Vates), 305.
*Serratipes* (*Cladoxerus*), 359.
Serratipes (Pharnacia), 359.
*Serratipes* (*Pharnacia*), 359.
*Serratipes* (*Phibalosoma*), 359.
Serratissima (Panesthia), 203.
Serratodentata (Danuria), 310.
Serratorius (Tisamenus), 399.
*Serricauda* (*Bacteria*), 350.
Serricauda (Dyme), 350.
*Serricollis* (*Cranidium*), 361.
*Serricollis* (*Diapherodes*), 361.
*Serricornis* (*Mantis*), 298.
Serricornis (Parastagmatoptera), 298,
Servilleana (Orthomeria), 420.
*Servilleanum* (*Aschipasma*), 420.
*Servillei* (*Acanthoderus*), 326.
*Servillei* (*Bacteria*), 326.
*Servillei* (*Blatta*), 107.
Servillei (Chœradodis), 220.
Servillei (Empusa), 313.
*Servillei* (*Humbertiella*), 213.
*Servillei* (*Labidura*), 11.
*Servillei* (*Mantis*), 213.
*Servillei* (*Metriotes*), 413, 414.
*Servillei* (*Phasma*), 414.
Servillei (Prexaspes), 111.
Servillei (Promachus), 326.
Servillei (Theopompa), 213.

*Setulosa* (*Forficula*), 51.
Setulosa (Sparattina), 24.
Severa (Diplatys), 2.
Severini (Labia), 28.
SEVERINIA, 307.
Sexguttata (Cosmozosteria), 133.
*Sexguttata* (*Drymaplaneta*), 133.
*Sexguttata* (*Periplaneta*), 133.
*Sexnotata* (*Blatta*), 196.
*Sexnotata* (*Brachycola*), 196.
Sexpustulata (Blatta), 140.
*Sexpustulata* (*Polyzosteria*), 140.
Shelfordi (Chelisochella), 35.
Shelfordi (Deroplatys), 281.
Shelfordi (Molytria), 114.
*Shiva* (*Bacteria*), 322.
Shiva (Lonchodes), 322.
Shuckardi (Dinelytron), 408.
Sialidea (Mantillica), 225.
Siamensis (Pygidicrana), 5.
SIBYLLA, 286.
Sicaria (Labia), 27.
*Sicca* (*Ischnoptera*), 113.
*Siccifolia* (*Blatta*), 141.
*Siccifolia* (*Mantis*), 422.
*Siccifolia* (*Phasma*), 422.
Siccifolium (Deroplatys), 281.
*Siccifolium* (*Phasma*), 423.
Siccifolium (Phyllium), 422.
*Siccifolium* (*Phyllium*), 423.
*Siccifolius* (*Gryllus*), 422.
*Siccifolius* (*Mantis*), 422.
*Siccifolius* (*Pteropus*), 422.
Sifia (Eurycantha), 396.
SIGERPES, 289.
*Sigillata* (*Zetobora*), 155.
*Signata* (*Blatta*), 135.
Signata (Dorylæa), 135.
Signata (Elliptoblatta), 184.
Signata (Hemithyrsocera), 77.
Signata (Latindia), 168.
*Signata* (*Mantis*), 240.
*Signata* (*Polyzosteria*), 184.
*Signata* (*Thyrsocera*), 77.
Signaticollis (Pachnepteryx), 79.
*Signaticollis*(*Thyrsocera*), 79.
Signaticollis (Tribonidium), 157.
*Signaticollis* (*Zetobora*), 157.
Signatura (Calolampra), 117.
*Signatura* (*Epilampra*), 117.
Signifer (Creoboter), 291.
*Signifer* (*Harpax*), 291.
Signifera (Achroblatta), 155.
*Signifera* (*P[illegible]*), 155.
*Signifrons* (*Nauphœta*), 176.
*Sikoræ* (*Blatta*), 90.
Sikoræ (Phyllodromia), 90.
Silana (Apterygia), 50.
Silana (Forficula), 50.
*Silpha* (*Diploptera*), 176.
*Silpha* (*Prosoplecta*), 176.
*Silphoides*(*Derocalymma*), 189.
*Silphoides* (*Diploptera*), 176.
Silphoides (Homalodemas), 189.
Silphoides (Polyphaga), 172.
*Similis* (*Aplopus*), 364.
*Similis* (*Blabera*), 161.
*Similis* (*Blatta*), 93.
Similis (Deropeltis), 146.
Similis (Haplopus), 364.
Similis (Hierodula), 247.
*Similis* (*Ischnoptera*), 146.
*Similis* (*Mantis*), 247.
*Similis* (*Monachoda*), 161.
Similis (Monastria), 161.
Similis (Phyllodromia), 93.
Similis (Spongiphora), 31.
Simoni (Nocticola), 106.
Simonyi (Holocompsa), 170.
*Simplex* (*Bacteria*), 324.
*Simplex* (*Chelidura*), 42.
*Simplex* (*Forficula*), 42.
Simplex (Myronides), 321.
Simplex (Opisthocosmia), 39.
*Simplex* (*Phasma*), 324.
*S[illegible]* (*E[illegible]chroa*), 308.
Simplicipes (Pachymorpha), 342.
Simplicitarsis (Bacteria), 355.
*Simulacrum* (*Hierodula*), 245, 247.
*Simulacrum* (*Mantis*), 243, 246, 299.
Simulacrum (Parastagmatoptera), 299.
Simulans (Chelisoches), 34.
*Simulans* (*Forficula*), 34.
*Simulans* (*Lobophora*), 34.
Simulans (Pseudomops), 76.
*Simulans* (*Thyrsocera*), 76.
Simulatrix (Tivia), 169.
*Simyra* (*Creoxylus*), 404.
Simyra (Neocles), 404.
*Sinensis* (*Epilampra*), 120.
*Sinensis* (*Heterogamia*), 172.
Sinensis (Heterolampra), 120.
*Sinensis* (*Homœogamia*), 172.
Sinensis (Ischnoptera), 81.
Sinensis (Polyphaga), 172.
*Sinensis* (*Polyphaga*), 172.
Sinensis (Tenodera), 239.
*Singularis*(*Pyrgomantis*), 217.
*Sinkiebensis* (*Bacteria*), 317.
Sinkiebensis (Stælonchodes), 317.
*Sinuata* (*Acanthops*), 283.
Sinuata (Blatta), 139.
*Sinuata* (*Chelidura*), 54.
*Sinuata* (*Forficula*), 54.
*Sinuata* (*Mantis*), 282.
Sinuata (Panesthia), 203.
Sinuata (Pseudochelidura), 54.
*Sinuata* (*Stylopyga*), 139.
*Sinuata var. Cyclolabia* (*Pseudochelidura*), 54.

*Sinuata var. Dufourii (Chelidura)*, 54.
*Sinuata var. Macrolabia (Pseudochelidura)*, 54.
SIPYLOIDEA, 374.
Sipylus (Necroscia), 375.
*SISAPONA*, 163.
Smaragdina (Panchlora), 154.
*Smaragdula (Necroscia)*, 370.
Smithi (Forficula), 53.
Smithi (Tarachodes), 216.
Smyrnensis (Forficula), 51.
Snelleni (Nanomantis), 255.
Snodgrassi (Temnopteryx), 105.
Sobrina (Archimantis), 235.
Sobrius (Chelisoches), 34.
*Socia (Epilampra)*, 119.
*Sodalis (Dixippus)*, 321.
Sodalis (Epilampra), 126.
Sodalis (Lonchodes), 321.
Sohri (Orobia), 409.
*Solida (Perisphæria)*, 193.
*Solifuga (Dicellura)*, 56.
Solifugus (Iapyx), 55.
*Solifugus (Iapyx)*, 56.
*Solifugus (Japyx)*, 55, 56.
*Solifugus var. Humbertii (Japyx)*, 56.
*Solifugus var. Magna (Iapyx)*, 56.
*Solifugus var. Major (Japyx)*, 56.
Solitaria (Galapagia), 276.
Solitaria (Yersinia), 229.
SOLYGIA, 263.
Somali (Stenopilema), 186.
Somalica (Elæa), 214.
Somalica (Eremiaphila), 211.
Soranus (Decidia), 403.
*Soranus (Phasma)*, 403.
Sordida (Chorisoneura), 73.
Sordida (Necroscia), 377.
Sordida (Phyllodromia), 91.
*Sordidula (Zetobora)*, 192.
*Sordidum (Necroscia)*, 377.
*Sordidum (Phasma)*, 377.
Sordidus (Myronides), 321.
Sordidus (Promachus), 326.
Soror (Cutilia), 134.
Soror (Hemithyrsocera), 77.
*Soror (Mantis)*, 229.
Soror (Methana), 136.
*Soror (Periplaneta)*, 136.
*Soror (Polyzosteria)*, 134.
*Soror (Thyrsocera)*, 77.
SOSIBIA, 368.
*Souchongia (Bacillus)*, 332.
Souchongia (Macella), 332.
*Spallanzania (Ameles)*, 229.
*Spallanzania (Mantis)*, 229.
SPANIONYX, 279.
SPARATTA, 23.
SPARATTINA, 24.
Sparattoides (Platylabia), 22.
Sparaxes (Necroscia), 377.
*Sparnius (Candaules)*, 367.
*Spatulata (Bacteria)*, 349.
*Spatulata (Bacunculus)*, 349.
*Spatulatus (Bacunculus)*, 349.
*Speciosum (Ellipsidium)*, 78.
Spectabilis (Anisolabis), 21.
*Spectabilis (Forficula)*, 21.
Spectabilis (Thyrsocera), 78.
*Spectrum (Blatta)*, 157.
Spectrum (Tribonium), 157.
*Speculigera (Forficula)*, 48.
Speculigera (Sphingolabis), 48.
*Speiseri (Deropeltis)*, 145.
SPELÆOBLATTA, 106.
SPHÆROMANTIS, 226.
SPHENDALE, 269.
*Sphingicornis (Mantis)*, 305.
Sphingicornis (Vates), 305.
*Sphingicornis (Vates)*, 305.
SPHINGOLABIS, 45.
Sphinx (Spongiphora), 30.
SPHODROMANTIS, 243.
SPHODROPODA, 242.
*Spiculifera (Apterygida)* 47.
Spiculifera (Sphingolabis), 47.
Spinax (Ancistrogaster), 36.
Spiniceps (Agondasoidea), 373.
*Spiniceps (Necroscia)*, 373.
*Spiniceps (Phasma)*, 373.
Spiniceps (Prisopus), 406.
*Spinicolle (Ctenomorpha)*, 393.
*Spinicolle (Phasma)*, 393, 412.
*Spinicolle (Prisomera)*, 3 3.
Spinicolle (Pseudophasma), 412.
Spinicollis (Anchiale), 393.
*Spinicollis (Ctenomorpha)*, 393.
Spinicollis (Phyllovates), 304.
Spinicollis (Prisomera), 323.
Spinicollis (Prisopus), 406.
*Spinicollis (Theoclytes)*, 304.
*Spinicornis (Entoria)*, 328.
*Spinifrons (Empusa)*, 314.
Spinifrons (Idolomorpha), 314.
Spinifrons (Pseudomiopteryx), 275.
*Spiniger (Acanthoderus)*, 340.
Spiniger (Argosarchus), 340.
*Spinigera (Bacteria)*, 353.
Spinigera (Ischnomantis), 266.
*Spinigera (Monandroptera)*, 382.
Spinigera (Rhaphiderus), 382.

Spinipes (Echalochroa), 308.
*Spinipes* (*Diapherodes*), 364.
Spinipes (Haplopus), 364.
*Spiniventris* (*Acanthoderus*), 400.
Spiniventris (Acanthodyta), 383.
Spiniventris (Pylæmenes), 400.
*Spinola* (*Harpax*), 295.
*Spinosa* (*Bacteria*), 351, 353.
*Spinosa* (*Mantis*), 417.
Spinosa (Parapachymorpha), 342.
*Spinosa* (*Phasma*), 417.
*Spinosa* (*Xerosoma*), 417.
Spinosissima (Cauloma), 344.
Spinosissima (Enetia), 394.
*Spinosum* (*Bacteria*), 339.
*Spinosum* (*Phasma*), 339, 417.
Spinosus (Acanthoderus), 339.
Spinosus (Candaules), 367.
Spinosus (Creoxylus), 417.
Spinosus (Promachus), 326.
Spinulifera (Blatta), 139.
Spinulosa (Eremiaphila), 211.
*Spinulosa* (*Paracanthops*), 284.
Spinulosa (Pseudacanthops), 284.
Spinulosa (Rhicnoda), 124.
Spinulosa (Sphæromantis), 226.
Spinulosus (Nisyrus), 407.
Splendens (Eustegasta), 181.
*Splendida* (*Metalleutica*), 208, 209.
Splendidus (Metallyticus), 208.
*Splendidus* (*Metallyticus*), 209.
*Splendidus var. Purpureus* (*Metallyticus*), 209.
*Splendidus var. Viridiauratus* (*Metallyticus*), 208.
SPONGIPHORA, 29.
*SPONGOPHORA*, 29.
Spurca (Popa), 308.
Spurcata (Gyna), 149.
*Spurcata* (*Panchlora*), 149.
Spuria (Eubulides), 395.
*Spuria* (*Mantis*), 312.
Spuria (Phyllodromia), 93.
Squalida (Pachymorpha), 342.
*Squalida* (*Pachymorpha*), 342.
*Squalidus* (*Bacillus*), 342.
*Squeleton* (*Mantis*), 324.
Squeleton (Phasgania), 324.
Squilla (Chœradodis), 221.
*Squilla* (*Chœradodis*), 221.
*Stabilinus* (*Phasma*), 409.
Stabilinus (Stratocles), 409.
Stæli (Anisolabis), 19.
*Stæli* (*Arrhiaæus*), 384.
Stæli (Chœradodis), 220.
*Stæli* (*Forcinella*), 19.
Stæli (Heterolampra), 121.
Stæli (Medaura), 341.
STÆLONCHODES, 317.
STAGMATOPTERA, 299.
STAGMOMANTIS, 252.
*Stanleyana* (*Euchomena*), 263.
*Staphylinoides* (*Olyntha*), 6.
Staphylinoides (Pygidicrana), 6.
STATILIA, 236.
*Steira* (*Lonchodes*), 317.
Steira (Stælonchodes), 317.
*STELEOPYGA*, 137.
Stella (Chaetospania), 22.
Stella (Spongiphora), 30.
Stellata (Panesthia), 202.
*Stellenboschus* (*Bacillus*), 332.
Stellenboschus (Phthoa), 332.
STENOBLATTA, 179.
STENOMANTIS, 256.
STENOPHYLLA, 306.
STENOPILEMA, 186.
STENOPYGA, 237.
Stenotarsis (Miopanesthia), 205.
STENOVATES, 306.
Sternosticta (Hierodula), 247.
STHENOBŒA, 323.
*Stigma* (*Psalidophora*), 31.
Stigma (Spongiphora), 31.
*Stigmata* (*Hierodula*), 247.
*Stigmatica* (*Mantis*), 275.
*Stigmatica* (*Miomantis*), 275.
Stigmatica (Miopteryx), 275.
*Stigmatica* (*Stagmomantis*), 275.
*Stigmosa* (*Derocalymma*), 188.
Stigmosa (Epilampra), 127.
Stigmosa (Homalodemas), 188.
STILPNOBLATTA, 191.
Stilpnoides (Baculum), 327.
*Stilpnoides* (*Clitumnus*), 327.
Stilpnus (Baculum), 327.
*Stilpnus* (*Lonchodes*), 327.
*Stipata* (*Epilampra*), 123.
Stipata (Heterolampra), 123.
*Stolida* (*Periplaneta*), 141.
STOLLIA, 231.
Stollii (Anchiale), 392.
Stollii (Blabera), 164.
*Stollii* (*Coptopteryx*), 268.
*Stollii* (*Empusa*), 312.
*Stollii* (*Mantis*), 303.
Stollii (Metriotes), 415.
*Stollii* (*Phyllium*), 423.
Stollii (Phyllovates), 303.
*Stollii* (*Platycrana*), 415.
Stollii (Stagmomantis), 253.

*Stomphax* (*Lonchodes*), 318.
Stomphax (Stælonchodes), 318.
Strachani (Pseudochæta), 307.
*Stramineus* (*Bacunculus*), 346.
Stramineus (Pseudosermyle), 346.
STRATOCLES, 409.
*Striata* (*Bacteria*), 348.
Striata (Heteronemia), 348.
Striata (Leucophæa), 151.
*Striata* (*Mantis*), 240, 250.
*Striata* (*Polyspilota*), 240.
Striatocollis(Ophicrania), 386.
*Stricta* (*Mantis*), 262.
*Stricta* (*Schizocephala*), 262.
*Strigata* (*Blatta*), 96.
*Strigata* (*Ischnoptera*), 96.
Strigata (Phyllodromia), 96.
Strigata (Pseudosermyle), 345.
*Strigata* (*Sermyle*), 345.
*Strigiceps* (*Diapheromera*), 346.
Strigiceps (Pseudosermyle), 346.
*Strigifrons* (*Epilampra*), 115.
Strigipennis (Oxypilus), 286.
*Strigiventris* (*Bacteria*), 345.
Strigiventris (Libethra), 345.
*Strigosa* (*Blatta*), 80.
*Strigosa* (*Iris*), 260.
Strigosa (Ischnoptera), 80.
*Strigosa* (*Mantis*), 260.
Striolatus (Oligonyx), 278.
STRONGYLOPSALIS, 15.
Strumaria (Chœradodis), 219.
*Strumaria* (*Chœradodis*), 220.
*Strumaria* (*Mantis*), 219, 220.
*Strumarius* (*Gryllus*), 219.
*Strumarius* (*Mantis*), 219.
Strumosa (Hormetica), 197.
Strumosus (Carausius), 320.
*Struthioneus* (*Lonchodes*), 360.
Struthioneus (Phænopharos), 360.
*Stygia* (*Nyctibora*), 107.
Stygius (Arrhidæus), 384.
*Stygius* (*Necroscia*), 384.
Stylifera (Hyposphæria), 193.
*Stylifera* (*Lioblatta*), 193.
*Stylifera* (*Perisphæria*), 193.
Styligera (Necroscia), 377.
*STYLOPYGA*, 137.
*Styxius* (*Necroscia*), 384.
Suava (Compsoblatta), 181.
*Suava* (*Eustegasta*), 181.
*Suavis* (*Hierodula*), 235.
Subænea (Ellipsica), 183.
Subalata (Eurycotis), 144.
*Subaptera* (*Aphlebia*), 70.
*Subaptera* (*Apterygida*), 45
*Subaptera* (*Blatta*), 70.
Subaptera (Brunneria), 264.
Subaptera (Hololampra), 70.
*Subaptera* (*Platyzosteria*), 131.
*Subaptera* (*Polyzosteria*), 70, 131.
Subaptera (Sphingolabis), 45.
Subarmata (Anisolabis), 19.
*Subarmata* (*Labia*), 19.
Subbifasciata (Cutilia), 134.
*Subbifasciata* (*Drymaplaneta*), 134.
Subcincta (Brachycola), 197.
*Subcincta* (*Periplaneta*), 141.
*Subcinctum* (*Ellipsidium*), 77.
*Subcolorata* (*Ischnoptera*), 91.
Subcolorata (Phyllodromia), 91.
Subconspersa (Epilampra), 126.
Subcornuta (Acromantis), 280.
*Subfasciata* (*Blatta*), 88.
*Subfoliata* (*Mantis*), 305.
*Subfoliata* (*Vates*), 305.
Subfoliatus (Pygirhynchus), 408.
*Subgenitalis* (*Blatta*), 92.
Subgenitalis (Phyllodromia), 92.
*Subgenitalis var. Obscurior* (*Phyllodromia*), 92.
*Subhyalina* (*Oligonyx*), 277.
Subhyalina (Thesprotia), 277.
*Sublobata* (*Cardioptera*), 297.
*Sublobata* (*Mantis*), 297.
*Sublobata* (*Zetobora*), 159.
Sublucida (Ectobia), 63.
Submarginata (Allacta), 99.
*Submarginata* (*Blatta*), 99.
Submarginata (Cutilia), 134.
*Submarginata* (*Drymaplaneta*), 134.
*Submarginata* (*Panchlora*), 151.
*Subnematodes* (*Bacteria*), 328.
Subnematodes (Baculum), 328.
Subnobilis (Polyzosteria), 128.
*Subornata* (*Polyzosteria*), 142.
Subpectinata (Pseudectobia), 66.
*Subpectinata* (*Theganopteryx*), 66.
Subreflexa (Polyzosteria), 128.
*Subreticulata* (*Blatta*), 90.
Subrotundata (Allacta), 99.
*Subrotundata* (*Blatta*), 99.
*Subsericea* (*Paratropa*), 109.
*Subsericeus* (*Paratropes*), 109.
Subserrata (Labia), 26.

*Subsparsa* (*Epilampra*), 120.
Subsparsa (Heterolampra), 120.
*Subspurcata* (*Blabera*), 164.
Substrigata (Epilampra), 127.
*Subterranea* (*Typhlolabia*), 56.
Subterraneus (Japyx), 57.
Subtilis (Phyllodromia), 92.
*Subtruncata* (*Temnelytra*), 137.
Subtruncata (Zonioploca), 137.
*Subverrucosa* (*Blatta*), 128.
Subverrucosa (Polyzosteria), 128.
Subzonata (Cosmozosteria), 133.
*Subzonata* (*Platyzosteria*), 133.
*Suffusa* (*Blatta*), 93.
Suffusa (Phyllodromia), 93.
Sulcatifrons (Solygia), 263.
*Sulcatifrons* (*Thespis*), 263.
Sulzeri (Blabera), 165.
Sumatrana (Creoboter), 291.
*Sumatrana* (*Creoboter*), 291.
*Sumatrana* (*Echinosoma*), 8.
*Sumatrana* (*Forficula*), 8.
Sumatrana (Gonolabis), 16.
*Sumatrana* (*Harpax*), 291.
*Sumatrana* (*Mantis*), 291.
Sumatranum (Echinosoma), 8.
*Sumatranum* (*Forficula*), 8.
*Sumatranum* (*Phasma*), 321.
*Sumatranus* (*Dixippus*), 321.
Sumatranus (Lonchodes), 321.
Sumatrensis (Marmessoidea), 371.
*Sumichrasti* (*Cardioptera*), 254.
*Sumichrasti* (*Mantis*), 254.
Sumichrasti (Phasmomantis), 254.
Sumichrasti (Temnopteryx), 105.
Sundaica (Ceratinoptera), 98.
*Supellectilium* (*Blatta*), 88.
Supellectilium (Phyllodromia), 88.
Superba (Chelisochella), 35.
*Superba* (*Epilampra*), 124.
Superba (Hagiomantis), 270.
*Superba* (*Liturgusa*), 270.
*Superba* (*Lobophora*), 35.
*Superbus* (*Chelisoches*), 35.
*Superciliaris* (*Danuria*), 309.
*Superciliaris* (*Mantis*), 309.
*Superstitiosa* (*Mantis*), 238.
Superstitiosa (Tenodera), 238.
*Superstitiosa* (*Tenodera*), 238.
*Superstitiosa var. Madagascariensis* (*Tenodera*), 238.
*Supplicaria* (*Mantis*), 299.
Supplicaria (Stagmatoptera), 299.
Surinama (Chorisoneura), 72.
Surinama (Hormetica), 197.
*Surinama* (*Musonia*), 277.
*Surinama* (*Thespis*), 277.
*Surinamensis* (*Blatta*), 151, 165.
Surinamensis (Hagiomantis), 271.
Surinamensis (Leucophæa), 151.
*Surinamensis* (*Liturgousa*), 271.
Surinamensis (Mionyx), 277.
*Surinamensis* (*Panchlora*), 151.
*Surinamensis* (*Theodytes*), 304.
Suspecta (Hemithyrsocera), 78.
*Suteri* (*Acanthoderus*), 340.
Suteri (Macracantha), 340.
Sutoria (Libethra). 345.
*Suturalis* (*Apterygida*), 48.
*Suturalis* (*Forficula*), 11, 48.
Suturalis (Labidura), 11.
Suturalis (Sphingolabis), 48.
Sylvaticus (Argosarchus), 341.
*Sylvaticus* (*Bacillus*), 341.
Sylvestrii (Gonolabis), 16.
*Sylvestris* (*Blatta*), 61.
SYNTOMAPTERA, 129.
Syriaca (Fischeria), 268.
*Syriaca* (*Iris*), 268.
*Syriaca* (*Polyphaga*), 172.
*Systropedon* (*Lonchodes*), 341.
Systropedon (Manduria), 341.

Taczanowskii (Ischnoptera), 84.
*Tæniata* (*Apterygida*), 48.
Tæniata (Chorisoneura), 72.
*Tæniata* (*Forficula*) 47.
Tæniata (Sphingolabis), 47, 48.
TÆNIOSOMA, 361.
*Tagalica* (*Epilampra*), 121.
Tagalica (Heterolampra), 121.
*Tagalicus* (*Lonchodes*), 318.
Tagalicus (Stælonchodes), 318.
TAGALINA, 4.
Tages (Calvisia), 370.
*Tages* (*Necroscia*), 370.
Talea (Clonaria), 337.
*Talea* (*Gratidia*), 337.
Talpoides (Hemimerus), 59.
*Talpoides* (*Hemimerus*), 59.
Tamerlana (Anisogamia), 173.
Tamolana (Rhombodera), 249.

Tamul (Neolobophora), 29.
*Tamyris* (*Cyphocrania*), 369.
Tamyris (Sosibia), 369.
*Taprobanæ* (*Hierodula*), 248.
*Taprobanæ* (*Lonchodes*), 323.
Taprobanæ (Rhombodera), 248.
Taprobanæ (Sthenobœa), 323.
*Taprobanarum* (*Theopompa*), 214.
TARACHODES, 215.
TARACHOMANTIS, 241.
*Tarasca* (*Blatta*), 105.
Tarasca (Temnopteryx), 105.
*Targionii* (*Forficula*), 50.
TARRAGA, 163.
*Tarsalis* (*Perisphæria*), 190.
Tarsalis (Platyzosteria), 130.
*Tarsalis* (*Polyzosteria*), 130.
Tarsata (Forcipula), 9.
*Tarsata* (*Forficula*), 9.
*Tarsata* (*Labidura*), 9.
*Tartara* (*Aphlebia*), 71.
Tartara (Hololampra), 71.
Tartara (Loboptera), 102.
Tartara (Periplaneta), 141.
Tartarea (Cutilia), 134.
*Tartarea* (*Lobophora*), 33.
Tasmanica (Anisolabis), 20.
Tasmanica (Chelisoches), 35.
Tasmanica (Ectobia), 64.
*Tasmanica* (*Forficula*), 35.
Tasmaniensis (Paraoxypilus), 207.
Tatei (Ataxigamia), 174.
Tatei (Calolampra), 118.
*Tatei* (*Epilampra*), 118.
Taurica (Anisolabis), 18.
*Taurica* (*Forficula*), 18.
Taurica (Parameles), 231.
Taurina (Thliptoblatta), 194.
Taurus (Toxoderopsis), 285.
*Tectiformis* (*Hierodula*), 248.
Tectiformis (Rhombodera), 248.
TEDDIA, 264.
Telephoroides (Allacta), 100.
*Telephoroides* (*Blatta*), 100.
Telephorus (Anophelepis), 382.
*TEMNELYTRA*, 137.
TEMNOPTERYX, 103.
Templetonii (Homalopteryx), 115.
Tenebrator (Chelisoches), 33.
Tenebrigera(Leucophæa), 151.
*Tenebrigera* (*Panchlora*), 151.
Tenebrosa (Necroscia), 378.
Tenebrosa (Nyctibora), 108.
*Tenebrosa* (*Panchlora*), 193.
Tenebrosa (Pœciloblatta), 193.
*Tenella* (*Blatta*), 89.
*Tenella* (*Forficula*), 39.
Tenella (Opisthocosmia), 39.
Tenella (Phyllodromia), 89.
*Tenera* (*Mantis*), 227.
Tenera (Tropidomantis), 227.
TENODERA, 238.
*Tenuescens* (*Bacunculus*), 348.
Tenuescens (Heteronemia), 348.
Tenuicornis (Labidura), 12.
*Tenuidentata*(*Hierodula*), 244.
Tenuidentata (Sphodromantis), 244.
Tenuipes (Heterochæta), 306, 307.
*Tenuipes* (*Heterochæta*), 307.
*Tenuipes* (*Toxodera*), 306.
*Tenuis* (*Bacteria*), 349.
*Tenuis* (*Chæteessa*), 209.
Tenuis (Galepsus), 216.
Tenuis (Heteronemia), 349.
*Tenuis* (*Hoplophora*), 209.
Tenuis (Mantoida), 209.
Tenuissima (Leptocola), 263.
Tepperi (Calolampra), 118.
Tepperi (Ectobia), 63.
Tepperi (Panesthia), 203.
Tepperi (Syntomaptera), 130.
*Terminalis* (*Forficesila*), 11.
*Terminalis* (*Ischnoptera*), 82.
Terminalis (Labidura), 11.
Terminalis (Phyllodromia), 93.
Termitina (Ischnoptera), 82.
Ternatensis (Salganea), 200.
*Terranea* (*Ischnoptera*), 192.
*Terranea* (*Perisphæria*), 124.
Terranea (Rhicnoda), 124.
Terranea (Trichoblatta), 192.
Terrestris (Elliptoblatta), 184.
*Terrestris* (*Nyctobora*), 108.
*Terrestris* (*Perisphæria*), 184.
TERSOMIA, 352.
*Tertiata* (*Hierodula*), 247.
*Tessellata* (*Acanthops*), 283.
*Tessellata* (*Acrophylla*), 389.
Tessellata (Ctenomorpha), 389.
Tessellata (Decimia), 283.
*Tessellata* (*Mantis*), 239.
Tessellata (Parastagmatoptera), 299.
Tessellatus (Oligonyx), 278.
Tessellatus (Stratocles), 410.
Tessulata (Anchiale), 393.
*Tessulata* (*Ctenomorpha*), 389.

*Tessulata* (*Mantis*), 393.
*Tessulata* (*Phasma*), 410.
*Testacea* (*Aphlebia*), 79.
Testacea (Epilampra), 126,
Testacea (Nauphœta), 155.
*Testaceicornis* (*Forficula*), 17.
Testaceum (Ellipsidion), 79.
*Tetra* (*Periplaneta*), 139.
Texensis (Chorisoneura), 71.
Texensis (Temnopteryx), 105.
*Thalassina* (*Mantis*), 254.
Thalassina (Panchlora), 152.
Thalassina (Stagmomantis), 254.
Thalassina (Tropidomantis), 227.
THEGANOPTERYX, 64.
*THEOCLYTES*, 302, 305.
Theophila (Stagmomantis), 252.
THEOPOMPA, 213.
THEOPROPUS, 293.
Theoriæ (Leptisolabis), 21.
THERAMENES, 399.
*THERMASTRIS*, 7.
THESPIS, 264.
*THESPIS*, 263.
THESPROTIA, 277.
*Thestylis* (*Bacteria*), 344.
Thestylis (Caulonia), 344.
Thisbe (Aruanoidea), 378.
*Thisbe* (*Necroscia*), 378.
THLIPTOBLATTA, 194.
Thomæ (Pygirhynchus), 408.
Thomsonii (Heteroplana), 205.
Thoon (Vetilia), 393.
*Thoracica* (*Blabera*), 165.
Thoracica (Chelidura), 43.
Thoracica (Cylindrogaster), 3.
Thoracica (Euchomena), 236.
*Thoracica* (*Forficesila*), 14.
*Thoracica* (*Kakerlac*), 143.
*Thoracica* (*Mantis*), 236.
*Thoracica* (*Perisphæria*), 185.
Thoracica (Pilema), 185.
Thoracica (Platylabia), 22.
Thoracica (Psalis), 14.
Thoracica (Rhyparobia), 150.
*Thoracica* (*Thespis*), 236.
THORACOPYGA, 195.
THORAX, 111.
THRASYLLUS, 319.
THRINACONYX, 279.
*Thunbergii* (*Blabera*), 162.
*Thunbergii* (*Blatta*), 162.
Thunbergii (Byrsotria), 162.
Thunbergii (Danuria), 309.
*Thunbergii* (*Monachoda*), 162.
THYRSOCERA, 78.
*THYRSOCERA*, 74.
THYSANOBLATTA, 185.
THYSANURA, 55.
*Tiarata* (*Bactrododema*), 366.
Tiaratum (Bactrododema), 366.
Tiaratum (Ectatosoma), 380.
*Tiaratum* (*Extatosoma*), 380, 381.
*Tiaratum* (*Phasma*), 380, 381.
*Tiaratus* (*Palophus*), 366.
Tigrina (Hapalopeza), 221.
TIMEMA, 401.
Timorensis (Hierodula), 245.
*Timorensis* (*Mantis*), 245.
TIRACHOIDEA, 359.
*Tirachus* (*Phibalosoma*), 359.
Tirachus (Tirachoidea), 359.
TISAMENUS, 399.
Tisiphone (Acanthoclonia), 407.
*Tisiphone* (*Acanthoderus*), 407.
Titan (Acrophylla), 388.
*Titan* (*Cyphocrania*), 388.
*Titan* (*Diura*), 388.
*Titan* (*Phasma*), 388.
*Titania* (*Hierodula*), 249.
Titania (Rhombodera), 249.
*Titanus* (*Acrophylla*), 388.
*Tithonius* (*Phasma*), 410.
Tithonus (Olcyphides), 410.
*Tithonus* (*Phasma*), 410.
*Tithonus* (*Phasmides*), 410.
TITHRONE, 234.
TIVIA, 169.
Togoensis (Ctenisolabis), 21.
*Tolima* (*Acanthoderus*), 344.
Tolima (Caulonia), 344.
Tolteca (Anaplecta), 67.
Tolteca (Ancistrogaster), 37.
*Tolteca* (*Bacteria*), 348.
*Tolteca* (*Forficula*), 37.
Tolteca (Holocompsa), 170.
Tolteca (Ischnoptera), 84.
Tolteca (Latindia), 168.
*Tolteca* (*Mantis*), 252.
Tolteca (Panchlora), 154.
Tolteca (Pseudovates), 304.
*Tolteca* (*Stagmatoptera*), 252.
Tolteca (Stagmomantis), 252.
*Tolteca* (*Theoclytes*), 304.
*Tolteca* (*Thyrsocera*), 75.
*Tolteca* (*Vates*), 304.
*Toltecus* (*Ancistrogaster*), 37.
Toltecus (Bactromantis), 278.
*Toltecus* (*Oligonyx*), 278.
*Tomentosa* (*Blatta*), 108.
Tomentosa (Nyctibora), 108.
*Tomis* (*Chelidura*), 52.
Tomis (Forficula), 52.
*Tomis var. Scinius* (*Chelidura*), 52.
*Tonkinensis* (*Corydia*), 167.
Tonquinensis (Necroscia), 375.
Torquata (Calvisia), 370.
*Torquata* (*Necroscia*), 370.
Tortricoides (Enicophlebia), 228.
*Tortricoides* (*Mantis*), 228.

Tosta (Theopompa), 213.
*Totonaca* (*Blatta*), 95.
Totonaca (Phyllodromia), 95.
Townsendi (Vates), 306.
TOXODERA, 285.
TOXODEROPSIS, 285.
*Trachelophylla* (*Empusa*), 311.
Trachelophyllus (Gongylus), 311.
Tranquebaricus (Bacillus), 335.
*Transcaucasica* (*Hierodula*), 244.
Transcaucasica (Sphodromantis), 244.
*Translucida* (*Blatta*), 72.
*Translucida* (*Cardioptera*), 273.
Translucida (Chorisoneura), 72.
Translucida (Ischnoptera), 85.
Translucida (Panchlora), 153.
*Transvaaliensis* (*Aphlebia*), 103.
Transvaaliensis (Temnopteryx), 103.
Transversa (Panesthia), 203.
*Transversa* (*Panesthia*), 203, 204.
*Transversa* (*Zetobora*), 157.
Transversalis (Allacta), 99.
*Transversalis* (*Blatta*), 99.
Trapezoidea (Blabera), 164.
TRLENOCORYPHA, 287.
Triangulariter - vittata (Phyllodromia), 91.
TRIBONIDIUM, 157.
TRIBONIUM, 157.
TRICHOBLATTA, 191.
*TRICHOCOMA*, 194.
*Trichoderma* (*Derocalymma*), 185.
Trichoderma (Thysanoblatta), 185.
TRICHOMERA, 148.
*Trichoprocta* (*Stelopyga*), 171.
Tricolor (Caloblatta), 86.
Tricolor (Chrastoblatta), 86.
*Tricolor* (*Gryllus*), 295.
Tricolor (Harpagomantis), 295.
*Tricolor* (*Harpax*), 295.
*Tricolor* (*Heterochæta*), 307.
Tricolor (Heterochætula), 307.
Tricolor (Labia), 28.
Tricolor (Loboptera), 102.
Tricolor (Majanga), 270.
*Tricolor* (*Mantis*), 233, 295.
*Tricolor* (*Pantelica*), 270.
Tricolor (Theganopteryx), 64.
*Tricornis* (*Empusa*), 312.
*Tricornis* (*Mantis*), 312.
*Tridens* (*Bacteria*), 346.
Tridens (Pseudosermyle), 346.
*Tridens* (*Sibylla*), 289.
Tridens (Sigerpes), 289.
Tridentina (Ectobia), 62.
Triedrica (Caulonia), 344.
Trifaria (Prosoplecta), 177.
Trifasciata (Cosmozosteria), 133.
Trifasciata (Gonatista), 270.
*Trifasciata* (*Mantis*), 270.
*Trifasciata* (*Platyzosteria*), 133.
Trifasciata (Thespis), 265.
*Trigona* (*Phasma*), 361.
Trigonalis (Ligaria), 226.
Trigonalis (Phyllodromia), 89.
Trigonodera (Deroplatys), 281.
*TRIGONODERUS*, 380.
TRIGONOPHASMA, 372.
Trigonus (Hermarchus), 361.
Triimpressa (Pseudoderopeltis). 147.
*Trilineata* (*Macynia*), 336.
Trilineata (Maransis), 336.
*Trilobata* (*Epilampra*), 123.
Trilobata (Heterolampra), 123.
*Trilobata* (*Hormetica*), 197.
*Trimacula* (*Hierodula*), 243, 244.
Trimacula (Sphodromantis), 244.
*Tripartita* (*Panchlora*), 155.
*Tripolitanum* (*Bacillus*), 334.
*Tripolitanum* (*Phasma*), 334.
Tripolitanus (Bacillus), 334.
*Tripunctata* (*Mantis*), 254.
Tripunctata (Stagmomantis), 254.
Triramosa (Ischnoptera), 82.
Trispinosa (Forcipula), 9.
*Trispinosa* (*Labidura*), 9.
Tristicula (Pseudomops), 76.
*Tristicula* (*Thyrsocera*), 77.
*Tristis* (*Mantis*), 242.
Tristis (Sphodropoda), 242.
*Trivialis* (*Epilampra*), 121.
Trivialis (Heterolampra), 121.
*Trivittata* (*Aphlebia*), 70.
*Trivittata* (*Blatta*), 70, 102.
Trivittata (Clonaria), 338.
Trivittata (Hololampra), 70.
Trivittata (Loboptera), 102.
*Trivittatus* (*Bacillus*), 338.
*Trollius* (*Lonchodes*), 318.
Trollius (Stælonchodes), 318.
*Trophinus* (*Bacteria*), 327.
Trophinus (Bactricia), 327.
TROPIDODERUS, 380.
TROPIDOMANTIS, 227.

*Truncata* (*Acontista*), 233.
*Truncata* (*Blatta*), 104.
Truncata (Calolampra), 118.
*Truncata* (*Chæradodis*), 282.
Truncata (Deroplatys), 282.
*Truncata* (*Epilampra*), 118, 122.
Truncata (Heminyctibora), 108.
Truncata (Heterolampra), 122.
Truncata (Labidura), 11.
*Truncata* (*Mantis*), 232.
*Truncata* (*Nyctobora*), 108.
*Truncata* (*Periplaneta*), 142.
*Truncata* (*Platyzosteria*), 137.
*Truncata* (*Polyzosteria*), 137.
Truncata (Pseudosermyle), 345.
Truncata (Temnopteryx), 104.
Truncata (Zonioploca), 137.
Truncatipennis (Polyspilota), 241.
Tuberculata (Acanthops), 283.
*Tuberculata* (*Blatta*), 196.
Tuberculata (Brachycola), 196.
*Tuberculata* (*Hormetica*), 196.
Tuberculata (Sthenobœa), 323.
*Tuberculatus* (*Acanthops*), 283.
Tuberculatus (Hyrtacus), 331.
Tuberosus (Myrcinus), 228.
Tumidiceps (Compsothespis), 208.
*Tumulosa* (*Parahormetica*), 198.
Tunetana (Discothera), 207.
Tunisinus (Japyx), 56.
Turcica (Eremiaphila), 211.
Turcomaniæ (Oxyothespis), 255.
*Turgida* (*Bacteria*), 350.
Turgida (Bostra), 350.
*TYPHLOLABIA*, 55.
*Typhœus* (*Diura*), 380.
Typhon (Eremiaphila), 210.
*Typhon* (*Eremiaphila*), 210.
Typhon (Podacanthus), 379.
Tyrrhæus (Eurycantha), 396.

Uhleri (Oligonyx), 278.
Uhleriana (Ischnoptera), 82.
*Ulula* (*Acanthoderus*), 400.
Ulula (Dares), 400.
*Umbretta* (*Necroscia*), 411.
*Umbretta* (*Phasma*), 414.
Umbretta (Prexaspes), 414.
Undata (Allacta), 100.
*Undata* (*Mantis*), 308.
Undata (Popa), 308.
*Undata* (*Popa*), 309.
*Undata* (*Theoclytes*), 308.
*Undata var. Pallida* (*Popa*), 309.
*Undulata* (*Craspedonia*), 387.
*Undulata* (*Diapherodes*), 387.
Undulata (Epaphrodita), 284.
Undulata (Monandroptera), 387.
*Undulata* (*Phyllocrania*), 284.
Undulifera (Ischnoptera), 85.
*Undulicitta* (*Periplaneta*), 137.
Unguiculatus (Onychostylus), 96.
Unicolor (Anaplecta), [66].
*Unicolor* (*Anaplecta*), 177.
*Unicolor* (*Anisomorpha*), 402.
Unicolor (Autolyca), 402.
*Unicolor* (*Hypocrita*), 101.
Unicolor (Ischnoptera), 84.
Unicolor (Melanosilpha), 193.
Unicolor (Paraloboptera), 101.
*Unicolor* (*Perisphæria*), 193.
*Unicolor* (*Phasma*), 402, 411.
*Unicolor* (*Phoraspis*), 112.
Unicolor (Phyllodromia), 92.
*Unicolor* (*Platamodes*), 84.
Unicolor (Plectoptera), 177.
Unicolor (Podacanthus), 379.
Unicolor (Pseudophasma), 411.
Unicornis (Empusa), 312.
*Unicornis* (*Empusa*), 313.
*Unicornis* (*Gryllus*), 312.
*Unidentata* (*Forficula*), 28.
Unidentata (Labia), 28.
*Unifoliata* (*Bacteria*), 349.
Unifoliatus (Baculculus), 349.
*Uniforme* (*Lonchodes*), 321.
*Uniforme* (*Phasma*), 321.
*Uniformis* (*Dixippus*), 321.
Uniformis (Elliptoblatta), 183.
Uniformis (Lonchodes), 321.
Unimaculata (Hierodula), 246.
*Unimaculata* (*Mantis*), 246.
*Unipunctata* (*Mantis*), 298.
Unipunctata (Parastigmatoptera), 298.
*Unipunctata* (*Parastagmatoptera*), 299.
*Urazi* (*Phasma*), 412.
Urazi (Pseudophasma), 412.
Urbana (Creoboter), 290, 291.
*Urbana* (*Creoboter*), 291.
*Urbana* (*Harpax*), 290, 291.
*Urbana* (*Mantis*), 290, 291, 301.
*Urbanus* (*Creoboter*), 291.

*Ursina* (*Heterogamia*), 172.
Ursina (Polyphaga), 172.
Usambarana (Leptisolabis), 21.
Ustulata (Homalosilpha), 143.
*Ustulata* (*Periplaneta*), 143.

*Vacillans* (*Ischnoptera*), 94.
Vacillans (Phyllodromia), 94.
*Valdiviana* (*Polyzosteria*), 193.
Valgius (Cladoxerus), 358.
*Valgius* (*Phasma*), 358.
*Valgum* (*Phasma*), 374.
Valgus (Hermagoras), 323.
*Valgus* (*Lonchodes*), 323.
Valida (Chæteesa), 209.
*Valida* (*Hierodula*), 248.
*Valida* (*Hoplophora*), 209.
*Valida* (*Mantis*), 248.
Valida (Periplaneta), 141.
Valida (Pygidicrana), 5.
Valida (Rhombodera), 248.
Validispinus (Dares), 400.
Validissima (Polyspilota), 239.
*Valvularia* (*Archiblatta*), 148.
*Vara* (*Chelidura*), 55.
*Vara* (*Forficula*), 55.
Vara (Pseudochelidura), 55.
*Varia* (*Epilampra*), 121.
Varia (Heterolampra), 121.
*Varia* (*Mantis*), 240.
*Variana* (*Forficula*), 49.
*Varians* (*Blabera*), 164.
Varicornis (Anisolabis), 19.
*Varicornis* (*Blatta*), 96.
Varicornis (Phyllodromia), 96.
Variegata (Ancistrogaster), 36.
*Variegata* (*Anisomorpha*), 402.
*Variegata* (*Blatta*), 79, 98.
*Variegata* (*Forficula*), 46.
*Variegata* (*Mantis*), 239, 240.
*Variegata* (*Opisthocosmia*), 36.
*Variegata* (*Phasma*), 410.
Variegata (Phyllodromia), 91.
Variegata (Polyspilota), 239.
Variegata (Pseudophyllodromia), 98.
*Variegata* (*Sphingolabis*), 46.
Variegata (Temnopteryx), 103.
Variegatum (Ellipsidion), 79.
*Variegatum* (*Phasma*), 410.
*Variegatus* (*Ancistrogaster*), 36.
*Variicornis* (*Forficula*), 37.
*Variipennis* (*Musonia*), 256.
Variipennis (Nanomantis), 256.
Variolosa (Platyzosteria), 131.
*Variolosa* (*Polyzosteria*), 131.
Variopictus (Chelisoches), 34.
VASILISSA, 382.
*Vasta* (*Epilampra*), 115.
Vasta (Homalopteryx), 115.
VATES, 305.
*VATES*, 302.
VATINÆ, 297.
*Velici* (*Diapheromera*), 347.
Velii (Diapheromera), 347.
*Vellicans* (*Forficula*), 47.
Vellicans (Sphingolabis), 47.
*Veneratoria* (*Stagmatoptera*), 246.
Venilia (Olcyphides), 411.
*Venilia* (*Phasma*), 411.
*Venosa* (*Blatta*), 97.
Venosa (Hierodula), 246.
*Venosa* (*Mantis*), 246.
*Venosa* (*Metriotes*), 414.
Venosa (Pseudophyllodromia), 97.
*Venosum* (*Phasma*), 414.
Venosus (Prexaspes), 414.
*Ventrale* (*Ellipsidium*), 78.
Ventralis (Hormetica), 197.
Ventralis (Pachnepteryx), 78.
Venusta (Compsoblatta), 180.
*Venusta* (*Eustegasta*), 180.
Venusta (Hedaia), 123.
Venusta (Sagmomantis), 253.
Venustula (Diapherodes), 362.
*Venustula* (*Platycrana*), 362.
*Venustulum* (*Diapherodes*), 362.
*Venustulum* (*Phasma*), 362.
*Vermicularis* (*Phasma*), 401.
Verreauxii (Paraoxypilus), 207.
Verrucifer (Lonchodes), 322.
Verrucosa (Hormetica), 197.
Verrucosa (Zetobora), 158.
*Verrucosum* (*Acanthoderus*), 322.
*Verrucosum* (*Phasma*), 322.
*Verrucosum* (*Prisomera*), 322.
Verrucosus (Hermagoras), 322.
Verruculosa (Gratidia), 330.
*Versicolor* (*Angela*), 265.
*Versicolor* (*Apterygida*), 48.
*Versicolor* (*Derocalymma*), 185.
*Versicolor* (*Forficula*), 48.
*Versicolor* (*Mantis*), 264.
*Versicolor* (*Perisphæria*), 185.
Versicolor (Sphingolabis), 48.

Versicolor (Thysanoblatta), 185.
*Versifasciata* (*Cyphocrana*), 391.
Versifasciata (Eurycnema), 391.
*Versirubra* (*Cyphocrana*), 391.
Versirubra (Eurycnema), 391.
*Verticalis* (*Deropeltis*), 176.
*Verticalis* (*Epilampra*), 118.
*Verticalis* (*Perisphæria*), 145, 176.
Verticalis (Pœciloderrhis), 118.
*Vestita* (*Apolyta*), 80.
*Vestita* (*Blatta*), 80.
*Vestita* (*Paratropa*), 107.
Vestitum (Ellipsidion), 80.
*Vestitus* (*Paratropes*), 47.
VETILIA, 393.
Vetula (Gyna), 149.
Vexillum (Chlidonoptera), 292.
Vicaria (Forficula), 50.
*Vicina* (*Forficesila*), 12.
Vicina (Gonypeta), 224.
Vicina (Homalosilpha), 143.
Vicina (Labidura), 12.
*Vicina* (*Mantis*), 241.
Vicina (Musonia), 276.
Vicina (Paranauphœta), 180.
*Vicina* (*Periplaneta*), 143.
Vicina (Phyllodromia), 92.
Vicina (Polyspilota), 241.
Vicina (Stagmomantis), 252.
*Vicina* (*Thespis*), 276.
Victorina (Pseudomantis), 235.
Vidua (Chroicoptera), 227.
*Vidua* (*Mantis*), 227.
Vidua (Thesprotia), 277.
*Vigilans* (*Acanthoderus*), 355.
Vigilans (Ceroys), 355.
*Vigilans* (*Forficula*), 39.
Vigilans (Opisthocosmia), 39.
Vigilax (Oxypilus), 286.
Vilis (Ischnoptera), 85.
Vilis (Phyllodromia), 92.
Villana (Pelmatosilpha), 143.
Vincta (Carvilia), 266, 267.
*Vincta* (*Mantis*), 266, 267.
*Vinosa* (*Necroscia*), 372.
Vinosa (Trigonophasma), 372.
*Vinosum* (*Necroscia*), 372.
*Vinosum* (*Phasma*), 372.
*Vinula* (*Blatta*), 89.
Vinula (Phyllodromia), 89.
*Violacea* (*Metalleutica*), 208.
Violacea (Metallyticus), 208.
*Violascens* (*Acrophylla*), 381.
*Violascens* (*Cyphocrania*), 381.
*Violascens* (*Diura*), 381.
Violescens (Didymuria), 381.
*Violescens* (*Phasma*), 381.
*Vipera* (*Necroscia*), 369.
Vipera (Sosibia), 369.
*Virbius* (*Necroscia*), 370.
Virens (Necroscia), 375.
*Virescens* (*Blatta*), 73, 152.
Virescens (Chorisoneura), 73.
*Viresceens* (*Derocalymma*), 191.
Virescens (Ellipsica), 183.
*Virescens* (*Harpax*), 296.
Virescens (Melanoblatta), 191.
Virescens (Panchlora), 152.
Virescens (Pseudolampra), 296.
Virga (Bactromantis), 278.
*Virgatus* (*Lonchodes*), 318.
Virgatus (Stælonchodes), 318.
*Virgea* (*Bacteria*), 358.
*Virgeus* (*Lonchodes*), 358.
Virginea (Didymuria), 381.
*Virginea* (*Diura*), 381.
Virginica (Temnopteryx), 105.
*Virgulata* (*Aphlebia*), 70.
Virgulata (Hololampra), 70.
*Viridana* (*Mantis*), 385.
*Viridana* (*Platycrana*), 385.
Viridana (Platycrania), 385.
*Viridanum* (*Cyphocrania*), 385.
*Viridanum* (*Phasma*), 385.
*Viridi-auratus* (*Metallyticus*), 208.
Viridilineata (Calvisia), 370.
*Viridilineata* (*Necroscia*), 370.
*Viridimarginatum* (*Ascephasma*), 419.
*Viridimarginatum* (*Aschipasma*), 419.
*Viridimarginatum* (*Phasma*), 419.
Viridimarginatus (Presbistus), 419.
*Viridimargo* (*Mantis*), 253.
Viridinervis (Arrhidæus), 384.
Viridiroseus (Podacanthus), 379.
*Viridis* (*Bacteria*), 329, 347.
*Viridis* (*Blatta*), 153.
Viridis (Lonchodes), 322.
*Viridis* (*Mantis*), 251, 385.
*Viridis* (*Necroscia*), 378.
*Viridis* (*Panchlora*), 152, 153.
*Viridis* (*Polyspilota*), 240.
*Viridis* (*Ramulus*), 329.
*Viridis* (*Tropidoderus*), 378.
Viridissima (Eurycnema), 391.
*Viridula* (*Blatta*), 154.
Viridula (Panchlora), 154.
*Vitellina* (*Panchlora*), 150.
Vitellina (Rhyparobia), 150.
*Vitrata* (*Mantis*), 258.
Vitrea (Acontista), 234.
*Vitrea* (*Blatta*), 95.
*Vitrea* (*Cardioptera*), 273.
Vitrea (Hierodula), 246.
*Vitrea* (*Hierodula*), 246.

*Vitrea* (*Mantis*), 246, 273.
Vitrea (Photina), 273.
Vitrea (Phyllodromia), 95.
Vitreola (Ardesca), 274.
*Vitrifera* (*Blatta*), 73.
Vitrifera (Chorisoneura), 73.
*Vitripennis* (*Cardioptera*), 274.
*Vitripennis* (*Metalleutica*), 208.
Vitripennis (Photina), 274.
*Vitrocincta* (*Blatta*), 73.
Vitrocincta (Chorisoneura), 73.
*Vittata* (*Anophelepis*), 343.
Vittata (Hemithyrsocera), 77.
Vittata (Hormetica), 197.
Vittata (Necroscia), 375.
*Vittata* (*Phantasis*), 343.
*Vittata* (*Sipyloidea*), 376.
*Vittata* (*Thyrsocera*), 77.
Vittatum (Hesperophasma), 343.
*Vitticollis* (*Forficula*), 4.
*Vitticollis* (*Pydicrana*), 4.
Vitticollis (Pygidicrana), 4, 5.
Vittifrons (Eurycotis), 144.
*Vittigera* (*Chelidura*), 54.
Vittipennis (Arrhidæus), 384.
*Vittiventris* (*Blatta*), 63.
Vittiventris (Ectobia), 63.
*V-nigrum* (*Forficula*), 6.
V-nigrum (Pygidicrana), 6.
Voeltzkowi (Blatta), 138.
*Voeltzkowi* (*Stylopyga*), 138.
*Voeltzkowiana* (*Hierodula*), 244.
Voeltzkowiana (Pseudectobia), 66.
Voeltzkowiana (Sphodromantis), 244.
*Voeltzkowiana* (*Theganopteryx*), 66.
Volsella (Neolobophora), 29.

*Wagneri* (*Mantis*), 231.
Wagneri (Pseudoyersinia), 231.
*Wagneri* (*Yersinia*), 231.
Wahlbergi (Deropeltis), 146.
*Wahlbergi* (*Deropeltis*), 146.
Wahlbergi (Echinosoma), 8.
*Wahlbergi* (*Empusa*), 314.
*Wahlbergi* (*Periplaneta*), 146.
Wahlbergi (Pseudocreobotra), 293.
*Wahlbergi* (*Vates*), 314.
*Walacei* (*Panesthia*), 204.
Walkeri (Forcipula), 9.
*Walkeri* (*Labidura*), 9.
Walkeri (Pseudomops), 75.
Walkeri (Vasilissa), 382.
*Wallacei* (*Acanthoderus*), 326.
*Wallacei* (*Forficula*), 45.
Wallacei (Labia), 27.
Wallacei (Panesthia), 204.
Wallacei (Promachus), 326.
Warasaca (Necroscia), 375.
Wayi (Bactrododema), 366.
Welwitschi (Bactrododema), 366.
Westermanni (Calvisia), 370.
Westermanni (Echinosoma), 8.
*Westermanni* (*Necroscia*), 370.
Westwoodii (Acontista), 233.
*Westwoodii* (*Bacillus*), 328.
Westwoodii (Baculum), 328.
Westwoodii (Corydia), 167.
Westwoodii (Damasippus), 407.
Westwoodii (Haaniella), 398.
*Westwoodii* (*Heteropteryx*), 398.
Westwoodii (Hierodula), 247.
*Westwoodii* (*Lonchodes*), 328.
Westwoodii (Necroscia), 376.
*Westwoodii*(*Phibalosoma*), 359.
Westwoodii (Phyllium), 423.
*Westwoodii* (*Phyllocrania*), 289.
Westwoodii (Phyllothelys), 289.
Westwoodii (Theopompa), 213.
Westwoodii(Tirachoidea), 359.
*Wheelerii* (*Mantis*), 253.
Wheelerii (Stagmomantis), 253.
*Whiteheadi* (*Lonchodes*), 319.
Whiteheadi (Mithrenes), 319.
Wilkinsoni (Podacanthus), 379.
Willeyi (Eurycantha), 396.
WODONGIA, 119.
Wollastoni (Iapyx), 56.
Woodfordi (Chondrostethus), 319.
Wrayi (Mylacrina), 205.

*Xanthomela* (*Phasma*), 413.
Xanthomela (Pseudophasma), 413.
*Xanthophila* (*Blatta*), 78.
Xanthophila (Thyrsocera), 78.
*Xanthoptera* (*Mantis*), 269.
Xanthoptera (Sphendale), 269.
Xanthopus (Demogorgon), 12.
*Xanthopus* (*Forficesila*), 12.
*Xanthopus* (*Forficula*), 12.
Xanthostictus (Damasippoides), 404.
Xenia (Anisolabis), 20.
XENOMACHES, 383.
XERANTHERIX, 403.
XERODERUS, 383.
XEROSOMA, 416.
*XEROSOMA*, 417.
*Xiphias* (*Anophelepis*), 388.
Xiphias (Orxines), 388.

XYLICA, 404.
XYLODUS, 357.

*Yersini* (*Forficula*), 51.
YERSINIA, 229.
*YERSINIA*, 231.
*Yersiniana* (*Bacteria*), 346.
*Yersiniana* (*Epilampra*), 124.
Yersiniana (Hedaia), 124.
Yersiniana (Pseudobacteria), 346.
Yorkense (Echinosoma), 8.

*Zabou* (*Mantis*), 243.
Zamorensis (Blatta), 139.
*Zamorensis* (*Stylopyga*), 139.
*Zapoteca* (*Blatta*), 95.
Zapoteca (Holocompsa), 170.
Zapoteca (Phyllodromia), 95.
Zebra (Cosmozosteria), 133.
*Zebra* (*Polyzosteria*), 133.
*Zebrata* (*Mantis*), 235.
Zebrata (Omomantis), 235.
*Zebrata* (*Pseudomantis*), 235.
Zehntneri (Methana), 136.
Zendala (Panchlora), 154.
ZETOBORA, 158.
*ZETOBORA*, 159.
Zetterstedtii (Eremiaphila), 212.
*Zetterstedtii* (*Eremophila*), 211.
*Zeuxis* (*Necroscia*), 367.
Zeuxis (Orxines), 367.
Zonata (Cosmozosteria), 133.
*Zonata* (*Periplaneta*), 141.
*Zonata* (*Polyzosteria*), 133.
ZONIOPLOCA, 137.
ZOOLEA, 302.
Zubovskii (Anechura), 40.
Zymbræus (Damasippus), 407.
*Zymbræus* (*Dinelytron*), 407.

---

Printed by Taylor and Francis, Red Lion Court, Fleet Street.

LIST OF THE CURRENT

# NATURAL HISTORY PUBLICATIONS OF THE TRUSTEES OF THE BRITISH MUSEUM.

---

The following publications can be purchased through the Agency of *Messrs.* LONGMANS & CO., 39, *Paternoster Row*; *Mr.* QUARITCH, 15, *Piccadilly*; *Messrs.* KEGAN PAUL, TRENCH, TRÜBNER & CO., *Dryden House*, 43, *Gerrard Street, Soho, W.*; and *Messrs.* DULAU & CO., 37, *Soho Square*; or at the NATURAL HISTORY MUSEUM, *Cromwell Road, London, S.W.*

---

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance:—

Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20*s.*
Vol. II. E—K. Pp. 501–1038. 1904, 4to. 20*s.*

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2*s.* 3*d.*

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1*s.* 6*d.*

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881–2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1*l.* 10*s.*

| | |
|---|---|
| Summary of the Voyage ... ... .. | By Dr. R. W Coppinger. |
| Mammalia ... ... ... ... ... | „ O. Thomas. |
| Aves ... ... ... ... ... ... | „ R. B. Sharpe. |
| Reptilia, Batrachia, Pisces ... ... | „ A. Günther. |
| Mollusca ... ... ... ... ... | „ E. A. Smith. |
| Echinodermata ... ... ... ... | „ F. J. Bell. |
| Crustacea ... ... ... ... ... | „ E. J. Miers. |
| Coleoptera ... ... ... ... ... | „ C. O. Waterhouse. |
| Lepidoptera ... ... ... ... | „ A. G. Butler. |
| Alcyonaria and Spongiida ... ... | „ S. O. Ridley. |

1500 Wt 30487 4/04 D & S 9 17801 A

A Monograph of Christmas Island (Indian Ocean): Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337: 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20*s*.

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. 2*l*.

| | |
|---|---|
| Mammalia | By Capt. G. E. H. Barrett-Hamilton. |
| Notes on Antarctic Seals | ,, E. A. Wilson, M.B. |
| Extracts from the "Diary" of the late Nicolai Hanson. | —— |
| Aves | ,, Dr. R. Bowdler Sharpe. |
| Pisces | ,, G. A. Boulenger, F.R.S. |
| Tunicata | ,, Prof. W. A. Herdman, F.R.S. |
| Mollusca | ,, E. A. Smith. |
| Echinoderma | ,, Prof. F. J. Bell. |
| Insecta | ,, G. H. Carpenter and Hon. N. C. Rothschild. |
| Arachnida | ,, Dr. E. L. Trouessart. |
| Crustacea | ,, T. V. Hodgson. |
| Polychæta | ,, Dr. A. Willey. |
| Gephyrea | ,, A. E. Shipley. |
| Nematoda | ,, Dr. von Linstow. |
| Cestoda | |
| Polyzoa | ,, R. Kirkpatrick. |
| Porifera | |
| Anthozoa | ,, Dr. L. Roule and S. J. Hickson, F.R.S. |
| Actiniæ | ,, J. A. Clubb. |
| Hydrozoa | ,, E. T. Browne |
| Cryptogamia | ,, A. Gepp, V. H. Blackman, and Miss E. S. Barton. |
| Rock Specimens | ,, G. T. Prior. |

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6*s*.

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6*s*.

## MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5*s*.

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4*s*.

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869. 8vo. 6*s*. 6*d*.

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8*s*.

——— Supplement. By John Edward Gray, F.R.S., &c., Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2*s*. 6*d*.

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1*s*. 6*d*.

Catalogue of Ruminant Mammalia (*Pecora*, Linnæus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3*s*. 6*d*.

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l*. 8*s*.

## BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part III., containing the first portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xiii., 420. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881, 8vo. 1*l*.

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 1*l*. 6*s*.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes) ; and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17*s*.

Catalogue of the Birds in the British Museum—*continued.*

Vol. IX. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cinnyrimorphæ*, containing the families Nectariniidæ and Meliphagidæ (Sun Birds and Honey-eaters). By Hans Gadow, M.A., Ph.D. Pp. xii., 310. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1884, 8vo. 14*s.*

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part I., containing the families Dicæidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 1*l.* 2*s.*

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 1*l.*

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 8*s.*

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ, Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 8*s.*

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 4*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.*

Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 16*s.*

Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 10*s.*

Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 6*s.*

Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhamphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 5*s.*

Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 10*s.*

Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 10*s.*

Vol. XXII. Catalogue of the Game Birds (*Pterocletes*, *Gallinæ*, *Opisthocomi*, *Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 6*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinochetidæ, Gruidæ, Psophiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20*s.*

Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 5*s.*

Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 1*s.*

Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Herons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 1*l.* 5*s.*

Vol. XXVII. Catalogue of the Chenomorphæ (Palamedeæ, Phoenicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 1*l.* 12*s.*

A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—

Vol. I. Pp. xxi., 303. [With Systematic Index.] 1899, 8vo. 10*s.*

Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10*s.*

Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10*s.*

Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10*s.*

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

Part III., Section I. Ramphastidæ. Pp. 16. [With Index.] 1855, 12mo. 6*d.*

Part III., Section II. Psittacidæ. Pp. 110. [With Index.] 1859, 12mo. 2*s.*

Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1*s.* 6*d.*

Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1*s.* 9*d.*

Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1*s.* 6*d.*

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1*s.* 6*d.*

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

Vol. I. Ratitæ. Carinatæ (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30*s.*

Vol. II. Carinatæ (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30*s.*

Vol. III. Carinatæ (Psittaciformes — Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25*s.*

## REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbænians in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1*s.*

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872, 4to. 2*s.* 6*d.*

Part II. Emydosaurians, Rhynchocephalia, and Amphisbænians. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3*s.* 6*d.*

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4*s.*

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15*s.*

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger :—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s.*

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Anniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885 8vo. 20*s.*

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 1*l.* 6*s.*

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c. :—

Vol. I., containing the families Typhlopidæ, Glauconiidæ, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 1*s.*

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894. 8vo. 17*s.* 6*d.*

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 1*l.* 6*s.*

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4*s.*

## BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6*s.*

## FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15*s.*

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3*s.* 6*d.*

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2*s.*

## MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5*s.*

List of the Shells of the Canaries in the Collection of the British Museum, collected by MM. Webb and Berthelot. Described and figured by Prof. Alcide D'Orbigny in the "Histoire Naturelle des Iles Canaries." Pp. 32. 1854, 12mo. 1*s.*

List of the Shells of Cuba in the Collection of the British Museum collected by M. Ramon de la Sagra. Described by Prof. Alcide d'Orbigny in the "Histoire de l'Ille de Cuba." Pp. 48. 1854, 12mo. 1*s.*

List of the Shells of South America in the Collection of the British Museum. Collected and described by M. Alcide D'Orbigny in the "Voyage dans l'Amérique Méridionale." Pp. 89. 1854, 12mo. 2*s.*

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8*s.*

List of Mollusca and Shells in the Collection of the British Museum, collected and described by MM. Eydoux and Souleyet in the "Voyage autour du Monde, exécuté "pendant les années 1836 et 1837, sur la Corvette 'La "Bonite,'" and in the "Histoire naturelle des Mollusques "Ptéropodes." Par MM. P. C. A. L. Rang et Souleyet. Pp. iv., 27. 1855, 12mo. 8*d.*

Catalogue of the Phaneropneumona, or Terrestrial Operculated Mollusca, in the Collection of the British Museum. By Dr. L. Pfeiffer. Pp. 324. [With an Alphabetical Index.] 1852, 12mo. 5*s.*

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2*s.* 6*d.*

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1*s.* 9*d.*

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c.

Part II. Olividæ. Pp. 41. 1865, 12mo. 1*s.*

Catalogue of the Conchifera, or Bivalve Shells, in the Collection of the British Museum. By M. Deshayes :—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3*s.*

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217–292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6*d.*

## BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* "Catalogue of the Mollusca, Part IV."] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3*s.*

## POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5*s.*

## CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1*l.* 5*s.*

## ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10*s.* 6*d.*

## INSECTS.

### *Coleopterous Insects.*

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VI. Passalidæ. By Frederick Smith. Pp. iv., 23. 1 Plate. [With Index.] 1852, 12mo. 8*d*.

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2*s*. 6*d*.

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3*s*. 6*d*.

Part IX. Cassididæ. By Charles H. Boheman, Professor of Natural History, Stockholm. Pp. 225. [With Index.] 1856, 12mo. 3*s*.

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16*s*.

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3*s*.

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10*s*. 6*d*.

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and Œdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7*s*.

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6*s*.

### *Hymenopterous Insects.*

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates. 1853, 2*s*. 6*d*.

Part II. Apidæ. Pp. 199–465. 6 Plates. [With an Alphabetical Index.] 1854. 6*s*.

Catalogue of Hymenopterous Insects in the British Museum—*continued.*

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6*s.*

Part IV. Sphegidæ, Larridæ, and Crabronidæ. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6*s.*

Part V. Vespidæ. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6*s.*

Part VI. Formicidæ. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6*s.*

Part VII. Dorylidæ and Thynnidæ. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2*s.*

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidæ and Siricidæ. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18*s.*

## *Dipterous Insects.*

List of the Specimens of Dipterous Insects in the Collection of the British Museum. By Francis Walker, F.L.S.

Part VII. Supplement III. Asilidæ. Pp. ii., 507–775. 1855, 12mo. 3*s.* 6*d.*

A Monograph of the Culicidæ, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vols. I., II. (pp. xviii., 424; viii., 391 : 318 woodcuts), and Atlas of 37 coloured and 5 collotype plates (pp. viii., with explanations of plates). 1901, 8vo. 3*l.* 3*s.*

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1*s.*

A Monograph of the Tsetse-Flies (Genus Glossina, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15*s.*

### *Lepidopterous Insects.*

Catalogue of the Lepidoptera Phalænæ in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidæ in the Collection of the British Museum. Pp. xxi., 559 : 285 Woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15*s.*

——Atlas of 17 Coloured Plates, 8vo. 15*s.*

Vol. II. Catalogue of the Arctiadæ (Nolinæ, Lithosianæ) in the Collection of the British Museum. Pp. xx., 589 : 411 Woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18*s.*

——Atlas of 18 Coloured Plates (xviii.–xxxv.), 8vo. 15*s.*

Vol. III. Catalogue of the Arctiadæ (Arctianæ) and Agaristidæ in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15*s.*

——Atlas of 19 Coloured Plates (xxxvi–liv.), 8vo. 16*s.*

Vol. IV. Catalogue of the Noctuidæ. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15*s.*

——Atlas of 23 Coloured Plates (lv.—lxxvii), 8vo. 16*s.*

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2*l.* 10*s.*

Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2*l.* 4*s.*

Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2*l.*

Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2*l.*

Part IX. The Macrolepidoptera Heterocera of Ceylon. By George Francis Hampson. Pp. v., 182. 157–176 Coloured Plates. [With a General Systematic List of Species collected in, or recorded from, Ceylon.] 1893. 4to. 2*l.* 2*s.*

Catalogue of the Collection of Palæarctic Butterflies formed by the late John Henry Leech, and presented to the Trustees of the British Museum by his Mother, Mrs. Eliza Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured Plates. With a Portrait and Biographical Memoir of Mr. Leech. 1902, 4to. 1*l.*

Catalogue of Diurnal Lepidoptera described by Fabricius in the Collection of the British Museum. By Arthur Gardiner Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7*s*. 6*d*.

Specimen of a Catalogue of Lycænidæ in the British Museum. By W. C. Hewitson. Pp. 15. 8 Coloured Plates. 1862, 4to. 1*l*. 1*s*.

List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. By Francis Walker. 12mo.:—

Part XXII. Geometrites. Pp. 499–755. 1861, 3*s*. 6*d*.

Part XXIII. ———— Pp. 756–1020. 1861, 3*s*. 6*d*.

Part XXIV. ———— Pp. 1021–1280. 1862, 3*s*. 6*d*.

Part XXV. ———— Pp. 1281–1477. 1862, 3*s*.

Part XXVI. ———— Pp. 1478–1796. [With an Alphabetical Index to Parts XX.–XXVI.] 1862, 4*s*. 6*d*.

Part XXVII. Crambites and Tortricites. Pp. 1–286. 1863, 4*s*.

Part XXVIII. Tortricites and Tineites. Pp. 287–561. 1863, 4*s*.

Part XXIX. Tineites. Pp. 562–835. 1864, 4*s*.

Part XXX. ———— Pp. 836–1096. [With an Alphabetical Index to Parts XXVII.–XXX.] 1864, 4*s*.

Part XXXI. Supplement. Pp. 1–321. 1864, 5*s*.

Part XXXII. ———— Part 2. Pp. 322–706. 1865, 5*s*.

Part XXXIII. ———— Part 3. Pp. 707–1120. 1865, 6*s*.

Part XXXIV. ———— Part 4. Pp. 1121–1533. 1865, 5*s*. 6*d*.

Part XXXV. ———— Part 5. Pp. 1534–2040. [With an Alphabetical Index to Parts XXXI.–XXXV.] 1866, 7*s*.

### *Neuropterous Insects.*

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Francis Walker. 12mo.:—

Part II. Sialidæ—Nemopterides. Pp. ii., 193–476. 1853, 3*s*. 6*d*.

Part III. Termitidæ—Ephemeridæ. Pp. ii., 477–585. 1853, 1*s*. 6*d*.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Dr. H. Hagen. Part I. Termitina. Pp. 34. 1858, 12mo. 6*d*.

## *Orthopterous Insects.*

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l*.

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s*. 6*d*.

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s*. 6*d*.

Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s*.

Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s*.

Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s*.

## *Hemipterous Insects.*

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

Part I. Scutata. Pp. 240. 1867. 5*s*.

Part II. Scutata (continued). Pp. 241–417. 1867. 4*s*.

Part III. Pp. 418–599. [With an Alphabetical Index to Parts I., II., III., and a Summary of Geographical Distribution of the Species mentioned.] 1868. 4*s*. 6*d*.

Part IV. Pp. 211. [With Alphabetical Index.] 1871. 6*s*.

Part V. Pp. 202. [With Alphabetical Index.] 1872. 5*s*.

Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s*.

Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s*.

Part VIII. Pp. 220. [With Alphabetical Index.] 1873. [6*s*. 6*d*.

## VERMES.

Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2*s.*

## ANTHOZOA.

Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1*s.* 6*d.*

Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3*s.*

Catalogue of the Madreporarian Corals in the British Museum (Natural History) :—

Vol. I. The Genus Madrepora. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1*l.* 4*s.*

Vol. II. The Genus Turbinaria ; the Genus Astræopora. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18*s.*

Vol. III. The Genus Montipora ; the Genus Anacropora. By Henry M. Bernard, M.A. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1*l.* 4*s.*

Vol. IV. The Family Poritidæ. I.—The Genus Goniopora. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1*l.*

## BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3*s.* 6*d.*

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition. Part I. Andrenidæ and Apidæ. By Frederick Smith, M.E.S. New Issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 6*s.*

Catalogue of British Fossorial Hymenoptera, Formicidæ, and Vespidæ in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6*s.*

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7*s.*

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12*s.* 6*d.*

List of the Specimens of British Animals in the Collection of the British Museum: with Synonyma and References to figures. 12mo.:—

Part V. Lepidoptera. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1*s.* 9*d.*

Part VI. Hymenoptera. By F. Smith. Pp. 134. 1851. 2*s.*

Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3*s.* 6*d.*

Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3*s.* 6*d.*

Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2*s.* 6*d.*

Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1*s.*

Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9*d.*

Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1*s.* 4*d.*

Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6*d.*

Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1*s.*

Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3*s.*

Part XVII. Nomenclature of Anoplura, Euplexoptera, and Orthoptera. By Adam White. Pp. iv., 17. 1855. 6*d.*

## PLANTS.

Illustrations of the Botany of Captain Cook's Voyage Round the World in H.M.S. "Endeavour" in 1768–71. By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. With Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—Australian Plants. 101 Copper-plates [after paintings by F. P. Nodder], with 31 pages of descriptive text. 1900, fol. 25*s.*

Part II.—Australian Plants, Pt. II. 142 Copper-plates (pls. 101–243) [after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley], with 41 pages of descriptive text (pp. 35–75). 1901, fol. 35*s.*

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7*s.* 6*d.*

Part II. Combretaceæ to Rubiaceæ. Pp. 337–510. [With Index of Genera.] 1898, 8vo. 4*s.*

Part III. Dipsaceæ to Scrophulariaceæ. Pp. 511–784. [With Index of Genera.] 1898, 8vo. 5*s.*

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785–1035. [With Index.] 1900, 8vo. 5*s.*

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc. F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6*s.*

Part II. Cryptogamia. Pp. 261–566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6*s.*

| | | |
|---|---|---|
| Vascular Cryptogams ... | By | William Carruthers, F.R.S. |
| Mosses ... ... ... | „ | Antony Gepp, M.A., F.L.S. |
| Hepatics ... ... ... | „ | F. Stephani. |
| Marine Algæ ... ... | „ | Ethel S. Barton. |
| Freshwater Algæ ... ... | „ | W. West, F.L.S., and G. S. West, B.A. |
| Diatomaceæ ... ... | „ | Thomas Comber, F.L.S. |
| Lichenes ... ... ... | „ | E. A. Wainio. |
| Fungi ... ... ... | „ | Annie Lorrain Smith. |
| Mycetozoa ... ... ... | „ | Arthur Lister, F.R.S. |

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16*s.*

A Monograph of the Mycetozoa : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By Arthur Lister, F.L.S. Pp. 224. 78 Plates and 51 Woodcuts. [With Synopsis of Genera and List of Species, and Index.] 1894, 8vo. 15*s.*

List of British Diatomaceæ in the Collection of the British Museum. By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1*s.*

## FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5*s.*

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6*s.*

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4*s.*

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 32 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5*s.*

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6*s.*

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891 8vo. 10*s.* 6*d.*

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containingthe Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7*s.* 6*d.*

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part III. Containing the Order Chelonia. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7*s.* 6*d.*

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c. :—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21*s.*

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodorulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrostean Actinopterygii). Pp. xliv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21*s.*

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aetheospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21*s.*

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percesoces, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21*s.*

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6*s*.

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10*s*.

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History) :—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Poterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10*s*. 6*d*.

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15*s*.

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D., F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12*s*. 6*d*.

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2*s*. 6*d*.

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5*s*.

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates. [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10*s.*

The Cretaceous Bryozoa. Vol. I. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16*s.*

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886, 4to. 25*s.*

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3*s.*

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5*s.*

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge :—

Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1894, 8vo. 10*s.*

Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15*s.*

Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20*s.*

Part IV. The Jurassic Flora. Part II. Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10*s.*

## GUIDE-BOOKS, ETC.

A General Guide to the British Museum (Natural History), Cromwell Road, London, S.W. With 58 Woodcuts, 2 Plans, 2 views of the building, and an illustrated cover. Pp. 119. 1903, 8vo. 3*d.*

Guide to the Galleries of Mammalia in the Department of Zoology of the British Museum (Natural History). 7th Edition. Pp. 126. 65 Woodcuts and 4 Plans. Index. 1902, 8vo. 6*d.*

Guide to the Galleries of Reptiles and Fishes in the Department of Zoology of the British Museum (Natural History). 4th Edition. Pp. iv., 119. 101 Woodcuts. Index. 1898. 8vo. 6*d.* (*Out of print.*)

Guide to the Shell and Starfish Galleries (Mollusca, Polyzoa, Brachiopoda, Tunicata, Echinoderma, and Worms), Department of Zoology, British Museum (Natural History). New Edition. Pp. iv., 130. 125 Woodcuts, Plan and Indexes. 1901, 8vo. 6*d.*

Guide to the Coral Gallery (Protozoa, Porifera or Sponges, Hydrozoa, and Anthozoa) in the Department of Zoology, British Museum (Natural History). Pp. [iv.,] 73. 82 Illustrations, Plan, and Index. 1902, 8vo. 1*s.*

A Guide to the Fossil Mammals and Birds in the Department of Geology and Palæontology in the British Museum (Natural History). 7th Edition. [By Henry Woodward.] Pp. xii., 103. 116 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6*d.* (*Out of print.*)

A Guide to the Fossil Reptiles and Fishes in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xiv., 129 : 165 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1896, 8vo. 6*d.*

A Guide to the Fossil Invertebrates and Plants in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward.] Pp. xvi., 158. 182 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, Introduction, and Index.] 1897, 8vo. 1*s.*

The same, in two parts :—

Part I. Mollusca to Bryozoa. Pp. xii., 64. 107 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Introduction.] 1897, 8vo. 6*d.*

Part II. Insecta to Plants, &c. Pp. ix., 64*–158. Woodcuts 108–182. [With List of Illustrations and Index to the two parts.] 1897, 8vo. 6*d.*

Guide to Sowerby's Models of British Fungi in the Department of Botany, British Museum (Natural History). By Worthington G. Smith, F.L.S. Pp. 82. 93 Woodcuts. With Table of Diagnostic Characters, and Index. [Second Edition.] 1898, 8vo. 4*d.*

Guide to the British Mycetozoa exhibited in the Department of Botany, British Museum (Natural History). By Arthur Lister, F.L.S. [Second Edition.] Pp. 42. 44 Woodcuts. Index. 1903, 8vo. 3*d.*

A Guide to the Mineral Gallery of the British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. Plan. 1903, 8vo. 1*d.*

The Student's Index to the Collection of Minerals, British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. With a Plan of the Mineral Gallery. 1903, 8vo. 2*d.*

An Introduction to the Study of Minerals, with a Guide to the Mineral Gallery of the British Museum (Natural History). By L. Fletcher, M.A., F.R.S. Pp. 123. 41 Woodcuts. With Plan of the Mineral Gallery and Index. 1903, 8vo. 6*d.*

An Introduction to the Study of Rocks. By L. Fletcher, M.A., F.R.S. Pp. 118. [With plan of the Mineral Gallery, Table of Contents, and Index.] 1898, 8vo. 6*d.*

An Introduction to the Study of Meteorites, with a List of the Meteorites represented in the Collection on January 1st, 1904. By L Fletcher, M.A., F.R.S., &c. Pp 109. [With a Plan of the Mineral Gallery, and an Index to the Meteorites represented in the Collection.] 1904, 8vo. 6*d.*

Handbook of Instructions for Collectors, issued by the British Museum (Natural History). With Illustrations. Second Edition. Pp. 138. Index. 1904, 8vo. 1*s.* 6*d.*

Hints on Removing and Preparing Skins of Mammals. Pp. 11. Text illust. [2nd Edition.] 1903, 8vo. 4*d.*

Instructions for the Preservation of Birds. Pp. 10. 5 figures in text. [3rd Edition.] 1904, 8vo. 3*d.*

Instructions for Collecting Reptiles, Batrachians, and Fishes. Pp. 12. [2nd Edition.] 1903, 8vo. 4*d.*

SMITHSONIAN INSTITUTION LIBRARIES
3 9088 00726 2603